

Synthetic prototype — not for operational use

POWERPLANTS ONE · SERVICE OPERATIONS

Technician job pack

SYN-PPO-PACK-000001 · r01

SYN Long customer greenhouse research and maintenance division Long customer greenhouse research and maintenance division Long customer greenhouse research and maintenance division · SYN Long eastern irrigation inspection and propagation facility Long eastern irrigation inspection and propagation facility Long eastern irrigation inspection and propagation facility

Work SYN-PPO-WO-000010 · Appointment SYN-PPO-APT-000012 · Australia/Brisbane

Issue timestamp 2026-10-10T03:26:02.246Z (reserved at output preparation; effective only on application release) · Issue reference 3070adc9-10bb-4647-a161-d0dc95ba73b2. The application records actual release time and current status. This file alone is not proof of release.

1. Identification and visit

SYN-PPO-WO-000010 · SYN-PPO-APT-000012

SYN Long customer greenhouse research and maintenance division Long customer greenhouse research and maintenance division Long customer greenhouse research and maintenance division

SYN Long eastern irrigation inspection and propagation facility Long eastern irrigation inspection and propagation facility Long eastern irrigation inspection and propagation facility

2031-09-24T00:00:00.000Z to 2031-09-24T02:00:00.000Z (UTC); site timezone

Australia/Brisbane

Crew: SYN Riley Technician (Technician), SYN Morgan Technician (Lead)

IDENTIFICATIONSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. IDENTIFICATIONEND

Source records: aa000000-0000-4000-8000-000000000001

2. Customer arrangements

Location: Fictional site; booking address unverified
Contact: SYN Avery Contact; Not recorded; avery@example.invalid
Access: SYN access to be confirmed
Date agreement: Confirmed. This is not pack acknowledgement.

CUSTOMER_ARRANGEMENTSSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. CUSTOMER_ARRANGEMENTSEND

Source records: aa000000-0000-4000-8000-000000000001

3. Authorised scope and limits

Approved scope r01: SYN Planned controller inspection — coordination and customer date review
Exclusions: No shutdown, replacement, energised access, repair or financial approval.
Diagnostic limits: External visual inspection only.

1. Inspection: Observe controller display and external sensor identity
Completion: Record observations,Stop before intervention
Shutdown condition: Not recorded

SCOPESTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SCOPEEND

Source records: aa000000-0000-4000-8000-000000000001

4. Equipment and configuration

SYN-PPO-AST-000001: SYN irrigation controller
Identity: Verified; serial: Not recorded
Configuration: Not recorded

EQUIPMENTSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. EQUIPMENTEND

Source records: aa000000-0000-4000-8000-000000000001

5. History and unresolved issues

No service-audience history selected. The preparation notes must explain the review or relevant absence.

HISTORYSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. HISTORYEND

6. Technical information

SYN visual inspection reference

Version 363bc1e22ad3b41cb0c56f2959bf8e63e396a38ed039231ed20e65b1ffadc9a; SHA-256 363bc1e22ad3b41cb0c56f2959bf8e63e396a38ed039231ed20e65b1ffadc9a

Synthetic prototype — not for operational use

Visual inspection reference version 1. Observe external condition only. Do not isolate, open, adjust or operate equipment. Stop and escalate uncertain identity or unsafe access.

TECHNICAL_INFORMATIONSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. TECHNICAL_INFORMATIONEND

Source records: c2000000-0000-4000-8000-000000000001

7. Parts, tools and readiness

Required competencies reviewed: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Mandatory isolation: NotApplicable. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Shutdown authority: NotApplicable. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Site access: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Site and biosecurity controls: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Tools and preparation: Pass. SYN inspection kit preparation reviewed.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

READINESSSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. READINESSEND

Source records: aa000000-0000-4000-8000-000000000001

8. Site controls

Access: SYN access to be confirmed

Biosecurity: SYN controls require review

Required competencies reviewed: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Mandatory isolation: NotApplicable. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Shutdown authority: NotApplicable. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Site access: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Site and biosecurity controls: Pass. SYN reviewed external visual scope; no shutdown or intervention.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Tools and preparation: Pass. SYN inspection kit preparation reviewed.

Evidence: SYN P05 reviewed scope and preparation;

19d8e0f738f83109ed0a0b2010290cbe93e113ca82027281e1f84300f9149ca0

Stop if site access, isolation, shutdown authority or competency cannot be confirmed. Tool-preparation exceptions do not waive these controls.

SITE_CONTROLSSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SITE_CONTROLSSEND

Source records: aa000000-0000-4000-8000-000000000001

9. Completion evidence and escalation

1. Record observations, Stop before intervention

Record unresolved work and escalate to the preparation owner. This pack does not grant authority outside the approved scope. Use My Jobs for online capture. Completion remains a draft; offline, reviewed reports and Finance remain incomplete.

COMPLETIONSTART SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. SYN visual inspection only; retain the uncertain label and arrange separately authorised work. COMPLETIONEND

Source records: aa000000-0000-4000-8000-000000000001

Exact reviewed source snapshot: b078521a88a037688d5e93216b5ebf7e9e6fd404fe9a70fc6a7c010f231e7d2c

Template version 1 · b12c139ee6d5cf2e44c1bd7db8d7075c5393b209b518b6c343bd67246bbbc604. PDF tagging is requested; PDF/UA conformance is not verified. Use the HTML view for navigation and adaptable text.

Read the current applicability and individual acknowledgement status in Powerplants One. Opening this file does not acknowledge it or authorise attendance.