apiSubmitInspection

Submit inspection request.

POST/GET api/submit-inspection

Parameters summary

	<pre>\$params = []</pre>	parameters
string	\$api_key,…	API key included for every request
string	<pre>\$reference_number,</pre>	reference number
string integer	\$sale_date,…	(optional) sale date
integer	\$sale_mileage,	(optional) sale mileage amount
string	<pre>\$vehicle_year,</pre>	vehicle year
string	<pre>\$vehicle_make,</pre>	vehicle make
string	<pre>\$vehicle_model,</pre>	vehicle model
integer	<pre>\$vehicle_mileage,</pre>	vehicle mileage
string	\$vin,	vehicle VIN number
string	<pre>\$contract_holder,</pre>	(optional) contract holder (vehicle owner's name)
string	\$contract_no,	contract number (policy number)
string	\$insp_reason,	inspection reason
string	<pre>\$repair_site,</pre>	facility (repair site) name
string	\$facility_addr1,…	facility address line 1

string	\$facility_addr2,…	(optional) facility address line 2
string	<pre>\$facility_city,</pre>	facility city name
string	<pre>\$facility_state,</pre>	facility 2-letter state code
string	<pre>\$facility_zip,</pre>	facility ZIP code
string	<pre>\$contact_name,</pre>	contact name
string	<pre>\$contact_phone,</pre>	contact phone
string	<pre>\$req_name,</pre>	requester name
string	<pre>\$req_ext,</pre>	(optional) secondary contact extension
string	<pre>\$req_email,</pre>	(optional) secondary contact email

Return value summary

object

JSON response with code and result. In case of success, result will hold the inspection ID. In case of error an additional error field is returned describing the error. For example

```
{ "code": 200, "result": 81 }
{ "code": 400, "error": "Unauthorized" }
```