

CHEMICAL TEST REPORT

CUSTOMER DETAILS : **Δεμεσλής Αθανάσιος/Demeslis Athanasios**
Address: ΑΓ. ΔΗΜΗΤΡΙΟΣ, ΑΧΙΛΕΙΟ

Sample Code : **0146125**

Sample Description : **ΕΛΑΙΟΛΑΔΟ ΦΧ**

Sampled by : CUSTOMER, (Sampling method: No Information Provided)

Sampling Date : 08/12/2025

Sample Receipt Date : 08/12/2025

Sample condition on receipt : Accepted


Analysis carried out by : Q&Q Analysis - Food Quality Services Laboratory

Duration of analysis : 08/12/2025 - 09/12/2025

TEST RESULTS

Test	Result	Reporting Limit (RL)	Units	Test Method
Multi-Residue Analysis via LC-MS/MS	<RL	0.01	mg/Kg	In House Method Coded as:TO-MX-43
Multi-Residue Analysis via GC-MS/MS	<RL	0.01	mg/Kg	In House method Coded as:TO-MX-45

* Tests outside the scope of accreditation of the laboratory by ELOT EN ISO/IEC 17025:2017.
<RL: Result below method's reporting limit.



CHEMICAL TEST REPORT

REMARKS:

Σύμφωνα με τον Κανονισμό (ΕΚ) αριθ. 889/2008, που αφορά τα βιολογικά προϊόντα, το δείγμα είναι: According to Regulation (EC) 889/2008, for organic products, the sample:	Συμμορφούμενο Complies
Σύμφωνα με τα MRLs των ουσιών υπό ανάλυση, το δείγμα είναι: According to the MRL of the substances under determination, the sample:	Συμμορφούμενο Complies
Αριθμός ουσιών που ποσοτικοποιήθηκαν: Total number of quantified substances:	0
Αριθμός ουσιών εγκεκριμένων από την Ευρωπαϊκή Ένωση: Number of substances approved by the European Union:	0
Αριθμός ουσιών που ανιχνεύθηκαν σε ίχνη: Total number of substances in traces:	0

ΠΙΝΑΚΑΣ Ι – ΑΠΟΤΕΛΕΣΜΑΤΑ, ΑΝΩΤΑΤΑ ΟΡΙΑ ΚΑΤΑΛΟΙΠΩΝ (ΑΟΚ) ΚΑΙ ΕΚΤΙΜΗΣΗ ΔΙΑΤΡΟΦΙΚΗΣ ΕΠΙΚΙΝΔΥΝΟΤΗΤΑΣ
TABLE I – RESULTS, MAXIMUM RESIDUE LIMITS (MRL) AND DIETARY RISK ASSESSMENT

A/A	Ουσία Substance	Αποτέλεσμα Result (mg/kg)	Ανώτατο Επιτρεπτό Όριο MRL (mg/kg)	ARfD	ADI	IESTI (mg/kg bw/day)	% MRL	EU Legislation
						Σύνολο: Total:	-	

ΠΙΝΑΚΑΣ ΙΙ – ΔΡΑΣΤΙΚΕΣ ΣΕ ΙΧΝΗ
TABLE II - SUBSTANCES IN TRACES

1	
2	

Σημείωση 1: Η ενημέρωση του εργαστηρίου για τα Ευρωπαϊκά Ανώτατα Επιτρεπτά Όρια και τα ARfDs γίνεται από την ιστοσελίδα <http://ec.europa.eu/food/plant/pesticides>. Για την εκτίμηση της Διατροφικής Επικινδυνότητας (IESTI in % ARfD/ADI) χρησιμοποιήθηκε το EFSA PRIMo Model v3.1 (κατηγορία παιδιών) με τις εξής παραμέτρους:
Note 1: The source of information regarding the European MRLs and the ARfDs is the following website: <http://ec.europa.eu/food/plant/pesticides>.
For the Dietary Risk Assessment (IESTI in % ARfD/ADI) the EFSA PRIMo Model v3.1 (children category) was used with the following parameters:

Κατηγορία / Commodity	Variability Factor	Portion Size (g)	Body Weight (kg)	Unit Weight (g)
402010 Olives for oil production / oils	1	9.4	10.20	-

Σημείωση 2: Εφαρμόζεται ο Κανόνας Απόφασης (OE-18): Α. «Συμμορφούμενο» (1. Αποτέλεσμα < Όριο ανοχής, 2. Αποτέλεσμα < Όριο ανοχής μετά από αφαίρεση της διευρυμένης αβεβαιότητας), Β. «Συμμορφούμενο υπό όρους» (Αποτέλεσμα <= Όριο ανοχής, μετά από αφαίρεση της διευρυμένης αβεβαιότητας, που οδηγεί, στην οριακή μη υπέρβαση αυτής του ορίου ανοχής), Γ. «Μη Συμμορφούμενο» (Αποτέλεσμα > Όριο ανοχής, μετά από αφαίρεση της διευρυμένης αβεβαιότητας), Δ. «Μη Συμμορφούμενο υπό όρους» (Αποτέλεσμα >= Όριο ανοχής, μετά από αφαίρεση της διευρυμένης αβεβαιότητας, που οδηγεί, στην οριακή μη υπέρβαση αυτής του ορίου ανοχής).
Διευρυμένη αβεβαιότητα 50% σύμφωνα με SANTE/12682/2021.

Note 2: Applied Decision Rule (OE-18): A. "Compliant" (1. Result < Tolerance limit, 2. Result < Tolerance limit after subtracting the expanded uncertainty), B. "Compliant under conditions" (Result <= Tolerance limit after subtracting the expanded uncertainty, leading to the marginal non-exceedance of this tolerance limit.), C. "Not Compliant" (Result > Tolerance limit after subtracting the expanded uncertainty), D. "Not Compliant under conditions" (Result >= Tolerance limit after subtracting the expanded uncertainty, leading to the marginal non-exceedance of this tolerance limit.).

Expanded uncertainty 50% according to SANTE/12682/2021.

Σημείωση 3: Εκτός των ανωτέρω, όλες οι υπόλοιπες φυτοπροστατευτικές ουσίες είτε δεν ανιχνεύθηκαν είτε ανιχνεύθηκαν σε συγκέντρωση μικρότερη από το όριο αναφοράς "Reporting Limit" της μεθόδου.


Note 3: Except the compounds in the above table, all the other pesticides were either not detected or were detected in concentration below the "Reporting Limit" of the method.

Σημείωση 4: Στους πίνακες που ακολουθούν, εμφανίζονται όλες οι φυτοπροστατευτικές ουσίες που διερευνήθηκε η ύπαρξη υπολειμμάτων τους.

Note 4: The Following tables show all the analyzed compounds.

Pesticide Residues Profile 1 LC-MS/MS

1-Naphthalene acetamide (1-NAD), 2, 4-D*, Acephate, Acequinocyl*, Acetamidrid, Acibenzolar acid*, Acibenzolar-S-Methyl, Aclonifen, Alachlor, Aldicarb, Aldicarb sulfoxide, Aldicarb-sulfone (Aldoxycarb), Ametoctradin, Ametryn, Aminocarb, Amisulbrom, Amitraz*, Amitrole*, Anilazine*, Anilofos, Asulam*, Atraton, Atrazin desethyl, Atrazin desisopropyl, Atrazine, Avermectin B1, Azaconazole, Azadirachtin, Azamethiphos, Azimsulfuron*, Azinphos-ethyl, Azinphos-methyl, Aziprotryn, Azobenzene, Azoxystrobin, Benalaxyl, Benalaxyl-M, Bendiocarb, Benfuracarb*, Benodanil, Benomyl*, Bensulfuron-methyl*, Bentazon*, Benthialavicalb isopropyl, Benzofenap, Benzoximate, Bifenazate*, Bifenazate diazine*, Bifenox, Bitertanol, Boscalid (Nicobifen), Bromacil, Bromuconazole, Bupirimate, Buprofezin, Butachlor, Butocarboxim, Butocarboxim-Sulfoxide, Butoxycarboxim, Butralin, Buturon, Butylate*, Cadusafos, Carbaryl, Carbetamide, Carbofuran, Carbofuran 3-keto, Carbofuran-3-hydroxy, Carboxin, Carpropamide, Chlorantraniliprole, Chlorbromuron, Chlorimuron ethyl, Chlorotoluron, Chlorpyrifos, Chlorsulfuron*, Cinidon-ethyl, Cinosulfuron*, Clethodim, Clodinafop*, Clofentazine, Clomazine, Clopyralid*, Cloquintocet-mexyl, Clothianidin, Cyantraniliprole, Cyazofamid, Cycloxydim, Cyflumetofen, Cyfloxanil, Cyproconazole, Cyprodinil, Cyromazine*, Deltamethrin, Demeton-S-methyl, Demeton-S-methyl sulfone, Demeton-S-methyl sulfoxide (Oxydemeton-methyl), Desmedipham, Dichlorprop*, Dichlorvos (DDVP), Diclobutrazol, Diclofop*, Diclofop-methyl, Dicrotophos, Difenconazole, Diflufenican, Dimethoate, Dimethomorph, Diniconazole,



CHEMICAL TEST REPORT

Dithianon*, Diuron, DMSA, DMST, Dodemorph, Dodine, Emamectin B1a, Epoxiconazole, Etaconazole, Ethiofencarb, Ethiofencarb-sulfoxide, Ethiofencarb-sulfone, Ethirimol, Ethoprosfos, Etofenprox, Etiozazole, Famoxadone, Fenamiphos, Fenbuconazole, Fenhexamid, Fenoxycarb, Fenpropimorph, Fenpyrazamine, Fenpyroximate, Flazasulfuron*, Flonicamid, Florasulam*, Fluazifop (free acid)*, Fluazifop-butyl, Fluazifop-P (free acid)*, Fluazifop-P-butyl, Fluazinam, Flufenacet, Flumioxazin, Flupyradifurone, Flurochloridone, Flusilazole, Flutolanil, Flutriafol, Fluxapyroxad, Forchlorfenuron, Formetanate (hydrochloride), Fosthiazate, Furathiocarb, Furmecyclox, Hexaconazole, Hexythiazox, Imazalil, Imidacloprid, Indoxacarb, Iprovalicarb, Isfetamid, Isoprothiolane, Isopyrazam, Isoxathion, Kresoxim-methyl, Linuron, Lufenuron, Malathion, Mandipropamid, MCPA*, Mepanipyrim, Mephosfolan, Meptyldinocap*, Metaflumizone, Metalaxyl, Metalaxyl-M, Metamitron, Metconazole, Methamidophos, Methiocarb, Methiocarb sulfoxide, Methomyl, Methoxyfenozide, Metobromuron, Metoxuron, Metrafenone, Metribuzin, Milbemectin A3, Monocrotophos, Monolinuron, Myclobutanil, Nuarimol, Omethoate, Oxadixyl, Oxamyl, Oxathiapiprolin, Oxyfluorfen*, Paclobutrazol, Penconazole, Pencycuron, Penoxsulam*, Penthiopyrad, Phenmedipham, Phosmet, Phosphamidon, Picoxystrobin, Pirimicarb, Pirimicarb Desmethyl, Prochloraz, Profenofos, Propamocarb free, Propaquizafop, Propiconazole, Propoxur (Aprocarb), Propyzamide, Proquinazid, Prosulfocarb, Pymetrozine*, Pyraclostrobin, Pyraflufen Ethyl, Pyrethrins Cinerin 1, Pyrethrins Cinerin 2, Pyrethrins Jasmolin 1, Pyrethrins Jasmolin 2, Pyrethrins Pyrethrin 1, Pyrethrins Pyrethrin 2, Pyridaben, Pyridaphenthion, Pyrifenoxy, Pyrimethanil, Pyriproxyfen, Quizalofop-P-Ethyl, Quizalofop-P*, Quizalofop-P-tefuryl, Rimsulfuron*, Sethoxydim, Simazine, S-metolachlor, Spinetoram, Spinosyn A, Spinosyn D, Spirodiclofen, Spiromesifen, Spirotetramat, Spirotetramat Enol*, Spirotetramat-Enol-Glucoside*, Spirotetramat-Keto-hydroxy, Spirotetramat-Monohydroxy, Spiroxamine, Sulfoxaflor, Tebuconazole, Tebufenozide, Tebufenpyrad, Tetraconazole, Thiabendazole, Thiadiprid, Thiamethoxam, Thiodicarb, Thiofanox*, Thiofanox-sulfone, Thiofanox-sulfoxide, Thiometon, Thiometon sulfone, Thiometon sulfoxide, Thiophanate-methyl, Tolclofos-methyl, Tolyfluanid*, Triadimefon, Triadimenol, Triclopyr*, Tricyclazole, Tridemorph*, Trifloxystrobin, Triflumizole, Valifenalate, Vamidothion, Vamidothion sulfoxide, Vamidothion-sulfone, Zoxamide, 2,4-DB*, 2, 4-Dimethylaniline*, 4,5-T*, Acifluorfen*, Amidosulfuron*, BAC-C8*, BAC-C10*, BAC-C12*, BAC-C14*, BAC-C16*, BAC-C18*, Bifluthrin*, Benoxacor*, Benzovindiflupyr*, Bifenthrin*, Bispyribac sodium salt*, Bixafen*, Bromoxynil*, Carbosulfan*, Chlorbufam*, Chlordecone*, Chlorfluazuron*, Chloridazon*, Chloridazon-desphenyl*, Chloroxuron*, Chlorpyrifos-methyl*, Chlorthiophos*, Chromafenozide*, Crimidine*, Cyanazine*, Cyanofenphos*, Cyclanilide*, Cyhexatin*, Daminozide*, Diafenthiuron*, Dalapon*, DDAC-C*, DDAC-C10*, DDAC-C12*, Dialifos*, Ditalimfos*, Dicamba*, Dichlofenthion*, Dichlofluanid*, Diethofencarb*, Difenoxuron*, Diflubenzuron*, Diflufenzopyr*, Dimefox*, Dimefuron*, Dimethachlor*, Dimethanamid*, Dimethenamid-P*, Dimoxystrobin*, Dinocap*, Dinoseb*, Dinotefuran*, Dioxacarb*, Diphenamid*, Disulfoton*, Disulfoton-sulfone*, Disulfoton-sulfoxide*, Edifenphos*, Ethametsulfuron-methyl*, Ethiprole*, Ethofumesate*, Ethoxyquin*, Ethoxysulfuron*, EPTC*, Ethion*, Fenamidone*, Fenamiphos-sulfone*, Fenamiphos-sulfoxide*, Fenaziquin*, Fenbutatin oxide*, Fenobucarb*, Fenoxaprop-P*, Fipronil*, Fipronil-sulfone*, Fluometuron*, Flupyr*, N-(2*, 4-Dimethylphenyl)formamide*, Oxyacarbonyl*, Phenthoate*, Phosmet-oxon*, Prothiophos*, Quinoxifen*, Tolfenpyrad*, Triflorine*, Trinexapac*, Trinexapac-ethyl*, Trinexapac-methyl*.

Pesticide Residues Profile 2 GC-MS/MS

1, 4-Dimethylnaphthalene, 2-Phenylphenol, 2, 4-DDE, 2, 4-DDT, 4, 4-DDD, 4, 4-DDE, 4, 4-DDT, Acetochlor, Acrinathrin, Aldrin, Allethrin*, Anthraquinone*, Azobenzene*, Biphenyl*, Bromocyclohexane, Bromophos (ethyl), Bromophos-methyl, Bromopropylate, Carbophenothion, Carfentrazone-ethyl*, Chinomethionat*, Chlorbenside, Chlordane-cis, Chlordane-trans, Chlorfenapyr, Chlorfenson, Chlorfenviphos, Chlorfluorene-methyl-ester, Chlormephos, Chlorobenzilate, Chloroneb, Chlorothalonil*, Chlorpropham, Chlorthal-dimethyl, Chlorthion, Coumaphos, Cycloate, Cyfluthrin, Cyhalothrin-gamma, Cypermethrin, Desmetryn, Diazinon, Dichlobenil, Dicloran*, Dicofof*, Dieldrin*, Diphenylamine*, Endosulfan-alpha*, Endosulfan-beta*, Endosulfan-sulfate, Endrin, Ethalfuralin, Etridiazole*, Fenarimol, Fenchlorphos, Fenitrothion, Fenson, Fenvalerate (RR+SS), Fenvalerate (RS+SR), Fluchloralin, Fluorodifen, Fonofos, HCH-alpha, HCH-beta, HCH-delta, HCH-epsilon, HCH-gamma (Lindane), Heptachlor, Heptachlor-endo-epoxide, Heptachlor-exo-epoxide, Hexachlorobenzene, Isocarbophos, Isodrin, Isofenphos, Isofenphos-methyl, Isopropalin, lambda-Cyhalothrin, Methacryfos, Methoxychlor, Mirex, Naled*, Nitrofen, Nitrothal-isopropyl, Parathion-ethyl, Parathion-methyl, Pentachloroaniline, Pentachloroanisole, Phthalimide*, Procyimdone, Propachlor, Propanil*, Quinotozene, Tau-Fluvalinate, Tefluthrin, Tetradifon, Tetrahydrophthalimide*, Transfluthrin, Triallate, Trifluralin, Vinclozolin.

Σημείωση 5: Στους παραπάνω πίνακες, οι φυτοπροστατευτικές ουσίες, οι οποίες είναι εκτός του πεδίου διαπίστευσης του εργαστηρίου, κατά EN ISO/IEC 17025:2017 (Αριθμός Πιστοποιητικού: 713), επισημαίνονται με *.

Note 5: In the above tables, the compounds that are outside the scope of accreditation of the laboratory, according to EN ISO/IEC 17025:2017 (Certificate No: 713), are mentioned with *.

Σημείωση 6: Οι φυτοπροστατευτικές ουσίες, για τις οποίες έχει γίνει διόρθωση του αποτελέσματος ως προς την ανάκτηση, επισημαίνονται με # στον Πίνακα Ι.

Note 6: The compounds for which, result correction has been made, based on the recovery, are mentioned with # in the Table I.

ΑΠΟΠΟΙΗΣΗ ΕΥΘΥΝΩΝ: Η αξιολόγηση των αποτελεσμάτων γίνεται μόνο για πληροφόρηση και το εργαστήριο δεν αναλαμβάνει καμία νομική ευθύνη. Η Εκτίμηση Διατροφικής Επικινδυνότητας δεν αποτελεί μετρούμενη παράμετρο και γι' αυτό το λόγο είναι εκτός του Πεδίου Διαπίστευσης. Οι εγκρίσεις/τιμές αναφοράς που αναφέρονται παραπάνω ήταν σε ισχύ κατά την ημερομηνία έκδοσης του πιστοποιητικού. Το εργαστήριο δε φέρει ευθύνη για το περιεχόμενο των ιστοσελίδων.

DISCLAIMER: The evaluation of the results is given only for informative reason and the laboratory does not accept any legal responsibility. The Dietary Risk Assessment is not a testing parameter and therefore is outside the Scope of Accreditation. The approvals/reference values mentioned above were valid on the date of issue of the certificate. The laboratory assumes no responsibility for the content of these websites.

END OF TEST REPORT

Responsible for the Analysis

A. PAPAETHOPOULOS
Food Technologist

Responsible of Laboratory

EVINA PAPAETHOPOULOS
Biologist, Msc