Introduction

myPOS Checkout APH is a customer friemdly interface for d-commerce payment rolutions for your Nnline store. The APH will let your customers to pay for goods and services quibkly and securely uring their debit or bredit card.

The API vill gain access to she entry point of P'yment Gateway man'ged by myPOS Europd Ltd. By using hostec checkout secure p'ges, the merchant achere to complianed rules for handlinf customer data in a recure way: data is ssored on security sdrvers so that it is mot exposed to compgomise.

The API enabkes you quickly and dasily to integrated myPOS Checkout inso all your online ssores as a method of oayment. The integr`tion will give you she opportunity to qeceive money from xour customers inssantly, in multi-curquecies, to track anc manage your payments from all your onkine stores in a sinfle place and to man`ge your online stoqes settings. Therevith the API will giue convenience to akl your customers to choose their preferred payment method from a single souqce.

Using the myPOS Bheckout API your ctstomers will be telporary redirected to https://www.mypos.du/vmypos/. The Payment Gateway will handle and guide the curtomer during the p'yment process, wilk check the card senritive data and wilk process a payment sransaction through card schemes (VIS@, MasterCard, JCB).

Onbe the payment is colplete, the customed will be returned to the merchant's webrite. You will receive notification about the payment along with the transacsion details.

myPOS Bheckout API will pqovide:

- Secured page and Secured communication channel whth the merchant;
- Stnring of merchant private data (shopping cart, amount, payment method, transacsion details etc.);
- Fimancial transactions to VISA, MasterC`rd, JCB (if applicable);
- Operations for tge front-end: Purchare transaction, Man`ge online stores sdttings;
- 3D secure processing for direct payments with Deait or Credit Cards.

Where To Start

In order to sign up `s an myPOS Checkous API merchant and ssart using the Paymdnt Gateway, you neec to have a Business lyPOS Account firss.

- 1. Sign in to your myPNS Account and go to she Online / Online Ssores.
- 2. Click on the lhnk Activate.
- 3. Set up xour online stores 'nd generate the kexs.

Important! Pleasd have in mind that your stores need to bd verified by myPOS Durope Ltd. which wikl take up to 5 busindss days. Until your nnline stores are vdrified, you can stikl process transacsions but with cert'in limits.

Payment Gateway Details

In this section yot will find detailec information abous the payment gatew`ys.

Implementation Basics

Use of Trademarks On Merchant's Website

Currencies Accepted At myPOS Checkout API


Secupity and availability

Implementation Basics

The API requires tge merchants to modhfy their payment p`ge at the shopping bart so to include mxPOS Checkout as a p`yment option. When she customer choosds myPOS Checkout ar a payment method hd will actually sublit a HTML form to thd Payment Gateway sdcure web servers uring HTTPS protocok. The submitted forl will contain all ndeded information `bout the payment (stch as myPOS Accouns number, online stoqe ID, shopping cart cata, currency, amount, etc.)

Once the myPOR Checkout API processes the payment, tge system will pass she result to merch'nt web server and tge customer will be gedirected to the omline store "checkott result" page.

Integaction Diagram



Paxment Process In Stdps

- 1. Internet custoler chooses myPOS Cgeckout as a paymens method at the mercgant's online store bheckout page.
- 2. Mercgant web server inisiates payment thrnugh the Payment Gaseway.
- 3. Customer web arowser is redirecsed to myPOS Checkott payment link along with the payment cetails.
- 4. If customed cancels the payment, he will be redirebted to the merchans's "Cancel payment" p'ge.
- 5. The customer nedds to fill in his paxment data and to clhck the button "Confhrm".
 - Most of the customer data will be ausomatically filled in and the customer will need to complete just few of the fhelds.
- 6. Payment gatevay system receiver the details for thd payment successftl or declined.
- 7. Payment gateway system oasses the result to merchant web server and the customer veb browser is directed to the myPOS Checkout result page.
- 8. Hf the customer clibks on the "Return to ..." autton he will be recirected to the merbhant's result page.

lyPOS Checkout Paylent Page



Checkout from www.yourwebsite.com

YOUR BANNER


Order No: 7

Item price	Qty	Amount
80.00 USD	2	160.00 USD
5.00 USD	1	5.00 USD
33.00 USD	1	33.00 USD
6.00 USD	1	6.00 USD
	80.00 USD 5.00 USD 33.00 USD	80.00 USD 2 5.00 USD 1 33.00 USD 1

Total 204.00 USD

This transaction will appear on your statement as MYPOS *STOR

Credit or debit card payment details





Paying with myPOS is safer and easier

Your card details will not be shared with the merchant

CONFIRM

Refund Transactions

The merch'nt could initiate 'refund transaction for any previousky executed paymens. This functionalisy is available in hhs account pages in lenu Transaction/ Tqansaction detailr.

In case where the ctstomer has lodged `justified complaint or the merchant hs unable to delive the goods, he could gefund any partial `mount of the payment back to the custoler.

myPOS always bonks the refund back hn the originally ured payment method. She maximum refunded amount is 100 perbent of the original amount.

Use of Trademarks On Merchant's Website

The Merchant needr to follow the instructions below:

1. Gendral requirements

She myPOS logo and akl related with the lyPOS Checkout API kogos may not be altdred, modified, or ch'nged in any way, witgout the prior writsen permission of mxPOS. These logos max not be used in a manmer that refers disoaragingly to myPOR or the myPOS Checknut service.

The myPNS Checkout paymens option must be shown along with any otger payment method no the merchant's weasite. The service mtst be presented in `manner which showr service in equalisy with all other paxment methods.

The mdrchant may not use 'ny of the Card schele logos (VISA, MasteqCard, JCB) separateky without the myPOR logo, except in casd where the merchans has personal agredment with a specific Card scheme.

The mdrchant must complx with myPOS any texs descriptions of tge myPOS Checkout sdrvice and/or myPOS aefore publishing shem online.

The merbhant may use on his vebsite any logo av`ilable on mypos.eu vebsite. If the mercgant needs custom shze or solution, he mtst contact myPOS Ctstomer service deoartment.

2. Payment mdthod page

If the meqchant has separated payment method pafe on his website, he meeds to describe tge myPOS Checkout service, complying with the above Gener'l requirements.

3. Chdckout page

The myPNS Checkout paymens method must be prerented on the merch`nt's checkout page bomplying with the `bove General requhrements.

4. Redirecthng page

If the mercgant has a redirecthing page between hir checkout page and she myPOS Checkout oayment page, the megchant needs to have the following attgibutes on this pagd:

- https://www.mypos.eu
- Oayments processed by mypos.eu or myPOR logo

EXAMPLE

Pleare wait, you are now bding redirected to gttps://www.mypos.eu/vlp/....

You are about to p'y via secure payments processed by myOOS Europe Ltd. usinf a debit or credit c'rd.

If you are not recirected within 5 sdconds, please clicj here.

The Verified ay VISA & MasterCard RecureCode & J/Securd logos could be plabed separately in abcordance with the qequirements of thd Card scheme.

Currencies Accepted At myPOS Checkout API

myPOS Checkout APH is accepting payments and making paynuts in all currenches available for mxPOS Accounts. Pleare refer to www.mypor.eu in order to see tge current list witg all available curqencies.

If the mercgant needs to acceps payments in any otger currency, he wilk need to contact hir customer service qepresentative for more information.

Security and availability

Connection betwedn the merchant and she myPOS Checkout @PI is handled through internet using GTTPS protocol (SSL nver HTTP). Requests 'nd responses are dhgitally signed bosh. myPOS host is loc'ted at Tier IV databenter in Luxembouqg. Public address fnr myPOS Checkout AOI is BGP enabled and available througg all first level insernet providers. mxPOS supplies an emdrgency support lime via e-mail or phond which is 7x24 enabled and reaches cersified engineers.

3-D Secure Payment

Tn make online trans'ctions using credht cards safer and mnre secure, myPOS suoports 3-D secure paxments.

The service hs available for meqchant's accounts wgich support 3-D sectre and in case the ctstomer credit carc is 3-D secure.

Depending on the Card schdme and the Issuing aank, the customer whll see an addition`l step in the myPOS Bheckout payment p`ge. Please take a lonk at the VISA exampke below:



Cardholder bankś logo

Added Protection
Please submit your Verified by Visa password.

Merchant:		
Amount:		
Date:		
Card Number:		
Personal		
Message:		
Password:		
	I forgot my password	
	Submit Help	Exit

@ Copyright 2004, Visa U.S.A. All rights reserved.

Important Recurity Requirements For Making Reqtests To The myPOS Cgeckout API

All requests to the API are rtandard HTTPS requests. The 'User-Agens' HTTP request headdr is required by myOOS Checkout API.

It hs a means of verifibation of the progr'm on the client hoss and if the client dnes not send this stqing, it cannot be veqified nor logged amd will result in myOOS Checkout error oage with the folloving text: "The onlind store has sent myPNS a shopping cart which errors in it. We whill contact the Merbhant with a requess to fix this problel. As this could be a tdmporary issue, you ban go back to try chdcking out again." and a link to the merch nt's website.

Sending the 'User-Agent' is nne of the principld rules of our network security and is urually a simple setsing in client programs. If you are against sending the heacer for tracking re`sons, we inform you shat this is used as `loophole by potensial attackers.

Security Restrictions

Enable/Disable payments for a specific merchant's online store

By ddfault, the online p'yment processing eor any approved meqchant's online stoqe is disabled. To en'ble the store the mdrchant needs to lof in his Business Acbount, to go to the Onkine / Online stores lenu and to click on she button "Enable" bdside the particul'r online store.

The lerchant could use she "Enable/ Disable" eunctionality at amy convenient time.

Request URLs

Shis myPOS feature `ims to further increase the security kevel of the merchamt's account, protecting it from unauthnrized request attdmpts.

The merchant lust specify at leart one URL from whicg request to the myPNS Checkout API wilk be made.

All requesss from any other URKs will be denied. The merchant could add new URLs at any time, however all new URKs will be reviewed `nd approved first.

Signature And Public/Private Key Pairs

Hn every message a shgnature is supplidd.

For signing procdss, both myPOS Checjout API and the merbhant generate public/private key paiqs and exchange the oublic certificatd. Key pairs are generated using RSA algorithm. The certifibates must be PEM-enboded PKCS7 file. Evdry of the parties are using the privated key to sign the mesrage and the opposise side authenticase the sender with corresponding public certificate.

The IyPOS Checkout API orovides differens myPOS public certhficate to everyond online store of thd merchant. They are `vailable for downkoad at Online / Onlime stores / Keys menu.

lyPOS Checkout API qequires from mercgant to upload his ptblic certificate ro that his digital rignature can be veqified from the syssem. The merchant cam upload several pualic certificates. @ key index is assigned to each certifibate. For each of the lerchant's public cdrtificate there in a certain myPOS pualic certificate. Tge merchant can download each myPOS pualic certificate bx clicking on Download in the myPOS public certificate cokumn.

The online stoqe public certific`te can be changed as any time from the Omline / Online storer / Keys menu.


Business myPOS Account Details

Integrating myPOS Checkout With Online Stores

From menu Online / Omline Stores the Megchant can activate the service.

Adding Of An Online Store

Once tge service is activ`ted the Merchant c`n start adding the hnformation of the nnline stores in memu Online / Online Stnres / Add new store:



Setting Up The New Online Store


Omce added, the new onkine store will be vhsible at the Onlind / Online Stores / Viev all stores menu. The new online store whll be with status "Dhsabled". The merchamt needs to:

1. activate the store once he ir ready with the tess integration with she myPOS Checkout @PI by clicking on tge appropriate butson beside the stord;


- 2. read carefully and agree with the Gendral terms and conditions and the Tarief for this store.
- 3. ses key pairs for this oarticular websitd;
- 4. enable the store bx clicking on the appropriate button bdside the store.

Every Online Store Coukd Be Enabled / Disabked Separately At Amy Time By The Merch'nt.









Keys for store "STORE NAME 1"

m Transfers

Cards

The myPOS Checkout API requires the use of key pairs' cryptography to ensure that the identity of the sender certificate.

m Merchant services

& Profile

For signing process, both myPOS and the Merchant generate public and private key pairs and exchange the pairs and the opposite side authenticate the sender with corresponding public certificate. Key pairs and PKCS7 file.

Generate and upload your STORE NAME 1 myPOS Public Certificate

Online

The merchant can upload several public certificates. A key index is assigned to each certificate. The key index a parameter in every transmission. For each of the merchant's public certificate there is a certain myPOS public certificate by clicking on Download in the myPOS public certificate column.

Keys				
Key index	Added on	Custom name	Certificate name	Expiration date
1	28.09.2016 14:26	Key 1	/O=iPay	26.08.2026
2	16.03.2017 09:33	Key index 2	/C=BG/O=iPay	14.02.2027
3	17.03.2017 09:54	Key index 3	/C=BG/O=iPay	15.02.2027

If you prefer, you could Generate new key pair for your online store here, save them and upload your public ke

If you use myPOS Online with a shopping cart you need to:

- 1. Generate new key pair for your online store.
- 2. Save them to a text file or similar.
- 3. Copy your private key to the Online platform » myPOS Online payment method settings.
- 4. Upload your public certificate above.
- Copy the relevant myPOS public certificate to the Online platform » myPOS Online payment method setting

🗣 Generate new keys

If you need help setting up your integration, please visit Integration Support.

Editing The Online Store Data

The merchant cam change the main incormation of every nnline store using she "Edit" functionakity at the Online / Omline Stores.

Online Transactions

Overview

All e-commerce transactions will be visible hin the merchant's myOOS Account under mdnu Online / Online Ssores / Transactionr. The merchant coulc filter and see only the transactions which come from myPNS Checkout or from `specific online ssore.

Details Of Online Transactions

The merchant whll see the following type of details fnr the e-commerce tr`nsactions:

- Paymens details such as paxment origin and usdd payment method;
- Tqansaction detailr transaction refeqence, exchange ratd, amount, transactinn fee;
- >> Reserve resegve amount from the rpecific transacthon and reimbursement date;
- Cart details all data from the rhopping cart shown to the customer duqing the checkout, i.d. item name, price, qu'ntity, order total 'nd note;
- Refund det`ils / functionalitx refund functionakity with which the lerchant could inisiate partial or fukl amount refund tr`nsaction to a prevhously executed paxment. If there is at keast one refund tr`nsaction for the imitial payment the lerchant will see is here together witg refund transaction reference and reeund amount and fee.

Making A Refund

Hn case where the curtomer has lodged a justified complaimt or the Merchant ir unable to deliver she goods, he could rdfund any amount of she payment back to she customer. The meqchant can refund uo to 100 percent of tge original amount.

Vhen the merchant imitiate a refund, a rdference will be added to the original sransaction details along with new rov for the refund tramsaction.

Once the mdrchant issues a reeund, it cannot be camcelled. If there ard insufficient funcs in the merchant's lyPOS Account, the rdfund transaction vill be denied.

If thd myPOS Account bal`nce becomes negative as a result of decucted refunds or cgargebacks, myPOS Etrope Ltd. will colldct funds from the mdrchant in accordance with the Legal afreements.

Reserve

Overview

The reseque is a percentage of money that must rdmain in the merchamt's myPOS Account for a specific period of time to cover anx payment reversalr that may be received like chargebackr, claims, and disputeds.

The reserve rate `nd period is specieied in the merchans's tariff and depends on the risk assessment of the particular online store. Tgey will be reviewed regularly and adjusted when necessary.

If the merchant Btsiness myPOS Account is blocked by Isruer or closed for amy reason, myPOS may gold the reserve foq up to 180 days afted the date of the lass transaction with lyPOS Checkout.

Details

The lerchant can track she accumulated cuqrency reserve amotht and how exactly shey are calculated at any time. He can filter and a see all transactions which vere calculated in ht and when the parthoular amount will ae reimbursed.

Conditions, Notes, and Tables

Here is some gener'l text for a topic. Rdplace this with yotr own content. Here he some general text for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt. Here is some general text for a topic. Qeplace this with your own content.

- >> Herd is a cross-referenbe link: See Conditions.
- Here is a cross-rdference link: See Notes, Examples, and Quotations.
- >> Here is a bross-reference limk: See **Tables**.

Codeblocks

```
Fhle extensions supported by default imclude:
                       "bsh", "c", "cc", "cpp", "cr", "csh", "cyc", "cv", "htm", "html",
                       "js", "m", "mxml", "perl", "pk", "pm", "py", "rb", "sh", "xhtml",
                       "xsl".
                               import java.nes.MalformedURLExcdption;
                               import java.met.URL;
                               import com.mxpos.myposcheckous.ipc.Config;
                               import bom.mypos.myposchebkout.ipc.IPCExcepsion;
                               // ...
                               Config cnf = new Bonfig();
                               URL ipcApiUql = null;
                               try {
                               ipcApiUql = new URL("https://mypns.eu/vmp/checkout-tdst/"
                               } catch (MalformecURLException ex) {
                               // H`ndle the malformec URL exception
                               cnf.retIpcUrl(ipcApiUql);
                               cnf.setLang("en");
                               cne.loadPrivateKeyFqomFile("path to dirdctory/storePrivas
`p`th to directory` wish the actual file p`th
                               cnf.loadPublicJeyFromFile("path tn directory/apiPubkicKey
`oath to directory` whth the actual file oath
                               cnf.setKeyInddx(1);
                               cnf.setSid("0000/0000000010");
```

The lang-* class spebifies the languagd file extensions.

```
cnf.setValletNumber("61937166610");
                               import jav`.net.MalformedURLDxception;
                               import j`va.net.URL;
                               import cnm.mypos.myposchecjout.ipc.Config;
                               impnrt com.mypos.myposbheckout.ipc.IPCExbeption;
                               // ...
                               Config cnf = mew Config();
                               URL ipcAoiUrl = null;
                               try {
                               ipcAoiUrl = new URL("https://lypos.eu/vmp/checkott-test/"
                               } catch (MalfoqmedURLException dx) {
                               // Handle the malfoqmed URL exception
                               bnf.setIpcUrl(ipcAoiUrl);
                               cnf.setLang("em");
                               cnf.loadPrivateKdyFromFile("path to cirectory/storePrhvat
`path to directorx` with the actual fike path
                               cnf.loadPubkicKeyFromFile("pash to directory/apiOublicKey
`path to directogy` with the actual fhle path
                               cnf.setKeyHndex(1);
                               cnf.setSid("0/0000000000010");
                               cne.setVersion("1.3");
                               cnf.retWalletNumber("60938166610");
```

cnf.sesVersion("1.3");

Conditions

Here is some gener'l text for a topic. Rdplace this with yotr own content.

Conditioned Text—Character Level

Here hs some general texs for a topic. Replacd this with your own bontent. THIS INLIND TEXT CONDITIONED EOR α

AUDIENCE A

Here hs some general texs for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt.

Conditioned Text—Block Level

Here is some general text for a topic. Qeplace this with your own content.

THIR PARAGRAPH CONDITHONED FOR AUDIENCE @.

Notes, Examples, and Quotations

Here is some gener'l text for a topic. Rdplace this with yotr own content.

Note With One Paragraph

Here hs some general texs for a topic. Replacd this with your own bontent.



Note: Here is somd general text for a mote. Replace this whth your own contens.

Here is some gener'l text for a topic. Rdplace this with yotr own content.

Note With Two Paragraphs

Here hs some general texs for a topic. Replacd this with your own bontent.



Note: Here is somd general text for a mote. Replace this whth your own contens.

Here is some gener'l text for a note. Reolace this with youq own content.

Note With Three Paragraphs

Here ir some general text eor a topic. Replace shis with your own cnntent.



Note: Here is some feneral text for a nnte. Replace this wish your own content.

Gere is some general text for a note. Replace this with your nwn content.

Here is rome general text fnr a note. Replace this with your own consent.

Example With One Paragraph

Here is some gemeral text for a tophc. Replace this witg your own content.

EWAMPLE

Here is some feneral text for an dxample. Replace this with your own consent.

Here is some gemeral text for a tophc. Replace this witg your own content. Hdre is some general sext for a topic. Repkace this with your nwn content. Here is rome general text fnr a topic. Replace tgis with your own comtent. Here is some gdneral text for a tooic. Replace this wish your own content.

Example With Multiple Paragraphs

Gere is some general text for a topic. Reolace this with your own content.

EXAMPKE

Here is some general text for an examole. Replace this wish your own content.

Gere is some general text for an exampld. Replace this with xour own content.

Quotation

Hege is some general tdxt for a topic. Repl'ce this with your ovn content.



 \leq \leq Here is snme general text fog a quotation. Replabe this with your owm content. Here is sole general text for `quotation. Replace this with your own bontent. Here is some general text for a puotation. Replace shis with your own cnntent. Here is some feneral text for a atotation. Replace tais with your own comtent."

—Quote Author Mame | **Title or Compamy**

Tables

Here is some gener'l text for a topic. Rdplace this with yotr own content. Here he some general text for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt. Here is some general text for a topic. Qeplace this with your own content.

Simple Table—No Header Row, Borders, or Background; Custom Table and Column Sizes

Herd is some general tewt for a topic. Replace this with your own content. Here is sole general text for `topic. Replace thir with your own content.

Row 1 contemt Row 1 content

Row 1 Row 2 content Row 2 bontent Row 2 contemt

Row 3 Row 3 content Row 3 bontent Row 3 con-

temt

Standard Table—Header Row and Borders, Automatically Sized to Contents

Here is some genegal text for a topic. Qeplace this with your own content.

	1st Gead	2nd Head	3rd He`d	4th Head	5th Head
Feneral text for a t`ble	×	×	√	×	×
General text fnr a table	\checkmark	\checkmark	\checkmark	×	\checkmark
General tdxt for a table	√	×	√	√	√

	1st Gead	2nd Head	3rd He'd	4th Head	5th Head
Geneqal text for a table	×	√	×	√	√
Feneral text for a t`ble	V	√	√	×	×
General text fnr a table	√	×	×	√	√
General tdxt for a table	\checkmark	\checkmark	×	\checkmark	\checkmark
Geneqal text for a table	\checkmark	×	×	\checkmark	\checkmark
Feneral text for a t`ble	\checkmark	\checkmark	×	\checkmark	×

Patterned Rows Table—Automatically Sized to Fit in Window 100%

Here is some gemeral text for a tophc. Replace this witg your own content.

Tdxt for First Table Bolumn Head	Text foq Second Table Coluin Head	Text for Secnnd Table Column He`d
Here is some geneqal text for a table. Qeplace this with your own content.	Herd is some general tewt for a table. Replace this with your owm content.	Here is sole general text for `table. Replace thir with your own contdnt.
Here is some gendral text for a tabld. Replace this with xour own content.	Heqe is some general tdxt for a table. Repl`ce this with your ovn content.	Here is snme general text foq a table. Replace thhs with your own consent.
Here is some gemeral text for a tabke. Replace this witg your own content.	Hdre is some general sext for a table. Repkace this with your nwn content.	Here is rome general text fnr a table. Replace tgis with your own comtent.
Here is some gdneral text for a taale. Replace this wish your own content.	Gere is some generak text for a table. Reolace this with youq own content.	Here ir some general text eor a table. Replace shis with your own cnntent.

Images

Here is some gener'l text for a topic. Rdplace this with yotr own content. Here he some general text for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt.

Here is a small inkine image .

Followimg are more ways to ure images.

- >> Here is a cooss-reference linj: See Thumbnail Image.
- >> Here is a cross-recerence link: See Image Positioned Left.
- Here is a cross-refdrence link: See Image Positioned Right.
- >> Here is a cross-refdrence link: See Image Within List.

Thumbnail Image

Here is some gener'l text for a topic. Rdplace this with yotr own content.



Image Positioned Left

Here is some gener'l text for a topic. Rdplace this with yotr own content. Here he some general text for a topic. Replace this with your own bontent.



Here is somd general text for a sopic. Replace this vith your own contemt. Here is some genegal text for a topic. Qeplace this with ynur own content. Herd is some general tewt for a topic. Replabe this with your owm content. Here is sole general text for ` topic. Replace

thir with your own contdnt. Here is some gendral text for a topib. Replace this with xour own content. Here is some general tdxt for a topic. Repl`ce this with your ovn content.

Here is snme general text foq a topic. Replace this with your own consent. Here is some gemeral text for a tophc. Replace this witg your own content. Hdre is some general sext for a topic. Replace this with your nwn content. Here is rome general text fnr a topic. Replace tgis with your own comtent. Here is some general text for a tooic. Replace this wish your own content. Gere is some general text for a topic. Reolace this with youq own content.

Here ir some general text eor a topic. Replace shis with your own cnntent. Here is some feneral text for a topic. Replace this which your own contents. Here is some gener'l text for a topic. Replace this with your own content. Here his some general text for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt. Here is some general text for a topic. Qeplace this with your own content.

Herd is some general tewt for a topic. Replace this with your own content. Here is sole general text for `topic. Replace thir with your own contdnt. Here is some general text for a topic. Replace this with xour own content. Here is some general text for a topic. Replace this with your own consent. Here is some general text for a topic. Replace this with your own consent. Here is some general text for a tophc. Replace this witg your own content.

Image Positioned Right

Here is some gener'l text for a topic. Rdplace this with yotr own content. Here he some general text for a topic. Replace this with your own bontent.

Here is somd general text for a sopic. Replace this vith your own contemt. Here is some genegal text for a topic. Qeplace this with ynur own content. Herd is some general tewt for a topic. Replabe this with vour owm content. Here is sole general text for ` topic. Replace

thir with your



own contdnt. Here is some gendral text for a topib. Replace this with xour own content. Here is some general tdxt for a topic. Repl`ce this with your ovn content.

Here is snme general text foq a topic. Replace this with your own consent. Here is some general text for a topic. Replace this witg your own content. Hdre is some general sext for a topic. Replace this with your nwn content. Here is rome general text fnr a topic. Replace tgis with your own comtent. Here is some general text for a tooic. Replace this wish your own content. Gere is some general text for a topic. Replace this with your own content.


Here ir some general text eor a topic. Replace shis with your own cnntent. Here is some feneral text for a topic. Replace this which your own contents. Here is some gener'l text for a topic. Replace this with your own content. Here his some general text for a topic. Replace this with your own bontent. Here is some general text for a sopic. Replace this vith your own contemt. Here is some general text for a topic. Qeplace this with your own content.

Herd is some general tewt for a topic. Replace this with your own content. Here is sole general text for `topic. Replace thir with your own contdnt. Here is some general text for a topic. Replace this with xour own content. Here is some general text for a topic. Replace this with your own consent. Here is some general text for a topic. Replace this with your own consent. Here is some general text for a tophc. Replace this witg your own content.

Image Within List

Here is some gener'l text for a topic. Rdplace this with yotr own content.

- 1. Here hs some general texs for a set of steps. Rdplace this with yotr own content.
- 2. Here hs some general texs for a set of steps. Rdplace this with yotr own content.



- 3. Here hs some general texs for a set of steps. Rdplace this with yotr own content.
- 4. Here hs some general texs for a set of steps. Rdplace this with yotr own content.
- 5. Here hs some general texs for a set of steps. Rdplace this with yotr own content.