

KOMMUNO Developers Guide

Copyright Kommuno Technologies Pvt Ltd.

Published on	17-Dec-2020
Update on	20-Nov-2022
Version	4.9
Copyright	Kommuno Technologies Pvt Ltd.

Introduction:

Kommuno offers you the RESTful APIs in order to provide a convenient way to integrate with the KOMMUNO Cloud based Call Center solution. These APIs will make it easy to integrate

Voice in web or mobile applications. We offer you endless possibilities. Our APIs allow you to programmatically control a call by playing greetings of your choice, diverting users to a unique call flow, pushing call information, getting call recordings, etc. The APIs are designed according to REST principles. We highly recommend communicating over HTTPS. This document outlines the integration of MSME (Micro, Small or Medium Enterprises) which includes onboarding and scope of development for MSME CRM integration.

Authentication

Each API request will have to contain request headers that include your access token & access key to authenticate the request. Don't have an access token? You will find your access token in the settings page of your Kommuno Dashboard.

HTTP requests to the REST API are protected with HTTP Basic authentication. You will use your access token and access key for HTTP Basic authentication.

SME may regenerate fresh tokens anytime for future processing, generation of new token means that previous token will expire at the same time and will not allow any request with previous token.

Rate Limits

We provide appropriate rate limits as follow:

API	PURPOSE
VOICE	All Voice APIs are rate limited to 200 calls per Agent per Day. Once this limit has been crossed, your requests will be rejected with an HTTP 429 'Too Many Requests' code.

The call limit can be altered based on the MSME requirement and Kommuno team will consider the higher limit as well as per the need of the client.

HTTP Status Codes:

CODE	PURPOSE
200	OK
202	Request Accepted
400	Bad Request

401	Unauthorized
402	Payment Required
403	You don't have access to the resource
404	Not Found
409	Conflict
429	Large Number of Requests
439	Invalid Media
500	Something Went Wrong

URL:

- Clients will receive their base KOMMUNO API URL along with the signing document.
- Clients will share their Response URLs with the Kommuno team and the same will be used by the Kommuno platform to write the response.

KOMMUNO API & Callbacks:

1. POST {Domain}/kcrm/clickToCallWithLiveStatus {make outgoing call to agent & customer }
2. POST client-URL {callback response of click to call}
3. POST client-URL {receive incoming calls and live events}
4. POST client-URL {receive recordings}

Click to Call With Live Status

POST Request for Click to Call:

POST /kcrm/clickToCallWithLiveStatus { make outgoing call to agent & customer – click to call make outgoing call to agent & customer – click to call}

This API is used to publish the call request to the KOMMUNO system having all the mentioned parameters. Client must pass the optional as well as mandatory parameters in the request and optional parameters can be passed as empty string "".

Client will receive the submission request in the return body and post call completion the KOMMUNO system will publish the response "callback" request to client's URL which they have published in their setting page.

Parameter Name	Mandatory/Optional	Value
smeld	Mandatory	String; You're User Name as Smeld of 8 digits. Ex: 1000XXXX
Headers { accesstoken, accesskey }	Mandatory	String; SME can get the access token and access key from the settings page of the SME panel and can also generate news which will be published to the portal.
sessionId	Mandatory	String; The unique call identifier of 16 digits. It should be unique for each call. Ex: 5671728827337XXX
customerNumber	Mandatory	String; Customer number to whom the call will initiate. Ex: 87252XXXXX
pilotNumber	Mandatory	String; Virtual allocated number(with STD code) from whom call will initiate. Ex: +9185000XXXXX
agentNumber	Mandatory	String; Registered Agent Number with country code, if the agent number is landline number. Ex: +9182622XXXXX Ex: +9181622XXXXX
recordingFlag	Mandatory	Boolean; Record the conversation of your call. The RecordingUrl will be sent to the URL if this is set to '1' and the call conversation happens. Ex: 1 - Call conversation will be recorded. 0 (Default) - Call conversation will not be recorded. Ex: 1/0

The client must listen to POST requests all the time, and KOMMUNO will publish the response “callback” on each call completion.

Example POST Request:

```
{
  "smeId":10000XXXX,
  "sessionId": "5671728827337XXX" ,
  "customerNumber": "+9185000XXXXX",
  "agentNumber": "+9182622XXXXX",
  "recordingFlag":0,
  "pilotNumber":"+9185000XXXXX"
}
```

NodeJS Example:

```
var request = require('request');
var options = {
  'method': 'POST',
  'url': '{DOMAIN}/kcrm/clickToCallWithLiveStatus',
  'headers': {
    'accesskey': 'accesskey',
    'access token': 'access token',
    'Content-Type': 'application/json'
  },
  body: JSON.stringify({
    "smeld": 10000XXXX,
    "sessionId": "5671728827337XXX",
    "customerNumber": "+9185000XXXXX",
    "agentNumber": "+9182622XXXXX",
    "recordingFlag": 0,
    "pilotNumber": "+85000XXXXX"
  })
};
request(options, function (error, response) {
  if (error) throw new Error(error);
  console.log(response.body);
});
```

PHP Example:

<?php

```
$curl = curl_init();

curl_setopt_array($curl, array(
  CURLOPT_URL => '{DOMAIN}/kcrm/clickToCallWithLiveStatus',
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => "",
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 0,
  CURLOPT_FOLLOWLOCATION => true,
  CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
  CURLOPT_CUSTOMREQUEST => 'POST',
  CURLOPT_POSTFIELDS => '{
    "smeld":10000XXXX,
    "sessionId": "5671728827337XXX",
    "customerNumber": "+9185000XXXXX",
    "agentNumber": "+9182622XXXXX",
    "recordingFlag":0,
    "pilotNumber":"+85000XXXXX"
  }',
  CURLOPT_HTTPHEADER => array(
    'accesskey: accesskey',
    'access token: access token',
    'Content-Type: application/json'
  ),
));

$response = curl_exec($curl);

curl_close($curl);
echo $response;
```

Request Response of Submission:

- On success submission, the HTTP response status code will be 200
- Once the call will be verified/completed the ASYNC call back will be sent.

| | |
|---------------|---------------------|
| Response Code | 200 |
| Message | call initiated done |

Request Response:

```
{
  "status": 200,
  "message": "call initiated done",
  "data": []
}
```

Live Events

POST listener Live Events:

Clients will keep listening to POST API for the live events and call backs from KOMMUNO, it is very helpful to get the details of live behavior of each call going through the system. Agents will get the real time calling experience on their screen even though the calls are getting through between Agent and Customer handset.

Incoming Events

| | |
|------------------------------|---|
| evt_completed_with_recording | <p>Call Ended with Recording</p> <p>This event is triggered after the call between the agent and the customer has ended.</p> <p>It includes:</p> <ol style="list-style-type: none">1. Call summary details2. Recording file information (file path or URL, if recording was enabled) |
|------------------------------|---|

Outgoing Events

| | |
|------------------------------|---|
| evt_completed_with_recording | <p>Call Ended with Recording</p> <p>This event is triggered after the call between the agent and the customer has ended.</p> <p>It includes:</p> <ol style="list-style-type: none">1. Call summary details2. Recording file information (file path or URL, if recording was enabled) |
|------------------------------|---|

| Parameter Name | Mandatory/Optional | Value |
|----------------|--------------------|--|
| liveEvent | Mandatory | String; type of call event as per the event table.
Ex:
evt_invite
evt_ringing
evt_dtmf
evt_disconnected |
| smeld | Mandatory | String; You're User Name as Smeld of 8 digits.
Ex: 1000XXXX |
| accountSid | Mandatory | String; Your assigned account Sid
Ex:
IND-CHD-KOMM |

| | | |
|-----------------|-----------|--|
| | | NPL-KTHM-KOMM
BD-DKA-KOMM |
| sessionId | Mandatory | String; The unique call identifier of 16 digits. It should be unique for each call.
Ex: 5671728827337XXX |
| to | Mandatory | String; number(virtual/longcode) whom called.
Ex: +91 17233XXXXX |
| from | Mandatory | String; The number from the call has been initiated.
Ex: +91 97272XXXXX |
| dateTime | Optional | Date Obj; current date & time of the day.
Ex: " 2021-01-11T11:29:57.659Z" |
| callType | Mandatory | Integer; The route or direction of the call which will represent the INCOMING or OUTGOING call.
1: INCOMMING
2: OUTGOING
3: VOICEMAIL
Ex: 1
Ex: 2
Ex: 3 |
| callMode | Mandatory | Integer; The mode of call.
1: CRM_WEB: If call initiated from CRM Web.
2: CRM_APP: if call initiated from CRM App.
Ex: 1 |
| agentNumber | Optional | String; Agent Number with country code who been part of this call, if more than one then the response will be comma separated.
+9182622XXXXX-UserBusy
+9182623XXXXX-SwitchedOff
+9182624XXXXX-Answered |
| recordingFile | Optional | Call recorded file, which can be further use to play the recording. |
| recordingFileId | Optional | Call Recording ID of the recorded file, which can be further use to get the recording. |
| responseMsg | Optional | String; detailed response of complete which will be available for Patched and NotPatched calls.
It will help client to find out the exact response code of network against agent's and customer's number.
Ex:
(+91XXXXXXXXXX#Normal Clearing(16),+91XXXXXXXXXX#Normal Clearing(16)) |

INCOMING EVENTS

EVT_COMPLETED_WITH_RECORDING

Example POST Request Submission:

```
" POST call/event/callback":

{
  call_details: {
    live_event: 'evt_completed_with_recording',
    sme_id: 10001XXX,
    call_direction: 'INCOMING',
    session_id: 'pbx_1749804589.XXX84_20XXXX13_XXXXX',
    duration: 29,
    longcode: 918031XXXXXX,
    customer_number: '+917973XXXXXX',
    overall_call_status: 'patched',
    call_recording_status: 1,
    disconnected_by: 'agent',
    customer_name: null,
    remarks: null,
    connected_duration: 11,
    ringing_duration: 0,
    ivr_duration: 10,
    dtmf: '1',
    flow_name: 'IVR Test',
    queue_name: 'test_queue',
    start_date_time: '2025-05-13 14:19:49',
    end_date_time: '2025-05-13 14:20:18'
  },
}
```

```

customer_details: {
  sme_id: 10001XXX,
  customer_number: '+917973XXXXXX',
  customer_name: 'Test',
  call_status: 'patched',
  duration: 29,
  connected_duration: 11,
  ringing_duration: 0
},
agent_details: [ [Object] ],
recording_details: {
  recording_path:
'https://prod-kommuno.s3.ap-south-1.amazonaws.com/10001554/10001554/AIR_917973
XXXXXX_20XXXXX3_142007_10001XXX_pbx_1749804589.XXXXX_20XXXX13_XXXXXX.wav',
  duration: 29,
  session_id: 'pbx_1749804589.XXXXX_20XXXXX3_XXXXX'
}
}

```

OUTGOING EVENTS

EVT_COMPLETED_WITH_RECORDING

Example POST Request Submission:

```

" POST call/event/callback":

{
  call_details: {
    live_event: 'evt_completed_with_recording',
    sme_id: 10001XXX,
    call_direction: 'OUTGOING',
    session_id: '1749803XXXXXXXXXXXX',
    duration: 18,

```

```
    longcode: 918031XXXXXX,
    customer_number: '+917973XXXXXX',
    overall_call_status: 'patched',
    call_recording_status: 1,
    disconnected_by: 'customer',
    customer_name: null,
    remarks: null,
    connected_duration: 8,
    ringing_duration: 3,
    ivr_duration: 0,
    dtmf: '0',
    flow_name: null,
    queue_name: null,
    start_date_time: '2025-05-13 14:09:42',
    end_date_time: '2025-05-13 14:10:00'
  },
  customer_details: {
    sme_id: 10001XXX,
    customer_number: '+917973XXXXXX',
    customer_name: 'Test',
    call_status: 'notpatched',
    duration: 18,
    connected_duration: 8,
    ringing_duration: 3
  },
  agent_details: [ [Object] ],
  recording_details: {
    recording_path:
'https://prod-kommuno.s3.ap-south-1.amazonaws.com/10001XXX/10001XXX/ADR_917973XXXXXX_20XXXXXX3_140952_10001XXX_17498XXXXXXXXX.wav',
    duration: 18,
    session_id: '1749803XXXXXXXXXX'
  }
}
```


