nucleus-based bootstrap Diagnostics

```
Method: nucleus-based bootstrap
Fit method: leastsq
Parameters: 3
Requested samples: 500
Completed samples: 500
chisqr mean: 250.08
chisqr median: 250.08
chisqr min: 250.08
chisqr max: 250.08

Correlation threshold: |r| >= 0.5
[R1_A, NUC->14N, B0->600.3MHZ] vs [R2_A, NUC->14N, B0->600.3MHZ]: r=-1.000
```


Sample distribution: [DW_AB, NUC->14N]
95% percentile
median
Density
0.0
0.2
0.4
0.6
0.8
1.0
6.2
6.4
6.6
6.8
7.0
[DW_AB, NUC->14N]


Sample distribution: [R1_A, NUC->14N, B0->600.3MHZ]
95% percentile
median
Density
1.0
0.8
0.6
0.4
0.2
0.0
1.6
1.8
2.0
2.2
2.4
[R1_A, NUC->14N, B0->600.3MHZ]


Sample distribution: [R2_A, NUC->14N, B0->600.3MHZ]
95% percentile
median
Density
1.0
0.8
0.6
0.4
0.2
0.0
10.4
10.6
10.8
11.0
11.2
[R2_A, NUC->14N, B0->600.3MHZ]


chisqr distribution
median
Samples
chisqr
0
100
200
300
400
500
249.6
249.8
250.0
250.2
250.4
250.6


pair: [R1_A, NUC->14N, B0->600.3MHZ] vs [R2_A, NUC->14N, B0->600.3MHZ] (r = -1.000)
11.2
11.0
10.8
10.6
10.4
[R2_A, NUC->14N, B0->600.3MHZ]
1.6
1.8
2.0
2.2
2.4
[R1_A, NUC->14N, B0->600.3MHZ]
500
400
300
200
100
0
Samples