


Monte Carlo Diagnostics


Method: Monte Carlo
Fit method: leastsq
Parameters: 17
Requested samples: 10
Completed samples: 10
chisqr mean: 201.84
chisqr median: 204.54
chisqr min: 191.04
chisqr max: 204.54


Correlation threshold: |r| >= 0.5
[DW_AB, NUC->15N] vs [DW_AB, NUC->34N]: r=-1.000
[DW_AB, NUC->15N] vs [DW_AB, NUC->37N]: r=-1.000
[DW_AB, NUC->15N] vs [PB]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->15N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->15N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->34N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->34N, B0->800.0MHZ]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->15N] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=1.000
[DW_AB, NUC->31N] vs [PB]: r=-1.000
[DW_AB, NUC->31N] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->31N] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->31N] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->31N] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [DW_AB, NUC->34N]: r=1.000
[DW_AB, NUC->33N] vs [DW_AB, NUC->37N]: r=1.000
[DW_AB, NUC->33N] vs [PB]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->15N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->31N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->33N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->34N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->33N] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [PB]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->15N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->31N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->34N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->34N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->34N] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [KEX_AB]: r=1.000
[DW_AB, NUC->37N] vs [PB]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->15N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->31N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->34N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=-1.000
[DW_AB, NUC->37N] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=-1.000
[KEX_AB] vs [PB]: r=-1.000
[KEX_AB] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[PB] vs [R2_A, NUC->15N, B0->500.0MHZ]: r=1.000
[PB] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=-1.000
[PB] vs [R2_A, NUC->31N, B0->800.0MHZ]: r=1.000
[PB] vs [R2_A, NUC->33N, B0->500.0MHZ]: r=-1.000
[PB] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=1.000
[PB] vs [R2_A, NUC->34N, B0->800.0MHZ]: r=1.000
[PB] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=1.000
[PB] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->31N, B0->500.0MHZ]: r=-1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->31N, B0->800.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->500.0MHZ]: r=-1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=1.000
[R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ]: r=-1.000
[R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ]: r=-1.000



Sample distribution: [DW_AB, NUC->15N]
95% percentile
median
Density
0
200
400
600
800
1000
1200
2.008
2.009
2.010
2.011
2.012
[DW_AB, NUC->15N]



Sample distribution: [DW_AB, NUC->31N]
95% percentile
median
Density
0
50
100
150
200
250
300
350
400
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]



Sample distribution: [DW_AB, NUC->33N]
95% percentile
median
Density
0
20
40
60
80
100
120
140
160
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]



Sample distribution: [DW_AB, NUC->34N]
95% percentile
median
Density
0
100
200
300
400
500
600
3.650
3.652
3.654
3.656
3.658
[DW_AB, NUC->34N]



Sample distribution: [DW_AB, NUC->37N]
95% percentile
median
Density
200
150
100
50
0
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]



Sample distribution: [KEX_AB]
95% percentile
median
Density
0.0
0.1
0.2
0.3
0.4
0.5
0.6
0.7
0.8
379
380
381
382
383
384
385
[KEX_AB]



Sample distribution: [PB]
95% percentile
median
5000
4000
3000
2000
1000
0
Density
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]



Sample distribution: [R2_A, NUC->15N, B0->500.0MHZ]
95% percentile
median
Density
25
20
15
10
5
0
3.85
3.90
3.95
4.00
4.05
[R2_A, NUC->15N, B0->500.0MHZ]



Sample distribution: [R2_A, NUC->15N, B0->800.0MHZ]
95% percentile
median
Density
0
10
20
30
40
50
60
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]



Sample distribution: [R2_A, NUC->31N, B0->500.0MHZ]
95% percentile
median
Density
0
5
10
15
20
25
5.75
5.80
5.85
5.90
5.95
[R2_A, NUC->31N, B0->500.0MHZ]



Sample distribution: [R2_A, NUC->31N, B0->800.0MHZ]
95% percentile
median
Density
0
50
100
150
200
250
300
350
7.978
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]



Sample distribution: [R2_A, NUC->33N, B0->500.0MHZ]
95% percentile
median
Density
0
5
10
15
20
4.05
4.10
4.15
4.20
4.25
4.30
[R2_A, NUC->33N, B0->500.0MHZ]



Sample distribution: [R2_A, NUC->33N, B0->800.0MHZ]
95% percentile
median
Density
0
5
10
15
20
25
30
6.175
6.200
6.225
6.250
6.275
6.300
6.325
6.350
[R2_A, NUC->33N, B0->800.0MHZ]



Sample distribution: [R2_A, NUC->34N, B0->500.0MHZ]
95% percentile
median
Density
0
5
10
15
20
25
30
4.075
4.100
4.125
4.150
4.175
4.200
4.225
4.250
[R2_A, NUC->34N, B0->500.0MHZ]



Sample distribution: [R2_A, NUC->34N, B0->800.0MHZ]
95% percentile
median
Density
25
20
15
10
5
0
6.10
6.15
6.20
6.25
6.30
[R2_A, NUC->34N, B0->800.0MHZ]



Sample distribution: [R2_A, NUC->37N, B0->500.0MHZ]
95% percentile
median
Density
0
2
4
6
8
10
12
3.6
3.7
3.8
3.9
4.0
[R2_A, NUC->37N, B0->500.0MHZ]



Sample distribution: [R2_A, NUC->37N, B0->800.0MHZ]
95% percentile
median
Density
0
5
10
15
20
5.15
5.20
5.25
5.30
5.35
[R2_A, NUC->37N, B0->800.0MHZ]



chisqr distribution
median
Samples
chisqr
0
1
2
3
4
5
6
7
8
192
194
196
198
200
202
204



Sample pair: [DW_AB, NUC->15N] vs [DW_AB, NUC->34N] (r = -1.000)
[DW_AB, NUC->34N]
3.658
3.657
3.656
3.655
3.654
3.653
3.652
3.651
3.650
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->15N] vs [DW_AB, NUC->37N] (r = -1.000)
[DW_AB, NUC->37N]
1.710
1.705
1.700
1.695
1.690
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->15N] vs [PB] (r = 1.000)
[PB]
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = -1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = -1.000)
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = 1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->34N, B0->500.0MHZ]
4.250
4.225
4.200
4.175
4.150
4.125
4.100
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



mple pair: [DW_AB, NUC->15N] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
5.35
5.30
5.25
5.20
5.15
[R2_A, NUC->37N, B0->800.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->31N] vs [PB] (r = -1.000)
[PB]
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000)
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
8
7
6
5
4
3
2
1
0
Samples



mple pair: [DW_AB, NUC->31N] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->33N] vs [DW_AB, NUC->34N] (r = 1.000)
3.658
3.657
3.656
3.655
3.654
3.653
3.652
3.651
3.650
[DW_AB, NUC->34N]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->33N] vs [DW_AB, NUC->37N] (r = 1.000)
[DW_AB, NUC->37N]
1.710
1.705
1.700
1.695
1.690
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->33N] vs [PB] (r = -1.000)
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
[PB]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000)
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000)
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



mple pair: [DW_AB, NUC->33N] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->34N] vs [PB] (r = -1.000)
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
[PB]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000)
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->37N] vs [KEX_AB] (r = 1.000)
[KEX_AB]
385
384
383
382
381
380
379
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->37N] vs [PB] (r = -1.000)
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
[PB]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000)
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000)
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



mple pair: [DW_AB, NUC->37N] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [KEX_AB] vs [PB] (r = -1.000)
0.0700
0.0698
0.0696
0.0694
0.0692
0.0690
[PB]
379
380
381
382
383
384
385
[KEX_AB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [KEX_AB] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
379
380
381
382
383
384
385
[KEX_AB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [PB] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [PB] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->31N, B0->500.0MHZ]
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = 1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [PB] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->800.0MHZ]
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->34N, B0->800.0MHZ]
6.30
6.25
6.20
6.15
6.10
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = -1.000
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = 1.000
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = -1.000
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = 1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = 1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



air: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000
5.35
5.30
5.25
5.20
5.15
[R2_A, NUC->37N, B0->800.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



air: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



air: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = -1.000
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = 1.000)
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = 1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
Samples
0
1
2
3
4
5
6
7
8



air: [R2_A, NUC->33N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->800.0MHZ] (r = -1.000
6.34
6.32
6.30
6.28
6.26
6.24
6.22
6.20
6.18
[R2_A, NUC->33N, B0->800.0MHZ]
4.05
4.10
4.15
4.20
4.25
[R2_A, NUC->33N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->33N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
4.05
4.10
4.15
4.20
4.25
[R2_A, NUC->33N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->33N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000
5.35
5.30
5.25
5.20
5.15
[R2_A, NUC->37N, B0->800.0MHZ]
4.05
4.10
4.15
4.20
4.25
[R2_A, NUC->33N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->33N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = 1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
6.18
6.20
6.22
6.24
6.26
6.28
6.30
6.32
6.34
[R2_A, NUC->33N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->33N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
6.18
6.20
6.22
6.24
6.26
6.28
6.30
6.32
6.34
[R2_A, NUC->33N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->33N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
6.18
6.20
6.22
6.24
6.26
6.28
6.30
6.32
6.34
[R2_A, NUC->33N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->33N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
6.18
6.20
6.22
6.24
6.26
6.28
6.30
6.32
6.34
[R2_A, NUC->33N, B0->800.0MHZ]
Samples
0
1
2
3
4
5
6
7
8



air: [R2_A, NUC->34N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
4.100
4.125
4.150
4.175
4.200
4.225
4.250
[R2_A, NUC->34N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->34N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
4.100
4.125
4.150
4.175
4.200
4.225
4.250
[R2_A, NUC->34N, B0->500.0MHZ]
Samples
0
1
2
3
4
5
6
7
8



air: [R2_A, NUC->34N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
6.10
6.15
6.20
6.25
6.30
[R2_A, NUC->34N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->15N] vs [DW_AB, NUC->33N] (r = -1.000)
[DW_AB, NUC->33N]
1.860
1.855
1.850
1.845
1.840
1.835
1.830
1.825
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = 1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->15N] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->31N] vs [DW_AB, NUC->33N] (r = 1.000)
[DW_AB, NUC->33N]
1.860
1.855
1.850
1.845
1.840
1.835
1.830
1.825
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->31N] vs [DW_AB, NUC->34N] (r = 1.000)
[DW_AB, NUC->34N]
3.658
3.657
3.656
3.655
3.654
3.653
3.652
3.651
3.650
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



Sample pair: [DW_AB, NUC->31N] vs [KEX_AB] (r = 1.000)
[KEX_AB]
385
384
383
382
381
380
379
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->33N] vs [KEX_AB] (r = 1.000)
[KEX_AB]
385
384
383
382
381
380
379
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->34N] vs [KEX_AB] (r = 1.000)
[KEX_AB]
385
384
383
382
381
380
379
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000)
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
8
7
6
5
4
3
2
1
0



mple pair: [DW_AB, NUC->34N] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [KEX_AB] vs [R2_A, NUC->15N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->15N, B0->500.0MHZ]
4.00
3.95
3.90
3.85
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [KEX_AB] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->31N, B0->500.0MHZ]
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [KEX_AB] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000)
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
379
380
381
382
383
384
385
[KEX_AB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [KEX_AB] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [KEX_AB] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [KEX_AB] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->31N, B0->500.0MHZ] (r = 1.000
5.950
5.925
5.900
5.875
5.850
5.825
5.800
5.775
5.750
[R2_A, NUC->31N, B0->500.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->31N, B0->800.0MHZ] (r = -1.000
7.994
7.992
7.990
7.988
7.986
7.984
7.982
7.980
[R2_A, NUC->31N, B0->800.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



air: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->31N, B0->500.0MHZ] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
5.750
5.775
5.800
5.825
5.850
5.875
5.900
5.925
5.950
[R2_A, NUC->31N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->31N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
7.980
7.982
7.984
7.986
7.988
7.990
7.992
7.994
[R2_A, NUC->31N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



air: [R2_A, NUC->33N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->37N, B0->500.0MHZ]
3.9
3.8
3.7
3.6
4.05
4.10
4.15
4.20
4.25
[R2_A, NUC->33N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



pair: [R2_A, NUC->34N, B0->800.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
5.35
5.30
5.25
5.20
5.15
[R2_A, NUC->37N, B0->800.0MHZ]
6.10
6.15
6.20
6.25
6.30
[R2_A, NUC->34N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->37N, B0->500.0MHZ] vs [R2_A, NUC->37N, B0->800.0MHZ] (r = 1.000)
[R2_A, NUC->37N, B0->800.0MHZ]
5.35
5.30
5.25
5.20
5.15
3.6
3.7
3.8
3.9
[R2_A, NUC->37N, B0->500.0MHZ]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [DW_AB, NUC->31N] vs [DW_AB, NUC->37N] (r = 1.000)
[DW_AB, NUC->37N]
1.710
1.705
1.700
1.695
1.690
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->33N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->33N, B0->500.0MHZ]
4.25
4.20
4.15
4.10
4.05
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
Samples
8
7
6
5
4
3
2
1
0



ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000)
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->33N] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = 1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
1.825
1.830
1.835
1.840
1.845
1.850
1.855
1.860
[DW_AB, NUC->33N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->34N] vs [DW_AB, NUC->37N] (r = 1.000)
[DW_AB, NUC->37N]
1.710
1.705
1.700
1.695
1.690
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
Samples
0
1
2
3
4
5
6
7
8



ample pair: [DW_AB, NUC->34N] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = 1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
3.650
3.651
3.652
3.653
3.654
3.655
3.656
3.657
3.658
[DW_AB, NUC->34N]
8
7
6
5
4
3
2
1
0
Samples



ample pair: [DW_AB, NUC->37N] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = 1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
1.690
1.695
1.700
1.705
1.710
[DW_AB, NUC->37N]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [KEX_AB] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = 1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
379
380
381
382
383
384
385
[KEX_AB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [KEX_AB] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000)
[R2_A, NUC->34N, B0->500.0MHZ]
4.250
4.225
4.200
4.175
4.150
4.125
4.100
379
380
381
382
383
384
385
[KEX_AB]
Samples
8
7
6
5
4
3
2
1
0



Sample pair: [PB] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = -1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [PB] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = 1.000)
[R2_A, NUC->34N, B0->500.0MHZ]
4.250
4.225
4.200
4.175
4.150
4.125
4.100
0.0690
0.0692
0.0694
0.0696
0.0698
0.0700
[PB]
Samples
8
7
6
5
4
3
2
1
0



air: [R2_A, NUC->15N, B0->500.0MHZ] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = -1.000
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
3.85
3.90
3.95
4.00
[R2_A, NUC->15N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



pair: [R2_A, NUC->15N, B0->800.0MHZ] vs [R2_A, NUC->34N, B0->500.0MHZ] (r = -1.000
4.250
4.225
4.200
4.175
4.150
4.125
4.100
[R2_A, NUC->34N, B0->500.0MHZ]
6.34
6.36
6.38
6.40
6.42
[R2_A, NUC->15N, B0->800.0MHZ]
8
7
6
5
4
3
2
1
0
Samples



Sample pair: [DW_AB, NUC->15N] vs [DW_AB, NUC->31N] (r = -1.000)
[DW_AB, NUC->31N]
2.020
2.018
2.016
2.014
2.012
2.010
2.008
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0


Sample pair: [DW_AB, NUC->15N] vs [KEX_AB] (r = -1.000)
[KEX_AB]
385
384
383
382
381
380
379
2.0080
2.0085
2.0090
2.0095
2.0100
2.0105
2.0110
2.0115
[DW_AB, NUC->15N]
Samples
8
7
6
5
4
3
2
1
0


ample pair: [DW_AB, NUC->31N] vs [R2_A, NUC->15N, B0->800.0MHZ] (r = 1.000)
6.42
6.40
6.38
6.36
6.34
[R2_A, NUC->15N, B0->800.0MHZ]
2.008
2.010
2.012
2.014
2.016
2.018
2.020
[DW_AB, NUC->31N]
8
7
6
5
4
3
2
1
0
Samples


Sample pair: [KEX_AB] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000)
[R2_A, NUC->34N, B0->800.0MHZ]
6.30
6.25
6.20
6.15
6.10
379
380
381
382
383
384
385
[KEX_AB]
Samples
0
1
2
3
4
5
6
7
8


air: [R2_A, NUC->33N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = -1.000
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
4.05
4.10
4.15
4.20
4.25
[R2_A, NUC->33N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples


pair: [R2_A, NUC->34N, B0->500.0MHZ] vs [R2_A, NUC->34N, B0->800.0MHZ] (r = 1.000)
6.30
6.25
6.20
6.15
6.10
[R2_A, NUC->34N, B0->800.0MHZ]
4.100
4.125
4.150
4.175
4.200
4.225
4.250
[R2_A, NUC->34N, B0->500.0MHZ]
8
7
6
5
4
3
2
1
0
Samples