


bootstrap Diagnostics


Method: bootstrap
Fit method: leastsq
Parameters: 11
Requested samples: 500
Completed samples: 500
chisqr mean: 1355.5
chisqr median: 1353.7
chisqr min: 1071.2
chisqr max: 1681.9


Correlation threshold: |r| >= 0.5
[R1_A, NUC->65N, B0->600.3MHZ] vs [R2_A, NUC->65N, B0->600.3MHZ]: r=-0.773
[KEX_AB] vs [R2_A, NUC->55N, B0->600.3MHZ]: r=-0.560
[KEX_AB] vs [R2_A, NUC->14N, B0->600.3MHZ]: r=-0.545



Sample distribution: [DW_AB, NUC->14N]
95% percentile
median
Density
0
1
2
3
4
5
6.3
6.4
6.5
6.6
6.7
6.8
[DW_AB, NUC->14N]



Sample distribution: [DW_AB, NUC->55N]
95% percentile
median
Density
0
2
4
6
8
10
12
4.60
4.65
4.70
4.75
4.80
[DW_AB, NUC->55N]



Sample distribution: [DW_AB, NUC->65N]
95% percentile
median
Density
0
1
2
3
4
5
6
7
4.0
4.1
4.2
4.3
4.4
[DW_AB, NUC->65N]



Sample distribution: [KEX_AB]
95% percentile
median
Density
0.0200
0.0175
0.0150
0.0125
0.0100
0.0075
0.0050
0.0025
0.0000
350
375
400
425
450
475
500
525
550
[KEX_AB]



Sample distribution: [PB]
95% percentile
median
Density
6000
5000
4000
3000
2000
1000
0
0.0033
0.0034
0.0035
0.0036
0.0037
[PB]



Sample distribution: [R1_A, NUC->14N, B0->600.3MHZ]
95% percentile
median
Density
0
20
40
60
80
100
120
140
160
1.958
1.960
1.962
1.964
1.966
1.968
1.970
1.972
[R1_A, NUC->14N, B0->600.3MHZ]



Sample distribution: [R1_A, NUC->55N, B0->600.3MHZ]
95% percentile
median
Density
0
25
50
75
100
125
150
175
200
1.592
1.594
1.596
1.598
1.600
1.602
[R1_A, NUC->55N, B0->600.3MHZ]



Sample distribution: [R1_A, NUC->65N, B0->600.3MHZ]
95% percentile
median
Density
0
50
100
150
200
1.604
1.606
1.608
1.610
1.612
[R1_A, NUC->65N, B0->600.3MHZ]



Sample distribution: [R2_A, NUC->14N, B0->600.3MHZ]
95% percentile
median
Density
0.0
0.5
1.0
1.5
2.0
10.2
10.4
10.6
10.8
11.0
11.2
[R2_A, NUC->14N, B0->600.3MHZ]



Sample distribution: [R2_A, NUC->55N, B0->600.3MHZ]
95% percentile
median
Density
0.0
0.5
1.0
1.5
2.0
2.5
3.0
9.4
9.6
9.8
10.0
10.2
[R2_A, NUC->55N, B0->600.3MHZ]


Sample distribution: [R2_A, NUC->65N, B0->600.3MHZ]
95% percentile
median
Density
0.0
0.5
1.0
1.5
2.0
2.5
3.0
8.8
9.0
9.2
9.4
9.6
[R2_A, NUC->65N, B0->600.3MHZ]


chisqr distribution
median
Samples
chisqr
0
10
20
30
40
50
60
70
1100
1200
1300
1400
1500
1600
1700


air: [R1_A, NUC->65N, B0->600.3MHZ] vs [R2_A, NUC->65N, B0->600.3MHZ] (r = -0.773)
[R2_A, NUC->65N, B0->600.3MHZ]
9.7
9.6
9.5
9.4
9.3
9.2
9.1
9.0
8.9
1.604
1.606
1.608
1.610
1.612
[R1_A, NUC->65N, B0->600.3MHZ]
Samples
7
6
5
4
3
2
1
0


Sample pair: [KEX_AB] vs [R2_A, NUC->55N, B0->600.3MHZ] (r = -0.560)
[R2_A, NUC->55N, B0->600.3MHZ]
10.2
10.1
10.0
9.9
9.8
9.7
9.6
9.5
375
400
425
450
475
500
525
550
[KEX_AB]
Samples
9
8
7
6
5
4
3
2
1
0


Sample pair: [KEX_AB] vs [R2_A, NUC->14N, B0->600.3MHZ] (r = -0.545)
[R2_A, NUC->14N, B0->600.3MHZ]
11.0
10.8
10.6
10.4
10.2
375
400
425
450
475
500
525
550
[KEX_AB]
Samples
0
1
2
3
4
5
6
7