

MCMC Diagnostics

Sampler: emcee via ChemEx direct EnsembleSampler

Parameters: 5

Steps: 50

Walkers: 32

Requested burn: "auto"

Discarded steps: 12

Thin: 1

Retained steps: 38

Retained samples: 1216

Acceptance fraction: mean=0.58813, min=0.46, max=0.74

Autocorrelation status: unreliable short chain

Max autocorrelation time: 5.5782

Recommended steps (50 tau): 279

Recommended steps (100 tau): 558

Autocorrelation warning: chain shorter than 50 times the autocorrelation time; tentative estimate rep

Burn-in warning: autocorrelation time estimate is unreliable; tentative automatic burn-in was applied

Posterior summaries:

[DW_AB, NUC->15N]: median=2.0934, 95% ETI=[2.0348, 2.1711], ESS=n/a

[KEX_AB]: median=377.72, 95% ETI=[365.94, 388.38], ESS=n/a

[PB]: median=0.066679, 95% ETI=[0.06368, 0.069179], ESS=n/a


[R2_A, NUC->15N, B0->500.0MHZ]: median=3.9471, 95% ETI=[3.6578, 4.2604], ESS=n/a

[R2_A, NUC->15N, B0->800.0MHZ]: median=6.3644, 95% ETI=[5.9842, 6.6867], ESS=n/a


Correlation threshold: $|r| \geq 0.5$

[DW_AB, NUC->15N] vs [PB]: $r = -0.809$


Posterior distribution: [DW_AB, NUC->15N]




Posterior distribution: [KEX_AB]




Posterior distribution: [PB]




Posterior distribution: [R2_A, NUC->15N, B0->500.0MHZ]




Posterior distribution: [R2_A, NUC->15N, B0->800.0MHZ]




MCMC trace: [DW_AB, NUC->15N]




MCMC trace: [KEX_AB]




MCMC trace: [PB]




MCMC trace: [R2_A, NUC->15N, B0->500.0MHZ]




MCMC trace: [R2_A, NUC->15N, B0->800.0MHZ]



MCMC log-probability trace



MCMC autocorrelation monitor



Posterior pair: [DW_AB, NUC->15N] vs [PB] ($r = -0.809$)

