Velocity Shipping API Documentation for Custom Integration

Overview

This document serves as a complete and developer-friendly reference to the Velocity Shipping API suite. It is intended to help sellers and third-party platforms seamlessly integrate their custom websites, ERPs, or order management systems with Velocity Shipping (Formerly Shipfast).

The documentation covers:

- Clear and detailed API endpoint definitions
- Field-level request specifications
- Sample request and response payloads
- Standard error codes with explanations

By using these APIs, integrators can efficiently create, manage, and track shipments, enabling end-to-end order manifestation and shipping operations through Velocity Shipping.

Base URL: https://shazam.velocity.in/

Standard Error Codes:

HTTP Code	Description
400	Validation error in request parameters
401	Authorization failed due to invalid or missing credentials
422	Waybill operation failed/Shipment cancellation failed/Other business logic errors
500	Internal server error

1. Authentication - Get Token

Purpose

Obtain API token for Authorization header in subsequent requests.

Method: POST

Endpoint - /custom/api/v1/auth-token

Request Fields

Field	Type	Required	Description	Example
username	string	Yes	Mobile number with country code (Velocity Shipping Username)	+91xxxxxxxxx
password	string	Yes	Velocity Shipping Account password	Your password

Notes

- Use `Authorization: {{token}}` in all secured endpoints.
- Token will be valid for 24 Hrs

Sample Request Curl

```
curl --location '/custom/api/v1/auth-token' \
--header 'Content-Type: application/json' \
--data-raw '{
  "username": "+919866340090",
  "password": "Velocity@123"
}'
```

Response


```
{
  "token": "bbqRkOXw0xWLuYj9ubnDwg",
  "expires_at": "2025-09-17T10:11:40"
}
```


2. Create Warehouse

Purpose

Creates a new pickup warehouse in the Velocity Shipping system.

Method: POST
Endpoint: /custom/api/v1/warehouse

Request Fields

Field	Type	Required	Description	Example
name	string	Yes	Warehouse display name	Demo Warehouse
phone_number	string	Yes	POC Contact number	8860606061
gst_no	string	Optional	Gst no. of the warehouse	TY9782399913
email	string	Yes	POC email	shipfast-clickpost@velocity.in
contact_person	string	Yes	Warehouse POC	Raghuraj
address_attributes.street_address	string	Yes	Street address	Incubex HSR Layout ...
address_attributes.zip	string	Yes	PIN	560102

address_attributes .city	string	Yes	City	Bangalore
address_attributes .state	string	Yes	State	Karnataka
address_attributes .country	string	Yes	Country	India

Sample Request Curl

```
curl --location '/custom/api/v1/warehouse' \
--header 'Content-Type: application/json' \
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \
--data-raw '{
  "name": "Demo Warehouse",
  "phone_number": "8860606061",
  "gst_no": "886060608861",
  "email": "shipfast-clickpost@velocity.in",
  "contact_person": "Raghuraj",
  "address_attributes": {
    "street_address": "Incubex HSR Layout (HSR6) #1504, 19th Main, 11th Cross Rd,
opposite Decathlon, 1st Sector, HSR Layout",
    "zip": "560102",
    "city": "Bangalore",
    "state": "Karnataka",
    "country": "India"
  }
}'
```

Response

```
{
  "status": "SUCCESS",
  "payload": {
    "warehouse_id": "WH66DU"
  }
}
```

3. Serviceability API

Purpose

Checks whether pickup and delivery are supported between two pincodes for a given payment mode and shipment type and also shares a list of eligible carriers for the lane.

Method: POST

Endpoint: /custom/api/v1/serviceability

Request Fields

Field	Type	Required	Description	Example
from	string	Yes	Pickup pincode	560068
to	string	Yes	Destination pincode	560068
payment_mode	enum	Yes	cod or prepaid	cod
shipment_type	enum	Yes	forward or return	forward

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/serviceability' \
--header 'Content-Type: application/json' \
--header 'Authorization: DO190JE4z8qD4S7ly6hx9Q' \
--data '{
  "from": "560068",
  "to": "560068",
  "payment_mode": "cod",
  "shipment_type": "forward"
}'
```

Response

```
{
```

"result": {
  "serviceability_results": [
    {
      "carrier_id": "CAR0EPDPJXXL4",
      "carrier_name": "DTDC Standard"
    },
    {
      "carrier_id": "CARCVBWTPRH08",
      "carrier_name": "Ekart Standard"
    },
    {
      "carrier_id": "CAR5IXXJVT5MD",
      "carrier_name": "Delhivery Standard 5 Kg"
    },
    {
      "carrier_id": "CARVKGNGNLOCU",
      "carrier_name": "Blitz Special"
    },
    {
      "carrier_id": "CARFYXUKCQHBM",
      "carrier_name": "Delhivery Special Standard 20 kg"
    },
    {
      "carrier_id": "CARVPHPLJQJOA",
      "carrier_name": "Delhivery Special Standard 10 kg"
    },
    {
      "carrier_id": "CARO0ZZQH1H6U",
      "carrier_name": "Delhivery Standard"
    },
    {
      "carrier_id": "CAR2FZNOLGJ2X",
      "carrier_name": "Bluedart Standard"
    },
    {
      "carrier_id": "CARLTTKCUYWRM",
      "carrier_name": "Delhivery Standard 250G"
    },
    {
      "carrier_id": "CARTS5SW8LSJT",
      "carrier_name": "XpressBees Standard"
    },
    {
      "carrier_id": "CARKX7WW6UNS8",

```
      "carrier_name": "Pikndel NDD"
    }
  ],
  "zone": "zone_a"
 },
 "status": "SUCCESS"
}
```


4. Forward Shipment - Create Order

Purpose

Creates and manifests a forward shipment (i.e. create an order and also assign to a courier) after successful serviceability validation.

Method: POST

Endpoint: /custom/api/v1/forward-order-orchestration

Forward Shipment - Field-Level Table

i) Order, Channel & Carrier

Field	Type	Required	Description	Example
order_id	string	Yes	Unique per order	ORDER-49
order_date	string	Yes	YYYY-MM-DD HH:mm	2018-05-08 12:23
carrier_id	string	Optional	carrier_id is fetched from the Serviceability API; leave it blank for automatic courier assignment based on configured shipping rules, or pass a specific carrier_id to assign a particular courier.	CARO0ZZQH1H6U

ii) Billing & Shipping

Field	Type	Required	Description	Example
billing_customer_name	string	Yes	First name	Saurabh
billing_last_name	string	Optional	Last name	Jindal
billing_address	string	Yes	Address line 1	Incubex, Velocity
billing_city	string	Yes	City	Bangalore
billing_pincode	string	Yes	6-digit PIN	560102
billing_state	string	Yes	State	Karnataka
billing_country	string	Yes	Country	India
billing_email	string	Optional	Email	saurabh+123891@velocity.in
billing_phone	string	Yes	Phone	8860697807
shipping_is_billing	boolean	Optional	True if shipping same as billing	TRUE
print_label	boolean	Yes	Auto-generate label	TRUE

iii) Items & Payment

Field	Type	Required	Description	Example
order_items[]	array	Yes	List of items	see JSON
payment_method	enum	Yes	COD or PREPAID	COD
sub_total	number	Yes	Order subtotal	990
cod_collectible	number	Yes	Required if payment_method is COD, pass 0 in case of PREPAID	990

iv) Dimensions & Warehouse

Field	Type	Require	Description	Example

		d		
length	number	Yes	cm	100
breadth	number	Yes	cm	50
height	number	Yes	cm	10
weight	number	Yes	kg	0.5
pickup_location	string	Yes	Pickup Location Name	Lucknow Warehouse
warehouse_id	string	Yes	Pickup warehouse Id in Velocity Shipping Portal	WHYYB5

v) Vendor details (Pickup Location details)

Field	Type	Required	Description	Example
email	string	Optional	Vendor email	abcdd@abcdd.com
phone	string	Optional	Vendor phone	9879879879
name	string	Optional	Vendor name	Coco Cookie
address	string	Optional	Address	Street 1
city	string	Optional	City	delhi
state	string	Optional	State	new delhi
country	string	Optional	Country	india
pin_code	string	Optional	PIN	110077
pickup_location	string	Optional	Pickup label	HomeNew

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/forward-order-orchestration' \
--header 'Content-Type: application/json' \
--header 'Authorization: DO190JE4z8qD4S7ly6hx9Q' \
--data-raw '{
  "order_id": "ORDER-43242",
  "order_date": "2018-05-08 12:23",
  "carrier_id": "CARO0ZZQH1H6U",        //
  "billing_customer_name": "Saurabh",
```

"billing_last_name": "Jindal",
"billing_address": "Incubex, Velocity",
"billing_city": "Bangalore",
"billing_pincode": "560102",
"billing_state": "Karnataka",
"billing_country": "India",
"billing_email": "saurabh+123891@velocity.in",
"billing_phone": "8860697807",
"shipping_is_billing": true,
"print_label": true,
"order_items": [{"name": "T-shirt Round Neck","sku": "t-shirt-round1474","units": 2,"selling_price": 1000,"discount": 100,"tax": 10}],
"payment_method": "COD",
"sub_total": 990,
"cod_collectible": 990,
"length": 100,
"breadth": 50,
"height": 10,
"weight": 0.5,
"pickup_location": "HomeNew",
"warehouse_id": "WHZWUN",
"vendor_details": {"email": "abcdd@abcdd.com","phone": "9879879879","name": "Coco Cookie","address": "Street 1","address_2": "","city": "delhi","state": "new delhi","country": "india","pin_code": "110077","pickup_location": "HomeNew"}}
'

Response

{
"status": 1,
"payload": {
"pickup_location_added": 1,
"order_created": 1,
"awb_generated": 1,
"label_generated": 1,
"pickup_generated": 1,
"manifest_generated": 0,
"pickup_scheduled_date": null,
"pickup_booked_date": null,
"order_id": "ORDKDKHOFL07I",
"shipment_id": "SHIHB0BMT4DYM",

"awb_code": "34812010700125",
"courier_company_id": "CARO0ZZQH1H6U",
"courier_name": "Delhivery Standard",
"assigned_date_time": {
"date": "2025-09-30T17:50:50.424+05:30",
"timezone_type": 3,
"timezone": "Asia/Kolkata"
},
"applied_weight": 0.5,
"cod": 1,
"label_url":
"https://velocity-shazam-prod.s3.ap-south-1.amazonaws.com/n9u98s8nodhjgqhnl4fh852tvqo5?response-content-disposition=inline%3B%20filename%3D%223481201070012 5_shipping_label.pdf%22%3B%20filename%2A%3DUTF-8%27%2734812010700125_shipping_label.pdf&response-content-type=application%2Fpdf&X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAU4T4YDSMMKHXEIKS%2F20250930%2Fap-south-1%2Fs3%2Faws4_request&X-Amz-Date=20250930T122050Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-Amz-Signature=9f1e2e859fa917841c1b74ff2822d28cda2661b64be6c0191daf6390e4647ca2",
"manifest_url": null,
"routing_code": null,
"rto_routing_code": null,
"pickup_token_number": null,
"charges": {
"frwd_charges": {
"shipping_charges": "44.40",
"cod_charges": "31.30",
"dead_weight_billing": true
},
"rto_charges": {
"rto_charges": "40.00"
}
}
}
}

Create Order and Shipment Separately

Velocity Shipping allows you to create an order without assigning a courier and assign the courier later by creating the shipment in a separate step. This is useful when courier selection needs to be deferred or handled through shipping rules.

a) Create Order Only (No Courier Assignment)

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/forward-order' \
--header 'Authorization: Iu9npoZf8PWpvIIBeMZXWQ' \
--header 'Content-Type: application/json' \
--data-raw '{
    "order_id": "ORDER-0099iyhih",
    "order_date": "2018-05-08 12:23",
    "channel_id": "27202",
    "billing_customer_name": "Saurabh",
    "billing_last_name": "Jindal",
    "billing_address": "Incubex, Velocity",
    "billing_city": "Bangalore",
    "billing_pincode": "560102",
    "billing_state": "Karnataka",
    "billing_country": "India",
    "billing_email": "saurabh+123891@velocity.in",
    "billing_phone": "8860697807",
    "shipping_is_billing": true,
    "print_label": true,
    "order_items": [
        {
            "name": "T-shirt Round Neck",
            "sku": "t-shirt-round1474",
            "units": 2,
            "selling_price": 1000,
            "discount": 100,
            "tax": 10
        },
        {
            "name": "T-shirt Round Neck V2",
            "sku": "t-shirt-V",
            "units": 10,
            "selling_price": 100,
            "discount": 10,
            "tax": 10
        }
```

```
    ],
    "payment_method": "COD",
    "sub_total": 990,
    "length": 100,
    "cod_collectible": 990,
    "breadth": 50,
    "height": 10,
    "weight": 0.50,
    "pickup_location": "HomeNew",
    "warehouse_id": "WHYYB5",
    "vendor_details": {
        "email": "abcdd@abcdd.com",
        "phone": "9879879879",
        "name": "Coco Cookie",
        "address": "Street 1",
        "address_2": "",
        "city": "delhi",
        "state": "new delhi",
        "country": "india",
        "pin_code": "110077",
        "pickup_location": "HomeNew"
    }
}'
```


Response


```
{
   "status": 1,
   "payload": {
       "pickup_location_added": 1,
       "order_created": 1,
       "awb_generated": 0,
       "pickup_generated": 0,
       "shipment_id": "SHIXRE1ER7BQI",
       "order_id": "ORDBJSDAMG9YN",
       "assigned_date_time": {
           "date": "2026-01-20T16:59:16.669+05:30",
           "timezone_type": 3,
           "timezone": "Asia/Kolkata"
       },
       "applied_weight": null,
       "cod": 1,
```

"label_url": null,
"manifest_url": null,
"routing_code": null,
"rto_routing_code": null,
"pickup_token_number": null
}
}

Note: At this stage, the order and shipment are created, but no courier is assigned and no AWB is generated.

b) Create Shipment (Assign Courier)

Use the `shipment_id` received in the previous step to assign a courier and create the shipment.

Sample Request Curl

```
curl --location
'https://shazam.stagingvelocity.in/custom/api/v1/forward-order-shipment' \
--header 'Authorization: RJShHQFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data '{
    "shipment_id":"SHIXRE1ER7BQI",
    "carrier_id":""
}'
```

Response

{
"status": 1,
"payload": {
"pickup_location_added": 1,
"order_created": 1,
"awb_generated": 1,
"label_generated": 1,
"pickup_generated": 1,
"manifest_generated": 0,
"pickup_scheduled_date": null,
"pickup_booked_date": null,

"order_id": "ORDKDKHOFL07I",
"shipment_id": "SHIHB0BMT4DYM",
"awb_code": "34812010700125",
"courier_company_id": "CARO0ZZQH1H6U",
"courier_name": "Delhivery Standard",
"assigned_date_time": {
"date": "2025-09-30T17:50:50.424+05:30",
"timezone_type": 3,
"timezone": "Asia/Kolkata"
},
"applied_weight": 0.5,
"cod": 1,
"label_url":
"https://velocity-shazam-prod.s3.ap-south-1.amazonaws.com/n9u98s8nodhjgqhnl4fh852tvqo5?response-content-disposition=inline%3B%20filename%3D%2234812010700125_shipping_label.pdf%22%3B%20filename%2A%3DUTF-8%27%2734812010700125_shipping_label.pdf&response-content-type=application%2Fpdf&X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Credential=AKIAU4T4YDSMMKHXEIKS%2F20250930%2Fap-south-1%2Fs3%2Faws4_request&X-Amz-Date=20250930T122050Z&X-Amz-Expires=3600&X-Amz-SignedHeaders=host&X-Amz-Signature=9f1e2e859fa917841c1b74ff2822d28cda2661b64be6c0191daf6390e4647ca2",
"manifest_url": null,
"routing_code": null,
"rto_routing_code": null,
"pickup_token_number": null,
"charges": {
"frwd_charges": {
"shipping_charges": "44.40",
"cod_charges": "31.30",
"dead_weight_billing": true
},
"rto_charges": {
"rto_charges": "40.00"
}
}
}
}

5. Reverse Pickup Shipment - Create Order

Purpose

Creates and manifests a reverse (return) pickup shipment i.e. creates a reverse pickup order and also assigns a courier.

Method: POST

Endpoint: /custom/api/v1/reverse-order-orchestration

Reverse Shipment - Field-Level Table

i) Order, Channel & Carrier

Field	Type	Required	Description	Example
order_id	string	Yes	Unique per return	ORDER-49
order_date	string	Yes	YYYY-MM-DD HH:mm	2018-05-08 12:23
carrier_id	string	Optional	carrier_id is fetched from the Serviceability API; leave it blank for automatic courier assignment based on configured shipping rules, or pass a specific carrier_id to assign a particular courier.	CARO0ZZQH1H6U

ii) Pickup Address (Customer)

Field	Type	Required	Description	Example
pickup_customer_name	string	Yes	First name	Saurabh
pickup_last_name	string	Optional	Last name	Jindal
company_name	string	Optional	Company name	iorn pvt ltd
pickup_address	string	Yes	Address line 1	Incubex, Velocity
pickup_address_2	string	Optional	Address line 2	

pickup_city	string	Yes	City	Bangalore
pickup_state	string	Yes	State	Karnataka
pickup_country	string	Yes	Country	India
pickup_pincode	string	Yes	PIN code	560102
pickup_email	string	Optional	Email	saurabh+123891@velocity.in
pickup_phone	string	Yes	Phone	8860697807
pickup_isd_code	string	Optional	Country code	91

iii) Shipping Address (Destination / Warehouse)

Field	Type	Required	Description	Example
shipping_customer_name	string	Yes	Name	Jax
shipping_last_name	string	Optional	Last name	Doe
shipping_address	string	Yes	Address line 1	Castle
shipping_address_2	string	Optional	Address line 2	Bridge
shipping_city	string	Yes	City	Delhi
shipping_state	string	Yes	State	New Delhi
shipping_country	string	Yes	Country	India
shipping_pincode	string	Yes	PIN	110015
shipping_email	string	Optional	Email	abhishek123@velocity.in
shipping_isd_code	string	Optional	Country code	91
shipping_phone	string	Yes	Phone	8888888888

Iv) Items & Payment

Field	Type	Required	Description	Example
order_items[]	array	Yes	List of items	See JSON

payment_method	enum	Yes	Usually PREPAID for returns	PREPAID
total_discount	number/string	Optional	Discount total	0
sub_total	number	Yes	Item value	400

v) Dimensions & Warehouse

Field	Type	Required	Description	Example
length	number	Yes	cm	3
breadth	number	Yes	cm	1
height	number	Yes	cm	1
weight	number	Yes	kg	0.3
warehouse_id	string	Yes	Destination warehouse id as per Velocity Shipping Portal	WHYYB5
request_pickup	boolean	Optional	Auto pickup scheduling	TRUE

<u>Manifesting a QC shipment</u>

A) Mandatory Parameters for QC Shipments

For manifesting a QC shipment, following parameters must be passed i.e name, product name and qc_enable = ‘true’ and qc_product image.

B) Prerequisites for Enabling QC

To successfully manifest QC shipments, the following configurations must be completed on Velocity Shipping’s end:

- **Enable Return QC in Velocity Shipping:**
  Navigate to Settings → Return Quality Check to enable QC and select the parameters to be checked.
- **Check Courier-level QC Guidelines:**
  Ensure selected QC parameters comply with courier guidelines.Also, It is important that the count of SKUs in a single return order is not more than 2 and no. of QC parameters for evaluation <=6. If sku count is > 2, it will be manifested as non QC.
- **Enable QC at SKU Level:**
  For each SKU requiring QC, the seller must enable QC and provide all required details applicable for parameters for which he wants to do QC such as image, brand, color, size, etc. Also please note - Product image is a mandatory field for successful QC manifestation.
  (For eg. if we want to qc check on color then color information needs to be captured at SKU level against the SKU In Return Quality Check> QC parameters>Sku> Edit details> Color)

Once all configurations are complete, QC shipments can be manifested via API.

C) Courier Coverage for Return QC

Currently, Return QC is supported only for Delhivery and Shadowfax. While courier allocation ensures that a QC shipment is assigned to a QC enabled shipment but in case of non serviceability or non availability of QC enabled couriers on a route, it can be routed via regular courier and it will automatically be treated as a Non-QC shipment.

Sample Request Curl

```
curl --location 'https://shazam.velocity.in/custom/api/v1/reverse-order-orchestration' \
--header 'Content-Type: application/json' \
--header 'Authorization: oEKN6oibwqhFWhSnBDBJUQ' \
--data-raw '{
  "order_id": "RET-12345157",
  "order_date": "2022-02-16",
  "carrier_id": "CARO0ZZQH1H6U",
  "pickup_customer_name": "Saurabh",
```

"pickup_last_name": "Jindal",
"company_name": "iorn pvt ltd",
"pickup_address": "Incubex, Velocity",
"pickup_address_2": "",
"pickup_city": "Bangalore",
"pickup_state": "Karnataka",
"pickup_country": "India",
"pickup_pincode": "560102",
"pickup_email": "saurabh+123891@velocity.in",
"pickup_phone": "8860697807",
"pickup_isd_code": "91",
"shipping_customer_name": "Jax",
"shipping_last_name": "Doe",
"shipping_address": "Castle",
"shipping_address_2": "Bridge",
"shipping_city": "Delhi",
"shipping_country": "India",
"shipping_pincode": 110015,
"shipping_state": "New Delhi",
"shipping_email": "kumar.abhishek123@velocity.in",
"shipping_isd_code": "91",
"shipping_phone": 8888888888,
"warehouse_id": "WHO89A",
"order_items": [{"name": "shoes","qc_enable": true,"qc_product_name": "shoes","sku": "WSH234","units": 1,"selling_price": 100,"discount": 0,"qc_brand": "Levi","qc_product_image": "https://example.com/image.jpg"}],
"payment_method": "PREPAID",
"total_discount": "0",
"sub_total": 400,
"length": 3,
"breadth": 1,
"height": 1,
"weight": 0.3,
"request_pickup": true
}'

Response

{
"status": 1,

```
  "payload": {
    "order_created": 1,
    "awb_generated": 1,
    "pickup_generated": 1,
    "pickup_scheduled_date": null,
    "order_id": "ORDMUJCVLS7CB",
    "shipment_id": "SHIUEOB5S6CS5",
    "awb_code": "VEHR4336705675",
    "courier_company_id": "CARCVBWTPRH08",
    "courier_name": "Ekart Standard",
    "assigned_date_time": {
      "date": "2025-10-03T15:39:11.189+05:30",
      "timezone_type": 3,
      "timezone": "Asia/Kolkata"
    },
    "applied_weight": 0.34,
    "cod": 0,
    "is_return": 1,
    "routing_code": null,
    "rto_routing_code": null,
    "pickup_token_number": null,
    "charges": {
      "reverse_charges": "91.30",
      "qc": "0.00",
      "qc_leeway": "0.00",
      "dead_weight_billing": false
    }
  }
}
```


Create Reverse Pickup Order and Shipment Separately

Velocity Shipping allows you to create a reverse pickup order without assigning a courier and assign the courier later by creating the shipment in a separate step. This is useful when courier selection needs to be deferred or handled through shipping rules.

a) **Create Reverse Pickup Order Only**

Sample Request Curl

```
curl --location 'https://shazam.stagingvelocity.in/custom/api/v1/reverse-order' \
--header 'Authorization: RJShHQFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data-raw '{
    "order_id": "rj-ddf21",
    "order_date": "2022-02-16",
    "channel_id": "2113680",
    "pickup_customer_name": "Saurabh",
    "pickup_last_name": "Jindal",
    "company_name": "iorn pvt ltd",
    "pickup_address": "Incubex, Velocity",
    "pickup_address_2": "",
    "pickup_city": "Bangalore",
    "pickup_state": "Karnataka",
    "pickup_country": "India",
    "pickup_pincode": "560068",
    "pickup_email": "saurabh+123891@velocity.in",
    "pickup_phone": "8860697807",
    "pickup_isd_code": "91",
    "shipping_customer_name": "Jax",
    "shipping_last_name": "Doe",
    "shipping_address": "Castle",
    "shipping_address_2": "Bridge",
    "shipping_city": "Delhi",
    "shipping_country": "India",
    "shipping_pincode": "560068",
    "shipping_state": "New Delhi",
    "shipping_email": "kumar.abhishek@shiprocket.com",
    "shipping_isd_code": "91",
    "shipping_phone": "8888888888",
    "warehouse_id": "WHFYPF",
    "order_items": [
        {
            "name": "shoes",
            "qc_enable": true,
            "qc_product_name": "shoes",
            "sku": "WSH234",
            "units": 1,
            "selling_price": 100,
```

"discount": 0,
"qc_brand": "Levi",
"qc_product_image":
"https://assets.vogue.in/photos/5d7224d50ce95e0008696c55/2:3/w_2240,c_limit/Joker.jpg"
}
],
"payment_method": "PREPAID",
"total_discount": "0",
"sub_total": 400,
"length": 3,
"breadth": 1,
"height": 1,
"weight": 0.3,
"request_pickup": true
}'

Response

{"status":1,"payload":{"order_created":1,"awb_generated":0,"pickup_generated":0,"pickup_scheduled_date":null,"order_id":"ORDGMSLAUDVBF","return_id":"RETVTLUPWTWIK","assigned_date_time":{"date":"2026-01-20T17:01:40.864+05:30","timezone_type":3,"timezone":"Asia/Kolkata"},"cod":0}}

b) Create Reverse Shipment (Assign Courier)

Use the return_id received in the previous step to assign a courier and create the shipment.

Sample Request Curl

```
curl --location
'https://shazam.stagingvelocity.in/custom/api/v1/reverse-order-shipment' \
--header 'Authorization: bN9m81J0bQWEfPhK4xDu1g' \
--header 'Content-Type: application/json' \
--data '{
    "return_id": "RETYHL9924N5B",
    "warehouse_id": "WHYYB5",
    "carrier_id":"" //optional
}'
```

Response:

```
{
  "status": 1,
  "payload": {
    "order_created": 0,
    "awb_generated": 1,
    "pickup_generated": 1,
    "pickup_scheduled_date": null,
    "order_id": null,
    "shipment_id": "SHILAVYR2A4YI",
    "awb_code": "R773426643VEL",
    "courier_company_id": "",
    "courier_name": "Shadowfax ROAD",
    "assigned_date_time": {
      "date": "2026-01-20T17:03:25.550+05:30",
      "timezone_type": 3,
      "timezone": "Asia/Kolkata"
    },
    "applied_weight": 0.0006,
    "cod": 0,
    "is_return": 1,
    "routing_code": null,
    "rto_routing_code": null,
    "pickup_token_number": null,
    "charges": {
      "reverse_charges": "28.00",
      "qc": "0.00",
      "qc_leeway": "0.00",
      "dead_weight_billing": false,
      "platform_fee": 0.0
    }
  }
```

```
}
```

6. Cancel Order

Purpose
Cancels one or more shipments that are not yet picked up.

Method: POST

Endpoint: /custom/api/v1/cancel-order

Request Fields

Field	Type	Required	Description	Example
awbs[]	array	Yes	List of AWBs to cancel (Max 50)	["84161310011340"]

Sample Request Curl

```
curl --location '/custom/api/v1/cancel-order' \
--header 'Content-Type: application/json' \
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \
--data '{
  "awbs": ["39879810176282"]
}'
```

Response

```
{
  "message": "Bulk Shipment cancellation is in progress. Please wait for some time."
}
```

7. Order Tracking

Purpose
Fetches real-time tracking details for one or more shipments.

Method: POST

Endpoint: /custom/api/v1/order-tracking

Request Fields

Field	Type	Required	Description	Example
awbs[]	array	Yes	List of AWBs to track	["84161310011340"]

Sample Request Curl

```
curl --location '/custom/api/v1/order-tracking' \
--header 'Content-Type: application/json' \
--header 'Authorization: bbqRkOXw0xWLuYj9ubnDwg' \
--data '{
  "awbs": ["PD6786164"]
}'
```

Response


```
{
  "result": {
    "PD6786164": {
      "tracking_data": {
        "track_status": null,
        "shipment_status": "delivered",
        "shipment_track": [
          {
            "id": "8be85889-7f3d-4d68-81aa-14ab5d40ada9",
            "awb_code": "PD6786164",
            "courier_company_id": "CARKX7WW6UNS8",
            "shipment_id": "SHIRDNEL4I8PC",
            "order_id": "ORDVRLXCBRT4E",
```

"pickup_date": "2025-07-30 16:20:31",
"delivered_date": "2025-07-30 17:39:29",
"weight": 0.3,
"packages": 1,
"current_status": "delivered",
"delivered_to": "Bengaluru",
"destination": "Bengaluru",
"consignee_name": "Arun nayak ",
"origin": "Bangalore",
"courier_agent_details": null
}
],
"shipment_track_activities": [
{
"date": "2025-07-30 17:39:29",
"activity": "DELIVERED",
"location": "Bengaluru"
},
{
"date": "2025-07-30 17:38:18",
"activity": "OUT FOR DELIVERY",
"location": "Bengaluru"
},
{
"date": "2025-07-30 16:20:31",
"activity": "PICKED UP",
"location": "Bengaluru"
},
{
"date": "2025-07-30 16:20:30",
"activity": "OUT FOR PICKUP",
"location": "Bengaluru"
}
],
"track_url": "https://shipfastt.in/track/PD6786164"
}
}
}
}
"count": 0,

"sum_of_prepaid_orders": 0.0,
"sum_of_cod_orders": 0.0
},
"total_shipments": 0
}
}
}

Status list

Status	Definition
pending	New shipment created but not yet assigned to a courier
rejected	Forward shipment cancelled or rejected before courier assignment
processing	Intermediate state while a bulk or system action is being processed
ready_for_pickup	Shipment assigned to a courier and ready for pickup
pickup_scheduled	Pickup has been scheduled with the courier
not_picked	Shipment could not be picked up during forward journey
in_transit	Shipment is moving through the courier network
out_for_delivery	Shipment is out for delivery to the consignee
delivered	Shipment successfully delivered to the consignee
ndr_raised	Shipment could not be delivered and marked as undelivered (NDR raised)
need_attention	Shipment could not be delivered and marked as undelivered
reattempt_delivery	Shipment assigned for a re-attempted delivery
cancelled	Shipment cancelled by the user or courier partner (in case its terminal in nature)
lost	Shipment marked as lost during forward journey
rto_initiated	Return to Origin (RTO) has been initiated
rto_cancelled	Return to Origin (RTO) has been cancelled
rto_in_transit	RTO shipment is in transit
rto_need_attention	RTO shipment requires attention due to delivery failure

rto_delivered	RTO shipment delivered back to the origin
return_rejected	Return shipment cancelled or rejected before courier assignment
return_pickup_scheduled	Pickup scheduled for return shipment
return_not_picked	Shipment could not be picked up during return journey
return_qc_failed	Return shipment failed quality check
return_in_transit	Return shipment is in transit
return_delivered	Return shipment successfully delivered
return_cancelled	Return shipment cancelled
return_ndr_raised	Return shipment could not be delivered and marked as undelivered
return_need_attention	Return shipment could not be delivered and marked as undelivered
externally_fulfilled	Shipment fulfilled using a courier outside the Shipfast network

Webhook Enablement
To configure webhooks, log in to your admin account and navigate to Settings → Webhooks.
Add your webhook endpoint, select the authorization method, and provide the required authorization details to enable webhook notifications.

8. Summary Report API

Purpose
Fetches status based summary report for forward and return/reverse pickup orders.

Method: POST

Endpoint: /custom/api/v1/reports
Request Fields

Field	Type	Required	Description	Example

start_date_time	string	Yes	Start date & time based on order creation date	2022-01-01T00:00:00Z
end_date_time	string	Yes	End date & time based on order creation date	2025-09-08T20:00:00Z
shipment_type	string	Yes	Shipment journey - Forward or reverse pickup	forward return

Sample Request Curl

```
curl --location 'https://shazam.stagingvelocity.in/custom/api/v1/reports' \
--header 'Authorization: RJShHQFn_YuXsMzfZb9-1A' \
--header 'Content-Type: application/json' \
--data '{
    "start_date_time":"2022-01-01T00:00:00Z",
    "end_date_time":"2025-09-08T20:00:00Z",
    "shipment_type": "return"
}'
```

Response:


```
{
  "status": "SUCCESS",
  "payload": {
    "date_range": {
      "start_date_time": "2022-01-01T00:00:00Z",
      "end_date_time": "2025-09-08T20:00:00Z"
    },
    "shipment_type": "return",
    "summary": {
      "return_pickup_scheduled": {
        "count": 0,
        "sum_of_prepaid_orders": 0.0,
        "sum_of_cod_orders": 0.0
      },
```

"return_in_transit": {
"count": 0,
"sum_of_prepaid_orders": 0.0,
"sum_of_cod_orders": 0.0
},
"return_delivered": {
"count": 0,
"sum_of_prepaid_orders": 0.0,
"sum_of_cod_orders": 0.0
},
"cancelled": {
"count": 0,
"sum_of_prepaid_orders": 0.0,
"sum_of_cod_orders": 0.0
}}

9. Get Rates API

Purpose
Calculate shipping rates for forward or return shipments based on origin, destination, weight, and dimensions.

Method: POST

Endpoint: /custom/api/v1/rates

Request Fields

Field	Type	Required	Description	Example
journey_type	string	Yes	forward or return	forward
origin_pincode	string	Yes	6-digit pickup pincode	248001
destination_pin code	string	Yes	6-digit delivery pincode	560035

dead_weight	float	Yes	Weight in grams (> 0)	500
length	float	Yes	Length in cm (> 0)	10
width	float	Yes	Width in cm (> 0)	10
height	float	Yes	Height in cm (> 0)	0
payment_method	string	Conditional	Required for forward: cod or prepaid	cod
shipment_value	float	Conditional	Required if payment_method = cod (> 0)	1200
qc_applicable	boolean	Conditional	Applicable for return. Default: true	false

Rules & Validation

1. Journey Type

- Must be either forward or return.

2. Forward Shipments

- payment_method is mandatory.
- Allowed values: cod, prepaid.
- If cod, then shipment_value must be provided and > 0.

3. Return Shipments

- qc_applicable defaults to true if not provided.

4. Weight & Dimensions

- dead_weight, length, width, and height must all be greater than 0.

5. Pincode Validation

- origin_pincode and destination_pincode must be valid Indian pincodes.

Sample Request Curl

1. Forward Shipment - Prepaid

```
curl -X POST "https://shazam.velocity.in/custom/api/v1/rates" \
  -H "Authorization: Bearer your_access_token" \
  -H "Content-Type: application/json" \
  -d '{
    "journey_type": "forward",
    "origin_pincode": "400001",
    "destination_pincode": "110001",
    "dead_weight": 500,
    "length": 20,
    "width": 15,
    "height": 10,
    "payment_method": "prepaid"
  }'
```

2. Forward Shipment - COD

```
curl -X POST "https://shazam.velocity.in/custom/api/v1/rates" \
  -H "Authorization: Bearer your_access_token" \
  -H "Content-Type: application/json" \
  -d '{
    "journey_type": "forward",
    "origin_pincode": "400001",
    "destination_pincode": "110001",
    "dead_weight": 750,
    "length": 25,
    "width": 20,
    "height": 15,
    "payment_method": "cod",
    "shipment_value": 2500
  }'
```

3. Return Shipment

```
curl -X POST "https://shazam.velocity.in/custom/api/v1/rates" \
  -H "Authorization: Bearer your_access_token" \
  -H "Content-Type: application/json" \
```

```
  -d '{
    "journey_type": "return",
    "origin_pincode": "110001",
    "destination_pincode": "400001",
    "dead_weight": 500,
    "length": 20,
    "width": 15,
    "height": 10,
    "qc_applicable": true
  }'
```

Response

1. Forward Shipment


```
{
  "status": "SUCCESS",
  "result": {
    "serviceable_couriers": [
      {
        "carrier_id": "carrier-unique-id",
        "carrier_name": "Delhivery",
        "carrier_code": "DELHIVERY",
        "service_level": "standard",
        "is_fast": false,
        "is_prime": false,
        "status": "active",
        "expected_delivery": {
          "pickup": "2024-01-16",
          "delivery": "2024-01-19"
        },
        "charges": {
          "forward_freight_charges": 85.00,
          "cod_charges": 25.00,
          "rto_charges": 85.00,
          "total_forward_charges": 110.00
        },
        "platform_fee": 5.00
      }
```

```
    ],
    "shipment_details": {
      "journey_type": "forward",
      "origin_pincode": "400001",
      "destination_pincode": "110001",
      "payment_method": "cod",
      "dead_weight": 750.0,
      "volumetric_weight": 1500.0,
      "applicable_weight": 1500.0,
      "zone": "B"
    }
  }
}
```


2. Return Shipment


```
{
  "status": "SUCCESS",
  "result": {
    "serviceable_couriers": [
      {
        "carrier_id": "carrier-unique-id",
        "carrier_name": "Delhivery",
        "carrier_code": "DELHIVERY",
        "service_level": "standard",
        "status": "active",
        "expected_delivery": {
          "pickup": "2024-01-16",
          "delivery": "2024-01-19"
        },
        "charges": {
          "return_freight_charges": 75.00,
          "qc_charges": 10.00,
          "total_return_charges": 85.00
        }
      }
    ],
    "shipment_details": {
      "journey_type": "return",
```

"origin_pincode": "110001",
"destination_pincode": "400001",
"dead_weight": 500.0,
"volumetric_weight": 600.0,
"applicable_weight": 600.0,
"zone": "B"
}
}
}

10. Order Details API (Forward)

Purpose
Retrieve a paginated list of forward shipments with various filtering and sorting options.

Method: POST

Endpoint: /custom/api/v1/shipments

Request Fields

a) Pagination Parameters

Parameter	Type	Default	Required	Description
page or page[number]	Integer	1	No	Page number (1-indexed).
per_page or page[per_page]	Integer	20	No	Number of records per page (Maximum: 100).

b) Date Range Parameters

Parameter	Type	Default	Required	Description
date_field	String	order_date	No	Field used for date filtering. Supported values: order_date, created_at, ready_for_pickup_at, delivered_at, expected_delivery_date_at,

				original_expected_delivery_date_at, ndr_raised_at, in_transit_at, etc.
start_time	Integer (Unix Timestamp)	—	No	Start timestamp for date range filter.
end_time	Integer (Unix Timestamp)	—	No	End timestamp for date range filter.

c) Sort Parameters

Parameter	Type	Default	Required	Description
sort_order	String	desc	No	Sorting direction. Supported values: asc, desc.

d) Filter Parameters

Parameter	Type	Description
search	String	Full search across tracking number, customer name, address, customer phone, RTO AWB, order display ID, and item names.
status	String	UI status filter. Supported values: pending, in_transit, out_for_delivery, delivered, ndr_raised, rto_initiated, rto_in_transit, rto_delivered, cancelled, others.
granular_status[]	Array	Filter by detailed shipment status (e.g., new, ready_for_pickup, in_transit, out_for_delivery, delivered, lost).
sub_status[]	Array	Filter by sub-status (e.g., shipment_lost, shipment_delayed, shipment_damaged).
carrier_id[]	Array	Filter by internal carrier IDs.

external_carrier_id[]	Array	Filter by external carrier IDs.
carrier_group_id[]	Array	Filter by carrier group IDs.
external_carrier_group_id[]	Array	Filter by external carrier group IDs.
warehouse_ids[]	Array	Filter by warehouse IDs.
channel[]	Array	Filter by order channel (e.g., shopify, woocommerce).
store_name[]	Array	Filter by store name.
zone[]	Array	Filter by shipping zone (zone_a, zone_b, zone_c, zone_d, zone_e).
is_cod	Boolean	Filter by COD shipments (true or false).
is_dangerous_goods	Boolean	Filter shipments marked as dangerous goods.
express	Boolean	Filter express shipments.
label_generated	Boolean	Filter shipments with generated labels.
manifested	Boolean	Filter manifested shipments.
pickup_id	String	Filter by pickup ID.
order_display_id[]	Array	Filter by order display IDs.
sku[]	Array	Filter by SKU codes.
tags[]	Array	Filter by order tags.
ai_tags[]	Array	Filter by AI-generated tags.
ops_tags[]	Array	Filter by operations tags.
city	String	Filter by destination city.
rto_risk	String	Filter by RTO risk level.
address_validity[]	Array	Filter by address validity status.
call_status[]	Array	Filter by call status.
ndr_reason[]	Array	Filter by NDR reason.
rto_reason[]	Array	Filter by RTO reason.

needs_attention_issue[]	Array	Filter by attention issues (ndr_raised, shipment_lost, shipment_delayed, shipment_damaged).
oc_all_outcomes[]	Array	Filter by order confirmation automation outcomes.
ndr_all_outcomes[]	Array	Filter by NDR automation outcomes.
cod_to_prepaid[]	Array	Filter by COD-to-prepaid conversion status.
items_count	Integer	Filter by exact number of items.
items_count__gt	Integer	Filter shipments with item count greater than specified value.
skus_count	Integer	Filter by exact SKU count.
skus_count__gt	Integer	Filter shipments with SKU count greater than specified value.
applied_weight_min	Float (grams)	Minimum applied weight filter.
applied_weight_max	Float (grams)	Maximum applied weight filter.
attempts_count__gte	Integer	Minimum delivery attempts filter.
attempts_count__lte	Integer	Maximum delivery attempts filter.
original_expected_delivery_date_at__gte	Timestamp	Filter shipments with original EDD greater than or equal to specified date.
original_expected_delivery_date_at__lte	Timestamp	Filter shipments with original EDD less than or equal to specified date.
external_id__matchs	String	Match external order ID.

Sample Request Curl

i) Basic Request - Get All Shipments

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20
 }'
```

ii) Filter by Date Range

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "date_field": "order_date",
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

iii) Filter by Status

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
```

```
 -d '{
   "page": 1,
   "per_page": 20,
   "status": "in_transit",
   "date_field": "order_date",
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

iv) Filter by Multiple Carriers

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 50,
   "carrier_id": ["carrier-uuid-1", "carrier-uuid-2"],
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

iv) Filter COD Shipments with NDR

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
```

```
 -d '{
   "page": 1,
   "per_page": 20,
   "is_cod": true,
   "status": "ndr_raised",
   "ndr_reason": ["customer_not_available", "address_incomplete"],
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

v) Search with Full-Text Query

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "search": "9876543210",
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

vi) Complex Filter with Multiple Parameters

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
```

```
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 50,
   "status": "in_transit",
   "carrier_group_id": ["carrier-group-uuid"],
   "warehouse_ids": ["warehouse-uuid-1", "warehouse-uuid-2"],
   "zone": ["zone_a", "zone_b"],
   "channel": ["shopify"],
   "is_cod": false,
   "date_field": "order_date",
   "start_time": 1704067200,
   "end_time": 1704672000,
   "sort_order": "desc"
 }'
```

vii) Filter by Weight Range

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "applied_weight_min": 500,
   "applied_weight_max": 2000,
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

```

**viii) Filter by Delivery Attempts**

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/shipments" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "status": "ndr_raised",
   "attempts_count__gte": 2,
   "attempts_count__lte": 5,
   "start_time": 1704067200,
   "end_time": 1704672000
 }'
```

Response

```json
{
 "data": [
   {
     "id": "shipment-uuid",
     "type": "shipment",
     "attributes": {
       "tracking_number": "TRACK123456789",
       "status": "in_transit",
       "sub_status": null,
```
```

"rto_awb": null,
"fare_breakup": {},
"created_at": "2024-01-15T10:30:00Z",
"warehouse_id": "warehouse-uuid",
"unique_id": "SHP-12345",
"total_price": 1500.00,
"errors": null,
"cod_amount": 0.00,
"is_cod": false,
"package_id": "package-uuid",
"zone": "zone_b",
"callable": true,
"express": false,
"applied_weight": {
  "value": 750,
  "metric_unit": "g"
},
"attempt_count": 1,
"label_download_time": "2024-01-15T10:35:00Z",
"ops_escalation_status": null,
"carrier_escalated_at": null,
"rto_reason": null,
"ndr_reason": null,
"otp_verification": false,
"is_dangerous_goods": false,
"cod_amount_editable": false,
"order_items_editable": false,
"needs_attention_issue": "others",
"carrier": {
  "id": "carrier-uuid",
  "name": "Delhivery"

```
},
"final_automation_outcome": null,
"order": {
  "id": "order-uuid",
  "order_date": "2024-01-15T09:00:00Z",
  "channel": "shopify",
  "display_id": "ORD-12345",
  "external_id": "shopify-order-123",
  "total_discounts": 0.00,
  "tag_list": ["priority"],
  "ai_tag_list": [],
  "store_name": "My Store",
  "original_shipping_address": {},
  "ops_tag_list": [],
  "return_present": false,
  "status": "processing",
  "ewaybill_number": null,
  "final_automation_outcome": null,
  "order_updated": false,
  "automation_outcomes": []
},
"automation_outcomes": [],
"weight": {
  "value": 500,
  "metric_unit": "g"
},
"volume_weight": {
  "value": 600,
  "metric_unit": "g"
},
"items": [
```

```
  {
    "id": "item-uuid",
    "order_item_id": "order-item-uuid",
    "quantity": 1,
    "price": 1500.00,
    "final_price": 1500.00,
    "name": "Product Name",
    "sku": "SKU-001",
    "weight": 500,
    "hsn": "12345678",
    "variant_id": "variant-uuid",
    "tax_lines": [],
    "is_dangerous_goods": false
  }
],
"enabled_agent": {
  "agent_id": null,
  "agent_key": null
},
"calls": [],
"automation_past_notifications": [],
"pickup_details": {
  "name": "Warehouse Name",
  "street_address": "123 Warehouse Street",
  "city": "Mumbai",
  "state": "Maharashtra",
  "zip": "400001",
  "country": "India"
},
"rto_warehouse_details": {},
"insights": {},
```

"delivery_delay_days": null,
"cod_to_prepaid": null,
"shipping_address": {
  "name": "Customer Name",
  "phone": "9876543210",
  "email": "customer@example.com",
  "street_address": "456 Customer Street",
  "city": "Delhi",
  "state": "Delhi",
  "zip": "110001",
  "country": "India"
},
"shipment_milestones": [
  {
    "milestone": "ready_for_pickup",
    "milestone_at": "2024-01-15T10:35:00Z"
  },
  {
    "milestone": "in_transit",
    "milestone_at": "2024-01-15T14:00:00Z"
  }
],
"tracking_details": [
  {
    "id": "tracking-uuid",
    "tracking_number": "TRACK123456789",
    "status": "in_transit",
    "last_location": "Delhi Hub",
    "event_date_time": "2024-01-15T14:00:00Z",
    "description": "Shipment in transit",
    "ndr_reason_category": null,

```
          "reattempt_allowed": null
        }
      ]
    }
  }
 ],
 "meta": {
   "current_page": 1,
   "per_page": 20,
   "total": 156,
   "next_search_after": ["1705320000000", "shipment-uuid"]
 }
}
```


11. Order Details API (Returns)

Purpose
Retrieve a paginated list of return orders with filtering and sorting options.

Method: POST

Endpoint: /custom/api/v1/returns

Request Fields

a) Pagination Parameters

Parameter	Type	Default	Description
page or page[number]	integer	1	Page number (1-indexed)
per_page or page[per_page]	integer	20	Number of results per page (max: 100)

b) Sort Parameters

Parameter	Type	Default	Description
sort_by	string	created_at	Field to sort by
sort_order	string	desc	Sort direction: asc or desc

c) Filter Parameters

Parameter	Type	Description
search	string	Full search across display_id (i.e return request id) , customer_name, customer_phone, customer_email, address, tracking_number, sku, refund_status, item_names
status	string	Filter by UI status. Options: return_requested, pickup_scheduled, in_transit, return_received, cancelled
granular_status[]	array	Filter by granular status (e.g., new, ready_for_pickup, not_picked, pickup_scheduled, in_transit, ndr_raised, delivered, externally_fulfilled, cancelled)
sub_status[]	array	Filter by sub-status
warehouse_id[]	array	Filter by warehouse IDs
channel[]	array	Filter by order channel
store_name[]	array	Filter by store name
carrier_ids[]	array	Filter by carrier IDs
carrier_group_id[]	array	Filter by carrier group IDs
zone[]	array	Filter by shipping zone
refund_status[]	array	Filter by refund status
qc_status[]	array	Filter by QC status
display_id[]	array	Filter by return display IDs
sku[]	array	Filter by SKU codes
is_dangerous_goods	boolean	Filter by dangerous goods status
skus_count	integer	Exact SKU count filter

skus_count__gt	integer	SKU count greater than

d) Data Range Parameters

Parameter	Type	Description
created_at__gte	timestamp	Created at from date
created_at__lte	timestamp	Created at to date
return_pickup_scheduled_at__gte	timestamp	Pickup scheduled from date
return_pickup_scheduled_at__lte	timestamp	Pickup scheduled to date
return_delivered_at__gte	timestamp	Return delivered from date
return_delivered_at__lte	timestamp	Return delivered to date
return_cancelled_at__gte	timestamp	Return cancelled from date
return_cancelled_at__lte	timestamp	Return cancelled to date

Sample Request Curl

i) Basic Request - Get All Returns

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20
 }'
```

ii) Filter by Status

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "status": "in_transit"
 }'
```

iii) Filter by Date Range

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "created_at__gte": "2024-01-01T00:00:00Z",
   "created_at__lte": "2024-01-31T23:59:59Z"
 }'
```

iv) Filter by Warehouse and QC Status

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
```

```
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "warehouse_id": ["warehouse-uuid-1"],
   "qc_status": ["passed", "pending"]
 }'
```

v) Filter by Refund Status

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 20,
   "refund_status": ["pending", "processed"]
 }'
```

vi) Complex Filter with Multiple Parameters

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
   "page": 1,
   "per_page": 50,
```

```
  "status": "return_received",
  "warehouse_id": ["warehouse-uuid"],
  "channel": ["shopify"],
  "qc_status": ["passed"],
  "refund_status": ["pending"],
  "created_at__gte": "2024-01-01T00:00:00Z",
  "created_at__lte": "2024-01-31T23:59:59Z",
  "sort_by": "created_at",
  "sort_order": "desc"
 }'
```

vii) Search by Display ID

```bash
curl -X POST "https://shazam.velocity.in/custom/api/v1/returns" \
 -H "Authorization: your_access_token" \
 -H "Content-Type: application/json" \
 -d '{
  "page": 1,
  "per_page": 20,
  "search": "RET-12345"
 }'
```

Response

```json
{
 "data": [
  {
```

"id": "return-uuid",
"type": "return",
"attributes": {
  "return_reason": "defective_product",
  "request_date": "2024-01-10T10:00:00Z",
  "display_id": "RET-12345",
  "qc_status": "passed",
  "qc_required": true,
  "status": "delivered",
  "verification_status": "verified",
  "unique_id": "return-unique-id",
  "warehouse_id": "warehouse-uuid",
  "package_id": "package-uuid",
  "shipping_address": {
    "name": "Customer Name",
    "phone": "9876543210",
    "email": "customer@example.com",
    "street_address": "456 Customer Street",
    "city": "Delhi",
    "state": "Delhi",
    "zip": "110001",
    "country": "India"
  },
  "total_price": 1500.00,
  "is_exchange": false,
  "refund_status": "processed",
  "refund_reason": null,
  "created_at": "2024-01-10T10:00:00Z",
  "updated_at": "2024-01-15T14:00:00Z",
  "qc_failure_reason": null,
  "parent_return_id": null,

"is_dangerous_goods": false,
"qc_images": [],
"return_items": [
  {
    "id": "return-item-uuid",
    "order_item_id": "order-item-uuid",
    "variant_id": "variant-uuid",
    "quantity": 1,
    "price": 1500.00,
    "name": "Product Name",
    "sku": "SKU-001",
    "hsn": "12345678",
    "weight": 500,
    "order_item_tax_lines": [],
    "return_reason": "defective_product",
    "qc_parameters": [],
    "qc_response": [],
    "is_dangerous_goods": false
  }
],
"weight": {
  "value": 500,
  "metric_unit": "g"
},
"shipment": {
  "id": "shipment-uuid",
  "tracking_number": "RETTRACK123456",
  "status": "delivered",
  "sub_status": null,
  "shipment_type": "return",
  "external_id": "external-123",

```
    "shipment_milestones": [
      {
        "id": "milestone-uuid",
        "milestone": "return_pickup_scheduled",
        "milestone_at": "2024-01-11T10:00:00Z"
      },
      {
        "id": "milestone-uuid-2",
        "milestone": "return_delivered",
        "milestone_at": "2024-01-15T14:00:00Z"
      }
    ],
    "tracking_details": [
      {
        "id": "tracking-uuid",
        "tracking_number": "RETTRACK123456",
        "status": "delivered",
        "last_location": "Warehouse",
        "event_date_time": "2024-01-15T14:00:00Z",
        "description": "Return delivered to warehouse"
      }
    ],
    "carrier": {
      "id": "carrier-uuid",
      "name": "Delhivery"
    }
  },
  "order": {
    "id": "order-uuid",
    "status": "completed",
    "amount": 1500.00,
```

```
        "pickup_details": {
          "name": "Warehouse Name",
          "street_address": "123 Warehouse Street",
          "city": "Mumbai",
          "state": "Maharashtra",
          "zip": "400001",
          "country": "India"
        },
        "items": [
          {
            "id": "order-item-uuid",
            "sku": "SKU-001",
            "name": "Product Name",
            "quantity": 1,
            "price": 1500.00
          }
        ],
        "external_id": "shopify-order-123",
        "display_id": "ORD-12345",
        "order_date": "2024-01-05T09:00:00Z",
        "channel": "shopify",
        "store_name": "My Store",
        "tag_list": [],
        "package_id": "package-uuid",
        "return_present": true
      }
    }
  }
],
"meta": {
  "current_page": 1,
```

"per_page": 20,
"total": 45,
"next_search_after": ["1705320000000", "return-uuid"]
}
}
```
```