es



# OOP in Python | Set Sinheritance, examples of object, issubclass and super)


We have discussed following topics on object oriented Programming in Python

- Object Oriented Programming in Python | Seth us!
- Object Oriented Programming in Python | Set 2 (Data Hiding and Object Printing)

**Custom Search** 

In this article, Inheritance is introduced.

One of the major advantages of Object Oriented Programming is re-use. Inheritance is one of the mechanisms to achieve the same. In inheritance, a class (usually called superclass) is inherited by another class (usually called subclass). The subclass adds some attributes to superclass.



Below is a sample Python program to show how inheritance is implemented in Python.

```
# A Python program to demonstrate inheritance

# Base or Super class. Note object in bracket.
# (Generally, object is made ancestor of all classes)
# In Python 3.x "class Person" is
# equivalent to "class Person(object)"

class Person(object):

# Constructor
def __init__(self, name):
    self.name = name

# To get name
def getName(self):
    return self.name

# To check if this person is employee
def isEmployee(self):
    return False
```

(i) X

```
# Inherited or Sub class (Note Person in bracket)
class Employee(Person):

    # Here we return true
    def isEmployee(self):
        return True

# Driver code
emp = Person("Geek1") # An Object of Person
print(emp.getName(), emp.isEmployee())

emp = Employee("Geek2") # An Object of Employee
print(emp.getName(), emp.isEmployee())

Output:
    ('Geek1', False)
    ('Geek2', True)
```

#### How to check if a class is subclass of another?

Python provides a function issubclass() that directly tells us if a class is subclass of another class.

```
# Python example to check if a class is
# subclass of another
class Base(object):
          # Empty Class
    pass
class Derived(Base):
           # Empty Class
    pass
# Driver Code
print(issubclass(Derived, Base))
print(issubclass(Base, Derived))
d = Derived()
b = Base()
# b is not an instance of Derived
print(isinstance(b, Derived))
# But d is an instance of Base
print(isinstance(d, Base))
Output:
```

True False False True

**A** 

# What is object class?

Like Java Object class, in Python (from version 3.x), object is root of all classes.

In Python 3.x, "class Test(object)" and "class Test" are same.

In Python 2.x, "class Test(object)" creates a class with object as parent (called new style class) and "class Test" creates old style class (without object parent). Refer this for more details.

# **Does Python support Multiple Inheritance?**

Unlike Java and like C++, Python supports multiple inheritance. We specify all parent classes as comma separated list in bracket.

# Travel Smart with Int

Ad Earn & Redeem Interlacross 8000+ destination:

InterMiles

Sign Up

```
# Python example to show working of multiple
# inheritance
class Base1(object):
    def __init__(self):
         self.str1 = "Geek1"
         print "Base1"
class Base2(object):
    def __init__(self):
         self.str2 = "Geek2"
         print "Base2"
class Derived(Base1, Base2):
    def __init__(self):
         # Calling constructors of Base1
         # and Base2 classes
         Base1.__init__(self)
         Base2.__init__(self)
print "Derived"
    def printStrs(self):
         print(self.str1, self.str2)
ob = Derived()
ob.printStrs()
Output:
 Base1
 Base2
 Derived
```

('Geek1', 'Geek2')

## How to access parent members in a subclass?

## 1. Using Parent class name

```
# Python example to show that base
# class members can be accessed in
# derived class using base class name
class Base(object):
    # Constructor
    def __init__(self, x):
        self.x = x
class Derived(Base):
    # Constructor
    def __init__(self, x, y):
        Base.x = x
        self.y = y
    def printXY(self):
       # print(self.x, self.y) will also work
       print(Base.x, self.y)
# Driver Code
d = Derived(10, 20)
d.printXY()
Output:
 (10, 20)
```

### 2. Using super()

We can also access parent class members using super.

```
# Python example to show that base
# class members can be accessed in
# derived class using super()
class Base(object):
    # Constructor
    def __init__(self, x):
        self.x = x
class Derived(Base):
    # Constructor
    def __init__(self, x, y):
        ''' In Python 3.x, "super().__init__(name)"
            also works'''
        super(Derived, self).__init__(x)
        self.y = y
    def printXY(self):
       # Note that Base.x won't work here
```

```
# because super() is used in constructor
print(self.x, self.y)

# Driver Code
d = Derived(10, 20)
d.printXY()

Output:
(10, 20)
```

Note that the above two methods are not exactly the same. In the next article on inheritance, we will covering following topics.

- 1) How super works? How accessing a member through super and parent class name are different?
- 2) How Diamond problem is handled in Python?

#### **Exercise:**

Predict the output of following Python programs

```
1.
  class X(object):
      def __init__(self, a):
           self.num = a
      def doubleup(self):
           self.num *= 2
  class Y(X):
      def __init__(self, a):
          X.__init__(self, a)
      def tripleup(self):
           self.num *= 3
  obj = Y(4)
  print(obj.num)
  obj.doubleup()
  print(obj.num)
  obj.tripleup()
  print(obj.num)
  Output:
   4
   8
   24
2. # Base or Super class
  class Person(object):
      def __init__(self, name):
```

self.name = name

def getName(self):

```
return self.name
    def isEmployee(self):
        return False
# Inherited or Subclass (Note Person in bracket)
class Employee(Person):
    def __init__(self, name, eid):
        ''' In Python 3.0+, "super().__init__(name)"
            also works'''
        super(Employee, self).__init__(name)
        self.empID = eid
    def isEmployee(self):
        return True
    def getID(self):
        return self.empID
# Driver code
emp = Employee("Geek1", "E101")
print(emp.getName(), emp.isEmployee(), emp.getID())
```

# **Output:**

```
('Geek1', True, 'E101')
```

# Python Programming Tutorial | Object Oriente...



This article is contributed by **Shwetanshu Rohatgi** and **Mayank Rawat**. If you like GeeksforGeeks and would like to contribute, you can also write an article and mail your article to contribute@geeksforgeeks.org. See your article appearing on the GeeksforGeeks main page and help other Geeks.

Please write comments if you find anything incorrect, or you want to share more information about the topic discussed above

R	eco	mm	end	heł	Po	ete:

Python | super() in single inheritance

Python | super() function with multilevel inheritance

Python issubclass()

Object Oriented Programming in Python | Set 2 (Data Hiding and Object Printing)

Object Oriented Programming in Python | Set 1 (Class, Object and Members)

Inheritance in Python

Inheritance in Python | Set 2

Types of inheritance Python

Multiple inheritance in Python

Inheritance in Python Inner Class

Data Classes in Python | Set 4 (Inheritance)

Method resolution order in Python Inheritance

Super Keyword in Java

Python | os.sysconf\_names object

Python | object() method

--> **Improved By**: Ani\_1107, fridayda13

Article Tags: Python School Programming



R

3.1

Based on 17 vote(s)

\_\_\_\_ To-do \_\_\_\_ Done

Feedback/ Suggest Improvement

Add Notes

Improve Article

Please write to us at contribute@geeksforgeeks.org to report any issue with the above content.

Writing code in comment? Please use ide.geeksforgeeks.org, generate link and share the link here.

**Load Comments** 

# A computer science portal for geeks

5th Floor, A-118, Sector-136, Noida, Uttar Pradesh - 201305 feedback@geeksforgeeks.org

## **COMPANY**

About Us Careers Privacy Policy Contact Us

# PRACTICE

Courses Company-wise Topic-wise How to begin?

#### **LEARN**

Algorithms
Data Structures
Languages
CS Subjects
Video Tutorials

#### **CONTRIBUTE**

Write an Article
Write Interview Experience
Internships
Videos

@geeksforgeeks, Some rights reserved

