

[Collapse All](#) | [Expand All](#)

- › [Home](#)
- › [Archived](#)
- › [Acknowledgements](#)
- [Blog and News](#)
- › [Documentation v2-0-alpha](#)
- ▼ [Documentation v1-6](#)
 - [Features](#)
 - Upgrade notes**
 - [Known issues](#)
 - [Requirements](#)
 - [Administrator reference manual](#)
 - [Installation - Linux Source](#)
 - [Installation - Debian Ubuntu](#)
 - [Installation - RPM](#)
 - [Mail Bounce Handling](#)
 - [Configuring SRS with Exim \(Debian and Ubuntu\)](#)
 - [Setting up usage statistics](#)
 - [FAQ](#)
 - [End User Documentation for v1-6](#)
- › [Documentation v1-5](#)
- › [Documentation v1-1](#)
- › [Download](#)
- › [Developer](#)
 - [Existing installations](#)
 - [Feature requests](#)
 - [Online Demo](#)
- › [Project organisation](#)
 - [Roadmap](#)
- › [Release Schedule](#)

[Release status and life cycle](#)

[Reviews and prototypes](#)

[Support and Mailinglists](#)

[Twitter](#)

[FileSender's workflows](#)

[Installation - Linux Source 2-0-Alpha-from-svn](#)

Upgrade notes



Version 23, last updated by [xjansen](#) at 2014-07-25

This page outlines the upgrade notes for the FileSender 1.6 release. Upgrading to FileSender 1.6

upgrade notes document upgrading from version 1.5 to version 1.6. If you are currently running an older version please consult the [Upgrade notes for the 1.5 release](#)

What changed?

- **New: high-speed upload module 'TeraSender' (#891)**
- **New: auto-complete in the To: field (#821)**
- **New: refactored MyFiles, file downloaded dates provide audit trail when download Cc:s switched off**
- New: support for configurable footer via language file (#871)
- New: support for optional Subject and Message in guest use voucher (#637, #774)
- New: support for multiple From: addresses from authentication source (#184)
- New: configurable option 'download_confirmation_to_downloader' for sending download email receipt to file recipients (default 'true') (#985)
- New: download pause/resume now possible with browsers supporting partial download (most notably Firefox, IE11, curl and wget) (#1076)
- New: support for SQLite (#898)
- New language: Finnish (#981)
- Change: logout.php is now called in the same way as all other pages, practical for header/footer. **Change your site_logouturl! (#904)**
- **Change: Upgrade JQuery and JQueryUI to 1.10.2, Upgrade Smoothness to 1.10.2. (#819)**
- Fix: non-HTML5 uploads with a single quote in filename fail (#895)
- Fix: saml_uid_attribute used in fileuid field (breaks with large uid_attribute values) (#884)
- Fix: prevent logfile pollution by detecting bad requests before switching to https (#970)

The upgrade process summarized

You can use the **same database** and **file store you used** for the previous FileSender version. The 1.6 release requires no database changes. Nevertheless a database backup is a good measure before doing an upgrade.

What you'll need to do to upgrade is:

1. backup your database
2. backup your filesender installation, especially if you've made local modifications to pages or code
3. install the 1.6 code from packages or by unpacking the tarball
4. create a fresh configuration file with sane defaults from the config/config-dist.php template
5. make local modifications, pay special attention to changed config file directive semantics, and the help and about

Upgrade your database definitions

No database changes from 1.5 to 1.6

Avoid surprises and start with a fresh configuration file

New configuration directives have been added, others deprecated and at least one changed semantics. Avoid surprises and start with a fresh configuration file. **Copy config/config-dist.php to config/config.php. This will ensure you start with sane defaults.**

Configuration file changes you need to be aware of

Check the [Administrator Reference Guide](#) for details about the individual directives.

New:

```
// autocomplete in To: field
$config['autocomplete'] = true; (if not present, autocomplete is switched off)
$config['autocompleteHistoryMax'] = ""; // "" - unlimited or integer, number of r

// new high speed upload module 'terasender'
$config['terasender'] = false; // true/false - terasender upload module on/off
$config['terasenderadvanced'] = false; // true/false - terasender advanced - show
$config['terasender_chunksize'] = 5; // default (5) terasender chunk size
$config['terasender_workerCount'] = 6; // default (6) webworker count
$config['terasender_jobsPerWorker'] = 1; // default (1) jobs per worker

$config['cron_cleanupdays'] = 7; // Use cron job to cleanup temp folder for terasender chunks configured nu

// configurable default subject for voucher email
$config['voucherissuedemailsubject'] = 'Voucher';

// send copy of download confirmation to downloader (true/false, default true)

$config['download_confirmation_to_downloader'] = true ; (you probably want to change this to false, we defaulted
```

Changed:

```
$config['site_logouturl'] changed, the logout page is now generated in the same way as

If you don't apply this change your logout page will be broken

old: $config['site_logouturl'] = $config['site_url'] . 'logout.php';
new: $config['site_logouturl'] = $config['site_url'] . '?s=logout';

$config['voucherissuedemailbody'] email template has been changed to incorporate an o
```

Moved from config.php to language files:

```
none
```

New labels in language files:

```
// Footer to display
$lang["SITE_FOOTER"] = "";
Example: $lang['SITE_FOOTER']='Version '.FileSender_Version::VERSION;

// New items for My Files
$lang["DOWNLOADED"] = "Downloaded";
$lang["SHOW_ALL"] = "Show/Hide Details";
$lang["DETAILS"] = "Details";

// Terasender Advanced Settings
$lang["TERA_ADVANCED_SETTINGS"] = "Advanced Settings";
$lang["TERA_CHUNKSIZE"] = "Chunksize (MB)";
$lang["TERA_WORKER_COUNT"] = "Worker count";
$lang["_TERA_JOBS_PER_WORKER"] = "Jobs per workers";
```

Deprecated:

none

Obsoleted:

`$config['site_downloadurl']` has not been used since beta 0.1.15 but was wrongly labeled.

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project.
[You can add Messages tool from Tools section on the Admin tab.](#)