

| □ ★ | #227 | Session-cookies must always be transmitted encrypted #11.3 | select 🗠 | User deleted | select | Highest (1) | Fixed |
|-------------------------------|----------------------|--|---------------------|--|------------------|-------------------------|----------------|
| □ ★ | #1077 | Release 1.6-rc1 | Release 1.6 🗠 | Xander Jansen | Xander Jansen | Highest (1) | Fixed |
| □ * | #226 | E-mail functionality must be protected against automated spamming #10.1 | select 🗁 | User deleted | select | Highest (1) | Fixed |
| □ ★ | #225 | Uploaded files must never be "executed" or "evaluated" #9.3 | select 🗠 | User deleted | select | Highest (1) | Fixed |
| □ ★ | #224 | Untrusted uploaded files must be stored outside the document root #9.1 | select 🗠 | User deleted | select | Highest (1) | Fixed |
| □ * | #223 | User input must be encoded before it is used in system commands #7.10 | select 🗠 | User deleted | select | Highest (1) | Fixed |
| □ ★ | #222 | User input must be encoded before it is used in SQL commands #7.3 | select 🗠 | User deleted | select | Highest (1) | Fixed |
| | | | | | | | |
| □ * | #1224 | Bug: guest voucher can not be used by unauthenticated guest | Release 2.0-alpha 🗠 | Me (Jan Meijer) | etiennemeleard 🖆 | Highest (1) | Fixed |
| ★ | #1224 #221 | not be used by | Release 2.0-alpha 🗠 | me (Jan Meijer) 🗠 User deleted | etiennemeleard 🗠 | Highest (1) | Fixed |
| | | not be used by unauthenticated guest User input must be encoded before it is used | | | | | |
| □ * | #221 | User input must be encoded before it is used in path/filenames #7.2 Authentication and authorization must not be | select ௴ | User deleted | select | Highest (1) | Fixed |
| □ ★ | #221 #220 | User input must be encoded before it is used in path/filenames #7.2 Authentication and authorization must not be based on obscurity #6.3 Authentication must be performed separately for each privileged request | select ௴ | User deleted User deleted | select | Highest (1) | Fixed |
| _ | #221 #220 #219 | User input must be encoded before it is used in path/filenames #7.2 Authentication and authorization must not be based on obscurity #6.3 Authentication must be performed separately for each privileged request #6.2 Authentication must be performed state of the performed separately for each privileged request #6.2 | select 🗠 | User deleted User deleted User deleted | select select | Highest (1) Highest (1) | Fixed Fixed |

| unencrypted #4.1 |
|------------------|
|------------------|

| □ ★ | #215 | The document root must not contain extraneous files #3.4 | select 🚅 | User deleted | select | Highest (1) | Fixed |
|-----|-------|--|------------------------------|-------------------|-------------------|-------------|----------|
| □ * | #213 | Only the user interface must be directly accessible by users 2.1 | select 🗠 | User deleted | select | Highest (1) | Fixed |
| □ * | #1122 | Crypto: download of encrypted over2G-random.dat fails on qtest | end-to-end file encryption 😅 | Xander Jansen 🗠 | Xander Jansen 🗠 | Highest (1) | Accepted |
| □ ★ | #1108 | Crypto: non encrypted cancel/resume broken | end-to-end file encryption 💆 | X Xander Jansen 🗠 | X Xander Jansen 💆 | Highest (1) | Test |

| \Box \star | #874 | releasing 1.5-release | Release 1.5 🗠 | 🧖 me (Jan Meijer) 🖆 | 🧖 me (Jan Meijer) 🖆 | Highest (1) | Fixed |
|----------------|------|-----------------------|---------------|---------------------|---------------------|-------------|-------|
|----------------|------|-----------------------|---------------|---------------------|---------------------|-------------|-------|

| □ ★ □ #891 | Terasender - config options for default upload settings | Release 1.6 🗠 | User deleted | X Xander Jansen 🖆 | Highest (1) | Fixed |
|------------|---|---------------|-----------------|-------------------|-------------|---------|
| □ ★ □ #889 | Terasender to use Filesender Temp Folder and add cleanup to cron.php | Release 1.6 🗠 | User deleted | X Xander Jansen ☑ | Highest (1) | Fixed |
| □ ★ □ #903 | session id in temporary terasender chunk names | Release 1.6 🗠 | Xander Jansen | select | Highest (1) | Invalid |
| □ ★ □ #902 | Rename Tsunami to TeraSender | Release 1.6 🗠 | Xander Jansen | XX Xander Jansen | Highest (1) | Fixed |
| □ ★ ■ #885 | Add TeraSender functionality | Release 1.6 🗠 | me (Jan Meijer) | Xander Jansen | Highest (1) | Fixed |

| 201 | 7 | | | Realtime list FileSender | Project Assembla | | | |
|-----|------------|------|--|----------------------------|---------------------|---------------|-------------|-------|
| | □ * | #77 | config to show gears and flash upload settings seperately | select 🚅 | User deleted | select | Highest (1) | Fixed |
| | □ ★ | #71 | improve error logging | select ௴ | Meijer) □ | select | Highest (1) | Fixed |
| | □ * | #819 | Upgrade JQuery UI | Release 1.6 🗠 | User deleted | Wendy Mason | Highest (1) | Fixed |
| | □ * | #618 | HTML5 upload resume broken | Release 1.5 🗗 | Xander Jansen | Xander Jansen | Highest (1) | Fixed |
| | □ ★ | #18 | datestyle in postgressql database not standard on linux | select 🗗 | 🌉 me (Jan Meijer) 🍱 | select | Highest (1) | Fixed |
| | □ ★ | #20 | logoff doesn't work: You don't have permission to access /simplesaml/filesender/ on this server. | select ௴ | | select | Highest (1) | Fixed |
| | □ ★ | #39 | Catch all php error | select 🖆 | User deleted | select | Highest (1) | Fixed |
| | □ ★ | #42 | Check all JSON data sent then notify comple or error | select 🗠 | User deleted | select | Highest (1) | Fixed |
| | □ * | #48 | value for fileexpirydate is not filed in emails | select 🗗 | User deleted | select | Highest (1) | Fixed |
| | □ ★ | #57 | install documentation: document index page | select 🗠 | 🧖 me (Jan Meijer) 💆 | select | Highest (1) | Fixed |

| □ ★ | #59 | cosmetic: scroll bars in filesender app on Linux | select 🗠 | ૣ me (Jan Meijer) 🚅 | select | Highest (1) | Fixed |
|------------|-----|---|----------|---------------------|--------|-------------|-------|
| □ * | #64 | negative file expire date possible | select 🗠 | 🥷 me (Jan Meijer) 🖆 | select | Highest (1) | Fixed |
| □ * | #65 | download link not working, %20 in filename an issue? | select 🗠 | 🌉 me (Jan Meijer) 😅 | select | Highest (1) | Fixed |
| □ * | #69 | filesize too precise: 3408.220703125MB | select 😂 | 🎑 me (Jan Meijer) 😂 | select | Highest (1) | Fixed |
| □ ★ | #70 | PostgresSQL integer field out of range | select 🗠 | 🌉 me (Jan Meijer) 🖆 | select | Highest (1) | Fixed |

| □ ★ | #72 | database log when files is complete is not storing email addresses of To:/From: | select 🗠 | 🧖 me (Jan Meijer) 🗳 | select | Highest (1) | Fixed |
|-----|------|---|----------|-----------------------|--------|-------------|-----------|
| □ ★ | #73 | removing any hardcoded links | select 🗠 | 🌉 me (Jan Meijer) 🖆 | select | Highest (1) | Fixed |
| □ ★ | #74 | version numbers regressed from beta 1.1 to beta 1.2 | select 🗠 | 🌉 me (Jan Meijer) 🖆 | select | Highest (1) | Fixed |
| □ * | #176 | >2Gb upload on MacOS hangs at ~2Gb (Gears enabled) | select 😅 | ☑ Guido Aben 🖆 | select | Highest (1) | Won't fix |
| □ * | #178 | security bug: back button on download menu | select 🗠 | ③ Guido Aben □ | select | Highest (1) | Fixed |
| □ * | #179 | security: log-off behaviour across multiple browser tabs incorrect | select ぱ | ③ Guido Aben | select | Highest (1) | Fixed |
| □ ★ | #228 | Vouchers are deleted straight after being created | select 😂 | User deleted | select | Highest (1) | Fixed |
| □ ★ | #278 | security: user still logged in if closes tab when login page appears, prior to logout page appearing | select 🗠 | Wendy Mason | select | Highest (1) | Fixed |


| □ ★ | #384 | mail bounce handling: decision time | select 🗠 | Guido Aben | Xander Jansen 🗠 | High (2) | Fixed |
|-----|------|--|---------------|-----------------|-----------------|-------------|-------|
| □ * | #810 | Upload continues with hidden progress bar when hitting Esc instead of clicking on Cancel or Yes | Release 1.5 🚅 | Wendy Mason | select | Highest (1) | Fixed |
| □ * | #441 | Unauthenticated file upload using voucher not displayed in My Files table | Release 1.5 🗠 | Wendy Mason | select | Highest (1) | Fixed |
| □* | #437 | Upload using voucher recognises user if authenticated, not as Guest | Release 1.5 🗠 | . Wendy Mason ௴ | select | Highest (1) | Fixed |
| | | | | | | | |

[feature] configurable attribute names Me (Jan Meijer) High (2) #90 select 🖆 Fixed database creation script improvement suggestion for version 0.1.3 #89 select 🖾 🤵 me (Jan Meijer) 🖆 High (2) Fixed create standard 🤵 me (Jan Meijer) 🖆 High (2) #76 documentation in source select 🖆 Fixed code package

| /201 | 7 | | | | Realtime list FileSender | Project Assembla | | | |
|------|----------------|----------|------|---|----------------------------|---------------------|---------------------|----------|----------|
| | | F | #184 | Multiple email address from federation | Release 1.6 🗠 | User deleted | Wendy Mason | High (2) | Fixed |
| | | | | nom lederation | | | | | |
| | | + | #655 | Check prepared statements for using \$variables instead of function results | Release 1.5 🗠 | Xander Jansen 🗠 | select | High (2) | Fixed |
| | □ ★ | + | #717 | Convert classes/Log.php to use prepared statements | Release 1.5 🖆 | Xander Jansen 🖆 | Xander Jansen 🖆 | High (2) | Fixed |
| | □ ¾ | k | #587 | cron.php when logging (logEntry) creates logfiles owned by root | Release 1.5 ௴ | Xander Jansen | X Xander Jansen 🗠 | High (2) | Fixed |
| | □ 1 | • | #698 | No resend bcc email when file upload using voucher sent to voucher recipient | Release 1.5 ௴ | Wendy Mason | select | High (2) | Fixed |
| | □ y | t | #641 | PHP session management and multiple tabs/windows per browser | Release 1.5 ௴ | X Xander Jansen ௴ | select | High (2) | Deferred |
| | | t | #516 | Documentation: update admin reference manual for 1.5 | Release 1.5 ௴ | 🁰 me (Jan Meijer) 🗠 | 🁰 me (Jan Meijer) 🗠 | High (2) | Fixed |
| | □ 1 | + | #515 | Documentation: source, debian and rpm install manual for 1.5 | Release 1.5 ௴ | 风 me (Jan Meijer) 🖆 | 🌊 me (Jan Meijer) 🖆 | High (2) | Fixed |
| | | t | #623 | Handling single quotes in (new) language files | Release 1.5 ௴ | Me (Jan Meijer) ☑ | X Xander Jansen 🗠 | High (2) | Deferred |
| | | t | #7 | end-to-end File Encryption [XL] | select 🗗 | User deleted | 👩 Gijs Molenaar 💆 | High (2) | Fixed |



give user error message when email doesn't get #101 select 🗠 Me (Jan Meijer) select High (2) Fixed sent after succesful upload incorrect warning ("browse for a file") on \Box \star #107 select 🖆 select High (2) Fixed invalid recipient email input \Box \star #177 unexpected voucher behaviour when voucher select 🖆 Guido Aben select High (2) Fixed user is already logged in



| □ * | #299 | email not sent after download (in svn 240) | select 🗠 | ズ Xander Jansen ௴ | select | High (2) | Fixed |
|-----|------|---|---------------|----------------------|--------|----------|-------|
| □ * | #405 | upload of filenames with 'special' characters broken in 1.5 | Release 1.5 ௴ | Xander Jansen ✓ | select | High (2) | Fixed |
| □ ★ | #434 | File download recognises user if authenticated, not as Guest | Release 1.5 🗠 | Wendy Mason | select | High (2) | Fixed |
| □ * | #436 | Expiry date bypassed and invalid when issuing voucher | Release 1.5 🗠 | 🤵 Wendy Mason 🗠 | select | High (2) | Fixed |
| □ * | #438 | AuP can be bypassed | Release 1.5 🗠 | Wendy Mason | select | High (2) | Fixed |
| □ ★ | #454 | Flash/non-HTML5 upload broken | Release 1.5 🗠 | XX Xander Jansen 🗠 | select | High (2) | Fixed |

| □ * | #463 | Voucher upload listing in My Files logic | Release 1.5 ௴ | ズ Xander Jansen ௴ | select | High (2) | Fixed |
|-----|------|---|---------------|-------------------|--------|----------|-----------|
| □ * | #491 | Hanging Flash uploads of large (free memory dependent) files on Mac | Release 1.5 ௴ | Xander Jansen | select | High (2) | Known iss |
| □ * | #503 | Make language definitions customizable | Release 1.5 🗠 | Xander Jansen 🗠 | select | High (2) | Fixed |
| □ ★ | #517 | Security: input/output quoting/encoding and validation | Release 1.5 🗠 | me (Jan Meijer) 🗠 | select | High (2) | Fixed |
| □ ★ | #518 | Help and About text are hard-coded in index.php. Needs to be customisable | Release 1.5 🗠 | me (Jan Meijer) | select | High (2) | Fixed |
| □ * | #524 | Add check for succesfull move of temporary file to filestore | Release 1.5 🗠 | Xander Jansen 🗗 | select | High (2) | Fixed |

| □ * | #532 | Language selection via config | Release 1.5 🗠 | User deleted | select | High (2) | Fixed |
|-----|------|--|---------------|---------------------|-------------------|----------|-------|
| □ ★ | #541 | Sample locale config file | Release 1.5 🗠 | User deleted | select | High (2) | Fixed |
| □ * | #547 | Admin interface broken since stripslashes in dbal.php | Release 1.5 🗠 | 🌉 me (Jan Meijer) 🖆 | select | High (2) | Fixed |
| □ ★ | #576 | Server side validation of voucher creation | Release 1.5 🗠 | User deleted | select | High (2) | Fixed |
| □ ★ | #635 | Enable theming [L] | select 🗠 | 🌉 me (Jan Meijer) 😅 | select | High (2) | Fixed |
| □ * | #696 | 'Pending' database record contains all recipients in 'fileto' which breaks when the number of characters exceeds 250 | Release 1.5 🗠 | Xander Jansen 🗠 | ∑ Xander Jansen ௴ | High (2) | Fixed |
| □ * | #722 | Authenticated upload after failed attempt using voucher in another tab cancels voucher and displays Guest upload confirmation | Release 1.5 🗠 | Wendy Mason | select | High (2) | Fixed |
| □ * | #724 | Authenticated Flash upload displays Guest upload confirmation | Release 1.5 🗠 | Wendy Mason | Wendy Mason | High (2) | Fixed |

When issuing voucher no \Box \star #725 "Voucher Sent" message Release 1.5 🖆 Mendy Mason High (2) Fixed and page does not refresh Cancel / pause upload using voucher displays \Box \star #727 authenticated upload Release 1.5 🖆 Wendy Mason Wendy Mason High (2) Fixed page and then rejects valid email address "amp;" part of "& amp;" not preserved in subject of email with IE9 on Windows7 \Box \star #734 Release 1.5 🗠 Wendy Mason Xander Jansen High (2) Invalid + Add new ticket