## Collapse All | Expand All

- > Home
  - > Archived
  - > Acknowledgements

Blog and News

- > Documentation v2-0-alph
- > Documentation v1-6
- > Documentation v1-5
- > Documentation v1-1
- > Download
- → Developer
- Coding conventions

Classes design v2-0

→ Database design v2-0

Database 2-0 Tabl

Ticket Status Guide

Browser-compatibility-

matrix

Installation notes for 1 -5 development code

Notes on 1-0-1 fixes a nd stuff

International Characte r Handling

Transfering multiple fil

HTML5

- > Testing
- → Specifications

Functional design

▼ Technical design

Technical design - PHP

Technical desig

n - Flex

Technical design - Support fold

ers

1 of 3 9/12/17, 11:32 AM

Technical desig n - Layout and design

Technical desig

n - Other

Technical design - Packaging

Technical design - Javascript

Technical desi gn - SQL

The Glue

release process

Creating repositories

Developers

Usage statistics modu

cons

Existing installations

Feature requests

Online Demo

Project organisation

Roadmap

Release Schedule

Release status and life c ycle

Reviews and prototypes

Support and Mailinglists

Twitter

FileSender's workflows

Installation - Linux Sourc e 2-0-Alpha-from-svn

## Technical design - SQL



Version 2, last updated by gijzelaerr at 2010-11-09

## SQL

## scripts/filesender\_db.sql

Description: This file is used to populate a database.

The script creates 2 tables, files and logs. files is used to store information about uploaded files. The logs table is used for storing all events.

There are also 2 sequences,  $log\_id\_seq$  and  $download\_id\_seq$ .  $download\_id\_seq$  is unused,  $log\_id\_seq$  is used for

2 of 3

the auto incrementation of a new *logid* . This can be replaced by the 'serial' field in future versions.

| files |                   |                                |
|-------|-------------------|--------------------------------|
|       | fileto            | CHARACTER VARYING(250)         |
|       | filesubject       | CHARACTER VARYING(250)         |
|       | filevoucheruid    | CHARACTER VARYING(60)          |
|       | filemessage       | TEXT                           |
|       | filefrom          | CHARACTER VARYING(250)         |
|       | filesize          | BIGINT                         |
|       | fileoriginalname  | CHARACTER VARYING(500)         |
|       | filestatus        | CHARACTER VARYING(60)          |
|       | fileip4address    | CHARACTER VARYING(24)          |
|       | fileip6address    | CHARACTER VARYING(34)          |
|       | filesendersname   | CHARACTER VARYING(250)         |
|       | filereceiversname | CHARACTER VARYING(250)         |
|       | filevouchertype   | CHARACTER VARYING(60)          |
|       | fileuid           | CHARACTER VARYING(60)          |
| 8     | fileid            | INTEGER                        |
|       | fileexpirydate    | TIMESTAMP(6) WITHOUT TIME ZONE |
|       | fileactivitydate  | TIMESTAMP(6) WITHOUT TIME ZONE |
|       | fileauthuseruid   | CHARACTER VARYING(60)          |
|       | filecreateddate   | TIMESTAMP(6) WITHOUT TIME ZONE |
|       | fileauthurl       | CHARACTER VARYING(500)         |
|       | fileauthuseremail | CHARACTER VARYING(255)         |

| logs |                |                                |
|------|----------------|--------------------------------|
| P    | logid          | INTEGER                        |
|      | logfileuid     | CHARACTER VARYING(60)          |
|      | logtype        | CHARACTER VARYING(60)          |
|      | logfrom        | CHARACTER VARYING(250)         |
|      | logto          | CHARACTER VARYING(250)         |
|      | logdate        | TIMESTAMP(6) WITHOUT TIME ZONE |
|      | logtime        | TIME(6) WITH TIME ZONE         |
|      | logfilesize    | BIGINT                         |
|      | logfilename    | CHARACTER VARYING(250)         |
|      | logsessionid   | CHARACTER VARYING(60)          |
|      | logmessage     | TEXT                           |
|      | logvoucheruid  | CHARACTER VARYING(60)          |
|      | logauthuseruid | CHARACTER VARYING(500)         |

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project. You can add Messages tool from Tools section on the Admin tab.

3 of 3 9/12/17, 11:32 AM