Collapse All | Expand All

- Home
 - > Archived
 - > Acknowledgements

Blog and News

- > Documentation v2-0-alph
- > Documentation v1-6
- > Documentation v1-5
- > Documentation v1-1
- > Download
- → Developer
- Coding conventions

Classes design v2-0

➤ Database design v2-0

Database 2-0 Tabl

es

Ticket Status Guide

Browser-compatibilitymatrix

Installation notes for 1
-5 development code

Notes on 1-0-1 fixes a nd stuff

International Characte r Handling

Transfering multiple fil

HTML5

→ Testing

Testing Infrastructu

re

Automated Workflo w Tests

Automated Workflo w Test Matrix

▼ Test Workflows

Test Workflows for v1-6

Test Workflow s for v1-5

Test Workflows

for v1-1

Test Workflows

for v1-0-1

Test Workflows until v1-0-0

Performance tests for 1 1 and higher

automated build

Standard test files and test strings

largefiles-testresult s-pre0-1-16

Upload performan ce test pre-0-1-16

Specifications

release process

Creating repositories

Developers

Usage statistics modu

le

Icons

Existing installations

Feature requests

Online Demo

Project organisation

Roadmap

Release Schedule

Release status and life c

ycle

Reviews and prototypes

Support and Mailinglists

Twitter

FileSender's workflows

Installation - Linux Sourc e 2-0-Alpha-from-svn

Test Workflows for v1-5

Version 129, last updated by wendy_mason at 2013-04-15

- Overview
- Versions Tested
- -- Notes and extra steps --
- · -- Browser Flash plugin, Javascript settings, HTML5 detection and https verification --
- -- Logon and authenticated environment --
- -- Issue Vouchers (authenticated) --



2 of 18

- · -- Uploads (authenticated and using a voucher) --
- -- Downloads (unauthenticated) --
- · -- Re-Send New Email (authenticated) --
- -- Add New Recipient (authenticated) --
- · -- Delete File (authenticated) --
- -- Delete Voucher (authenticated) --
- -- Automatic Voucher and File Deletion (next day) --

Overview

The following provides a list of considerations and test workflows (both automated and manual) for and during client-side testing of the local configuration and functionality of FileSender prior to the 1.5 release. See Test Workflows for links to tests conducted for other releases.

These tests are based primarily on tests conducted by Wendy Mason. Contributions to these workflows also provided by Xander Jansen.

Please note that these test workflows may not represent an exhaustive list of all possible user actions. Also, some aspects of these workflows may become no longer applicable as FileSender develops. If you find anything incorrect, please advise, or correct it yourself if you have access.

Each suite contains links to a series of test scripts. See Automated Workflow Test Matrix for list and links to test suites. Steps currently automated using Selenium are contained in yellow-shaded boxes below.

Versions Tested

FileSender release	Site & installation type (source, .deb, .rpm)	Testing status	Tests being conducted (e.g. workflow; installation and / or documentation review; field testing)	Notes	HTML5 or Flash?	os	Browser	Flash Player version	(To be) conducted by
1.5beta1	https://filesender.surfnet.nl /preview/	Complete	All authenticated workflow tests (manual); issue voucher, ASCII file upload using voucher (manual)		HTML5	Mac OSX 10.6.x	Google Chrome		Jan Meijer
1.5-beta2	https://filesender.surfnet.nl /preView/	Complete	All workflow tests (semi- aut omated using Selenium-IDE Firefox browser plugin), except for uploads (and associated downloads) over 2GB		HTML5	Mac OSX 10.6.8	Firefox 11.0	11.2.202.22	Wendy Mason
		Complete	Uploads (and associated downloads) over 2 GB		HTML5	Mac OS X 10.5.8	FireFox 11.0	-	Xander Jansen

			(manual)					
		Complete	All workflow tests (manual) applicable to Flash case (excludes upload over 2GB)	Flash	Windows 7	Internet Explorer 9	11.2.202.22	Wendy Mason
1.5-beta3	https://filesender.surfnet.nl /preview/	Complete	All workflow tests (semi- aut omated using Selenium-IDE Firefox browser plugin), except for uploads (and associated downloads) over 2GB	HTML5	Mac OSX 10.6.8	Firefox 12.0	-	Wendy Mason
		Complete	Uploads (and associated downloads) over 2 GB (manual)	HTML5	Windows7	Firefox 12.0 and 13.0beta	-	Xander Jansen
		Complete	All workflow tests (semi- automated using Selenium Server) applicable to Flash case, except for uploads (and associated downloads) over 2GB	Flash	Windows7	Internet Explorer 9	11.2.202.235	Wendy Mason
1.5-beta4	https://filesender.surfnet.nl /preview/	Complete	All workflow tests (semi- aut omated using Selenium-IDE Firefox browser plugin), except for uploads (and associated downloads) over 2GB	HTML5	Mac OSX 10.6.8	Firefox 13.0.1	-	Wendy Mason
		Complete	All workflow tests (semi- aut omated using Selenium Server) applicable to Flash case	Flash	Windows7	Internet Explorer 9	11.3.300.265	Wendy Mason
		Complete	Selection of workflows (semi-	HTML5	Mac OSX 10.6.8	Firefox 14.0.1	-	Wendy Mason

			automated using Selenium-IDE Firefox browser plugin) testing core functionality only					
		Complete	Uploads (and associated downloads) over 2 GB (semi- aut omated)	HTML5	Windows7	FireFox 14.0.1		Xander Jansen
1.5-RC1	https://filesender.surfnet.nl /preview/	Complete	All workflow tests (mostly automated using Selenium-IDE Firefox browser plugin), except for uploads (and associated downloads) over 2GB	HTML5	Mac OSX 10.6.8	Firefox 15.0	-	Wendy Mason
		Complete	All workflow tests (mostly automated using Selenium Server) applicable to Flash case	Flash	Windows7	Internet Explorer 9	11.4.402.265	Wendy Mason
		Complete	Uploads (and associated downloads) over 2 GB (semi- aut omated)	HTML5	Mac OSX 10.5.8	Firefox 15.0		Xander Jansen
		Complete	Uploads (and associated downloads) over 2 GB (semi- aut omated)	HTML5	Windows7	Firefox 15.0		Xander Jansen

-- Notes and extra steps --

- Clear browser cache before starting tests
- General: Conduct each upload and download workflow twice: once for a file uploaded as an authenticated user (logoff after each authenticated upload workflow), repeated for a file uploaded using a Voucher.
- Help and About: before and after logon, verufy that all links work in Help and About.
- Tooltips: Verify tooltips for email recipient fields, for upload (authenticated and using a voucher), adding a new recipient and issuing a voucher.

- Voucher recipients: For voucher uploads, use a recipient email addresses different from that of the authenticated voucher issuer and voucher recipient(s), for testing bcc email to the voucher issuer (bcc of each email is sent to voucher issuer in addition to voucher recipient and uploaded file recipients).
- My Files check: Repeat one voucher upload scenario when logged off, and again logged in as another
 user (i.e. other than the user who issued the voucher) to ensure that files appear in voucher issuer's
 "My Files" table.
- Add new recipient check: For one test when adding a new recipient, enter / modify all fields, click on
 cancel, then verify that all fields have reset (to that described in tests) when trying to add a new
 recipient again.
- Voucher deletion permission check: Load one voucher url as [...]?s=vouchers&a=del&id=[voucherid)
 when logged on as another user, to verify that a user cannot delete another user's voucher message
 should appear "You do not have permission to do this.".
- Invalid expiry date check: For file uploads (authenticated and using a voucher), adding a recipient
 and issuing a voucher, try entering an invalid expiry date "0000" message should appears "Invalid
 expiry Date". Also try manually typing in an expiry date earlier than the minimum and later than the
 maximum.
- Logoff check: On one occassion, logon, open a second FileSender tab in your browser, then logoff in one if you refresh the tab in which you did not logoff, verify that you are logged out and are presented with the logon screen. in the tab you logged out in, click on the "Back" button in your browser verify that are you still logged out, and are presented with the logon screen.
- Characters in email subject check: if email client does not preserve all 'dangerous' characters (such
 as html codes), verify these in another client, for upload (authenticated and using a voucher), resend
 email, adding a new recipient, downloading a file and file deletion.
- -- Browser Flash plugin, Javas cript settings, HTML5 detection and https verification --
- · clear browser cache
- disable Flash plugin and restart browser [leave disabled for HTML5 case]
- [Flash case only]: load FileSender logon page and logon, prompt should appear "This application requires Flash for uploading files. To install Flash Player go to www.adobe.com." with a hyperlink to www.adobe.com. Logoff, re-enable Flash plugin and restart browser
- disable Javascript in browser (e.g. Firefox on Mac under Preferences > Content)
- load FileSender logon page again, prompt should appear "JavaScript is turned off in your web browser.
 This application will not run without Javascript enabled in your web browser."
- re-enable Javascript (no need to restart browser)
- load FileSender log on page again
- verify that page cannot be reached by http should be accessible via https only
- verify that the correct "HTML5 [tick]" or "HTML5 X" icon is displayed, which indicates whether the browser (version) does support HTML5 (HTML5 case) or does not (Flash case)

-- Logon and authenticated environment --

(logon.html, help_about_unauth.html, logon_enter.html, env_upload.html, help_about_auth.html):

- load logon page
- (Cancel and restart (Flash) or resume (HTML5) workflows only): click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents
- verify welcome heading and text; verify version number; verify HTML5 logo
- logon [to FileSender]
- verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify
 version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first
 name surname]"; verify title of panel is "Send a File"
- (Cancel and restart (Flash) or resume (HTML5) workflows only): click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents

-- Issue Vouchers (authenticated) --

Voucher environment (env voucher issue html; help about auth html):

- [click on "Guest Vouchers" button]
- verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify
 version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first
 name surname]"; verify title of panel is "Guest Voucher"
- verify that explanatory text about how to use Vouchers is present
- · verify table headers and action buttons
- (Cancel and restart (Flash) or resume (HTML5) upload using voucher only): click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents

Issue voucher to expire tomorrow (voucher_issue_singlerecipient_tomorrowexpiry.html):

- verify "There are currently no vouchers available" in table
- verify but leave "To" field blank
- · verify expiry date field, select expiry date tomorrow
- click on "Send Voucher" button prompt should appear "Invalid or missing email"
 - in the "Send voucher to:" field, enter recipient email address warning should disappear
- click on "Send Voucher" button again prompt should appear "Voucher Sent"
- verify that issued voucher is now listed in Vouchers table, verify delete button
- save the email for the voucher set to expire on the next calendar day, for later verification (see end)

Issue voucher with default expiry date

Note: For use with ASCII file uploads (including cancel/resume) and over 2GB file upload

 $(voucher_issue_singlerecipient_defaultexpiry.html):$

- Verify but leave "To" field blank
- \bullet verify expiry date field, but leave as default to verify in email
- enter recipient email address
- click on "Send Voucher" button prompt should appear "Voucher Sent"
- \bullet verify that issued voucher is now listed in Vouchers table, verify delete button

Issue vouchers to two recipients separated by a "," or ";"

 $\textbf{Note:} \ \ \text{For use with ISO-8859-1 / non-ISO-8859-1 UTF8 file uploads}$

(voucher_issue_tworecipients_comma_customexpiry.html; voucher_issue_tworecipients_semicolon_customexpiry.html) (logoff):

- enter over the configured maximum number of recipient email addresses in the "Send Vouchers to" field separated by ["," or ";"]
- verify expiry date field, change to custom expiry date
- click on "Send Voucher" button message should appear "The maximum number of email addresses allowed is [X]" (where X is the configured maximum)

- \bullet enter two recipient email addresses separated by ["," or ";"] in the "Send Vouchers to" field
- click on "Send Voucher" button again prompt should appear "Voucher Sent", message should disappear
- · verify that issued vouchers are now listed in Vouchers table, verify delete button

-- Uploads (authenticated and using a voucher) --

ASCII file upload, single recipient, default field contents, upload prompts

Using voucher only: (email_voucher_issue_singlerecipient_defaultfields.html; voucher.html; env_upload_voucher.html):

- select email; verify email subject [Voucher]; verify email addresses of sender, recipient and cc; verify email content, store and display voucher link [click on voucher link in email]; delete email
- verify links across top of [Voucher] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner; verify title of panel is "Send a File"

Authenticated and using Voucher: (upload_ASCII_singlerecipient_defaultfields_HTML5.html, upload_ASCII_singlerecipient_defaultfields_HTML5_voucher.html, upload_ASCII_singlerecipient_defaultfields_Flash.html, upload_ASCII_singlerecipient_defaultfields_Flash voucher.html):

- verify but leave "To" field blank
- verify that "From" is auto-populated with sender's email address
- verify, but leave "Subject" and "Message" fields blank or default to verify defaults in email
- verify expiry date field, but leave as default to verify in email
- verify "I accept the terms and conditions of this service" AUP box and that it is not checked, but do not check box
- click on "Browse" button and select the following ASCII files:
 - [HTML5 and Flash cases]:
 - no file extension prompt should appear "The name of the file you are uploading is invalid. Please rename your file and try again.", file name and size should not be displayed, "Send" button should *not* appear
 - **invalid characters** [not on Windows] prompt should appear "The name of the file you are uploading is invalid. Please rename your file and try again.", file name and size should not be displayed, "Send" button should *not* appear
 - zero KB prompt should appear "File size cannot be 0. Please select another file.", file name and size should not be displayed, "Send" button should *not* appear
 - .bat file, .exe file prompt should appear "Invalid file extension. Please select another file.", file name and size should not be displayed, "Send" button should *not* appear

- .ex file file name and size should be displayed, "Send" button *should* now appear
- [HTML5 case only]:
 - **2 GB (and 1 MB below), 4 GB (and 1 MB below), 5 GB** file name and size should be displayed, "Send" button *should* now appear
 - over **5GB** prompt should appear "File size cannot be greater than X GB [where X is the configured maximum]. Please select another file.", file name and size should not be displayed, "Send" button should *not* appear
 - **small ASCII text file** file name and size should be displayed, "Send" button *should* now appear
- [Flash case only]:
 - **2 GB** prompt should appear "File size cannot be greater than 2 GB. Please select another file or use a HTML5 enabled browser to upload larger files.", file name and size should not be displayed, "Send" button *should not* appear
 - **1 MB below 2 GB** file name and size should be displayed, "Send" button *should* now appear
 - **4 GB (and 1 MB below), 5 GB and over 5 GB** prompt should appear "File size cannot be greater than 2 GB. Please select another file or use a HTML5 enabled browser to upload larger files.", file name and size should not be displayed, "Send" button *should not* appear
 - **small ASCII text file** file name and size should be displayed, "Send" button *should* now appear
- click on "Send" button, prompts should appear: "Invalid or missing email" and "You MUST agree to the terms and conditions."
- enter one recipient email address (only) in the "To" field
- click on "Send" button again
- prompt should appear: "You MUST agree to the terms and conditions."
- show and verify AUP text, hide AUP text, check the AuP box
- click on "Send" button again, progress bar should appear, when complete new page should be displayed with text "Your file has been uploaded and message sent"
- Authenticated only: verify that file is listed in "My Files" table
- click on the filename in the "My Files" table of uploaded ASCII file to download the file; verify that file has downloaded and can be opened
- click on link in the "My File"s table again to verify that the file can be downloaded more than once.

 $(env_myfiles.html; env_upload_end.html; logoff.html);\\$

- Authenticated only: verify links across top of ["My Files"] page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "My Files"; verify table headers (To, From, File Name, Size, Subject, Message, Created, Expiry) and action buttons (Resend Email, Add new recipient, Delete)
- Authenticated only: [click on "Send File" button]; verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "Send a file"; verify AUP box is now checked (only need to check once per FileSender session) (need to check box when using a voucher); logoff [from FileSender]

(voucher.html; env upload voucher end.html; voucher used.html):

- Using Voucher only: verify links across top of ["Guest Voucher"] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner
- Using Voucher only: [click on voucher link in email again]; verify links across top of page (Help, About, Logon); verify that "Welcome Guest" (no name) is displayed in top left corner; verify message "This voucher has already been used."
- . Using Voucher only: Verify that the used Voucher has been deleted from the Voucher list
- follow File download instructions below to verify contents of upload notification email (no need to download file again).

Cancel and restart (Flash) or resume (HTML5) authenticated upload, single recipient, custom field contents

Using voucher only: (email_voucher_issue_singlerecipient_defaultfields.html; voucher.html; env_upload_voucher.html; help_about_unauth.html):

- select email; verify email subject [Voucher]; verify email addresses of sender, recipient and cc; verify email content, store and display voucher link [click on voucher link in email]; delete email
- verify links across top of [Voucher] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner; verify title of panel is "Send a File"; click on "Help" button and verify Help contents; click on "About" button and verify About contents

(upload_ASCII_singlerecipient_defaultfields_cancelresume.html; upload_ASCII_singlerecipient_defaultfields_cancelresume_voucher.html):

- enter one recipient email address (only) in the "To" field
- · verify that "From" is auto-populated with sender's email address
- enter custom "Subject" and "Message" fields with:

<tag> text &"'></?\n'"

- \bullet select expiry date as the next calendar day (for testing automatic file deletion)
- click on "Browse" button and select a largish file (~10 MB should be enough) file size should be displayed, "Send" button should appear
- · verify AUP text, verify that AUP box is not checked, check box
- click on "Send" button, but cancel / pause upload (using cancel button) before completion [click on "No", then "Yes" - verify that buttons across top of page reappear for authenticated upload, and that

all fields reset

- enter one recipient email address (only) in the "To" field
- · verify that "From" is auto-populated with sender's email address
- enter custom "Subject" and "Message" fields with:

<tag> text &"'></?\n'"

- · select expiry date as the next calendar day (for testing automatic file deletion)
- click on "Browse" button and select a largish file (~10 MB should be enough) file size should be displayed, "Send" button should appear
- verify that the AUP box remains checked from above upload (only need to check once per FileSender session) (need to check box when using a voucher)
- click on "Send" button again progress bar should appear, file upload should start from the
 beginning for Flash only (0%) or from point where upload was paused for HTML5, click on "Send"
 two more times during upload [should only be possible using script], when complete new page
 should be displayed with text "Your file has been uploaded and message sent"
- · Authenticated only: verify file is listed in "My Files" table

(env_myfiles.html; help_about_auth.html; env_upload_end.html; logoff.html):

- Authenticated only: verify links across top of ["My Files"] page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "My Files"; verify table headers (To, From, File Name, Size, Subject, Message, Created, Expiry) and action buttons (Resend Email, Add new recipient, Delete); click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents
- Authenticated only: [click on "Send File" button]; verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "Send a file"; verify AUP box is now checked (only need to check once per FileSender session) (need to check box when using a voucher); logoff [from FileSender]

(voucher.html; env_upload_voucher_end.html; help_about_unauth.html; voucher_used.html):

- Using Voucher only: verify links across top of ["Guest Voucher"] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner; click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents
- Using Voucher only: [click on voucher link in email again]; verify links across top of page (Help,
 About, Logon); verify that "Welcome Guest" (no name) is displayed in top left corner; verify message
 "This voucher has already been used."; click on "Help" button and verify Help contents; click on
 HTML5 logo and verify Help contents; click on "About" button and verify About contents
- Using Voucher only: verify that the used voucher has been deleted from the Voucher list
- follow File download instructions below to download the uploaded file, saving the emails for the files set to expire on the next calendar day, for later verification (see end)
- compare MD5 / SHA-1 etc. hash for uploaded and downloaded file


ISO-8859-1 / non-ISO-8859-1 UTF8 file upload, recipients separated by comma / semi-colon, custom field contents

Using voucher only: (email_voucher_issue_singlerecipient_defaultfields.html; voucher.html; env_upload_voucher.html):

- select email; verify email subject [Voucher]; verify email addresses of sender, recipient and cc; verify
 email content, store and display voucher link [click on voucher link in email]; delete email
- verify links across top of [Voucher] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner; verify title of panel is "Send a File"

(upload_ISO-8859-1_tworecipients_comma_customfields.html; upload_ISO-8859-1_tworecipients_comma_customfields_voucher.html) (upload_non-ISO-8859-1_tworecipients_semicolon_customfields.html; upload_non-ISO-8859-1_tworecipients_semicolon_customfields_voucher.html):

- enter over the configured maximum number of recipient email addresses in the "To" field separated by [","for ISO-8859-1 case or ";" for non-ISO-8859-1 case] - message should appear "The maximum number of email addresses allowed is [X]" (where X is the configured maximum)
- enter two recipient email addresses separated by [","for ISO-8859-1 case or ";" for non-ISO-8859-1 case] in the "To" field message should disappear
- verify that "From" is auto-populated with sender's email address
- enter custom "Subject" and "Message" fields with:
 - [for ISO-8859-1 case]:



• [for non-ISO-8859-1 UTF8 case]:



- select expiry date
- click on "Browse" button and select [corresponding file listed below] filename and size should be displayed, "Send" button should appear
 - [for ISO-8859-1 case]: utf8-iso8859-1-çßøþ-test.txt
 - [for non-ISO-8859-1 UTF8 case]: utf8-latin-extended-a-šř ÜW-test.txt
- · Verify AUP text, verify that AUP box is not checked, check box
- click on "Send" button three times in quick succession before progress bar appears, when complete
 new page should be displayed with text "Your file has been uploaded and message sent"
- Authenticated only: verify file is listed in "My Files" table for each recipient

(env_myfiles.html; env_upload_end.html; logoff.html):

• Authenticated only: Verify links across top of ["My Files"] page (Send File, Guest Voucher, My

Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "My Files"; verify table headers (To, From, File Name, Size, Subject, Message, Created, Expiry) and action buttons (Resend Email, Add new recipient, Delete)

Authenticated only: [click on "Send File" button]; verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "Send a file"; verify AUP box is now checked (only need to check once per FileSender session) (need to check box when using a voucher); logoff [from FileSender]

(voucher.html; env upload voucher end.html; voucher used.html):

- Using Voucher only: verify links across top of ["Guest Voucher"] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner
- Using Voucher only: [click on voucher link in email again]; verify links across top of page (Help, About, Logon); verify that "Welcome Guest" (no name) is displayed in top left corner; verify message "This voucher has already been used."
- Using Voucher only: verify that the used voucher has been deleted from the Voucher list
- · follow File download instructions below to download the uploaded file

Large file upload over 2 GB, single recipient, default field contents (HTML5 only)

Using voucher only: (email_voucher_issue_singlerecipient_defaultfields.html; voucher.html; env_upload_voucher.html):

- select email; verify email subject [Voucher]; verify email addresses of sender, recipient and cc; verify
 email content, store and display voucher link [click on voucher link in email]; delete email
- verify links across top of [Voucher] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner; verify title of panel is "Send a File"

(upload_over2GB_singlerecipient_defaultfields_HTML5.html; upload over2GB singlerecipient defaultfields HTML5 voucher.html):

- enter one recipient email address (only) in the "To" field
- verify that "From" is auto-populated with sender's email address
- Verify, but leave "Subject" and "Message" fields blank to Verify defaults in email
- · select expiry date
- click on "Browse" button and select a file over 2 GB filename and size should be displayed, "Send" button should appear
- · verify AUP text, verify that AUP box is not checked, check box
- click on "Send" button, progress bar should appear, when complete new page should be displayed with text "Your file has been uploaded and message sent"
- Authenticated only: verify file is listed in "My Files" table

(env_myfiles.html; env_upload_end.html; logoff.html):

• Authenticated only: verify links across top of ["My Files"] page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "My Files"; verify table headers (To, From, File Name, Size, Subject, Message, Created, Expiry) and action buttons (Re-

send Email, Add new recipient, Delete)

Authenticated only: [click on "Send File" button]; verify links across top of page (Send File, Guest Voucher, My Files, Help, About, Log Off); verify version number; verify HTML5 logo; verify that name is displayed in top left corner "Welcome [first name surname]"; verify title of panel is "Send a file"; verify AUP box is now checked (only need to check once per FileSender session) (need to check box when using a voucher); logoff [from FileSender]

(voucher,html; env upload voucher end,html; voucher used,html);

- Using Voucher only: verify links across top of ["Guest Voucher"] page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is displayed in top left corner
- Using Voucher only: [click on voucher link in email again]; verify links across top of page (Help, About, Logon); verify that "Welcome Guest" (no name) is displayed in top left corner; verify message "This voucher has already been used."
- . Using Voucher only: verify that the used voucher has been deleted from the Voucher list
- follow File download instructions below to download the uploaded file
- compare MD5 / SHA-1 etc. hash for uploaded and downloaded file

-- Downloads (unauthenticated) --

upload notification email (logon_email.html; reload_email.html) (email_ASCII_singlerecipient_defaultfields.html; email_ASCII_singlerecipient_defaultfields_voucher.html; email_ASCII_singlerecipient_defaultfields_cancelresume.html; email_ASCII_singlerecipient_defaultfields_cancelresume_voucher.html; email_ISO-8859-1_tworecipients_comma_customfields.html; email_ISO-8859-1_tworecipients_comma_customfields_voucher.html; email_non-ISO-8859-1_tworecipients_semicolon_customfields_html; email_non-ISO-8859-1_tworecipients_semicolon_customfields_voucher.html; email_over2GB_singlerecipient_defaultfields.html; email_over2GB_singlerecipient_defaultfields_voucher.html):

(for all uploads except for ASCII file upload, single recipient, default field contents, upload prompts)

- logon to email account; select email; verify email subject; verify email addresses of sender, recipient
 and cc [bcc email sent to voucher issuer]; Verify email content, store and display download link
 [load download link in new browser tab]
- delete email
- For ASCII file uploads and large file upload over 2 GB only: verify that (empty) message field is not displayed in email
- delete email

download (download.html; env_download.html; help_about_unauth.html) (download_ASCII_singlerecipient_defaultfields_cancelresume.html; download_ASCII_singlerecipient_defaultfields_cancelresume_voucher.html; download_ISO-8859-1_tworecipients_comma_customfields.html; download_ISO-8859-1_tworecipients_comma_customfields_voucher.html; download_non-ISO-8859-1_tworecipients_semicolon_customfields_voucher.html; download_non-ISO-8859-1_tworecipients_semicolon_customfields_voucher.html;

download_over2GB_singlerecipient_defaultfields.html; download_over2GB_singlerecipient_defaultfields_voucher.html) (env_download,html; help_about_unauth.html):

- verify links across top of page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is not displayed in top left corner; verify title of panel is "Download"
- (Cancel and restart (Flash) or resume (HTML5) workflows only): click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents
- verify that "To" is autopopulated with recipient's email address
- · verify that "From" is auto-populated with sender's email address
- verify "Subject" and "Message" fields [...]
- · verify filename and size of [...] file
- · verify expiry date
- click on "Start Download" button, message should appear: "Your file should start downloading."
- verify links across top of page (Help, About, Logon); verify version number; verify HTML5 logo; verify that "Welcome Guest" (no name) is not displayed in top left corner; verify title of panel is "Download"
- (Cancel and restart (Flash) or resume (HTML5) workflows only): click on "Help" button and verify Help contents; click on HTML5 logo and verify Help contents; click on "About" button and verify About contents
- verify that file has downloaded and can be opened; verify that any non-ASCII characters (ISO-8859-1 / non-ISO-8859-1 UTF8 files) are preserved in the filename

download notification email (reload_email.html)

(email_ASCI|_singlerecipient_defaultfields_cancelresume_end.html; email_ASCI|_singlerecipient_defaultfields_cancelresume_end_voucher.html; email_ISO-8859-1_tworecipients_comma_customfields_end.html; email_ISO-8859-1_tworecipients_comma_customfields_end_voucher.html; email_non-ISO-8859-1_tworecipients_semicolon_customfields_end_html; email_non-ISO-8859-1_tworecipients_semicolon_customfields_end_voucher.html; email_over2GB_singlerecipient_defaultfields_end.html; email_over2GB_singlerecipient_defaultfields_end_voucher.html) (logoff_email.html):

- select email; verify email subject; verify email addresses of sender, recipient and cc [bcc email sent
 to voucher issuer]; verify email content, verify download link; delete email [if not keeping to verify
 automatic file deletion]
- logoff [from email account

-- Re-Send New Email (authenticated) --

Re-Send New Email, ASCII, single recipient, custom field contents

- click on "My Files" button
- next to the entry for the authenticated ASCII file upload, click on "Re-Send Email" button on the left a
 prompt should appear "Re-send Email. Are you sure you want to re-send this email?", click on "No"
 button, view should return to table
- click on "Re-Send Email" button again, click on "Yes" button, another prompt should appear "Message Re-sent"
- · verify receipt of email to both sender and recipient(s)
- repeat for the entry for the ASCII file uploaded using a Voucher

-- Add New Recipient (authenticated) --

Add New Recipient, ASCII, single recipient, custom field contents

click on "My Files" button

 click on "Add New Recipient" button to the left of uploaded ASCII file entry - a popup should appear "Add new recipient"

 $(addrecipient_ASCII_single recipient_custom fields.html):$

- verify but leave "To" field blank
- Verify that "From" is auto-populated with sender's email address
- verify that the default "Subject" and "Message" are same as original (i.e. blank), then enter custom subject and message:

<tag> text &"'></?\n'"

- verify that expiry date is the default
- verify that "File to be Redistributed" and "Size" fields are correct
- click on "Send" button, prompt should appear "Invalid or missing email"
- enter one recipient email address (only) in the "To" field
- click on "Send" button again, message should appear "Message Sent"
- verify file is listed in "My Files" table for new recipient and that details are displayed correctly
- verify receipt of notification email to sender and recipient, and that the content matches the input

Add New Recipient, ISO-8859-1 / non-ISO-8859-1 UTF8, two recipients separated by comma / semi-colon, custom field contents

- · click on "My Files" button
- next to the relevant uploaded file entry, click on "Add New Recipient" button on the left a popup should appear "Add new recipient"

 $(addrecipient_ISO-8859-1_two recipients_comma_custom fields.html; addrecipient_non-ISO-8859-1_two recipients_semicolon_custom fields.html); \\$

- enter over the configured maximum number of recipient email addresses in the "To" field, separated by [","for ISO-8859-1 case or ";" for non-ISO-8859-1 case] message should appear "The maximum number of email addresses allowed is [X]" (where X is the configured maximum)
- enter two recipient email addresses, separated by [","for ISO-8859-1 case or ";" for non-ISO-8859-1 casel
- Verify that "From" is auto-populated with sender's email address
- verify that the default "Subject" and "Message" are the same as original email:
 - [for ISO-8859-1 case]:

<tag> blåbærsyltetøy &"'></?\n'"

• [for non-ISO-8859-1 UTF8 case]:



- · select a different expiry date
- verify that "File to be Redistributed" and "Size" fields are correct:
 - [for ISO-8859-1 case]: utf8-iso8859-1-çßøb-test.txt
 - [for non-ISO-8859-1 UTF8 case]: utf8-latin-extended-a-šǐ ÜW-test.txt
- · click on "Send" button, message should appear "Message Sent"
- verify file is listed in "My Files" table for each recipient and that details are displayed correctly
- verify receipt of notification email to sender and recipients, and that the content matches the input

-- Delete File (authenticated) --

- · click on "My Files" button
- next to the entry for an authenticated upload file, click on "Delete" button on the right a prompt should appear "Delete File. Are you sure you want to delete this File?" click on "No" button, file should remain in table
- click on "Delete" button again and click on "Yes" button file should disappear from table message should appear "This file has been deleted."
- verify that an email is sent to uploader and recipients advising that the file has been deleted
- verify that the file can no longer be accessed message should appear "This file has been deleted."
- repeat for a file uploaded using a voucher and verify email advice

-- Delete Voucher (authenticated) --

- · click on "Vouchers" button
- next to the last voucher that was issued (which may now be the only voucher listed), click on "Delete" button on the right - a prompt should appear "Delete Voucher. Are you sure you want to delete this voucher?" - click on "No" button, voucher should remain in table
- click on "Delete" button again and click on "Yes" button voucher should disappear from table, message should appear "Voucher Deleted."
- verify that deleted voucher is no longer listed in Voucher list
- verify whether an email is sent to voucher issuer and voucher recipient, advising that the voucher has been cancelled
- click on the email link pertaining to the deleted voucher again, to verify that it can no longer be used message should appear "This voucher has been cancelled."

-- Automatic Voucher and File Deletion (next day) --

- click on the url in the email for the voucher that was set to expire on the next calendar day message should appear "This voucher has been cancelled."
- confirm that corresponding voucher is no longer listed in the "Guest Vouchers" table
- click on the urls in the emails for the files (authenticated upload and upload using a voucher) that were set to expire on the next calendar day - message should appear "This file has been deleted.".
- confirm that corresponding files are no longer listed in the "My Files" table

My contributions to this project involve client-side workflow testing of FileSender test installations and associated documentation. I am not a developer of FileSender. — Wendy Mason.

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project. You can add Messages tool from Tools section on the Admin tab.