l arrie files stall on	etlennemeleaid E nignest (1)		2016-03-03 21:51 0				0 0	exception. The exception reads as follows:filesender_2016-03-02_15h.log;[2016-03-02_15:59:21] [rest:error] [TransferFilesIncomplete Exception uid:56d70dd93ba42] transfer_files incomplete filesender_2016-03-02_15h.log;[2016-03-02_15:59:21] [rest:error] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #0 /usr/local/filesender_2016-03-02_15h.log;[2016-03-02_15:59:21] [rest:error] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #1 [internal function]: RestEndpointTransfer-&gput(72) [frest:error] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #1 [internal function]: RestEndpointTransfer-&gput(72) [filesender_2016-03-02_15h.log;[2016-03-02_15h.log;[2016-03-02_15h.log]] [filesender_2016-03-02_15h.log;[2016-03-02_15h.log]] [rest:error] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #3 /usr/local/filesender_2016-03-02_15h.log;[2016-03-02_15h.log;[2016-03-02_15h.log]] [rest:error] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #3 /usr/local/filesender_2016-03-02_15h.log;[2016-03-02_15h.log;[2016-03-02_15h.log]] [TransferFilesIncompleteException trace uid:56d70dd93ba42] #4 {main} filesender_2016-03-02_15h.log;[2016-03-02_15;99:21] [rest:error] [TransferFilesIncompleteException details uid:56d70dd93ba42] #1 [ransferFilesIncompleteException details uid:56d70dd93ba42] #1 [ransferFilesInc		O <u>V</u>	558	119	488
Large files stall on Release 2.0-alpha	etiennemeleard 🖒 Highest (1)	select					0 0	Tested in both 1.6 and 2.0.When uploading a large file (50GB in our case) through Internet Explorer 11, the upload stalls somewhere halfway.  We've received reports stating that they stop at 12%, in my own tests they've stopped at 48% in FileSender 2.0 and 78% in FileSender 1.6. The log files make no mention of anything amiss. I wasn't able to reproduce this with other browsers. Tested with Internet Explorer 11 on Windows 7.		<u>0</u>	568	488	
Upload broken by	A Aandel Jansen 🖰 rignest (1)	select Select					1 0	(theory start)When uploading a huge file slowly at some point the computer goes to sleep. That ends up having incomplete chunk upload requests being sent (400 code by apache, php not executed). After computer awakes the stalled transfer mechanism triggers (no feedback from workers over too long) but transfer cannot be restarted because XSRF token expired (theory end)We need a mechanism able to figure out that nothing		Q Q	11/4	610	
Session-cookies must select 🗗	select Highest (1)	select					0	happened over more than XSRF token lifetime and refresh said token (not over WS call obviously, more like an hidden iframe in which we load the home page and fetch the token from it, possible since same domain).This could be an extension of stalled transfer detection.		OZ.	2639	649	
encrypted #11.3 Release 1.6-rc1 Release 1.6 C	Xander Jansen 🗗 Highest (1)	select	014-02-27 06:53 0				1 0	Placeholder ticket for the actual release of 1,6-rc1		2	1293	1174	
E-mail functionality must be protected against automated spamming #10.1	select Highest (1)	select	<u>2010-06-22 10:36 0</u>				0	select		ON	2639	649	
Uploaded files must never be "executed" or select 🖒 "evaluated" #9.3	select Highest (1)	select	2010-06-22 10:35 0				0 0	Select		O.	2639	649	
Untrusted uploaded files must be stored outside select 🖒 the document root #9.1	select Highest (1)	select	2010-06-22 10:35 0				0 0	select		O Z	2639	649	
User input must be encoded before it is used in system commands #7.10	select Highest (1)	select	2010-06-22 10:35 0				0	select		ON	2639	649	
User input must be encoded before it is used select [4] in SQL commands #7.3	select Highest (1)	select	2010-06-22 10:34 0				0 0	select		ON	2639	649	
Bug: guest voucher can not be used by Release 2.0-alpha 🗁 unauthenticated guest	ः etiennemeleard 🖒 Highest (1)	select	2015-10-14 20:57 0				1 0	Created a guest voucher with options "no expiry" and "valid for multiple uploads" and "send only to me". Guest can not use voucher without being authenticated. Upload page can be accessed, but as soon as upload starts, an error "you need to be authenticated to do this" pops up.		ON	669	615	
User input must be encoded before it is used select 🖒 in path/filenames #7.2	select Highest (1)	select	2010-06-22 10:34 0				0	select		ON	2639	649	
Authentication and authorization must not be select 🖒 based on obscurity #6.3	select Highest (1)	select	2010-06-22 10:33 0				0 0	select		ON.	2639	649	
Authentication must be performed separately for select 🖒 #6.2	select Highest (1)	select	2010-06-22 10:33 0				0	select		Ö	2639	649	
Authentication must be performed at the server select 🖒 side #6.1	select Highest (1)	select	2010-06-22 10:32 0				0 0	Select		OZ	2639	649	
Session related information must be stored at the server-side #5.1	select Highest (1)	select					0	select		ON.	2639	649	
Sensitive information must not be transmitted select 🖒 unencrypted #4.1	select Highest (1)	select					0 0	select		ON	2639	649	
The document root must not contain extraneous select 🖒 files #3.4	select Highest (1)	select					0 0	select		ON.	2639	649	
Only the user interface select 🖒 accessible by users 2.1	select Highest (1)	select					0 0	select		ON	2639	649	
Crypto: download of encrypted over2G- end-to-end file encryption 🗁 random.dat fails on qtest	💥 Xander Jansen 🗗 🗡 Highest (1)	select					1 0	Observed on qtest with FF30.0 and Chrome on Mac OSX 10.8.5. Webconsole of chrome reports:Uncaught ReferenceError: that is not defined downloader.js:50validateChunk downloader.js:50decrypt downloader.js:61Downloader_requestComplete downloader.js:263(anonymous function)		ON	1152	1006	
Crypto: non encrypted encryption cancel/resume broken	💥 Xander Jansen 🗗 🗡 Highest (1)	select					1 0	Observed with terasender off		ON	1160	987	
#874 Release 1.5 🗁 release	🥷 me (Jan Meijer) 🗁 🔌 me (Jan Meijer) 🗁 Highest (1) Fixed	2014-04-05 select 2	2013-01-31 02:16 0	FileSender 0	0	1 select	1 0	Check trunk for last remaining changesets that need to be merged with branche 1,5 (Xander)-ticket 863, frontend and backend check for invalid filename mismatch-changeset dealing with including new CSS to prevent garbled layout immediately after upgradingCheck already merged changesets and update CHANGELOG.TXT accordingly (Xander)Update CHANGELOG.TXT and Debian Changelog (Xander)Update README (Jan)Update INSTALL (Jan)Create release download page-highlight changes since 1.1.1, take from changelog txtFix https://www.assembla.com/spaces/file_sender/wiki/Documentation_v1-5/edit and other " nates in wikiUpdate known issues page (Jan, can wait until after release)Create " Upgrade from 1.1.1" page (Jan)Finalise and test Linux install guidePut advice about not to put code in publicly accessible directories somewhere in documentation, check security audit for details (Jan)Finalise admin ref guide: local overrides, language configurationCheck remaining bug tickets for 1.5, close those which can be closed, check open ones and reprioritise these for fixing in the months to come.	2014-04-05 01:10 2014-04-05 01:10 select	Ö	1685	1256	1256
Terasender to use Filesender Temp Folder and add cleanup to cron.php	🔀 Xander Jansen 🗗 🖰 Highest (1)	select					1 0	Use existing Config Temp folderNew config option \$config["cron_cleanuptempdays"]Use Cron to cleanup temp foder after \$config["cron_cleanuptempdays"]		O <sub>N</sub>	1620	1256	
Terasender - config options for default upload Release 1.6 🗠 settings	💥 Xander Jansen 🗗 🗡 Highest (1)	select					1 0	select		O.Z	1617	1256	
Release 1.6 🗁 TeraSender session id in temporary	XX Xander Jansen 🗗 Highest (1)	select					1 0 0	Select		O Z	1637	1256	
terasender chunk names  Add TeraSender  Release 1.6 🗠	X Xander Jansen 🗗 Highest (1)	select	013-03-20 06:23 0				1 0	Select		2 0	1637	1256	
config to show gears and flash upload settings select 🖒 seperately	select Highest (1)	select	2009-10-16 23:25 0				0 0	Show in config where gears and flash upload use different temporary folders.		ON.	2888	671	
improve error logging select 🔼	select Highest (1)	select	2009-10-16 20:12 0				0	create logging from the FileSender app itselflog to syslog AND/OR a standalone text logfile (as per the configuration file)-support loglevels. In the config file the admin would indicate logleveleach log entry date/time stampSee RFC 3164 (http://www.faqs.org/rfcs/rfc3164.html), chapter 4 (packet format and contents) for a specification of what the syslog message should look like. Should be php libs doing syslog logging. Idea: include unique sessionld in each logline to allow tracing user session in logs. This sessionld would be displayed to a user if anything goes wrong.		ON	2888	671	
Upgrade JQuery Ul Release 1.6 🗁 HTML5 upload resume Release 1.5 🗁 broken	Wendy Mason ☎ Highest (1)  Xander Jansen ☎ Highest (1)	select select	2012-09-20 22:40 0				0 0	Upgrade to jquery-ui-1.8.1.custom.min.js to fix IE Dialogue box dragging and resizing issue  It looks like the upload resume is broken at the moment (r1130). This is for both authenticated and voucher uploads. Note that when authenticated the tempfilename is first generated using the userid and further on using the newly generated vid= parameter. In the voucher case it looks like first the voucher id is used and later a newly generated vid.		O O	1818	1216	
datestyle in postgressql database not standard on select 🖒 linux	select Highest (1)	select	2009-08-21 21:00 0				0 0	l got an error from the postgresql database:2009-08-19 17:57:44 CEST ERROR: date/time field value out of range: "19-08-2009"2009-08-19 17:57:44 CEST HINT: Perhaps you need a different "datestyle" setting.l fixed that with changing the datestyle setting in/etc/postgresql/8.3/main/postgresql.conflt would be rather practical if you wouldn't have to change this setting. Is there a datestyle setting that works forboth windows and unix installs?	2011-01-29 22:01	ON	2944	2418	
logoff doesn't work: You don't have permission to access /simplesaml /filesender/ on this server.	select Highest (1)	select	2009-08-21 21:03 0				0 0	You don't have permission to access /simplesaml/filesender/ on this server.from the apache log:[Thu Aug 20 13:45:50 2009] [error] [client 158,38.62.126] Directory index forbidden by Options directive:/usr/share/simplesamlphp/www/filesender/, referer: http://filesender.uninett.no/simplesaml/filesender/default.htmlehr. Seems to be wrong somehow.	2011-01-29 22:01	O Z	2944	2418	
Catch all php error select 🗗 Check all JSON data sent then notify comple select 🗗	select Highest (1)	select select	2009-08-26 21:31 0				0 0	select	2011-01-29 22:01 select 2011-01-29 22:01 select	o o	2939	2418	
										2			

realtime_l	ı	ı	I		1		'	ı			ı	1	1	ı			I	· · · · · · · · · · · · · · · · · · ·		ı	, ,					I	I	ı		
m/spaces/file_sender/tickets/1	2741	2884	2884	2884	2884	2884	2884	2884	1463	2690	2690	2639	2562	2023	2265	1828	2309	2737	2737	2868	1359	2020	1955	1955		1959	1256	1617		563
https://app.assembla.con									1463							1828	649	671	671	671	1359						1256	1617		563
p. 2418	119	2418	2418	2418	2418	2418	2418	2418	1056	2418	2418	2418	2418	2023	2023	1828	649	671	671	671	1056	2020	1955	1955	1637	1900	1256	1617	1952	563
2896	2892	2889	2889	2888	2888	2888	2888	2888	2699	2699	2699	2639	2577	2275	2275	1832	2366	2880	2880	2888	2691	2024	1972	2150	2042	1988	2204	2204	2071	3037
ON	ON.	ON.	ON	ON.	O Z	o Z	O Z	ON.	ON	Ö	o Z	ON	O N	o Z	ON	ON.	ON.	O Z	o Z	No	ON.	O Z	ON	o Z	No	ON N	ON	O Z	ON	ON.
select	select	select	select	select	select	select	select	select	1 select	select	select	select	select	select	select	9 select	.3 select	6 select	Select	6 select	9 select	select	select	select	select	select	.0 select	1 select	select	4 select
.29 22:01	-16 06.54	-29 22:01	.29 22:01	-29 22:01	-29 22:01	-29 22:01	.29 22:01	-29 22:01	-22 08:19 2013-09-10 23:C	-29 21:54	-29 21:54	-29 22:01	-29 21:54	-28 13:00	-28 13:00	.10 18:09 2012-09-10 18:C	-03 21:13 2015-12-03 21:1	-11 20:46 2015-11-11 20:4	-11 20:46 2015-11-11 20:4	-11 20:46 2015-11-11 20:4	-22 08:20 2013-12-23 19:3	-02 08:57	-06 20:50	-06 21:04	-20 06:22	-30 03:59	-05 01:10 2014-04-05 01:1	-09 19:31 2013-04-09 19:3	-09 21:22	-27 00:04 2016-02-27 00:C
be 2011-01-	y of ash netic 2017-05-	2011-01-	uses 2011-01-	What ize 2011-01-	/ on line ocs 2011-01- ositive	2011-01-	2011-01-	2011-01-	even 2014-10-	third 2011-01-	r ck Log 2011-01-	2011-01-	w rtab, 2011-01- it one	p of der 2012-02- ly	e 2012-02-	2012-09- ould have	ind a on), 17	ve 2015-11- Hans.	H s ona nout 2015-11- Age IER	2015-11-	y - 2014-10-	2012-03-	2012-05-	yet it og.txt) 2012-05-	cannot e a 2013-03-	2012-06-	2014-04-	2013-04-	Note 2012-05-	this is nt- rver- rver- rtion it a key 2016-02- rable so of the
le is theindex-page and how to set apache up to point to the right place. his probably needs to be changed back to index.php or index.html so it'll b	scrollbars around the flash app in the browser, even though there's plenty -I   grep -i flashii flashplugin-installer 10.0.32.18ubuntu0.9.04.1 Adobe Fla 1 Adobe Flash Player plugin installer (transitPresumably something cosme	oday. I don't think that is expected behaviour?	ebug/default.php?vid=6FAA201B-3FCC-A7C7-1FA0-55EC4AA8FFD1cau essing the download button does not start a download.Perhaps the %20	in MB until it hits 1 GBsize in GB for files > 1 GBsize in MB until the size in MB until t	sender-dev] PostgresSQL integer field out of rangeHi,We encounter the ery() [ <a href="function.pg-query">function.pg-query</a> ]. Query pe integer in /usr/local/simplesamlphp_1_4/www/filesender/fs_main.phpoleis plain 32-bits signed "integer" on which the PostgresSQL do 83647Since filesender is meant to facilitate exchange of large files withpolaing to: http://www.postgresql.org/docs/8.0/interactive long, butbigint 8 bytes large-range integer -9223372036854775808 to Zandbelt hans.zandbelt@surfnet.nlSURFnet http://www.surfnet.nl				upload files >2Gb to a FileSender 0.1.12 instalattion will hang at ~2Gb, notice that it is stalled at block 2147400000, which corresponds to	ser open. clicking on the back button in the browser brings the user (or a t sible to download the file again disastrous for anyone using a public s or in university libraries.	nd the user then logs off in one of the two browser tabs, the "New Upload" y risk on public machines such as available in university libraries. The ctly display: "There has been an error loading voucher data. Please checlare may Files page, but that is cosmetics, not security).	QL.	s while logout process continues, 3. Log out page appears and user is nov y see the Logon page, assuming their logout is complete (which is ng a public machine such as at a library) then opens FileSender in a new splay the Logon and / or Logoff pages once logoff is complete (in fact, isn'	access to all FileSender action buttons across the top of the pagethe top oloaded using the voucher is listed in the My Files table of the identity und NOT that of the voucher issuer - the file should instead be listed in the My	ne file is not displayed in the voucher issuer's My Files table (or that of the	oucher, if I hit the esc key on my keyboard instead of clicking on the entry if I hit the esc key on my keyboard instead of clicking on " Yes" or " No", the become active and editable (not greyed over) and the upload completes listed in " My Files", emails are generated and file can be cher" after hitting esc does seem to terminate the upload though. Co orner of a popup to close it (even though the progress bar popup doesn't home.	ing user) is not SPF-compliant. Two alternative schemes have been s SPF compliance using an SRS scheme implemented through EXIM4 ar itki/show/file_sender er reverts to filesender sending emails as itself (omitting the impersonation their headers should they bounce, thus enabling filesender to forward any twa.assembla.com/wiki/show/file_sender/Mail_Bounce_HandlingBoth me to choose one as the default developmental route.	ns.zandbelt@surfnet.nl>Reply-To: filesender-dev@filesender.orgTo: figurable attribute namesHi,I would like the hardcoded attribute names in able names candiffer between different IDPs/federations. Eg. we now hav:dir:attribute-def:displayName');\$useremail = the default "short" names that come in version 0.1.3.Thanks.	ns.zandbelt@surfnet.nl>Reply-To: filesender-dev@filesender.orgTo: iion 0.1.3 database creation scriptHi,Can I suggest to drop te "WITH sems to be incompatibile with PostgreSQL 8.1.18 which comes withRedhatds"configuration parameter which sorts it out for newer installations can be narroweddown from "latest version" to ">= t.nlSURFnet http://www.surfnet.nl filesender_db.sql.org 2009-10-19 t.nlSURFnet http://www.surfnet.nl	TODO comes later.	e at least one address.Multiple addresses are from Federation email array			der logfile (not the specific CRON logfile). When that logfile doesn't exist y web user gets:Warning: fopen(/var/www/filesender-proto/log/20111024.log/w/filesender-1.5-svn/includes/ErrorHandler.php on line 97can't open file	session specific variables. Since a PHP session is browser specific and cerent browser tabs or windows this will 'break'for example simultaneous rowser session at the same time). We might need extra code to generate see a.o. http://www.php.net/manual/en/ref.session.php#74557	e initial upload email is bcc'd to the voucher issuer but a resent email s not (the resent email is still sent to the voucher receipient).		et is a bug. The release moment is then the moment at which we find the	o prevent longer term issues but is not a blocking issue for beta release. Now Claude solved it.	nder as a file transport channel, encryption is preferably done end-to-end ed on the receivers client. The server should never see plaintext data. If that rest" protection. Note that the effects are different though.Clien e no influence (provided the javascript served to users isn't changed;)Ser I plaintext after decryption before downloadImportant constraints:-encrypt The user should be able to use it without installing anything. This implies it to not imply additional server-side infrastructural requirements to f.ex. get ast maintain a filesender install that is fully functional with least possible set the same channel as the download link is transferredIt is perfectly accept. Pl supporting browsersNote that as soon as we have this working, we also nder server is hacked, end-users need to be able to rely on the integrity o sible: http://answers.uchicago.edu/page.php?id=19495
From Hanne: It is not clear from the install documentation which pag Jansaid it was default.php, but it needs to be documented (better). T recognised automatically by a standard apache+php install	When using FileSender on Linux (Ubuntu 9.04) there are persistent screen real estate Flash version:root@korsvika:/home/meijer# dpkg Player plugin installerii flashplugin-nonfree 10.0.32.18ubuntu0.9.04. needs to be done here. See attached screenshot.	it is possible to select a negative file validity date - i.e. adate before	This download link:http://apps2.vetvirtual.org/simplesaml/www/bin-dinteresting behaviour - the download interface gets displayed, but procharacter in the filename is a clue?	" The file will be be available for you until 26-10-2009. The file is we'd probably want is something like: size in KB until it hits 1 MBsize hits 1 GB. Two or three numbers precision.	filesender-dev@filesender.orgCc: coin-tech@surfnet.nlSubject: [filesender-dev@filesender.orgCc: coin-tech@surfnet.nlSubject: [files following error for large file sizes in Beta 0.1.2:PHP Warning: pg_qu failed: ERROR: value"3573778432" is out of range for ty 291it looks indeed like the type of the filesize column in the databas say:integer 4 bytes usual choice for integer -2147483648 to +21474 sizes, I'm sure there exists a better type to suit thisbehaviour. Accor/datatype.html#DATATYPE-INTthere's no such thing as an unsigned 9223372036854775807might do a better job.Regards,HansHans	select	select	comes from config file!	MacOSX clients (tested for MacOSX 10.6 and 10.5) that attempt to though Gears is enabled. A screenshot of a typical hang is attached 1.9999220967 GB.	if one explicitly logs out after downloading a file but leaves the brow. party!) back to the download page logged in as Guest. It is then pos machine, such as those supplied for use by delegates at conference	if a user is logged in and has filesender open in two browser tabs, a page on that logged-off browser tab remains active. This is a securit Vouchers and MyFiles pages in that logged-off tab however do corre File. notAuthenticated"(arguably, "voucher data" isn't correct for	After creating a voucher, voucher is deleted on cleanup - incorrect S	Current scenario: 1. click on Log Off button, 2. Log On page appear logged out. Security risk: If the user closes the browser tab when the reasonable), the logoff process stops. If they (or someone else if us the previous user will still be logged in. Suggested resolution: only di of these pages enough, does it really need both?)	When using a voucher, if the user is already authenticated:they haw the page says "New Upload, not "Upload"the file u the user is currently logged in, which under normal circumstances is Files table of the voucher issuer.	After uploading a file using a voucher when not already logged on, t voucher recipient, of course, as not logged on).	When trying to cancel an upload, whether authenticated or using a vaquot; Cancel" button, or I click on " Cancel" and the progress bar popup vanishes, upload fields do not reset but instead (" Your file has been uploaded and message sent", file is downloaded). Clicking on "My Files" or "Guest Vou hitting Esc be an equivalent of clicking on an "X" in the can "X" visible)?	by default, the way filesender sends emails (impersonating the send implemented in/around filesender to mitigate the issue one provide separate SRS daemon, described here: http://www.assembla.com/w/Configuring_SRS_with_Exim_%28Debian_and_Ubuntu%29- anoth and making use of additional code to tag outgoing emails and parse bounces to the sending user. This method is described here: http://wprocedures have been tested and are proven to work; I believe it's t	Date: Thu, 22 Oct 2009 15:49:37 +0200From: Hans Zandbelt <ha [feature]="" [filesender-dev]="" beconfigurable="" con="" config="" config.xml="" filesender-dev@filesender.orgsubject:="" forsurffederatie:\$username="\$session-" fs_param.php="" since="" through="" to="" vari="">getAttribute('urn:mace \$session-&gt;getAttribute('urn:mace \$session-&gt;getAttribute('urn:mace \$session-&gt;getAttribute('urn:mace \$session-&gt;getAttribute('urn:mace:dir:attribute-def:mail');instead o</ha>	Date: Thu, 22 Oct 2009 15:46:40 +0200From: Hans Zandbelt <ha "default_with_osystem="" (oids='FALSE)"' +0200+++="" 11:43:00.000000000="" 15:39="" 2009-10-22="" 5.4;="" 8.1.18"="" [feature]="" [filesender-dev]="" a="" above="" all="" also="" at="" character="" clause="" constrain="" constraint="" creation="" end="" enterprise="" file+);+alter="" fileactivitydate="" files="" filesender-dev@filesender.orgsubject:="" filesender_db.sql="" from="" hans.zandbelt@surfne="" hanshans="" i="" least="" level.="" linux="" logs="" logs_pkey="" logvoucheruid="" newline="" no="" of="" on="" own<="" owner="" postgre="" postgres;\="" postgres;grant="" postgresql="" regards,="" requirement="" s="" statements?lt="" table="" text,="" th="" that="" the="" there's="" thetable="" this="" time="" timestamp="" to="" varying(60),="" vers="" version="" way="" without="" zandbelt="" zone,=""><th>README, INSTALL, LICENSE, CHANGELOG, CONTRIBUTORS, "</th><th>Give user option to pick from addresses in drop down list, but requir SimpleSAML</th><th>select</th><th>select</th><th>Currentky some debug statements will add a log entry to the filesen will be created but owned by the root user. That will meand that the [function fopen]: failed to open stream: Permission denied in /var/ww</th><th>Current workflow depends partly (a.o. for voucher uploads) on PHP (without extrs measures) distinguish between actions done from diff voucher uploads (multiple uploads using a voucher from the same be window/tab specific identifier that can be used to separate actions. §</th><th>If a voucher recipient uses a voucher to send a file to themselves, th ("Re-Send Email" button in "My Files" table)</th><th>Need an overview of what actually needs to be changed.</th><th>Working towards the actual release of 1.5, anything that isn't done y remaining bugs acceptable.</th><th>There is an issue, (think french language file :), it needs to be fixed though that if we release with this issue, we do need to document h</th><th>Goal: end-to-end data confidentiality and authenticity Viewing FileSender as a file transport channel, encryption is preferably done end-to-end, where all data leaves the sender's client encrypted and gets decrypted on the receivers client. The server should never see plaintext data. If this is not viable, server-side encryption can be considered to improve "at rest", protection. Note that the effects are different though.Client-side: data is never plain text on the server: a server hack would have no influence (provided the javascript served to users isn't changed;)Server-side: data is plain-text on the server until encrypted after upload, and plaintext after decryption before downloadImportant constraints:-encryption functionality must be possible without provisioning stuff to the user. The user should be able to use it without installing anything. This implies it ought to be done using plain javascriptencryption functionality, but we must maintain a filesender install that is fully functional with least possible serverside complications-the encryption key must not be transferred using the same channel as the download link is transferred it is perfectly acceptable to have this " power funcionality@quot; only work in HTml5 fileAPI supporting browsersNote that as soon as we have this working, we also need to investigate signed javascript: in the scenario where a FileSender server is hacked, end-users need to be able to rely on the integrity of the javascript code used for encryption. It looks like this ought to be possible: http://answers.uchicago.edu/page.php?id=19495</th></ha>	README, INSTALL, LICENSE, CHANGELOG, CONTRIBUTORS, "	Give user option to pick from addresses in drop down list, but requir SimpleSAML	select	select	Currentky some debug statements will add a log entry to the filesen will be created but owned by the root user. That will meand that the [function fopen]: failed to open stream: Permission denied in /var/ww	Current workflow depends partly (a.o. for voucher uploads) on PHP (without extrs measures) distinguish between actions done from diff voucher uploads (multiple uploads using a voucher from the same be window/tab specific identifier that can be used to separate actions. §	If a voucher recipient uses a voucher to send a file to themselves, th ("Re-Send Email" button in "My Files" table)	Need an overview of what actually needs to be changed.	Working towards the actual release of 1.5, anything that isn't done y remaining bugs acceptable.	There is an issue, (think french language file :), it needs to be fixed though that if we release with this issue, we do need to document h	Goal: end-to-end data confidentiality and authenticity Viewing FileSender as a file transport channel, encryption is preferably done end-to-end, where all data leaves the sender's client encrypted and gets decrypted on the receivers client. The server should never see plaintext data. If this is not viable, server-side encryption can be considered to improve "at rest", protection. Note that the effects are different though.Client-side: data is never plain text on the server: a server hack would have no influence (provided the javascript served to users isn't changed;)Server-side: data is plain-text on the server until encrypted after upload, and plaintext after decryption before downloadImportant constraints:-encryption functionality must be possible without provisioning stuff to the user. The user should be able to use it without installing anything. This implies it ought to be done using plain javascriptencryption functionality, but we must maintain a filesender install that is fully functional with least possible serverside complications-the encryption key must not be transferred using the same channel as the download link is transferred it is perfectly acceptable to have this " power funcionality@quot; only work in HTml5 fileAPI supporting browsersNote that as soon as we have this working, we also need to investigate signed javascript: in the scenario where a FileSender server is hacked, end-users need to be able to rely on the integrity of the javascript code used for encryption. It looks like this ought to be possible: http://answers.uchicago.edu/page.php?id=19495
																			0											
select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	select 0	Story 0	select 0	select 1	select 0	select 0	select 0	select 0	select 0	select 0	select
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	н	0	1	0	0	0	0	0
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
						0	0		0														0	0			1			
.0			_	Ë	FileSende	FileSender	FileSender	FileSender											FileSender 0										FileSend	FileSen
009-10-08 21:1	009-10-12 20:49 0	009-10-15 19:33 0	0	0	0	0	0	0	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0 FileSender	0	0
			2009-10-15 19:37 0	2009-10-16 20:00 0	2009-10-16 20:03 0	2009-10-16 22.40 0	2009-10-16 22:41 0	2009-10-16 22:44 0	2010-04-23 18:24 0 FileSender	2010-04-23 19:45 0 FileSender	2010-04-23 19:49 0 FileSender	2010-06-22 17:11 0 FileSender	2010-08-23 12:18 0 FileSender	2011-06-21 19:52 0 FileSender	2011-06-21 20:16 0 FileSender	2012-09-06 16:28 0 FileSender	2011-03-22 23:13 0 FileSender	2009-10-24 00:19 0 FileSender		2009-10-16 22:53 0 FileSender	2010-05-01 22:29 0 FileSender	2012-02-27 22:35 0 FileSender	2012-04-19 20:07 0 FileSender	2011-10-24 18:54 0 FileSender	2012-02-09 18:34 0 FileSender	2012-04-03 19:28 0 FileSender	2011-08-31 22:00 0 FileSender	2011-08-31 21:59 0 FileSender	2012-01-11 22:51 0	2009-05-20 17:33 0
select	select	select	select 2009-10-15 19:37 0	select 2009-10-16 20:00 0	select 2009-10-16 20:03 0	select 2009-10-16 22:40 0	select 2009-10-16 22:41 0	select 2009-10-16 22:44 0	select 2010-04-23 18:24 0 FileSender	select 2010-04-23 19:45 0 File Sender	select 2010-04-23 19:49 0 FileSender	select 2010-06-22 17:11 0 FileSender	select 2010-08-23 12:18 0 FileSender	select 2011-06-21 19:52 0 FileSender	select 2011-06-2120:16 0 FileSender	select 2012-09-06 16:28 0 FileSender	select 2011-03-22 23:13 0 FileSender	select 2009-10-24 00:19 0 FileSender	2009-10-24 00:17 0 FileSender	select 2009-10-16 22:53 0 FileSender	select 2010-05-0122:29 0 FileSender	select 2012-02-27 22:35 0 FileSender	select 2012-04-19 20:07 0 FileSender	select 2011-10-24 18:54 0 FileSender	select 2012-02-09 18:34 0 FileSender	select 2012-04-03 19:28 0 FileSender	select 2011-08-31 22:00 0 FileSender	select 2011-08-31 21:59 0 File Sender	select 2012-01-1122:51 0	select 2009-05-20 17:33 0
Fixed 2009-11-04 select	Fixed 2010-03-12 select	Fixed 2009-10-20 select	Fixed 2009-10-20 select 2009-10-15 19:37 0	Fixed 2009-10-20 select 2009-10-16 20:00 0	Fixed 2009-10-20 select 2009-10-16 20:03 0	Fixed 2009-10-20 select 2009-10-16 22:40 0	Fixed 2009-10-20 select 2009-10-16 22:41 0	Fixed 2009-10-20 select 2009-10-16 22:44 0	Won't fix 2013-09-10 select 2010-04-23 18:24 0 FileSender	Fixed 2010-05-02 select 2010-04-23 19:45 0 FileSender	Fixed 2010-05-02 select 2010-04-23 19:49 0 FileSender	Fixed 2010-06-22 select 2010-06-22 17:11 0 FileSender	Fixed 2010-09-07 select 2010-08-23 12:18 0 FileSender	Fixed 2012-02-28 select 2011-06-21 19:52 0 FileSender	Fixed 2011-07-01 select 2011-06-21 20:16 0 FileSender	Fixed 2012-09-10 select 2012-09-06 16:28 0 FileSender	Fixed 2011-05-18 select 2011-03-22 23:13 0 FileSender	Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	Fixed 2010-03-16 select 2009-10-24 00:17 0 FileSender	Fixed 2009-11-05 select 2009-10-16 22:53 0 FileSender	Fixed 2013-12-23 select 2010-05-01 22:29 0 FileSender	Fixed 2012-03-02 select 2012-02-27 22:35 0 FileSender	Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender	Fixed 2012-05-06 select 2011-10-24 18:54 0 FileSender	Deferred select 2012-02-09 18:34 0 FileSender	Fixed 2012-05-02 select 2012-04-03 19:28 0 FileSender	Fixed 2014-04-05 select 2011-08-31 22:00 0 FileSender	Fixed 2013-04-09 select 2011-08-31 21:59 0 FileSender	Deferred select 2012-01-1122:51 0	Fixed 2016-02-27 select 2009-05-20 17:33 0
Fixed 2009-11-04 select	Fixed 2010-03-12 select	Fixed 2009-10-20 select	Fixed 2009-10-20 select 2009-10-15 19:37 0	Fixed 2009-10-20 select 2009-10-16 20:00 0	Fixed 2009-10-20 select 2009-10-16 20:03 0	Fixed 2009-10-20 select 2009-10-16 22:40 0	Fixed 2009-10-20 select 2009-10-16 22:41 0	Fixed 2009-10-20 select 2009-10-16 22:44 0	Won't fix 2013-09-10 select 2010-04-23 18:24 0 FileSender	Fixed 2010-05-02 select 2010-04-23 19:45 0 FileSender	Fixed 2010-05-02 select 2010-04-23 19:49 0 FileSender	Fixed 2010-06-22 select 2010-06-22 17:11 0 FileSender	Fixed 2010-09-07 select 2010-08-23 12:18 0 FileSender	Fixed 2012-02-28 select 2011-06-21 19:52 0 FileSender	Fixed 2011-07-01 select 2011-06-21 20:16 0 FileSender	Fixed 2012-09-10 select 2012-09-06 16:28 0 FileSender	Fixed 2011-05-18 select 2011-03-22 23:13 0 FileSender	High (2) Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	2010-03-16 select 2009-10-24 00:17 0 FileSender	High (2) Fixed 2009-11-05 select 2009-10-16 22:53 0 FileSender	High (2) Fixed 2013-12-23 select 2010-05-01 22:29 0 FileSender	High (2) Fixed 2012-03-02 select 2012-02-27 22:35 0 FileSender	High (2) Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender	High (2) Fixed 2012-05-06 select 2011-10-24 18:54 0 FileSender	High (2) Deferred select 2012-02-09 18:34 0 FileSender	High (2) Fixed 2012-05-02 select 2012-04-03 19:28 0 FileSender	High (2) Fixed 2014-04-05 select 2011-08-31 22:00 0 FileSender	High (2) Fixed 2013-04-09 select 2011-08-31 21:59 0 File Sender	High (2) Deferred select 2012-01-1122:51 0	High (2) Fixed 2016-02-27 select 2009-05-20 17:33 0
select Highest (1) Fixed 2009-11-04 select	select Highest (1) Fixed 2010-03-12 select	select Highest (1) Fixed 2009-10-20 select	select Highest (1) Fixed 2009-10-20 select 2009-10-15 19:37 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:00 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:03 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:40 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:41 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:44 0	select Highest (1) Won't fix 2013-09-10 select 2010-04-23 18:24 0 FileSender	select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:45 0 FileSender	select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:49 0 FileSender	select Highest (1) Fixed 2010-06-22 select 2010-06-22 17:11 0 FileSender	select Highest (1) Fixed 2010-09-07 select 2010-08-23 12:18 0 FileSender	select Highest (1) Fixed 2012-02-28 select 2011-06-21 19:52 0 FileSender	select Highest (1) Fixed 2011-07-01 select 2011-06-21 20:16 0 FileSender	select Highest (1) Fixed 2012-09-10 select 2012-09-06 16:28 0 FileSender	∑ Xander Jansen 🗗 High (2) Fixed 2011-05-18 select 2011-03-22 23:13 0 FileSender	select High (2) Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	High (2) Fixed 2010-03-16 select 2009-10-24 00:17 0 FileSender	select High (2) Fixed 2009-11-05 select 2009-10-16 22:53 0 FileSender	Wendy Mason ** High (2) Fixed 2013-12-23 select 2010-05-01 22:29 0 File Sender	select High (2) Fixed 2012-03-02 select 2012-02-27 22:35 0 FileSender	🟋 Xander Jansen 🖆 High (2) Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender	💥 Xander Jansen 🗗 High (2) Fixed 2012-05-06 select 2011-10-24 18:54 0 FileSender	select High (2) Deferred select 2012-02-09 18:34 0 FileSender	select High (2) Fixed 2012-05-02 select 2012-04-03 19:28 0 FileSender	👰 me (Jan Meijer) 🗁 High (2) Fixed 2014-04-05 select 2011-08-31 22:00 0 File Sender	👰 me (Jan Meijer) 🚅 High (2) Fixed 2013-04-09 select 2011-08-31 21:59 0 File Sender	XX Xander Jansen 🗗 High (2) Deferred select 2012-01-11 22:51 0	(a) Gijs Molenaar 😂 High (2) Fixed 2016-02-27 select 2009-05-20 17:33 0
select Highest (1) Fixed 2009-11-04 select	select Highest (1) Fixed 2010-03-12 select	select Highest (1) Fixed 2009-10-20 select	select Highest (1) Fixed 2009-10-20 select 2009-10-15 19:37 0	select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:00 0	me (Jan Meijer) 😂 select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:03 0	👰 me (Jan Meijer) 🗁 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:40 0	👰 me (Jan Meijer) 🗁 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:41 0	👰 me (Jan Meijer) 🚅 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:44 0	😇 Guido Aben 🗁 select Highest (1) Won't fix 2013-09-10 select 2010-04-23 18:24 0 FileSender	🕄 Guido Aben 🗁 select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:45 0 File Sender	🕄 Guido Aben 🖒 select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:49 0 File Sender	User deleted select Highest (1) Fixed 2010-06-22 select 2010-06-22 17:11 0 FileSender	👰 Wendy Mason 🖆 select Highest (1) Fixed 2010-09-07 select 2010-08-23 12:18 0 FileSender	🎑 Wendy Mason 🖒 select Highest (1) Fixed 2012-02-28 select 2011-06-21 19:52 0 File Sender	👰 Wendy Mason 🗁 select Highest (1) Fixed 2011-07-01 select 2011-06-21 20:16 0 File Sender	Wendy Mason 😂 select Highest (1) Fixed 2012-09-10 select 2012-09-06 16:28 0 FileSender	😇 Guido Aben 🖆 💢 Xander Jansen 🖆 High (2) Fixed 2011-05-18 select 2011-03-22 23:13 0 FileSender	select High (2) Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	🙉 me (Jan Meijer) 😂 select High (2) Fixed 2010-03-16 select 2009-10-24 00:17 0 FileSender	🌉 me (Jan Meijer) 🚅 select High (2) Fixed 2009-11-05 select 2009-10-16 22:53 0 File Sender	User deleted 👰 Wendy Mason 🗗 High (2) Fixed 2013-12-23 select 2010-05-01 22:29 0 File Sender	💥 Xander Jansen 🖆 select High (2) Fixed 2012-03-02 select 2012-02-27 22:35 0 FileSender	🏋 Xander Jansen 🖆 🗽 Xander Jansen 🗁 High (2) Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender	🏋 Xander Jansen 🖆 🗽 Xander Jansen 🖒 High (2) Fixed 2012-05-06 select 2011-10-24 18:54 0 File Sender	select High (2) Deferred select 2012-02-09 18:34 0 FileSender	👰 Wendy Mason 😂 select High (2) Fixed 2012-05-02 select 2012-04-03 19:28 0 FileSender	🙉 me (Jan Meijer) 📬 🙉 me (Jan Meijer) 🗗 High (2) Fixed 2014-04-05 select 2011-08-31 22:00 0 FileSender	🙉 me (Jan Meijer) 🚅 🙉 me (Jan Meijer) 🚅 High (2) Fixed 2013-04-09 select 2011-08-31 21:59 0 File Sender	👰 me (Jan Meijer) 🚅 🏋 Xander Jansen 🚅 High (2) Deferred select 2012-01-11 22:51 0	User deleted
select 🗁 me (Jan Meijer) 🗁 select Highest (1) Fixed 2009-11-04 select	select 😂 me (Jan Meijer) 🖒 select Highest (1) Fixed 2010-03-12 select	select 🗁 Reject select Highest (1) Fixed 2009-10-20 select	select 😅 (Jan Meijer) 🚅 select Highest (1) Fixed 2009-10-20 select 2009-10-15 19:37 0	select 🗁 ne (Jan Meijer) 🗗 select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:00 0	select 😂 me (Jan Meijer) 😂 select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:03 0	select 🗁 🙉 me (Jan Meijer) 🗁 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:40 0	select 🗁 🙉 me (Jan Meijer) 🖆 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:41 0	select 😋 ne (Jan Meijer) 🚅 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:44 0	select 🗁 📵 Guido Aben 🗁 select Highest (1) Won't fix 2013-09-10 select 2010-04-23 18:24 0 File Sender	select 🗗 select Select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:45 0 File Sender	select 🗗 😂 Guido Aben 🗁 select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:49 0 File Sender	select 🗗 User deleted select Highest (1) Fixed 2010-06-22 select 2010-06-22 17:11 0 FileSender	select 🗁 🙉 Wendy Mason 😂 select Highest (1) Fixed 2010-09-07 select 2010-08-23 12:18 0 FileSender	Release 1.5 📬 👰 Wendy Mason 🗁 select Highest (1) Fixed 2012-02-28 select 2011-06-21 19:52 0 File Sender	Release 1,5 🗁 👰 Wendy Mason 🗗 select Highest (1) Fixed 2011-07-01 select 2011-06-21 20:16 0 File Sender	Release 1.5 😋 🙉 Wendy Mason 🗁 select Highest (1) Fixed 2012-09-10 select 2012-09-06 16:28 0 FileSender	select 😂 😰 Guido Aben 🖆 💢 Xander Jansen 🖆 High (2) Fixed 2011-05-18 select 2011-03-22 23:13 0 FileSender	select 😂 me (Jan Meijer) 🖒 select High (2) Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	select 😂 🧖 me (Jan Meijer) 🚅 select High (2) Fixed 2010-03-16 select 2009-10-24 00:17 0 FileSender	select 😋 ne (Jan Meijer) 🚅 select High (2) Fixed 2009-11-05 select 2009-10-16 22:53 0 File Sender	Release 1.6 🗁 User deleted 👰 Wendy Mason 🗗 High (2) Fixed 2013-12-23 select 2010-05-01 22:29 0 File Sender	Release 1.5 🗁 💥 Xander Jansen 🖆 select High (2) Fixed 2012-03-02 select 2012-02-27 22:35 0 File Sender	Release 1,5 🗁 🎢 Xander Jansen 🗗 🎢 Xander Jansen 🗗 High (2) Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender	Release 1.5 🗁 💢 Xander Jansen 🚅 💢 Xander Jansen 🗁 High (2) Fixed 2012-05-06 select 2011-10-24 18:54 0 File Sender	Release 1.5 🗁 💢 Xander Jansen 🖆 select High (2) Deferred select 2012-02-09 18:34 0 FileSender	Release 1.5 🗁 👰 Wendy Mason 🗁 select High (2) Fixed 2012-05-02 select 2012-04-03 19:28 0 FileSender	Release 1.5 🗁 🙉 me (Jan Meijer) 🖆 🙉 me (Jan Meijer) 🖆 High (2) Fixed 2014-04-05 select 2011-08-31 22:00 0 FileSender	Release 1.5 🗁 🙉 me (Jan Meijer) 🗁 🙉 me (Jan Meijer) 🗁 High (2) Fixed 2013-04-09 select 2011-08-31 21:59 0 File Sender	Release 1.5 🗁 👰 me (Jan Meijer) 🗗 🏋 Xander Jansen 🗗 High (2) Deferred	select 😂 User deleted 👩 Gijs Molenaar 😅 High (2) Fixed 2016-02-27 select 2009-05-20 17:33 0
Project   Assembla   Project   Assembla   install documentation: select document index page    Meijer)   Select select document index page	cosmetic: scroll bars in select 😂 me (Jan Meijer) 🖆 select Highest (1) Fixed 2010-03-12 select	negative file expire date select cases select Highest (1) Fixed 2009-10-20 select select	download link not #65 working, %20 in filename select 🗗 [2009-10-15 19:37 0 an issue?	filesize too precise: select C select (1) Fixed 2009-10-20 select 2009-10-16 20:00 0 3408;220703125MB	#70 PostgresSQL integer field select (Jan Meijer) 🗗 select Highest (1) Fixed 2009-10-20 select 2009-10-16 20:03 0	database log when files is complete is not storing select (Jan Meijer) (Salect Select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:40 0 To:/From:	removing any hardcoded select 😂 me (Jan Meijer) 🖆 select Highest (1) Fixed 2009-10-20 select 2009-10-16 22:41 0	version numbers version numbers (1) Fixed 2009-10-20 select (2) 16 22:44 0 to beta 1.2	>2Gb upload on MacOS #176 hangs at ~2Gb (Gears select	#178 select Dutton select C and OAben C Select Highest (1) Fixed 2010-05-02 select 2010-04-23 19:45 0 File Sender on download menu	security: log-off #179 behaviour across multiple select C select C Solido Aben C Select Select C Select C Solido Aben C Select C	Vouchers are deleted  **228 straight after being select **22	security: user still logged in if closes tab when login select to page appears, prior to logout page appearing	Upload using voucher recognises user if Release 1.5 🗁 🙉 Wendy Mason 🗁 select Highest (1) Fixed 2012-02-28 select 2011-06-21 19:52 0 FileSender authenticated, not as Guest	Unauthenticated file upload using voucher not Release 1.5 🗁 (2011-07-01 select Release 1.5 🗁 (2011-07-01 select (2011-07-01 select (2011-07-01 select (2011-07-01 select (2011-07-01 (2011-06-21 20:16 (2011-07-01 (2011-07-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-07-01 (2011-	Upload continues with hidden progress bar hidden progress bar hidden progress bar when hitting Esc instead Release 1.5 ct and when hitting Esc instead Release 1.5 ct and when hitting Esc instead of clicking on Cancel or Yes	#384 mail bounce handling: select 😂 Suido Aben 🗁 🏋 Xander Jansen 🗁 High (2) Fixed 2011-05-18 select 2011-03-22 23:13 0 FlieSender	#90 [feature] configurable select 😂 me (Jan Meijer) 🚅 select High (2) Fixed 2010-03-16 select 2009-10-24 00:19 0 FileSender	🙉 me (Jan Meijer) 😂 select High (2) Fixed 2010-03-16 select 2009-10-24 00:17 0 FileSender	create standard #76 documentation in source select 😂 me (Jan Meijer) 🚅 select High (2) Fixed 2009-11-05 select 😂 2009-10-16 22:53 0 File Sender code package	Multiple email address Release 1.6 🗁 User deleted 👰 Wendy Mason 🗁 High (2) Fixed 2013-12-23 select 2010-05-01 22:29 0 FileSender	Check prepared statements for using Release 1.5 🗁 💢 Xander Jansen 🖆 select High (2) Fixed 2012-03-02 select 2012-02-27 22:35 0 FileSender function results	Convert classes/Log.php #717 to use prepared Release 1.5 🚅 💥 Xander Jansen 🖆 💢 Xander Jansen 🖆 High (2) Fixed 2012-05-06 select 2012-04-19 20:07 0 FileSender statements	cron.php when logging #587 (logEntry) creates logfiles Release 1.5 🗁 💢 Xander Jansen 🗁 High (2) Fixed 2012-05-06 select 2011-10-24 18:54 0 FileSender owned by root	PHP session management and management and Release 1.5 the select Sol 18:34 0 FileSender multiple tabs/windows per browser	No resend bcc email when file upload using when file upload using when file upload using when file upload using woucher sent to voucher recipient	Documentation: update admin reference manual Release 1.5 🗁 🙉 me (Jan Meijer) 🖆 High (2) Fixed 2014-04-05 select 2011-08-31 22:00 0 FileSender for 1.5	Documentation: source, #515 debian and rpm install Release 1.5 🗗 🙉 me (Jan Meijer) 🖆 🧸 High (2) Fixed 2013-04-09 select 2011-08-31 21:59 0 File Sender manual for 1.5	Handling single quotes in Release 1.5 🗁 👰 me (Jan Meijer) 😂 💢 Xander Jansen 🗁 High (2) Deferred select 2012-01-11 22:51 0	#7 end-to-end File select 😂 User deleted 👩 Gijs Molenaar 🖒 High (2) Fixed 2016-02-27 select 2009-05-20 17:33 0

om/spaces/file_sender/tickets/realtime	563	2735	2722	2690	2690	2576	2598	2560	2541	2541	2023	2255	2265	2248	2207	563	2082	2023	2082	2023	2082	2164	2021	563	1966	1959	1953	1954	1951
https://app.assembla.c	563															563								563					
	563	2418	2418	2182	2418	273	2418	2418	2418	2418	1056	2023	2265	2063	2023	563	2082	2023	119	2023	2023	2131	2021	563	1927	1953	1882	1954	1951
	2897	2850	2840	2800	2699	2686	2685	2619	2541	2541	2301	2275	2275	2275	2264	2220	2208	2204	2203	2202	2195	2183	2162	2044	1988	1961	1958	1957	1953
	O.	ON.	ON	O Z	O Z	ON	ON.	O N	O Z	ON N	O Z	ON.	ON	o o	O Z	O Z	o Z	O Z	ON	O Z	o o	O Z	O.	O Z	O N	O N	O N	O Z	ON
	5-02-27 00:03 select	select	select	select	select	select	select	select	select	select	select	select	select	select select	select	5-02-27 05:59 select	select	select	select	select	select	select	select	5-02-27 00:03 select	select	select	select	select	select
	2016-02-27 00:03 2016	2011-01-29 22:01	2011-01-29 22:01	2011-09-22 06:05	2011-01-29 21:54	2016-12-13 05:43	2011-01-29 21:54	2011-01-29 21:54	2011-01-29 22:01	2011-01-29 22:01	2014-10-22 08:20	2012-02-28 13:00	2011-07-01 21:15	2012-01-19 02:46	2012-02-28 13:00	2016-02-27 05:59 2016	2011-12-31 08:07	2012-02-28 20:45	2017-05-16 06:59	2012-02-28 19:37	2012-02-28 20:45	2011-11-12 09:52	2012-03-01 02:03	2016-02-27 00:03 2016	2012-06-03 23:20	2012-05-08 11:45	2012-07-18 23:58	2012-05-07 15:36	2012-05-10 12:11
	Allow users to send multiple files in one transaction to the recipient(s).constraints:-this functionality needs to work in HTML5 FileAPI enabled browsers, gracefull fallback for older browsers is not needed-if there is more then one recipient, they all receive the same filesthoughts:-Preferably an entire folder can be selected and uploaded without problems-Downloading might be a challenge. Maybe two different downloads: one for HTML5 browsers where you can also create a folder if need be, one for non-html5 browsers where you download it as a .zip? Users no longer understand how to make .zips, but clicking on it appears to work just fine on most client-platforms.	Gears upload works fine, flash upload doesn't over https. Preliminary trouble investigation showed this is ONLY an issue for FireFox. With IE and Safari it works just fine. Several sources on the web state that supplying the site with a non-selfsigned SSL certificate fixed the issue. I'll try that and if it works at least there's a workaround. Still, the software shouldn't mandate someone to buy a server cert.	If the file is uploaded, stored on disk, entered into the database, but the email doesn't get sent, there is a PHP error that gets reported. The user currently doesn't get any feedback. This must change, Probable solution: make this part of some visible feedback thing to the user that shows all steps that need to be taken before the transaction is completed and turns the various steps green (or shows some vertical progress bar in front of them slowly turning green.like <red> enter email address<red> select file<red> file uploaded<red> email sentwhere the red slowly turns into green as the proces sprogresses.</red></red></red></red>	in beta 1.7 r1, if a user enters invalid recipient email addresses, or uses the semicolon to separate recipient addresses, no warning is thrown up, but when subsequently a file is selected and the "send file" button is pushed, the warning thrown up is "browse for a file" or even when a valid file has already been selected. It would seem that the error message should instead be to "check email address" or "check email address" or "check email address" or "check email address" UPDATE: this behaviour isn't completely eradicated, as reported by a beta tester on the AARNet 0.1.12 deployment. Completely omitting the domain part of the email address still seems to trigger this bug. This is the report:Original Message	If a user is already logged in to filesender, clicking on a voucher link in an email takes the user to the standard Upload page, not a voucher upload page, with the user's logged in email address in the from: field (which can be different to the voucher recipient email address for that user! Users can have one email address associated with their account, and another email address they use casually), with the user's login name at the top of the page but no logoff button diplayed. From then on the file uploaded gets treated like a new file, not a voucher file, hence the file gets listed in the MyFiles table, and the voucher does not get deleted after use. Contrast this with previous filesender behaviour, where filesender did not " a voucher user even if already logged in.	uploaded a 4Gb file, using a voucher, against the 0.1.13 install on the AARNet server. Client was WinXPSP3, Firefox 3.6.3, Gears 0.5.36.0File uploads completely; but at completion I am presented with a popup "cannot move file". I close that popup, and then the main screen reads "your file has been sent"I then receive the download link in my email, and this download link works I can download the file does not appear in the admin logs under "files available" nor under "uploads". It does appear under "cannot Move file from Temp Folder". The download then concludes successfully; the original file is identical to the downloaded copy and I am issued with the usual successful-download email. Incidentally, the download progress bar stalled at 54%The download event itself, however, isn't listed in the admin interface either.	uploading of this filename: "Ellen"s stuff100507.zip" failed with a "Cannot Move file from Temp Folder"Renaming the file to "Ellen100507.zip" made the transfer go through successfully.	When removing outdated files from the files-dir, if the file is already gone you get the error "There has been an error loading configuration data. Please check Log File" and a line beneath that complains about line 91 in classes/Functions.php. In such situations the database should be updated to show what remains on disk instead of preventing the use of the system as is the case now.The real problem is the line if (file_exists(&FilestoreDirectory."/".ensureSaneFileUid(\$row["fileuid"fileuid"]). SanitizeFilename(\$row["fileoriginalname"])) fin cleanup()If ensureSaneFileUid gets an empty fileuid, it triggers an error that needs to be caught and dealt with here.Workaround: manually delete file-entries from the database.	In svn r238 (running on https://filesender.surfnet.nl/latest/) downloads are broken. Only 1 MB (of much larger files) is actually downloaded and on the server I get:apache2[16686]: Error: [8] ob_flush() [&Ita href='ref.outcontrol'>ref.outcontrol&It/a>]: failed to flush buffer. No buffer to flush.: //var/www/filesender-0.1.16.201009271721/www/download.php [91]This looks like it was introduced with changeset 231 (I replaced ErrorHandler.php with the previous one and after that downloads were OK again). Haven't pinpointed the actual cause though.	With svn 240 (no local patches) on https://filesender.surfnet.nl/latest/ no mail is sent after a succesfull download:2010/09/28 08:31:57 [Session ID: c89d329f5b32364dd2c5f2af5157043b] Error: [2] session_start() [ <a href="function.session-start">function.session-start&gt;function.session-start&gt;function.session-start&gt;function.session cache limiter - headers already sent (output started at /var/www/filesender-0.1.16,201009280819/www/download.php:93): /var/www//simplesamlphp-1.6.2/lib/SimpleSAML/SessionHandlerPHP.php [58]</a>	When uploading files with non-ASCII characters (tested with FF 4.0.1, Win7) the filename is not stored and the filesize is reported as 0. The logs say:Error: [2] rename (/data/filesender/timpfiles/e7 caa535354849a46af29812150a7261.tmp,/data/filesender/files/proto/362e74b6-f7d1-bbc9-d2dd-0000321767eb.tmp) [&Ita href='function.rename'>function.rename]: No such file or directory: /var/www/filesender-1.5-svn-r627/www/fs_uploadit5.php [100] [195.169.126.74]]All other workflow is 'normal' though, mails get sent, the download link gives a page. It just doesn't mention the original filename, the size is 0 and the download itself fails.Could be related to the DBAL layer but I didn't dive into that. Tested against SVN r 627	If the user is already authenticated, they have access to all FileSender action buttons across the top of the page when clicking on a download link.	When issuing a voucher, if an expiry date is not selected no alert is displayed and the voucher is issued, with an expiry date of 01/01/1970. However the voucher can still be used.	When uploading a file as an authenticated user or using a voucher, if the user doesn't check the Term of Agreement box the upload still proceeds.  Currently (as of revision:665 most probably) non-HTML5 uploads are broken. After browsing for and selecting a file the 'browse' button is still shown no 'unload' hutton annears.	If a voucher recipient is logged in under a different identity to the voucher issuer, the file will be listed in the voucher recipient's My Files table, not that of the voucher issuer. Only if the voucher recipient is not authenticated, or authenticated as the voucher issuer, will the file uploaded using the voucher be listed in the My Files table of the voucher issuer. May be caused by the same bug as #462 involving confusion over 'owner', and be	When trying to upload files nearing the 2G limit (1900 to 2047 MB) it looks like Flash (?) runs out of memory. With FF the browser crashes, with Opera the progress popup appears but nothing happens (also no network activity). Also Cancel doesn't work and reloading the page will crash Opera also. Selecting a somewhat smaller file (in my case 1536 MB) results with both browsers in a period of disk read activity (and the spinning ball in FF) after which the upload actually starts. This looks like Flash (?) tries to read the complete file into memory which may or may not be available. Can this be made less memory hungry? Seen on Mac OS 10.5.8 with Flash 10.3.183.5 and FF 3.6.19 and Opera 11.50. MacBook 5.1 with 4G RAM.	Some "text" entries in config.php are now moved to the language files. We still need a way though to let admins customize those texts (AuP for example) in an upgrade-proof way. This can be done by looking for translations in 'local' language files (in the config directory) that override the defaults in the language/* files.	Description follows after braindump from Xanders head	Help and About text are hard-coded in index.php. Needs to be customisable. Help and about needs to be in the language the user prefers. Help and about needs to be able to be localised to a local sites preferences.	When for whatever reason (see also #405) the move from temporary storage to the filestore fails the backend reports:Error: [2] rename(/data /filesender/filesender/filesender/filesender/filesender/filesender-1.5-svn/www/fs_uploadit5.php [&Ita href="function.rename@qt;function.rename@lt;/a@qt;]: No such file or directory:/var/www/filesender-1.5-svn/www/fs_uploadit5.php [121]In the UI the upload however is reported as OK but because of the backend failure a subsequent download will fail. This (PHP)error is not caught by the code.	Adding a new locale requires 1) a language file and 2) adding the language file to an enormous switch statement. The goal of this ticket is to create a config-lang. php which holds an array, and eliminates the switch statement. Came out of review.  The locale needs a clear example file - to help documenting.	Admin interface doesn't work anymore Error in UI:"Fatal error: Cannot use string offset as an array in /var/www/test5/filesender-1.5.svn //ilesender-1.5/classes/Functions.php on line 147"Error on server:Message from syslogd@jansboks at Sep 21 14:28:46apache2[2020]: Error: [8] Array to string conversion : /var/www/test5/filesender-1.5.svn/filesender-1.5/classes/DBAL.php [180]Line 180 in DBAL.php is://Directly perform the query, we just have a static string\$res = stripslashes(\$mdb2->queryAll(\$args[0]));	Server side validation for vouchers, like we do for file uploads.	A fresh ticket. This feature was suggested in the early start of the project (ticket #79). Theming has the same basic constraint as all our improvements: no extra server-side installation should be needed. The desired end result is probably close to the Wordpress experience.	It looks like when uploading a file destined for more than 1 recipient creates a Pending db-entry containing all the recipients in the 'fileto' column. This might break when the number of recipients is large enough to exceed the 250 character limit of the fileto column.	If I try to upload a file using a voucher and this fails (e.g. case in #721) and I then load the "Send File" page as an authenticated user and upload a file:the upload confirmation page presented is that for a Guest (no "Send File", "Guest Voucher" or "Huotions are displayed) but should be the one for an authenticated userthe voucher I had been trying to use is cancelled (can no longer be used, disappears from Vouchers table)the uploaded file does still reflect an authenticated upload in the "My Files" table, in that the sender is "Me"	After an authenticated upload using Flash, the upload confirmation page presented is that for a Guest (no " Send File", "Guest Voucher" or "My Files" of "Logoff" buttons are displayed) but should be the one for an authenticated user, although the upload is still recorded in the "My Files" table as sent from "Me" - tested using IE9 on Windows7 (VM) and Safari 5.0.5 on Mac OSX 10.6.8, both with Flash 11.2.202.233. The correct confirmation page is still displayed for authenticated uploads with HTML5 - tested with FF 12.0 on Mac OSX 10.6.8. As at r.1416. May be related to #722.	When issuing a Guest Voucher, after clicking on "Send Voucher" the message "Voucher Sent" does not appear and the page does not refresh, although the voucher has been issued and emails generated. This leaves the recipient email address still in the "Send Vouchers to:" field, the expiry date as the date selected by the user (if applicable) and the new voucher is not displayed in the table. However if the page is refreshed by the user, the fields reset and the issued voucher appears in the table. Note that if one clicks on the "Send Voucher" button a second time before manually refreshing the page, a second voucher will also be issued (and listed in the table when manually refreshed).	When the page is refreshed after pausing an HTML5 or Flash upload using a voucher, the url of the refreshed page ends in /index.php?s=upload#.  If I am also logged on in another tab, the refreshed page displays "Welcome []" and all action buttons, while if I am not already logged on the refreshed page presents the Logon page. If I then try to continue (in the case where I am also logged on in another tab) by restarting or resuming the upload, after clicking on "Send" the valid email address which had been accepted for the initial upload is rejected "Invalid or missing email". Note that if I click on the "Back" button in the browser, it takes me to the url for the voucher with "He end (with "Welcome Guest" and only the "Help", "About" and "Logon" buttons displayed in the header), then if I go back further I reach the initial voucher upload page. Seen using FF 12.0 and Safari 5.0.5 on Mac OSX with Flash 11.2.202.233.
	0 0	0	0	0	0	0	0 0	0	0 0	0	0	0 0	0 0	0 0	0 0	0	0 0	0 0	0	0	0 0	0	0 0	0 0	0	1 0	1 0	1 0	1 0
				0 select																									
	0	0	0	0	0	0	0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0 0	0	0	0	0	0	0	0	0
				FileSender 0																									
	.009-10-07 00:32 0	009-11-23 21:50 0	009-12-03 02:42 0	010-01-12 13:06 0	010-04-23 19:42 0	010-05-06 16:02 0	010-05-07 13:17 0	010-07-12 19:14 0	.010-09-28 07:23 0	010-09-28 16:43 0	011-05-26 04:45 0	011-06-21 19:17 0	011-06-21 19:37 0	011-06-21 19:59 0	011-07-02 02:51 0	011-08-15 04:25 0	011-08-27 23:57 0	011-08-31 23:04 0	011-09-01 05:41 0	011-09-02 01:20 0	011-09-09 20:03 0	011-09-21 22:32 0	011-10-12 04:17 0	012-02-07 20:50 0	012-04-03 16:34 0	012-04-30 17:28 0	012-05-03 16:27 0	012-05-04 17:11 0	012-05-08 11:39 0
				select																									
				.d 2010-05-02												enss													
				High (2) Fixed																									
	👰 me (Jan Meijer) 🗁 select	🌊 me (Jan Meijer) 🖒 select	🌊 me (Jan Meijer) 🖒 select	€ Guido Aben 🗗 select	© Guido Aben 🖒 select	Guido Aben 🗗 select	Ĝ Guido Aben 🖒 select	User deleted select	Xander Jansen 🖒 select		Xander Jansen 🖒 select			.   .,					-			-				•	_		
Project   Asse	#47 multiple file upload [XL]	flash upload over https fails with FireFox	give user error message when email doesn't get sent after succesful upload	incorrect warning ("browse for a file") on invalid recipient email input	unexpected voucher #177 behaviour when voucher user is already logged in	uploading file using #185 voucher: "cannot move file"	#186 filenames with double singlequotes fail	Outdated files in database that misses from disk halts system while removing outdated files	#298 Download fails after changeset 231?	email not sent after download (in svn 240)	upload of filenames with "Special" characters broken in 1.5	File download recognises #434 user if authenticated, not as Guest	Expiry date bypassed and invalid when issuing voucher	#454 AuP can be bypassed Flash/non-HTML5 upload	Woucher upload listing in My Files logic	Hanging Flash uploads of #491 large (free memory dependent) files on Mac	Make language definitions customizable	Security: input/output #517 quoting/encoding and validation	Help and About text are hard-coded in index.php. Needs to be customisable	Add check for succesfull move of temporary file to filestore	#532 Language selection via config #541 Sample locale config file	Admin interface broken #547 since stripslashes in dbal.php	Server side validation of woucher creation	#635 Enable theming [L]	#696 breaks when the number of characters exceeds 250	Authenticated upload after failed attempt using voucher in another tab cancels voucher and displays Guest upload confirmation	Authenticated Flash upload displays Guest upload confirmation	When issuing voucher no "Voucher Sent" message and page does not refresh	Cancel / pause upload using voucher displays #727 authenticated upload page and then rejects valid email address

