Collapse All | Expand All

- > Home
 - > Archived
 - > Acknowledgements

Blog and News

- > Documentation v2-0-alph
- > Documentation v1-6
- > Documentation v1-5
- > Documentation v1-1
- > Download
- → Developer
- > Coding conventions

Classes design v2-0

→ Database design v2-0

Database 2-0 Tabl

Ticket Status Guide

Browser-compatibilitymatrix

Installation notes for 1 -5 development code

Notes on 1-0-1 fixes a nd stuff

International Characte r Handling

Transfering multiple fil

HTML5

- > Testing
- → Specifications

Functional design

▼ Technical design

Technical desig

n - PHP

Technical design - Flex

Technical desig n - Support fold ers

1 of 4 9/12/17, 11:31 AM

Technical desig n - Layout and design

Technical desig n - Other

Technical desi gn - Packagin

Technical desig n - Javascript

Technical desig n - SQL

The Glue

release process

Creating repositories

Developers

Usage statistics modu

Icons

Existing installations

Feature requests

Online Demo

Project organisation

Roadmap

Release Schedule

Release status and life c ycle

Reviews and prototypes

Support and Mailinglists

Twitter

FileSender's workflows

Installation - Linux Sourc e 2-0-Alpha-from-svn

Technical design - Packaging

Version 6, last updated by gijzelaerr at 2010-11-09

debian

changelog

A log of changes in the debian packaging of filesender, not filesender itself.

compat

conf/apache.conf





File copied to /etc/apache/conf.d to configure apache to serve filesender files. Is copied by postinst

config

Configure hook that configures the database

c ontrol

Contains filesender package information like name and (build) dependencies

copyright

Copyright file, required for debian packaging

dirs

Dirs to be created during packaing

docs

Specifies which files are documentation

install

Specifies which files to be copied into the package

links

Specifies which symlinks to be created in the package

patches

Directory that contains patches to be applied before packaging

patches/dbconfig-common_support.patch

 $This \ patch \ will \ configure \ filesender \ to \ use \ the \ database \ settings \ generated \ by \ the \ debian \ database \ manager.$

postinst

Script called after installation, configures database and fixes permissions, configures apache.

postrm

Script called after deinstallation and removes apache config.

preinst

Script called before installation, doesn't do anything at the moment $% \left(1\right) =\left(1\right) \left(1\right$

prerm

Script called before removes, removes database (if confirmed by user)

README.Debian

Debian package specific readme

README.source

rules

Build rules, uses CDBS so is quite minimal. Manually installs SQL script.

watch

File used for automated checking of new upstream release of filesender.

RPM

rpm/filesender-config.php

Replacement config of filesender.

rpm/filesender.htaccess

htaccess file used to configure apache.

rpm/filesender.spec

Spec file, contains all required settings for building a RPM file

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project. You can add Messages tool from Tools section on the Admin tab.

4 of 4 9/12/17, 11:31 AM