Collapse All | Expand All

Statistics module patch installation notes

Version 10, last updated by meijer at 2013-04-10

```
  <h1><span style="background-color: #ff0000;">Warning: this patch requires FileSend
er 1.5 !<br></span></h1>
```

0. Requirements:

- FileSender 1.5, min. beta4
- Postgresql database. MySQL support is being worked on

1. download, unpack patch and set your filesender directory

- download the patch. Make sure you pick the patch that fits with YOUR filesender version.

- unpack the patch:

```
  root@ip-10-227-11-137:~/filesender# tar xvzf filesender-1.5-beta4-statspatch-v1.ta
```

- make the patch directory your active working directory:

```
root@ip-10-227-11-137:~/filesender# cd filesender-1.5-beta4-statspatch-v1/
root@ip-10-227-11-137:~/filesender/filesender-1.5-beta4-statspatch-v1#
```

- edit "applypatch.sh" to point YOUR_FILESENDER_INSTALLATION_BASEDIR to the FileSender directory you'd like to patch.

```
#!bin/bash
set -x

YOUR_FILESENDER_INSTALLATION_BASEDIR='/root/statspatch/test/filesender-1.5-beta4'
PATCH_DIRECTORY='.'
PATCHNAME='filesender-1.5-beta4-statspatch-v1'

....
```

2. one time step: create new "stats" table

Every time you run the cron_stats.php cronjob, the statistics module takes the new data from the Logs table, anonymises it and stores it in a new table called "stats". Use the following command to create this new table in postgresql, grep your database name and database user + password from your filesender config.php:

```
psql -h localhost <your database name> <your database user name>

postgres@ip-10-227-11-137:~$ psql -h localhost filesender filesender < /root/filesend
Password for user filesender:
NOTICE:  CREATE TABLE / PRIMARY KEY will create implicit index "stats_pkey" for table
CREATE TABLE
```

3. run applypatch.sh

Run ./applypatch.sh to put all new files in the right (new) places and patch the www/index.php, language/en_AU.php, www/classes/Functions.php and www/css/default.css

Note: copy

4. Include the statspatch configfile to your config/config.phpconfig.statspatch-dist.php new config directives to your config/config.php

The statspatch config file is installed to filesender/config-temlates/config.statspatch-dist.php, copy it to your config directory:

```
root@ip-10-227-11-137:~# cp /var/www/filesender/config-templates/config.statspatch-di
root@ip-10-227-11-137:~# chgrp www-data /var/www/filesender/config/config.statspatch.
```

- Include the statspatch config file in your config.php using this line:

```
include('config.stats-patch.php');
```

Ensure the stats access level is according to your site's preferences. It is set to public by default!

```
$config['stats_access_level'] = 'public'; // Who can access stats page. Possible sett
```

5. configure cron for the statistics module

Schedule the cronjob that'll update the stats database run once a day:

```
echo "#!/bin/sh
>    php -q /usr/local/filesender/filesender/cron/cron-stats.php" > /etc/cron.daily/f
```

If you want your stats cron job to hourly use this:

```
echo "#!/bin/sh
>    php -q /usr/local/filesender/filesender/cron/cron-stats.php" > /etc/cron.hourly/
```

6. Wait until the cron job runs for the first time and look at your stats

https://yoursite/filesender/stats/

Support and Feedback

See Support and Mailinglists and Feature requests.

Comments are disabled for this space. In order to enable comments, Messages tool must be added to project.
You can add Messages tool from Tools section on the Admin tab.