

Sql Task Adv Python

mysql> select * from Gietu;

```
+-----+-----+-----+-----+-----+-----+
| roll | name  | address | desig  | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 101 | aman  | delhi   | doctor | 25000  | M      |
| 102 | naman | gunupur | teacher | 15000  | M      |
| 103 | raman | rayagad | plumber | 15000  | M      |
| 104 | Navi  | raipur  | nurse  | 15000  | F      |
| 105 | Pavi  | raigarh | police | 25000  | F      |
| 106 | Ankit | china   | singer | 45000  | M      |
| 107 | Umesh | vizag   | dancer | 45000  | M      |
| 108 | ramesh | bihar  | manager | 25000  | M      |
| 109 | mahesh | patna  | thied  | 55000  | M      |
+-----+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

mysql> select name from Gietu;

```
+-----+
| name  |
+-----+
| aman  |
| naman |
| raman |
| Navi  |
| Pavi  |
| Ankit |
| Umesh |
| ramesh |
| mahesh |
+-----+
9 rows in set (0.00 sec)
```

mysql> select name,address from Gietu;

```
+-----+-----+
| name  | address |
+-----+-----+
| aman  | delhi   |
| naman | gunupur |
| raman | rayagad |
| Navi  | raipur  |
| Pavi  | raigarh |
| Ankit | china   |
| Umesh | vizag   |
| ramesh | bihar  |
| mahesh | patna  |
+-----+-----+
```

9 rows in set (0.00 sec)

mysql> select roll,salary from Gietu;

```
+-----+-----+
| roll | salary |
+-----+-----+
| 101 | 25000 |
| 102 | 15000 |
| 103 | 15000 |
| 104 | 15000 |
| 105 | 25000 |
| 106 | 45000 |
| 107 | 45000 |
| 108 | 25000 |
| 109 | 55000 |
+-----+-----+
```

9 rows in set (0.00 sec)

mysql> select name where name = 'aman';

ERROR 1054 (42S22): Unknown column 'name' in 'field list'

mysql> select name from Gietu where name = 'aman';

```
+-----+
| name |
+-----+
| aman |
+-----+
```

1 row in set (0.00 sec)

mysql> select name from Gietu where address = 'delhi';

```
+-----+
| name |
+-----+
| aman |
+-----+
```

1 row in set (0.00 sec)

mysql> select name from Gietu where gender = 'M';

```
+-----+
| name |
+-----+
| aman |
| naman |
| raman |
| Ankit |
| Umesh |
| ramesh |
| mahesh |
+-----+
```

7 rows in set (0.00 sec)

```
mysql> select name from Gietu where desig = 'doctor';
```

```
+-----+  
| name |  
+-----+  
| aman |  
+-----+
```

1 row in set (0.00 sec)

```
mysql> select name from Gietu where salary>15000;
```

```
+-----+  
| name |  
+-----+  
| aman |  
| Pavi |  
| Ankit |  
| Umesh |  
| ramesh |  
| mahesh |  
+-----+
```

6 rows in set (0.00 sec)

```
mysql> select name from Gietu where salary>20000;
```

```
+-----+  
| name |  
+-----+  
| aman |  
| Pavi |  
| Ankit |  
| Umesh |  
| ramesh |  
| mahesh |  
+-----+
```

6 rows in set (0.00 sec)

```
mysql> select name from Gietu where salary<30000;
```

```
+-----+  
| name |  
+-----+  
| aman |  
| naman |  
| raman |  
| Navi |  
| Pavi |  
| ramesh |  
+-----+
```

6 rows in set (0.00 sec)

```
mysql> select name from Gietu where gender = 'M' and salary>20000;
```

```
+-----+
| name |
+-----+
| aman |
| Ankit |
| Umesh |
| ramesh |
| mahesh |
+-----+
```

```
5 rows in set (0.00 sec)
```

```
mysql> select name from Gietu where gender = 'F' or address = 'raipur';
```

```
+-----+
| name |
+-----+
| Navi |
| Pavi |
+-----+
```

```
2 rows in set (0.00 sec)
```

```
mysql> select * from Gietu where name LIKE '%a';
```

```
Empty set (0.00 sec)
```

```
mysql> select * from Gietu where name LIKE '%A';
```

```
Empty set (0.00 sec)
```

```
mysql> select name from Gietu where name LIKE '%A';
```

```
Empty set (0.00 sec)
```

```
mysql> SELECT *
```

```
-> FROM employees
```

```
-> WHERE LOWER(name) LIKE 'a%';
```

```
ERROR 1146 (42S02): Table 'giet.employees' doesn't exist
```

```
mysql> SELECT *
```

```
-> FROM employees
```

```
-> WHERE LOWER(name) LIKE 'a%';^C
```

```
mysql> SELECT *
```

```
-> FROM employees
```

```
-> ^C
```

```
mysql> SELECT *
```

```
-> FROM Gietu
```

```
-> WHERE LOWER(name) LIKE 'a%';
```

```
+-----+-----+-----+-----+-----+-----+
| roll | name | address | desig | salary | gender |
+-----+-----+-----+-----+-----+-----+
| 101 | aman | delhi | doctor | 25000 | M |
```

```
| 106 | Ankit | china | singer | 45000 | M |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> SELECT *
-> FROM Gietu WHERE LOWER(name) LIKE '%h';
```

```
+-----+-----+-----+-----+-----+
| roll | name | address | desig | salary | gender |
+-----+-----+-----+-----+-----+
| 107 | Umesh | vizag | dancer | 45000 | M |
| 108 | ramesh | bihar | manager | 25000 | M |
| 109 | mahesh | patna | thied | 55000 | M |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM Gietu WHERE LOWER(address) LIKE 'pur';
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM Gietu WHERE LOWER(address) LIKE '%pur%';
```

```
+-----+-----+-----+-----+-----+
| roll | name | address | desig | salary | gender |
+-----+-----+-----+-----+-----+
| 102 | naman | gunupur | teacher | 15000 | M |
| 104 | Navi | raipur | nurse | 15000 | F |
+-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)
```

```
mysql> select * from Gietu order by name asc;
```

```
+-----+-----+-----+-----+-----+
| roll | name | address | desig | salary | gender |
+-----+-----+-----+-----+-----+
| 101 | aman | delhi | doctor | 25000 | M |
| 106 | Ankit | china | singer | 45000 | M |
| 109 | mahesh | patna | thied | 55000 | M |
| 102 | naman | gunupur | teacher | 15000 | M |
| 104 | Navi | raipur | nurse | 15000 | F |
| 105 | Pavi | raigarh | police | 25000 | F |
| 103 | raman | rayagad | plumber | 15000 | M |
| 108 | ramesh | bihar | manager | 25000 | M |
| 107 | Umesh | vizag | dancer | 45000 | M |
+-----+-----+-----+-----+-----+
9 rows in set (0.00 sec)
```

```
mysql> select * from Gietu order by name dsc ;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'dsc' at line 1

```
mysql> select * from Gietu order by name desc ;
```

```
+-----+-----+-----+-----+-----+
```

roll	name	address	desig	salary	gender
107	Umesh	vizag	dancer	45000	M
108	ramesh	bihar	manager	25000	M
103	raman	rayagad	plumber	15000	M
105	Pavi	raigarh	police	25000	F
104	Navi	raipur	nurse	15000	F
102	naman	gunupur	teacher	15000	M
109	mahesh	patna	thied	55000	M
106	Ankit	china	singer	45000	M
101	aman	delhi	doctor	25000	M

9 rows in set (0.00 sec)

```
mysql> select count(*) as total_employees from Gietu;
```

total_employees
9

1 row in set (0.05 sec)

```
mysql> select count(*) as male_employees where gender = 'M' from Gietu;
```

ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'from Gietu' at line 1

```
mysql> select count(*) as male_employees from Gietu where gender = 'M';
```

male_employees
7

1 row in set (0.00 sec)