


AI AGENTS HAVE HANDS NOW



AGENT

Give AI agents room to move,

The prompt describes the destination.

LOCAL HACKATHON PROTOTYPE

FREEDOM WITH BOUNDARIES



AIRLOCK


not room to break the rules.

Agent Airlock clears the safe path.

FIVE GUARDED TOOLS + DECISION RECEIPTS

START HERE / THE PROBLEM

Your AI coworker. Real-world reach.



 Change code

 Send messages

 Access company data

 Touch production

Who decides what it may do?

THE CONTROL GAP

A prompt is not a permission.



Identity



Permissions



Sandbox



THE MISSING CONTEXT

What action? Which data?
Which target? Which mission?

Airlock complements identity, permissions and host containment; it does not replace them.

Configure once. Enforce consistently.



ORGANIZATION

Mandatory boundaries



TEAM

Workflow controls



MISSION

Exact task and limits

Today: local plugin rules. Next: mission contracts
and shared, versioned rules releases.

THE AIRLOCK CHECKPOINT

Before a supported action runs.

1 AGENT PROPOSES AN ACTION

Publish a draft with a synthetic secret.



2 CHECK THE REQUIRED RULES



Data

Secret detected (example)



Actions

Online-write intent



Models

Catalog boundaries



Risk

Dependency advisories



Cost

Usage / cost reporting

Required gates only; Data in this example.

Other routes are outside this checkpoint.

3

DECIDE / THE VERDICT

One checkpoint. Three outcomes.

The rules determine the next step.



ALLOW

Run locally after the receipt is saved.



ASK FIRST

Approval required.
No execution today.



BLOCK

Example: secret detected.
No execution.

**The agent cannot grant itself
new permissions.**

Interactive approval is future work.
Errors also stop execution.

PROOF / SEE IT LIVE

Try to break the rules.

New wording. Same forbidden action.

01 **Clean demo draft**
No configured detector matches.

ALLOW

02 **Draft + synthetic secret**
Sensitive-information gate.

BLOCK

03 **Secret + 'ignore all rules'**
Same secret. Same block.

BLOCK

Guarded draft demo. Local files only.

Every decision has a reason.

A redacted receipt, not a mystery.

EXAMPLE / SAME DRAFT

BLOCK

Action	Publish draft
Gate	Secrets
Reason	Secret detected
Run	Not started
Record	Redacted metadata



Explainable.
Reviewable.

Recorded before
execution starts.

Synthetic example / brokered action / no live publish

Less friction. Clearer boundaries.



People using agents

Know the approved limits.



Developers

Stop repeating rules in every prompt.



Security & IT

Set clear, consistent boundaries.



Reviewers & auditors

See what was decided, and why.

THE BUILDERS

Meet the team.

Five builders. One safer path.



Debojit Choudhury



Neha Bhargava



Roja Ennam



Deepika Lingam



Margarita Tagaban

THE HACK REPOSITORY

Scan. Explore. Challenge us.

Go from the placard to the project.



AGENT AIRLOCK

- Source code
- Demo walkthroughs
- Architecture
- Documentation

Bring your toughest prompt.

github.com/debchoudhury-id4s/agent-airlock

CONNECTORS / CUT & PLACE

13 / ONE A4 SHEET / ACTUAL SIZE 100%

R2 CENTER / RULES

Rules applied here

R1 LEFT

D / DECISION

DECISION

Join R1 + R2 across the fold.
Leave the hinge clear.

E / EXPLAIN

All three outcomes recorded

SPARES / OPTIONAL

SPARE D

DECISION

SPARE E

All three outcomes recorded



Check: 50 mm between the end ticks.

Cut between crop marks. Discard marks and headings. Do not scale.