ConTEXt

comandi

IT

ConTEXt

comandi

AfterPar	`\AfterPar {...}`
Alphabeticnumerals	`\Alphabeticnumerals {...}`
AMSTEX	`\AMSTEX`
AmSTeX	`\AmSTeX`
abjadnaivenumerals	`\abjadnaivenumerals {...}`
abjadnodotnumerals	`\abjadnodotnumerals {...}`
abjadnumerals	`\abjadnumerals {...}`
activatespacehandler	`\activatespacehandler {...}`
actualday	`\actualday`
actualmonth	`\actualmonth`
actualyear	`\actualyear`
adaptcollector	`\adaptcollector [...] [..=..]`
adaptfontfeature	`\adaptfontfeature [...] [..=..]`
adaptive	`\adaptive   \...   {...}`
adaptivebox	`\adaptivebox [...] [..=..]   {...}`
adaptivehbox	`\adaptivehbox [...] [..=..]   {...}`
adaptivevbox	`\adaptivevbox [...] [..=..]   {...}`
adaptpapersize	`\adaptpapersize [...] [...]`
adattacampo	`\adattacampo [...] [..=..]`
adattalayout	`\adattalayout [...] [..=..]`
addfeature	`\addfeature [...]`
addfeature:direct	`\addfeature {...}`
addriverstobox	`\addriverstobox [..=..] ...`
addtocommalist	`\addtocommalist {...}   \...`
addtoJSpreamble	`\addtoJSpreamble {...}   {...}`
addvalue	`\addvalue {...} {...}`
aftersplitstring	`\aftersplitstring ... \at ... \to   \...`
aftertestandsplitstring	`\aftertestandsplitstring ... \at ... \to   \...`
al	`\al {...} {...} [...]`
alignbottom	`\alignbottom`
aligncontentleft	`\aligncontentleft`
aligncontentmiddle	`\aligncontentmiddle`
aligncontentright	`\aligncontentright`
aligned	`\aligned [...]   {...}`
alignedbox	`\alignedbox [...]   \...   {...}`
alignedline	`\alignedline {...} {...}   {...}`
alignhere	`\alignhere`
alignmentcharacter	`\alignmentcharacter`
allineacentro	`\allineacentro   {...}`
allineadestra	`\allineadestra   {...}`
allineasinistra	`\allineasinistra   {...}`
allinputpaths	`\allinputpaths`
alphabeticnumerals	`\alphabeticnumerals {...}`
alternate	`\alternate {...} {...}`
alwayscitation	`\alwayscitation [..=..] [...]`
alwayscitation:alternative	`\alwayscitation [...] [...]`
alwayscitation:userdata	`\alwayscitation [..=..] [..=..]`
alwayscite	`\alwayscite [..=..] [...]`
alwayscite:alternative	`\alwayscite [...] [...]`
alwayscite:userdata	`\alwayscite [..=..] [..=..]`
ambiente	`\ambiente [...]`
ambiente:string	`\ambiente ...`
amedian	`\amedian   {...}`
ampersand	`\ampersand`
anchor	`\anchor [...] [..=..] [..=..]   {...}`
ap	`\ap [...]`
apagina	`\apagina [...]`
appendetoks	`\appendetoks ... \to   \...`
appendgvalue	`\appendgvalue {...} {...}`
appendhiddenbackground	`\appendhiddenbackground {...}`
appendtocommalist	`\appendtocommalist {...}   \...`
appendtoks	`\appendtoks ... \to   \...`
appendtoksonce	`\appendtoksonce ... \to   \...`
appendvalue	`\appendvalue {...} {...}`
apply	`\apply   {...}   {...}`
applyalternativestyle	`\applyalternativestyle {...}`
applyprocessor	`\applyprocessor {...}   {...}`
applytocharacters	`\applytocharacters   \...  {...}`
applytofirstcharacter	`\applytofirstcharacter   \...  {...}`
applytosplitstringchar	`\applytosplitstringchar   \...  {...}`
applytosplitstringcharspaced	`\applytosplitstringcharspaced   \...  {...}`
applytosplitstringline	`\applytosplitstringline   \...  {...}`

applytosplitstringlinespaced	`\applytosplitstringlinespaced   \... {...}`
applytosplitstringword	`\applytosplitstringword   \... {...}`
applytosplitstringwordspaced	`\applytosplitstringwordspaced   \... {...}`
applytowords	`\applytowords   \... {...}`
ap:instance	*\HIGH* `{...}`
ap:instance:unitshigh	*\unitshigh* `{...}`
arabicdecimals	`\arabicdecimals {...}`
arabicexnumerals	`\arabicexnumerals {...}`
arabicnumerals	`\arabicnumerals {...}`
arg	`\arg   {...}`
asciimode	`\asciimode`
asciistr	`\asciistr   {...}`
assignalfadimension	`\assignalfadimension {...}   \... {...} {...} {...}`
assigndimen	`\assigndimen   \... {...}`
assigndimension	`\assigndimension {...}   \... {...} {...} {...}`
assignifempty	`\assignifempty   \... {...}`
assigntranslation	`\assigntranslation [..=..] \to   \...`
assignvalue	`\assignvalue {...}   \... {...} {...} {...}`
assignwidth	`\assignwidth {...}   \... {...} {...}`
assumelongusagecs	`\assumelongusagecs   \...   {...}`
astype	`\astype   {...}`
attachment:instance	*\ATTACHMENT* `[...] [..=..]`
attachment:instance:attachment	*\attachment* `[...] [..=..]`
autocap	`\autocap {...}`
autodirhbox	`\autodirhbox ...   {...}`
autodirvbox	`\autodirvbox ...   {...}`
autodirvtop	`\autodirvtop ...   {...}`
autoinsertnextspace	`\autoinsertnextspace`
autointegral	`\autointegral {...} {...} {...}`
automathematics	`\automathematics   {...}`
autoorientation	`\autoorientation {...}`
autopagestaterealpage	`\autopagestaterealpage {...}`
autopagestaterealpageorder	`\autopagestaterealpageorder {...}`
autorule	`\autorule ... \relax`
autosetups	`\autosetups {...}`
autostarttesto	`\autostarttesto ... \autostoptesto`
availablehsize	`\availablehsize`
averagecharwidth	`\averagecharwidth`
BeforePar	`\BeforePar {...}`
Big	`\Big ...`
Bigg	`\Bigg ...`
Biggl	`\Biggl ...`
Biggm	`\Biggm ...`
Biggr	`\Biggr ...`
Bigl	`\Bigl ...`
Bigm	`\Bigm ...`
Bigr	`\Bigr ...`
backgroundimage	`\backgroundimage {...} {...} {...} {...}`
backgroundimagefill	`\backgroundimagefill {...} {...} {...} {...}`
backgroundline	`\backgroundline [...]   {...}`
barracolori	`\barracolori [...]`
barrainterazione	`\barrainterazione [...] [..=..]`
bar:instance	*\BAR* `{...}`
bar:instance:backgroundbar	*\backgroundbar* `{...}`
bar:instance:hiddenbar	*\hiddenbar* `{...}`
bar:instance:mathbackground	*\mathbackground* `{...}`
bar:instance:outline	*\outline* `{...}`
bar:instance:outlined	*\outlined* `{...}`
bar:instance:overbar	*\overbar* `{...}`
bar:instance:overbars	*\overbars* `{...}`
bar:instance:overstrike	*\overstrike* `{...}`
bar:instance:overstrikes	*\overstrikes* `{...}`
bar:instance:underbar	*\underbar* `{...}`
bar:instance:underbars	*\underbars* `{...}`
bar:instance:underdash	*\underdash* `{...}`
bar:instance:underdashes	*\underdashes* `{...}`
bar:instance:underdot	*\underdot* `{...}`
bar:instance:underdots	*\underdots* `{...}`
bar:instance:undergraphic	*\undergraphic* `{...}`
bar:instance:underrandom	*\underrandom* `{...}`
bar:instance:underrandoms	*\underrandoms* `{...}`
bar:instance:understrike	*\understrike* `{...}`

```
bar:instance:understrikes              \understrikes  {...}
basegrid                               \basegrid [..=..]
baselinebottom                         \baselinebottom
baselineleftbox                        \baselineleftbox  {...}
baselinemiddlebox                      \baselinemiddlebox  {...}
baselinerightbox                       \baselinerightbox  {...}
bbordermatrix                          \bbordermatrix  {...}
bbox                                   \bbox  {...}
beforesplitstring                      \beforesplitstring ... \at ... \to  \...
beforetestandsplitstring               \beforetestandsplitstring ... \at ... \to  \...
beginblock:example                     \beginBLOCK [...] [..=..] ... \endBLOCK
beginhbox                              \beginhbox ... \endhbox
beginofshapebox                        \beginofshapebox ... \endofshapebox
beginvbox                              \beginvbox ... \endvbox
beginvtop                              \beginvtop ... \endvtop
begstrut                               \begstrut ... \endstrut
bigg                                   \bigg ...
bigger                                 \bigger
biggl                                  \biggl ...
biggm                                  \biggm ...
biggr                                  \biggr ...
bigl                                   \bigl ...
bigm                                   \bigm ...
bigr                                   \bigr ...
bigskip                                \bigskip
bitmapimage                            \bitmapimage [..=..] {...}
blankafter                             \blankafter [...]
blankbefore                            \blankbefore [...]
blap                                   \blap  {...}
bleed                                  \bleed [..=..]  {...}
bleedheight                            \bleedheight
bleedwidth                             \bleedwidth
blockligatures                         \blockligatures [...]
blocksynctexfile                       \blocksynctexfile [...]
blockuservariable                      \blockuservariable {...}
bodyfontenvironmentlist                \bodyfontenvironmentlist
bodyfontsize                           \bodyfontsize
boldface                               \boldface
booleanmodevalue                       \booleanmodevalue {...}
bordermatrix                           \bordermatrix  {...}
bottombox                              \bottombox  {...}
bottomleftbox                          \bottomleftbox  {...}
bottomrightbox                         \bottomrightbox  {...}
boxcursor                              \boxcursor
boxfixstretch                          \boxfixstretch ... ...
boxmarker                              \boxmarker {...} {...}
boxofsize                              \boxofsize  \... ...  {...}
boxreference                           \boxreference [...]  \...  {...}
bpar                                   \bpar ... \epar
bpos                                   \bpos {...}
breakhere                              \breakhere [...] {...}
bTABLE                                 \bTABLE [..=..] ... \eTABLE
bTABLEbody                             \bTABLEbody [..=..] ... \eTABLEbody
bTABLEfoot                             \bTABLEfoot [..=..] ... \eTABLEfoot
bTABLEhead                             \bTABLEhead [..=..] ... \eTABLEhead
bTABLEnested                           \bTABLEnested [..=..] ... \eTABLEnested
bTABLEnext                             \bTABLEnext [..=..] ... \eTABLEnext
bTABLEsection                          \bTABLEsection [..=..] ... \eTABLEsection
bTC                                    \bTC [..=..] ... \eTC
bTD                                    \bTD [..=..] ... \eTD
bTDs                                   \bTDs [...] ... \eTDs
bTH                                    \bTH [..=..] ... \eTH
bTN                                    \bTN [..=..] ... \eTN
bTR                                    \bTR [..=..] ... \eTR
bTRs                                   \bTRs [...] ... \eTRs
bTX                                    \bTX [..=..] ... \eTX
bTY                                    \bTY [..=..] ... \eTY
btxabbreviatedjournal                  \btxabbreviatedjournal {...}
btxaddjournal                          \btxaddjournal [...] [...]
btxalwayscitation                      \btxalwayscitation [..=..] [...]
btxalwayscitation:alternative          \btxalwayscitation [...] [...]
btxalwayscitation:userdata             \btxalwayscitation [..=..] [..=..]
```

btxauthorfield	`\btxauthorfield {...}`
btxdetail	`\btxdetail {...}`
btxdirect	`\btxdirect {...}`
btxdoif	`\btxdoif {...} {...}`
btxdoifcitedoneelse	`\btxdoifcitedoneelse {...} {...} {...} {...}`
btxdoifcombiinlistelse	`\btxdoifcombiinlistelse {...} {...} {...} {...}`
btxdoifelse	`\btxdoifelse {...} {...} {...}`
btxdoifelsecitedone	`\btxdoifelsecitedone {...} {...} {...} {...}`
btxdoifelsecombiinlist	`\btxdoifelsecombiinlist {...} {...} {...} {...}`
btxdoifelsesameasprevious	`\btxdoifelsesameasprevious {...} {...} {...}`
btxdoifelsesameaspreviouschecked	`\btxdoifelsesameaspreviouschecked {...} {...} {...} {...}`
btxdoifelseuservariable	`\btxdoifelseuservariable {...} {...} {...}`
btxdoifnot	`\btxdoifnot {...} {...}`
btxdoifsameaspreviouscheckedelse	`\btxdoifsameaspreviouscheckedelse {...} {...} {...} {...}`
btxdoifsameapreviouselse	`\btxdoifsameapreviouselse {...} {...} {...}`
btxdoifuservariableelse	`\btxdoifuservariableelse {...} {...} {...}`
btxexpandedjournal	`\btxexpandedjournal {...}`
btxfield	`\btxfield {...}`
btxfieldname	`\btxfieldname {...}`
btxfieldtype	`\btxfieldtype {...}`
btxfirstofrange	`\btxfirstofrange {...}`
btxflush	`\btxflush {...}`
btxflushauthor	`\btxflushauthor [...] {...}`
btxflushauthorinverted	`\btxflushauthorinverted {...}`
btxflushauthorinvertedshort	`\btxflushauthorinvertedshort {...}`
btxflushauthorname	`\btxflushauthorname {...}`
btxflushauthornormal	`\btxflushauthornormal {...}`
btxflushauthornormalshort	`\btxflushauthornormalshort {...}`
btxflushsuffix	`\btxflushsuffix`
btxfoundname	`\btxfoundname {...}`
btxfoundtype	`\btxfoundtype {...}`
btxhiddencitation	`\btxhiddencitation [...]`
btxhybridcite	`\btxhybridcite [..=..] [...]`
btxhybridcite:alternative	`\btxhybridcite [...] [...]`
btxhybridcite:direct	`\btxhybridcite {...}`
btxhybridcite:userdata	`\btxhybridcite [..=..] [..=..]`
btxlistcitation	`\btxlistcitation [..=..] [...]`
btxlistcitation:alternative	`\btxlistcitation [...] [...]`
btxlistcitation:userdata	`\btxlistcitation [..=..] [..=..]`
btxloadjournalist	`\btxloadjournalist [...]`
btxoneorrange	`\btxoneorrange {...} {...} {...}`
btxrawfield	`\btxrawfield {...}`
btxremapauthor	`\btxremapauthor [...] [...]`
btxsavejournalist	`\btxsavejournalist [...]`
btxsetup	`\btxsetup {...}`
btxsingularorplural	`\btxsingularorplural {...} {...} {...}`
btxsingularplural	`\btxsingularplural {...} {...} {...}`
btxtextcitation	`\btxtextcitation [..=..] [...]`
btxtextcitation:alternative	`\btxtextcitation [...] [...]`
btxtextcitation:userdata	`\btxtextcitation [..=..] [..=..]`
buildtextaccent	`\buildtextaccent {...} {...}`
buildtextbottomcomma	`\buildtextbottomcomma {...}`
buildtextbottomdot	`\buildtextbottomdot {...}`
buildtextcedilla	`\buildtextcedilla {...}`
buildtextgrave	`\buildtextgrave {...}`
buildtextmacron	`\buildtextmacron {...}`
buildtextognek	`\buildtextognek {...}`
Camel	`\Camel {...}`
Cap	`\Cap {...}`
Caps	`\Caps {...}`
CONTEXT	`\CONTEXT`
ConTeXt	`\ConTeXt`
Context	`\Context`
ConvertConstantAfter	`\ConvertConstantAfter   \... {...} {...}`
ConvertToConstant	`\ConvertToConstant   \... {...} {...}`
calligrafico	`\calligrafico`
cambiaafontdeltesto	`\cambiaafontdeltesto [...]`
camel	`\camel {...}`
campi	`\campi [...] [...]`
cap	`\cap {...}`
capello	`\capello`
capoverso:instance	`\SECTION [...] {...}`

```
capoverso:instance:assignment                          \SECTION [..=..]
capoverso:instance:assignment:chapter                  \chapter [..=..]
capoverso:instance:assignment:part                     \part [..=..]
capoverso:instance:assignment:section                  \section [..=..]
capoverso:instance:assignment:subject                  \subject [..=..]
capoverso:instance:assignment:subsection               \subsection [..=..]
capoverso:instance:assignment:subsubject               \subsubject [..=..]
capoverso:instance:assignment:subsubsection            \subsubsection [..=..]
capoverso:instance:assignment:subsubsubject            \subsubsubject [..=..]
capoverso:instance:assignment:subsubsubsection         \subsubsubsection [..=..]
capoverso:instance:assignment:subsubsubsubject         \subsubsubsubject [..=..]
capoverso:instance:assignment:title                    \title [..=..]
capoverso:instance:chapter                             \chapter [...] {...}
capoverso:instance:ownnumber                           \SECTION [...] {...} {...}
capoverso:instance:ownnumber:chapter                   \chapter [...] {...} {...}
capoverso:instance:ownnumber:part                      \part [...] {...} {...}
capoverso:instance:ownnumber:section                   \section [...] {...} {...}
capoverso:instance:ownnumber:subject                   \subject [...] {...} {...}
capoverso:instance:ownnumber:subsection                \subsection [...] {...} {...}
capoverso:instance:ownnumber:subsubject                \subsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsection             \subsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubject             \subsubsubject [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsection          \subsubsubsection [...] {...} {...}
capoverso:instance:ownnumber:subsubsubsubject          \subsubsubsubject [...] {...} {...}
capoverso:instance:ownnumber:title                     \title [...] {...} {...}
capoverso:instance:part                                \part [...] {...}
capoverso:instance:section                             \section [...] {...}
capoverso:instance:subject                             \subject [...] {...}
capoverso:instance:subsection                          \subsection [...] {...}
capoverso:instance:subsubject                          \subsubject [...] {...}
capoverso:instance:subsubsection                       \subsubsection [...] {...}
capoverso:instance:subsubsubject                       \subsubsubject [...] {...}
capoverso:instance:subsubsubsection                    \subsubsubsection [...] {...}
capoverso:instance:subsubsubsubject                    \subsubsubsubject [...] {...}
capoverso:instance:title                               \title [...] {...}
casing                                                 \casing [...]    {...}
catcodetablename                                       \catcodetablename
cbox                                                   \cbox ...    {...}
centeraligned                                          \centeraligned    {...}
centerbox                                              \centerbox ...    {...}
centeredbox                                            \centeredbox ...    {...}
centeredlastline                                       \centeredlastline
centerednextbox                                        \centerednextbox ...     {...}
centerline                                             \centerline    {...}
centro                                                 \centro ...
characterkerning:example                               \CHARACTERKERNING [...] {...}
chardescription                                        \chardescription {...}
charwidthlanguage                                      \charwidthlanguage
checkcharacteralign                                    \checkcharacteralign    {...}
checkdelimiters                                        \checkdelimiters    {...}
checkedblank                                           \checkedblank [...]
checkedchar                                            \checkedchar {...} {...}
checkedfiller                                          \checkedfiller {...}
checkedstrippedcsname                                  \checkedstrippedcsname    \...
checkinjector                                          \checkinjector [...]
checknextindentation                                   \checknextindentation [...]
checknextinjector                                      \checknextinjector [...]
checkpage                                              \checkpage [...] [..=..]
checkparameters                                        \checkparameters [...]
checkpreviousinjector                                  \checkpreviousinjector [...]
checktwopassdata                                       \checktwopassdata {...}
checkvariables                                         \checkvariables [...] [..=..]
chemical                                               \chemical [...] [...] [...]
chemicalbottext                                        \chemicalbottext {...}
chemicalmidtext                                        \chemicalmidtext {...}
chemicalsymbol                                         \chemicalsymbol [...]
```

```
chemicaltext                                   \chemicaltext {...}
chemicaltoptext                                \chemicaltoptext {...}
chim                                           \chim {...} {...} {...}
chineseallnumerals                             \chineseallnumerals {...}
chinesecapnumerals                             \chinesecapnumerals {...}
chinesenumerals                                \chinesenumerals {...}
circondato                                     \circondato [..=..]   {...}
citation                                       \citation [..=..] [...]
citation:alternative                           \citation [...] [...]
citation:direct                                \citation {...}
citation:userdata                              \citation [..=..] [..=..]
cite                                           \cite [..=..] [...]
cite:alternative                               \cite [...] [...]
cite:direct                                    \cite {...}
cite:userdata                                  \cite [..=..] [..=..]
clap                                           \clap    {...}
classfont                                      \classfont {...} {...}
cldcommand                                     \cldcommand {...}
cldcontext                                     \cldcontext {...}
cldloadfile                                    \cldloadfile {...}
cldprocessfile                                 \cldprocessfile {...}
clearmarking                                   \clearmarking [...]
clip                                           \clip [..=..]    {...}
clippedoverlayimage                            \clippedoverlayimage {...}
clonacampo                                     \clonacampo [...] [...] [...] [...]
collect                                        \collect    {...}
collectedmath                                  \collectedmath
collectedtext                                  \collectedtext [..=..] [..=..] {...}    {...}
collectexpanded                                \collectexpanded    {...}
colonna                                        \colonna [...]
colorcomponents                                \colorcomponents {...}
colore                                         \colore [...]    {...}
colored                                        \colored [..=..]    {...}
colored:name                                   \colored [...]    {...}
coloregrigio                                   \coloregrigio [...]    {...}
coloronly                                      \coloronly [...]    {...}
columnbreak                                    \columnbreak [...]
columnsetspanwidth                             \columnsetspanwidth {...}
combinepages                                   \combinepages [...] [..=..]
commalistelement                               \commalistelement
commalistsentence                              \commalistsentence [...] [...]
commalistsize                                  \commalistsize
commento                                       \commento   (...,...)   (...,...) [..=..] {...}
commento:instance                              \COMMENT [...] [..=..] {...}
commento:instance:comment                      \comment [...] [..=..] {...}
comparedimension                               \comparedimension {...} {...}
comparedimensioneps                            \comparedimensioneps {...} {...}
completebtxrendering                           \completebtxrendering [...] [..=..]
completecombinedlist:instance                  \completoCOMBINEDLIST [..=..]
completecombinedlist:instance:content          \completocontent [..=..]
completelist                                   \completelist [...] [..=..]
completelistoffloats:instance                  \completelistofFLOATS [..=..]
completelistoffloats:instance:chemicals        \completelistofchemicals [..=..]
completelistoffloats:instance:figures          \completelistoffigures [..=..]
completelistoffloats:instance:graphics         \completelistofgraphics [..=..]
completelistoffloats:instance:intermezzi       \completelistofintermezzi [..=..]
completelistoffloats:instance:tables           \completelistoftables [..=..]
completelistofpublications                     \completelistofpublications [...] [..=..]
completelistofsorts                            \completelistofsorts [...] [..=..]
completelistofsorts:instance                   \completelistofSORTS [..=..]
completelistofsorts:instance:logos             \completelistoflogos [..=..]
completelistofsynonyms                         \completelistofsynonyms [...] [..=..]
completelistofsynonyms:instance                \completelistofSYNONYMS [..=..]
completelistofsynonyms:instance:abbreviations  \completelistofabbreviations [..=..]
completeregister                               \completeregister [...] [..=..]
completeregister:instance                      \completoREGISTER [..=..]
completeregister:instance:index                \completoindex [..=..]
complexorsimple                                \complexorsimple    \...
complexorsimpleempty                           \complexorsimpleempty    \...
complexorsimpleempty:argument                  \complexorsimpleempty {...}
complexorsimple:argument                       \complexorsimple {...}
componenet                                     \componenet [...]
```

```
componenet:string                        \componenet ...
composedcollector                        \composedcollector {...}
composedlayer                            \composedlayer {...}
compounddiscretionary                    \compounddiscretionary
compresult                               \compresult
confrontagruppocolori                    \confrontagruppocolori [...]
confrontatavolozza                       \confrontatavolozza [...]
constantdimen                            \constantdimen    \...
constantdimenargument                    \constantdimenargument    \...
constantemptyargument                    \constantemptyargument    \...
constantnumber                           \constantnumber    \...
constantnumberargument                   \constantnumberargument    \...
contentreference                         \contentreference [...] [..=..]    {...}
continuednumber                          \continuednumber {...}
continueifinputfile                      \continueifinputfile {...}
convertargument                          \convertargument ... \to    \...
convertcommand                           \convertcommand    \... \to    \...
convertedcounter                         \convertedcounter [...] [..=..]
converteddimen                           \converteddimen {...} {...}
convertedsubcounter                      \convertedsubcounter [...] [...] [..=..]
convertinumero                           \convertinumero {...} {...}
convertmonth                             \convertmonth {...}
convertvalue                             \convertvalue ... \to    \...
convertvboxtohbox                        \convertvboxtohbox
copiacampo                               \copiacampo [...] [...]
copyboxfromcache                         \copyboxfromcache {...} {...} ...
copylabeltext:instance                   \copyLABELtesto [...] [..=..]
copylabeltext:instance:btxlabel          \copybtxlabeltesto [...] [..=..]
copylabeltext:instance:head              \copyheadtesto [...] [..=..]
copylabeltext:instance:label             \copylabeltesto [...] [..=..]
copylabeltext:instance:mathlabel         \copymathlabeltesto [...] [..=..]
copylabeltext:instance:operator          \copyoperatortesto [...] [..=..]
copylabeltext:instance:prefix            \copyprefixtesto [...] [..=..]
copylabeltext:instance:suffix            \copysuffixtesto [...] [..=..]
copylabeltext:instance:taglabel          \copytaglabeltesto [...] [..=..]
copylabeltext:instance:unit              \copyunittesto [...] [..=..]
copypages                                \copypages [...] [..=..] [..=..]
copyparameters                           \copyparameters [...] [...] [...]
copyposition                             \copyposition {...} {...}
copysetups                               \copysetups [...] [...]
correggispaziobianco                     \correggispaziobianco    {...}
corsivo                                  \corsivo
corsivograssetto                         \corsivograssetto
countersubs                              \countersubs [...] [...]
counttoken                               \counttoken ... \in ... \to    \...
counttokens                              \counttokens ... \to    \...
cramped                                  \cramped    {...}
crampedclap                              \crampedclap    {...}
crampedllap                              \crampedllap    {...}
crampedrlap                              \crampedrlap    {...}
crlf                                     \crlf
crlfplaceholder                          \crlfplaceholder
ctop                                     \ctop ...    {...}
ctxcommand                               \ctxcommand {...}
ctxdirectcommand                         \ctxdirectcommand {...}
ctxdirectlua                             \ctxdirectlua {...}
ctxfunction                              \ctxfunction {...}
ctxfunctiondefinition:example            \CTXFUNCTIONDEFINITION
ctxfunction:example                      \CTXFUNCTION
ctxlatecommand                           \ctxlatecommand {...}
ctxlatelua                               \ctxlatelua {...}
ctxloadluafile                           \ctxloadluafile {...}
ctxlua                                   \ctxlua {...}
ctxluabuffer                             \ctxluabuffer [...]
ctxluacode                               \ctxluacode {...}
ctxreport                                \ctxreport {...}
ctxscanner:example                       \CTXSCANNER
ctxsprint                                \ctxsprint {...}
currentassignmentlistkey                 \currentassignmentlistkey
currentassignmentlistvalue               \currentassignmentlistvalue
currentbtxuservariable                   \currentbtxuservariable {...}
currentcommalistitem                     \currentcommalistitem
```

```
currentcomponent                        \currentcomponent
currentenvironment                      \currentenvironment
currentfeaturetest                      \currentfeaturetest
currentinterface                        \currentinterface
currentlabel:example                    \currentETICHETTA [...] {...}
currentlanguage                         \currentlanguage
currentlistentrydestinationattribute    \currentlistentrydestinationattribute
currentlistentrylimitedtext             \currentlistentrylimitedtext {...}
currentlistentrynumber                  \currentlistentrynumber
currentlistentrypagenumber              \currentlistentrypagenumber
currentlistentryreferenceattribute      \currentlistentryreferenceattribute {...}
currentlistentrytitle                   \currentlistentrytitle
currentlistentrytitlerendered           \currentlistentrytitlerendered
currentlistsymbol                       \currentlistsymbol
currentmainlanguage                     \currentmainlanguage
currentmessagetext                      \currentmessagetext
currentmoduleparameter                  \currentmoduleparameter {...}
currentoutputstream                     \currentoutputstream
currentproduct                          \currentproduct
currentproject                          \currentproject
currentregime                           \currentregime
currentregisterpageuserdata             \currentregisterpageuserdata {...}
currentresponses                        \currentresponses
currenttime                             \currenttime [...]
currentvalue                            \currentvalue
currentxtablecolumn                     \currentxtablecolumn
currentxtablerow                        \currentxtablerow
DAYLONG                                 \DAYLONG {...}
DAYSHORT                                 \DAYSHORT {...}
d                                       \d {...}
da                                      \da [...]
daqualcheparte                          \daqualcheparte {...} {...} [...]
data                                    \data [..=..] [...]
datadioggi                              \datadioggi [...]
datadioggi:name                         \datadioggi [...]
datasetvariable                         \datasetvariable {...} {...} {...}
data:name                               \data [..=..] [...]
daylong                                 \daylong {...}
dayoftheweek                            \dayoftheweek {...} {...} {...}
dayshort                                \dayshort {...}
dayspermonth                            \dayspermonth {...} {...}
decrement                               \decrement   \...
decrementcounter                        \decrementcounter [...] [...]
decrementedcounter                      \decrementedcounter [...]
decrementpagenumber                     \decrementpagenumber
decrementsubpagenumber                  \decrementsubpagenumber
decrementvalue                          \decrementvalue {...}
decrement:argument                      \decrement (...)
defaultinterface                        \defaultinterface
defaultobjectpage                       \defaultobjectpage
defaultobjectreference                  \defaultobjectreference
defcatcodecommand                       \defcatcodecommand   \... ... {...}
defconvertedargument                    \defconvertedargument   \... {...}
defconvertedcommand                     \defconvertedcommand   \...   \...
defconvertedvalue                       \defconvertedvalue   \... {...}
defineactivecharacter                   \defineactivecharacter ... {...}
defineadaptive                          \defineadaptive [...] [...] [..=..]
definealign                             \definealign [...] [...]
definealternativestyle                  \definealternativestyle [...] [...] [...]
defineanchor                            \defineanchor [...] [...] [..=..] [..=..]
defineattachment                        \defineattachment [...] [...] [..=..]
defineattribute                         \defineattribute [...] [...]
definebackground                        \definebackground [...] [...] [..=..]
definebar                               \definebar [...] [...] [..=..]
definebodyfontswitch                    \definebodyfontswitch [...] [...]
definebreakpoint                        \definebreakpoint [...] [...] [..=..]
definebreakpoints                       \definebreakpoints [...]
definebtx                               \definebtx [...] [...] [..=..]
definebtxdataset                        \definebtxdataset [...] [...] [..=..]
definebtxregister                       \definebtxregister [...] [...] [..=..]
definebtxrendering                      \definebtxrendering [...] [...] [..=..]
definebutton                            \definebutton [...] [...] [..=..]
```

```
definecapitals                          \definecapitals [...] [...] [..=..]
definecharacterkerning                  \definecharacterkerning [...] [...] [..=..]
definecharacterspacing                  \definecharacterspacing [...] [...]
definechemical                          \definechemical [...]    {...}
definechemicals                         \definechemicals [...] [...] [..=..]
definechemicalsymbol                    \definechemicalsymbol [...] [...]
definecollector                         \definecollector [...] [...] [..=..]
definecolumnbreak                       \definecolumnbreak [...] [...]
definecolumnsetarea                     \definecolumnsetarea [...] [...] [..=..]
definecolumnsetspan                     \definecolumnsetspan [...] [...] [..=..]
definecombination                       \definecombination [...] [...] [..=..]
definecomment                           \definecomment [...] [...] [..=..]
definecomplexorsimple                   \definecomplexorsimple   \...
definecomplexorsimpleempty              \definecomplexorsimpleempty   \...
definecomplexorsimpleempty:argument     \definecomplexorsimpleempty {...}
definecomplexorsimple:argument          \definecomplexorsimple {...}
defineconversionset                     \defineconversionset [...] [...] [...]
definecounter                           \definecounter [...] [...] [..=..]
definedataset                           \definedataset [...] [...] [..=..]
definedate                              \definedate [...] [...]
definedelimitedtext                     \definedelimitedtext [...] [...] [..=..]
definedfont                             \definedfont [...]
definedocument                          \definedocument [...] [...] [..=..]
defineeffect                            \defineeffect [...] [...] [..=..]
defineexpandable                        \defineexpandable [...]   \...   {...}
defineexpansion                         \defineexpansion [...] [...] [..=..]
defineexternalfigure                    \defineexternalfigure [...] [...] [..=..]
definefacingfloat                       \definefacingfloat [...] [...] [..=..]
definefallbackfamily                    \definefallbackfamily [...] [...] [...] [..=..]
definefallbackfamily:preset             \definefallbackfamily [...] [...] [...] [...]
definefieldbody                         \definefieldbody [...] [...] [..=..]
definefieldbodyset                      \definefieldbodyset [...] [...]
definefieldcategory                     \definefieldcategory [...] [...] [..=..]
definefileconstant                      \definefileconstant {...} {...}
definefilefallback                      \definefilefallback [...] [...]
definefilesynonym                       \definefilesynonym [...] [...]
definefiller                            \definefiller [...] [...] [..=..]
definefirstline                         \definefirstline [...] [...] [..=..]
definefittingpage                       \definefittingpage [...] [...] [..=..]
definefontalternative                   \definefontalternative [...]
definefontfallback                      \definefontfallback [...] [...] [...] [..=..]
definefontfamily                        \definefontfamily [...] [...] [...] [..=..]
definefontfamilypreset                  \definefontfamilypreset [...] [..=..]
definefontfamilypreset:name             \definefontfamilypreset [...] [...]
definefontfamily:preset                 \definefontfamily [...] [...] [...] [...]
definefontfeature                       \definefontfeature [...] [...] [..=..]
definefontfile                          \definefontfile [...] [...] [..=..]
definefontsize                          \definefontsize [...]
definefontsolution                      \definefontsolution [...] [...] [..=..]
defineformula                           \defineformula [...] [...] [..=..]
defineformulaalternative                \defineformulaalternative [...] [...] [...]
defineformulaframed                     \defineformulaframed [...] [...] [..=..]
defineframedcontent                     \defineframedcontent [...] [...] [..=..]
defineframedtable                       \defineframedtable [...] [...]
definefrozenfont                        \definefrozenfont [...] [...]
defineglobalcolor                       \defineglobalcolor [...] [..=..]
defineglobalcolor:name                  \defineglobalcolor [...] [...]
definegraphictypesynonym                \definegraphictypesynonym [...] [...]
definegridsnapping                      \definegridsnapping [...] [...]
defineheadalternative                   \defineheadalternative [...] [...] [..=..]
definehelp                              \definehelp [...] [...] [..=..]
definehigh                              \definehigh [...] [...] [..=..]
definehighlight                         \definehighlight [...] [...] [..=..]
definehspace                            \definehspace [...] [...] [...]
definehyphenationfeatures               \definehyphenationfeatures [...] [..=..]
defineindentedtext                      \defineindentedtext [...] [...] [..=..]
defineindenting                         \defineindenting [...] [...]
defineinitial                           \defineinitial [...] [...] [..=..]
defineinsertion                         \defineinsertion [...] [...] [..=..]
defineinteraction                       \defineinteraction [...] [...] [..=..]
defineinteractionbar                    \defineinteractionbar [...] [...] [..=..]
defineinterfaceconstant                 \defineinterfaceconstant {...} {...}
```

```
defineinterfaceelement          \defineinterfaceelement {...} {...}
defineinterfacevariable         \defineinterfacevariable {...} {...}
defineinterlinespace            \defineinterlinespace [...] [...] [..=..]
defineintermediatecolor         \defineintermediatecolor [...] [...] [..=..]
defineitemgroup                 \defineitemgroup [...] [...] [..=..]
defineitems                     \defineitems [...] [...] [..=..]
definelabelclass                \definelabelclass [...] [...]
definelayer                     \definelayer [...] [...] [..=..]
definelayerpreset               \definelayerpreset [...] [..=..]
definelayerpreset:name          \definelayerpreset [...] [...]
definelinefiller                \definelinefiller [...] [...] [..=..]
definelinenote                  \definelinenote [...] [...] [..=..]
definelinenumbering             \definelinenumbering [...] [...] [..=..]
definelineprofile               \definelineprofile [...] [...] [..=..]
definelines                     \definelines [...] [...] [..=..]
definelistalternative           \definelistalternative [...] [...] [..=..]
definelistextra                 \definelistextra [...] [...] [..=..]
definelocalboxes                \definelocalboxes [...] [...] [..=..]
definelow                       \definelow [...] [...] [..=..]
definelowhigh                   \definelowhigh [...] [...] [..=..]
definelowmidhigh                \definelowmidhigh [...] [...] [..=..]
defineMPinstance                \defineMPinstance [...] [...] [..=..]
definemarginblock               \definemarginblock [...] [...] [..=..]
definemargindata                \definemargindata [...] [...] [..=..]
definemarker                    \definemarker [...]
definemathaccent                \definemathaccent [...] [...] [..=..]
definemathalignment             \definemathalignment [...] [...] [..=..]
definemathbottomaccent          \definemathbottomaccent [...] [...] [...]
definemathcases                 \definemathcases [...] [...] [..=..]
definemathcommand               \definemathcommand [...] [...] {...}
definemathcommand:mathclass     \definemathcommand [...] [...] [...] {...}
definemathcommand:one           \definemathcommand [...] [...] [...] {...}
definemathcommand:two           \definemathcommand [...] [...] [...] {...}
definemathdelimited             \definemathdelimited [...] [...] [..=..]
definemathdelimiter             \definemathdelimiter [...] [...] [..=..]
definemathdouble                \definemathdouble [...] [..=..] [...] [...] [...]
definemathdoubleaccent          \definemathdoubleaccent [...] [...] [...] [...]
definemathdoubleextensible      \definemathdoubleextensible [...] [...] [...] [...]
definemathematics               \definemathematics [...] [...] [..=..]
definemathextensible            \definemathextensible [...] [...] [...]
definemathfence                 \definemathfence [...] [...] [..=..]
definemathfraction              \definemathfraction [...] [...] [..=..]
definemathframed                \definemathframed [...] [...] [..=..]
definemathfunction              \definemathfunction [...] [...] [..=..]
definemathmatrix                \definemathmatrix [...] [...] [..=..]
definemathnesting               \definemathnesting [...] [...] [..=..]
definemathoperator              \definemathoperator [...] [...] [..=..]
definemathornament              \definemathornament [...] [...] [..=..]
definemathover                  \definemathover [...] [...] [...]
definemathoverextensible        \definemathoverextensible [...] [...] [...]
definemathovertextextensible    \definemathovertextextensible [...] [...] [...]
definemathradical               \definemathradical [...] [...] [..=..]
definemathsimplealign           \definemathsimplealign [...] [...] [..=..]
definemathstackers              \definemathstackers [...] [...] [..=..]
definemathstyle                 \definemathstyle [...] [...]
definemathtopaccent             \definemathtopaccent [...] [...] [...]
definemathtriplet               \definemathtriplet [...] [...] [...]
definemathunder                 \definemathunder [...] [...] [...]
definemathunderextensible       \definemathunderextensible [...] [...] [...]
definemathundertextextensible   \definemathundertextextensible [...] [...] [...]
definemathunstacked             \definemathunstacked [...] [...] [...]
definemeasure                   \definemeasure [...] [...]
definemessageconstant           \definemessageconstant {...}
definemixedcolumns              \definemixedcolumns [...] [...] [..=..]
definemode                      \definemode [...] [...]
definemulticolumns              \definemulticolumns [...] [...] [..=..]
definemultitonecolor            \definemultitonecolor [...] [..=..] [..=..] [..=..]
definenamedcolor                \definenamedcolor [...] [..=..]
definenamedcolor:name           \definenamedcolor [...] [...]
definenamespace                 \definenamespace [...] [..=..]
definenarrower                  \definenarrower [...] [...] [..=..]
definenote                      \definenote [...] [...] [..=..]
```

```
defineoptimize                    \defineoptimize [...] [...] [..=..]
defineorientation                 \defineorientation [...] [...] [..=..]
defineornament:collector          \defineornament [...] [..=..] [..=..]
defineornament:layer              \defineornament [...] [..=..] [..=..]
defineoutputroutine               \defineoutputroutine [...] [...] [..=..]
defineoutputroutinecommand        \defineoutputroutinecommand [...]
definepage                        \definepage [...] [...]
definepagebreak                   \definepagebreak [...] [...]
definepagechecker                 \definepagechecker [...] [...] [..=..]
definepagecolumns                 \definepagecolumns [...] [...] [..=..]
definepageinjection               \definepageinjection [...] [...] [..=..]
definepageinjectionalternative    \definepageinjectionalternative [...] [...] [..=..]
definepageshift                   \definepageshift [...] [...] [...]
definepagestate                   \definepagestate [...] [...] [..=..]
definepairedbox                   \definepairedbox [...] [...] [..=..]
defineparagraph                   \defineparagraph [...] [...] [..=..]
defineparallel                    \defineparallel [...] [...]
defineparbuilder                  \defineparbuilder [...]
defineperiodkerning               \defineperiodkerning [...] [...] [..=..]
defineplaceholder                 \defineplaceholder [...] [...] [..=..]
defineplacement                   \defineplacement [...] [...] [..=..]
definepositioning                 \definepositioning [...] [...] [..=..]
defineprefixset                   \defineprefixset [...] [...] [...]
defineprocesscolor                \defineprocesscolor [...] [...] [..=..]
defineprocessor                   \defineprocessor [...] [...] [..=..]
definepushbutton                  \definepushbutton [...] [..=..]
definepushsymbol                  \definepushsymbol [...] [...]
definerenderingwindow             \definerenderingwindow [...] [...] [..=..]
defineresetset                    \defineresetset [...] [...] [...]
defineruby                        \defineruby [...] [...] [..=..]
definescale                       \definescale [...] [...] [..=..]
definescript                      \definescript [...] [...] [..=..]
definesectionlevels               \definesectionlevels [...] [...]
defineselector                    \defineselector [...] [..=..]
defineseparatorset                \defineseparatorset [...] [...] [...]
defineshift                       \defineshift [...] [...] [..=..]
definesidebar                     \definesidebar [...] [...] [..=..]
definesort                        \definesort [...] [...] [...]    {...}
definespotcolor                   \definespotcolor [...] [...] [..=..]
definestacking                    \definestacking [...] [...] [..=..]
definestyleinstance               \definestyleinstance [...] [...] [...] [...]
definesubformula                  \definesubformula [...] [...] [..=..]
definesynchronize                 \definesynchronize [...] [...] [..=..]
definesynchronizecontent          \definesynchronizecontent [...] [...] [..=..]
definesynonym                     \definesynonym [...] [...] [...] [...] {...}    {...}
definesystemattribute             \definesystemattribute [...] [...]
definesystemconstant              \definesystemconstant {...}
definesystemvariable              \definesystemvariable {...}
defineTABLEsetup                  \defineTABLEsetup [...] [..=..]
definetabulatemove                \definetabulatemove [...] [...] [..=..]
definetextbackground              \definetextbackground [...] [...] [..=..]
definetextdisplay                 \definetextdisplay [...] [...] [..=..]
definetextflow                    \definetextflow [...] [...] [..=..]
definetextnote                    \definetextnote [...] [...] [..=..]
definetokenlist                   \definetokenlist [...]
definetooltip                     \definetooltip [...] [...] [..=..]
definetransparency:1              \definetransparency [...] [...]
definetransparency:2              \definetransparency [...] [..=..]
definetransparency:3              \definetransparency [...] [...]
definetwopasslist                 \definetwopasslist {...}
definetypeface                    \definetypeface [...] [...] [...] [...] [...] [..=..]
definetypescriptprefix            \definetypescriptprefix [...] [...]
definetypescriptsynonym           \definetypescriptsynonym [...] [...]
definetypesetting                 \definetypesetting [...] [...] [..=..]
defineunit                        \defineunit [...] [...] [..=..]
defineuserdata                    \defineuserdata [...] [...] [..=..]
defineuserdataalternative         \defineuserdataalternative [...] [...] [..=..]
defineviewerlayer                 \defineviewerlayer [...] [...] [..=..]
definevspace                      \definevspace [...] [...] [...]
definevspacing                    \definevspacing [...] [...]
definevspacingamount              \definevspacingamount [...] [...] [...]
definextable                      \definextable [...] [...] [..=..]
```

11

```
definisci                              \definisci [...]  \...   {...}
definisciaccento                       \definisciaccento ... ... ...
definisciambientefontdeltesto          \definisciambientefontdeltesto [...] [...] [..=..]
definisciblocco                        \definisciblocco [...] [...] [..=..]
definiscibloccosezione                 \definiscibloccosezione [...] [...] [..=..]
definiscibuffer                        \definiscibuffer [...] [...] [..=..]
definiscicampo                         \definiscicampo [...] [...] [...] [...] [...]
definiscicapoversi                     \definiscicapoversi [...] [...] [..=..]
definiscicarattere                     \definiscicarattere ... ...
definiscicolore                        \definiscicolore [...] [..=..]
definiscicolore:name                   \definiscicolore [...] [...]
definiscicomando                       \definiscicomando ... ...
definisciconversione                   \definisciconversione [...] [...] [...]
definisciconversione:list              \definisciconversione [...] [...] [...]
definiscidescrizione                   \definiscidescrizione [...] [...] [..=..]
definiscidimensionicarta               \definiscidimensionicarta [...] [..=..]
definiscidimensionicarta:name          \definiscidimensionicarta [...] [...] [...]
definiscielenco                        \definiscielenco [...] [...] [..=..]
definiscielencocombinato               \definiscielencocombinato [...] [...] [..=..]
definiscienumerazione                  \definiscienumerazione [...] [...] [..=..]
definiscietichetta                     \definiscietichetta [...] [...] [..=..]
definiscifigurasimbolo                 \definiscifigurasimbolo [...] [...] [..=..]
definiscifont                          \definiscifont [...] [...] [..=..]
definiscifontdeltesto                  \definiscifontdeltesto [...] [...] [...] [..=..]
definiscifontdeltesto:argument         \definiscifontdeltesto [...] [...] [...] [...]
definiscifont:argument                 \definiscifont [...] [...] [...]
definisciformatoriferimento            \definisciformatoriferimento [...] [...] [..=..]
definiscigruppocolonne                 \definiscigruppocolonne [...] [...] [..=..]
definiscigruppocolori                  \definiscigruppocolori [...] [...]   [x:y:z,..]
definiscihbox                          \definiscihbox [...] [...]
definisciincorniciato                  \definisciincorniciato [...] [...] [..=..]
definisciiniziatermina                 \definisciiniziatermina [...] [...] [..=..]
definiscilayout                        \definiscilayout [...] [...] [..=..]
definiscimakeup                        \definiscimakeup [...] [...] [..=..]
definiscimarcatura                     \definiscimarcatura [...] [...] [..=..]
definiscimenuinterazione               \definiscimenuinterazione [...] [...] [..=..]
definiscimodellotabella                \definiscimodellotabella [...]   [|...|] [...] [...]
definiscioggettomobile                 \definiscioggettomobile [...] [...] [..=..]
definiscioggettomobile:name            \definiscioggettomobile [...] [...] [...]
definisciordinamento                   \definisciordinamento [...] [...] [...]
definisciprofilo                       \definisciprofilo [...] [...] [..=..]
definisciprogramma                     \definisciprogramma [...] [...] [...]
definisciregistro                      \definisciregistro [...] [...] [..=..]
definisciriferimento                   \definisciriferimento [...] [...]
definiscisezione                       \definiscisezione [...]
definiscisimbolo                       \definiscisimbolo [...] [...] [...]
definiscisinonimi                      \definiscisinonimi [...] [...] [...] [...]
definiscisinonimofont                  \definiscisinonimofont [...] [...] [..=..]
definiscisottocampo                    \definiscisottocampo [...] [...] [...]
definiscisovrapposizione               \definiscisovrapposizione [...] [...] [...]
definiscistackcampi                    \definiscistackcampi [...] [...] [..=..]
definiscistile                         \definiscistile [...] [...] [..=..]
definiscistilefont                     \definiscistilefont [...] [...]
definiscitabulato                      \definiscitabulato [...] [...]   [|...|]
definiscitavolozza                     \definiscitavolozza [...] [..=..]    OPT
definiscitavolozza:name                \definiscitavolozza [...] [...]
definiscitesta                         \definiscitesta [...] [...] [..=..]
definiscitesto                         \definiscitesto [...] [...] [...] [...] [...] [...] [...]
definiscitestoincorniciato             \definiscitestoincorniciato [...] [...] [..=..]
definiscitype                          \definiscitype [...] [...] [..=..]
definiscityping                        \definiscityping [...] [...] [..=..]
defrostparagraphproperties             \defrostparagraphproperties
delimited                              \delimited [...] [...]   {...}
delimitedtext                          \delimitedtext [...] [...]   {...}
delimitedtext:instance                 \DELIMITEDTEXT [...]   {...}
delimitedtext:instance:aside           \aside [...]   {...}
delimitedtext:instance:blockquote      \blockquote [...]   {...}
delimitedtext:instance:quotation       \quotation [...]   {...}
delimitedtext:instance:quote           \quote [...]   {...}
delimitedtext:instance:speech          \speech [...]   {...}
depthlinebottom                        \depthlinebottom
depthofstring                          \depthofstring {...}
```

12

```
depthonlybox                      \depthonlybox   {...}
depthspanningtext                 \depthspanningtext {...} {...} {...}
depthstrut                        \depthstrut
descrizione:example               \DESCRIZIONE [...] {...} ... \par
destra                            \destra ...
determinacaratteristicheregistro  \determinacaratteristicheregistro [...] [..=..]
determinacarattersticheelenco     \determinacarattersticheelenco [...] [..=..]
determinanumerotesta              \determinanumerotesta [...]
determinednoflines                \determinednoflines   {...}
determinenoflines                 \determinenoflines   {...}
devanagarinumerals                \devanagarinumerals {...}
digits                            \digits {...}
digits:string                     \digits ...
dimensiontocount                  \dimensiontocount {...}   \...
directboxfromcache                \directboxfromcache {...} {...}
directcolor                       \directcolor [...]
directcolored                     \directcolored [..=..]
directcolored:name                \directcolored [...]
directconvertedcounter            \directconvertedcounter {...} {...}
directcopyboxfromcache            \directcopyboxfromcache {...} {...}
directdummyparameter              \directdummyparameter {...}
directgetboxllx                   \directgetboxllx ...
directgetboxlly                   \directgetboxlly ...
directhighlight                   \directhighlight {...} {...}
directlocalframed                 \directlocalframed [...]   {...}
directluacode                     \directluacode {...}
directmathextensible              \directmathextensible [...] {...} {...} {...}
directparwrapper                  \directparwrapper   {...}   {...}
directselect                      \directselect {...}   {...}   {...}   {...}   {...}   {...}
directsetbar                      \directsetbar {...}       OPT       OPT       OPT       OPT       OPT
directsetup                       \directsetup {...}
directsymbol                      \directsymbol {...} {...}
directtextextensible              \directtextextensible [...] {...} {...} {...}
directvspacing                    \directvspacing {...}
dis                               \dis   {...}
disabledelimiter                  \disabledelimiter
disabledirectives                 \disabledirectives [...]
disableexperiments                \disableexperiments [...]
disablefiller                     \disablefiller
disablemode                       \disablemode [...]
disableoutputstream               \disableoutputstream
disableparpositions               \disableparpositions
disableregime                     \disableregime
disabletrackers                   \disabletrackers [...]
displaymath                       \displaymath   {...}
displaymathematics                \displaymathematics   {...}
displaymessage                    \displaymessage {...}
disposeluatable                   \disposeluatable   \...
distributedhsize                  \distributedhsize {...} {...} {...}
dividedsize                       \dividedsize {...} {...} {...}
dm                                \dm   {...}
doadaptleftskip                   \doadaptleftskip {...}
doadaptrightskip                  \doadaptrightskip {...}
doaddfeature                      \doaddfeature {...}
doassign                          \doassign [...] [..=..]
doassignempty                     \doassignempty [...] [..=..]
doboundtext                       \doboundtext {...} {...} {...}
docheckassignment                 \docheckassignment {...}
docheckedpair                     \docheckedpair {...}
documentvariable                  \documentvariable {...}
dodoubleargument                  \dodoubleargument   \... [...] [...]
dodoubleargumentwithset           \dodoubleargumentwithset   \... [...] [...]
dodoubleempty                     \dodoubleempty   \... [...] [...]
dodoubleemptywithset              \dodoubleemptywithset   \... [...] [...]
dodoublegroupempty                \dodoublegroupempty   \... {...} {...}
doeassign                         \doeassign [...] [..=..]
doexpandedrecurse                 \doexpandedrecurse {...} {...}
doexpandedrecursed                \doexpandedrecursed {...} {...}
dofastloopcs                      \dofastloopcs {...}   \...
dogetattribute                    \dogetattribute {...}
dogetattributeid                  \dogetattributeid {...}
dogetcommacommandelement          \dogetcommacommandelement ... \from ... \to   \...
```

```
dogobbledoubleempty                          \dogobbledoubleempty [...] [...]
dogobblesingleempty                          \dogobblesingleempty [...]
dohyphens                                     \dohyphens
doif                                          \doif   {...}   {...} {...}
doifallcommon                                 \doifallcommon {...} {...} {...}
doifallcommonelse                             \doifallcommonelse {...} {...} {...} {...}
doifalldefinedelse                            \doifalldefinedelse {...} {...} {...}
doifallmodes                                  \doifallmodes {...} {...}
doifallmodeselse                              \doifallmodeselse {...} {...} {...}
doifallundefinedelse                          \doifallundefinedelse {...} {...} {...}
doifassignmentelse                            \doifassignmentelse {...} {...} {...}
doifassignmentelsecs                          \doifassignmentelsecs {...}   \...   \...
doifblackelse                                 \doifblackelse {...} {...} {...}
doifbothsides                                 \doifbothsides {...} {...} {...}
doifbothsidesoverruled                        \doifbothsidesoverruled {...} {...} {...}
doifboxelse                                   \doifboxelse {...} {...} {...} {...}
doifbufferelse                                \doifbufferelse {...} {...} {...}
doifcheckedpagestate                          \doifcheckedpagestate {...} {...} {...} {...} {...} {...} {...}
doifcolor                                     \doifcolor {...} {...}
doifcolorelse                                 \doifcolorelse {...} {...} {...}
doifcommandhandler                            \doifcommandhandler   \... {...} {...}
doifcommandhandlerelse                        \doifcommandhandlerelse   \... {...} {...} {...}
doifcommon                                    \doifcommon {...} {...} {...}
doifcommonelse                                \doifcommonelse {...} {...} {...} {...}
doifcontent                                   \doifcontent {...} {...} {...}   \...   {...}
doifconversiondefinedelse                     \doifconversiondefinedelse {...} {...} {...}
doifconversionnumberelse                      \doifconversionnumberelse {...} {...} {...} {...}
doifcounter                                   \doifcounter {...} {...}
doifcounterelse                               \doifcounterelse {...} {...} {...}
doifcurrentfonthasfeatureelse                 \doifcurrentfonthasfeatureelse {...} {...} {...}
doifdefined                                   \doifdefined {...} {...}
doifdefinedcounter                            \doifdefinedcounter {...} {...}
doifdefinedcounterelse                        \doifdefinedcounterelse {...} {...} {...}
doifdefinedelse                               \doifdefinedelse {...} {...} {...}
doifdimensionelse                             \doifdimensionelse {...} {...} {...}
doifdimenstringelse                           \doifdimenstringelse {...} {...} {...}
doifdocumentargument                          \doifdocumentargument {...} {...}
doifdocumentargumentelse                      \doifdocumentargumentelse {...} {...} {...}
doifdocumentfilename                          \doifdocumentfilename {...} {...}
doifdocumentfilenameelse                      \doifdocumentfilenameelse {...} {...} {...}
doifdocumentvariable                          \doifdocumentvariable {...} {...}
doifdocumentvariableelse                      \doifdocumentvariableelse {...} {...} {...}
doifdrawingblackelse                          \doifdrawingblackelse {...} {...}
doifelse                                      \doifelse   {...}   {...} {...} {...}
doifelseallcommon                             \doifelseallcommon {...} {...} {...} {...}
doifelsealldefined                            \doifelsealldefined {...} {...} {...}
doifelseallmodes                              \doifelseallmodes {...} {...} {...}
doifelseallundefined                          \doifelseallundefined {...} {...} {...}
doifelseassignment                            \doifelseassignment {...} {...} {...}
doifelseassignmentcs                          \doifelseassignmentcs {...}   \...   \...
doifelseblack                                 \doifelseblack {...} {...} {...}
doifelseblocksempty                           \doifelseblocksempty {...} {...} {...} {...} {...}
doifelsebox                                   \doifelsebox {...} {...} {...} {...}
doifelseboxincache                            \doifelseboxincache {...} {...} {...} {...}
doifelsebuffer                                \doifelsebuffer {...} {...} {...}
doifelsecolor                                 \doifelsecolor {...} {...} {...}
doifelsecommandhandler                        \doifelsecommandhandler   \... {...} {...} {...}
doifelsecommon                                \doifelsecommon {...} {...} {...} {...}
doifelseconversiondefined                     \doifelseconversiondefined {...} {...} {...}
doifelseconversionnumber                      \doifelseconversionnumber {...} {...} {...} {...}
doifelsecounter                               \doifelsecounter {...} {...} {...}
doifelsecurrentfonthasfeature                 \doifelsecurrentfonthasfeature {...} {...} {...}
doifelsecurrentsortingused                    \doifelsecurrentsortingused {...} {...}
doifelsecurrentsynonymshown                   \doifelsecurrentsynonymshown {...} {...}
doifelsecurrentsynonymused                    \doifelsecurrentsynonymused {...} {...}
doifelsedefined                               \doifelsedefined {...} {...} {...}
doifelsedefinedcounter                        \doifelsedefinedcounter {...} {...} {...}
doifelsedimension                             \doifelsedimension {...} {...} {...}
doifelsedimenstring                           \doifelsedimenstring {...} {...} {...}
doifelsedocumentargument                      \doifelsedocumentargument {...} {...} {...}
doifelsedocumentfilename                      \doifelsedocumentfilename {...} {...} {...}
doifelsedocumentvariable                      \doifelsedocumentvariable {...} {...} {...}
```

doifelsedrawingblack	`\doifelsedrawingblack {...} {...}`
doifelseempty	`\doifelseempty   {...} {...} {...}`
doifelseemptyvalue	`\doifelseemptyvalue {...} {...} {...}`
doifelseemptyvariable	`\doifelseemptyvariable {...} {...} {...} {...}`
doifelseenv	`\doifelseenv {...} {...} {...}`
doifelsefastoptionalcheck	`\doifelsefastoptionalcheck {...} {...}`
doifelsefastoptionalcheckcs	`\doifelsefastoptionalcheckcs   \...   \...`
doifelsefieldbody	`\doifelsefieldbody {...} {...} {...}`
doifelsefieldcategory	`\doifelsefieldcategory {...} {...} {...}`
doifelsefigure	`\doifelsefigure {...} {...} {...}`
doifelsefile	`\doifelsefile {...} {...} {...}`
doifelsefiledefined	`\doifelsefiledefined {...} {...} {...}`
doifelsefileexists	`\doifelsefileexists {...} {...} {...}`
doifelsefirstchar	`\doifelsefirstchar {...} {...} {...} {...}`
doifelseflagged	`\doifelseflagged {...} {...} {...}`
doifelsefontchar	`\doifelsefontchar {...} {...} {...} {...}`
doifelsefontfeature	`\doifelsefontfeature {...} {...} {...}`
doifelsefontpresent	`\doifelsefontpresent {...} {...} {...}`
doifelsefontsynonym	`\doifelsefontsynonym {...} {...} {...}`
doifelseframed	`\doifelseframed   \... {...} {...}`
doifelsehasspace	`\doifelsehasspace {...} {...} {...}`
doifelsehelp	`\doifelsehelp {...} {...}`
doifelseincsname	`\doifelseincsname {...} {...} {...} {...}`
doifelseindented	`\doifelseindented {...} {...}`
doifelseinelement	`\doifelseinelement {...} {...} {...}`
doifelseinputfile	`\doifelseinputfile {...} {...} {...}`
doifelseinsertion	`\doifelseinsertion {...} {...} {...}`
doifelseinset	`\doifelseinset {...} {...} {...} {...}`
doifelseinstring	`\doifelseinstring {...} {...} {...} {...}`
doifelseinsymbolset	`\doifelseinsymbolset {...} {...} {...} {...}`
doifelseintoks	`\doifelseintoks {...} {...} {...} {...}`
doifelseintwopassdata	`\doifelseintwopassdata {...} {...} {...} {...}`
doifelseitalic	`\doifelseitalic {...} {...}`
doifelselanguage	`\doifelselanguage {...} {...} {...}`
doifelselayerdata	`\doifelselayerdata {...} {...} {...}`
doifelselayoutdefined	`\doifelselayoutdefined {...} {...} {...}`
doifelselayoutsomeline	`\doifelselayoutsomeline {...} {...} {...}`
doifelselayouttextline	`\doifelselayouttextline {...} {...} {...}`
doifelseleapyear	`\doifelseleapyear {...} {...} {...}`
doifelselist	`\doifelselist {...} {...} {...}`
doifelselocation	`\doifelselocation {...} {...}`
doifelselocfile	`\doifelselocfile {...} {...} {...}`
doifelseMPgraphic	`\doifelseMPgraphic {...} {...} {...}`
doifelsemainfloatbody	`\doifelsemainfloatbody {...} {...}`
doifelsemarkedcontent	`\doifelsemarkedcontent {...} {...} {...}`
doifelsemarkedpage	`\doifelsemarkedpage {...} {...} {...}`
doifelsemarking	`\doifelsemarking {...} {...} {...}`
doifelsemessage	`\doifelsemessage {...} {...} {...} {...}`
doifelsemode	`\doifelsemode {...} {...} {...}`
doifelsenextbgroup	`\doifelsenextbgroup {...} {...}`
doifelsenextbgroupcs	`\doifelsenextbgroupcs   \...   \...`
doifelsenextchar	`\doifelsenextchar {...} {...} {...}`
doifelsenextoptional	`\doifelsenextoptional {...} {...}`
doifelsenextoptionalcs	`\doifelsenextoptionalcs   \...   \...`
doifelsenextparenthesis	`\doifelsenextparenthesis {...} {...}`
doifelsenonzeropositive	`\doifelsenonzeropositive {...} {...} {...}`
doifelsenoteonsamepage	`\doifelsenoteonsamepage {...} {...} {...}`
doifelsenothing	`\doifelsenothing {...} {...} {...}`
doifelsenumber	`\doifelsenumber {...} {...} {...}`
doifelseobjectfound	`\doifelseobjectfound {...} {...} {...} {...}`
doifelseobjectreferencefound	`\doifelseobjectreferencefound {...} {...} {...} {...}`
doifelseoddpage	`\doifelseoddpage {...} {...}`
doifelseoddpagefloat	`\doifelseoddpagefloat {...} {...}`
doifelseoldercontext	`\doifelseoldercontext {...} {...} {...}`
doifelseolderversion	`\doifelseolderversion {...} {...} {...} {...}`
doifelseorientation	`\doifelseorientation {...} {...} {...}`
doifelseoverlapping	`\doifelseoverlapping {...} {...} {...} {...}`
doifelseoverlay	`\doifelseoverlay {...} {...} {...}`
doifelseparallel	`\doifelseparallel {...} {...} {...} {...}`
doifelseparentfile	`\doifelseparentfile {...} {...} {...}`
doifelseparwrapper	`\doifelseparwrapper {...} {...} {...}`
doifelsepath	`\doifelsepath {...} {...} {...}`

doifelsepathexists	`\doifelsepathexists {...} {...} {...}`
doifelsepatterns	`\doifelsepatterns {...} {...} {...}`
doifelseposition	`\doifelseposition {...} {...} {...}`
doifelsepositionaction	`\doifelsepositionaction {...} {...} {...}`
doifelsepositiononpage	`\doifelsepositiononpage {...} {...} {...} {...}`
doifelsepositionsonsamepage	`\doifelsepositionsonsamepage {...} {...} {...}`
doifelsepositionsonthispage	`\doifelsepositionsonthispage {...} {...} {...}`
doifelsepositionsused	`\doifelsepositionsused {...} {...}`
doifelsereferencefound	`\doifelsereferencefound {...} {...} {...}`
doifelserightpage	`\doifelserightpage {...} {...}`
doifelserightpagefloat	`\doifelserightpagefloat {...} {...}`
doifelserighttoleftinbox	`\doifelserighttoleftinbox ... {...} {...}`
doifelsesamelinereference	`\doifelsesamelinereference {...} {...} {...}`
doifelsesamestring	`\doifelsesamestring {...} {...} {...} {...}`
doifelsesetups	`\doifelsesetups {...} {...} {...}`
doifelsesimilartokens	`\doifelsesimilartokens {...} {...} {...} {...}`
doifelsesomebackground	`\doifelsesomebackground {...} {...} {...}`
doifelsesomespace	`\doifelsesomespace {...} {...} {...}`
doifelsesomething	`\doifelsesomething {...} {...} {...}`
doifelsesometoks	`\doifelsesometoks    \... {...} {...}`
doifelsestringinstring	`\doifelsestringinstring {...} {...} {...} {...}`
doifelsestructurelisthasnumber	`\doifelsestructurelisthasnumber {...} {...}`
doifelsestructurelisthaspage	`\doifelsestructurelisthaspage {...} {...}`
doifelsesymboldefined	`\doifelsesymboldefined {...} {...} {...}`
doifelsesymbolset	`\doifelsesymbolset {...} {...} {...}`
doifelsetext	`\doifelsetext {...} {...} {...}`
doifelsetextflow	`\doifelsetextflow {...} {...} {...}`
doifelsetextflowcollector	`\doifelsetextflowcollector {...} {...} {...}`
doifelsetopofpage	`\doifelsetopofpage {...} {...}`
doifelsetypingfile	`\doifelsetypingfile {...} {...} {...}`
doifelseundefined	`\doifelseundefined {...} {...} {...}`
doifelseurldefined	`\doifelseurldefined {...} {...} {...}`
doifelsevalue	`\doifelsevalue {...} {...} {...} {...}`
doifelsevaluenothing	`\doifelsevaluenothing {...} {...} {...}`
doifelsevariable	`\doifelsevariable {...} {...} {...} {...}`
doifempty	`\doifempty   {...} {...}`
doifemptyelse	`\doifemptyelse   {...} {...} {...}`
doifemptytoks	`\doifemptytoks   \... {...}`
doifemptyvalue	`\doifemptyvalue {...} {...}`
doifemptyvalueelse	`\doifemptyvalueelse {...} {...} {...}`
doifemptyvariable	`\doifemptyvariable {...} {...} {...}`
doifemptyvariableelse	`\doifemptyvariableelse {...} {...} {...} {...}`
doifenv	`\doifenv {...} {...}`
doifenvelse	`\doifenvelse {...} {...} {...}`
doiffastoptionalcheckcselse	`\doiffastoptionalcheckcselse   \...    \...`
doiffastoptionalcheckelse	`\doiffastoptionalcheckelse {...} {...}`
doiffieldbodyelse	`\doiffieldbodyelse {...} {...} {...}`
doiffieldcategoryelse	`\doiffieldcategoryelse {...} {...} {...}`
doiffigureelse	`\doiffigureelse {...} {...} {...}`
doiffile	`\doiffile {...} {...}`
doiffiledefinedelse	`\doiffiledefinedelse {...} {...} {...}`
doiffileelse	`\doiffileelse {...} {...} {...}`
doiffileexistselse	`\doiffileexistselse {...} {...} {...}`
doiffirstcharelse	`\doiffirstcharelse {...} {...} {...} {...}`
doifflaggedelse	`\doifflaggedelse {...} {...} {...}`
doiffontcharelse	`\doiffontcharelse {...} {...} {...} {...}`
doiffontfeatureelse	`\doiffontfeatureelse {...} {...} {...}`
doiffontpresentelse	`\doiffontpresentelse {...} {...} {...}`
doiffontsynonymelse	`\doiffontsynonymelse {...} {...} {...}`
doifhasspaceelse	`\doifhasspaceelse {...} {...} {...}`
doifhelpelse	`\doifhelpelse {...} {...}`
doifincsnameelse	`\doifincsnameelse {...} {...} {...} {...}`
doifinelementelse	`\doifinelementelse {...} {...} {...}`
doifinputfileelse	`\doifinputfileelse {...} {...} {...}`
doifinsertionelse	`\doifinsertionelse {...} {...} {...}`
doifinset	`\doifinset {...} {...} {...}`
doifinsetelse	`\doifinsetelse {...} {...} {...} {...}`
doifinstring	`\doifinstring {...} {...} {...}`
doifinstringelse	`\doifinstringelse {...} {...} {...} {...}`
doifinsymbolset	`\doifinsymbolset {...} {...} {...} {...}`
doifinsymbolsetelse	`\doifinsymbolsetelse {...} {...} {...} {...}`
doifintokselse	`\doifintokselse {...} {...} {...} {...}`

```
doifintwopassdataelse                    \doifintwopassdataelse {...} {...} {...} {...}
doifitalicelse                           \doifitalicelse {...} {...}
doiflanguageelse                         \doiflanguageelse {...} {...} {...}
doiflayerdataelse                        \doiflayerdataelse {...} {...} {...}
doiflayoutdefinedelse                    \doiflayoutdefinedelse {...} {...} {...}
doiflayoutsomelineelse                   \doiflayoutsomelineelse {...} {...} {...}
doiflayouttextlineelse                   \doiflayouttextlineelse {...} {...} {...}
doifleapyearelse                         \doifleapyearelse {...} {...} {...}
doiflistelse                             \doiflistelse {...} {...} {...}
doiflocationelse                         \doiflocationelse {...} {...}
doiflocfileelse                          \doiflocfileelse {...} {...} {...}
doifMPgraphicelse                        \doifMPgraphicelse {...} {...} {...}
doifmainfloatbodyelse                    \doifmainfloatbodyelse {...} {...}
doifmarkedpage                           \doifmarkedpage {...} {...} {...}
doifmarkingelse                          \doifmarkingelse {...} {...} {...}
doifmessageelse                          \doifmessageelse {...} {...} {...} {...}
doifmode                                 \doifmode {...} {...}
doifmodeelse                             \doifmodeelse {...} {...} {...}
doifnextbgroupcselse                     \doifnextbgroupcselse    \...    \...
doifnextbgroupelse                       \doifnextbgroupelse {...} {...}
doifnextcharelse                         \doifnextcharelse {...} {...} {...}
doifnextoptionalcselse                   \doifnextoptionalcselse    \...    \...
doifnextoptionalelse                     \doifnextoptionalelse {...} {...}
doifnextparenthesiselse                  \doifnextparenthesiselse {...} {...}
doifnonzeropositiveelse                  \doifnonzeropositiveelse {...} {...} {...}
doifnot                                  \doifnot    {...}    {...} {...}
doifnotallcommon                         \doifnotallcommon {...} {...} {...}
doifnotallmodes                          \doifnotallmodes {...} {...}
doifnotcommandhandler                    \doifnotcommandhandler    \... {...} {...}
doifnotcommon                            \doifnotcommon {...} {...} {...}
doifnotcounter                           \doifnotcounter {...} {...}
doifnotdocumentargument                  \doifnotdocumentargument {...} {...}
doifnotdocumentfilename                  \doifnotdocumentfilename {...} {...}
doifnotdocumentvariable                  \doifnotdocumentvariable {...} {...}
doifnotempty                             \doifnotempty    {...} {...}
doifnotemptyvalue                        \doifnotemptyvalue {...} {...}
doifnotemptyvariable                     \doifnotemptyvariable {...} {...} {...}
doifnotenv                               \doifnotenv {...} {...}
doifnoteonsamepageelse                   \doifnoteonsamepageelse {...} {...} {...}
doifnotescollected                       \doifnotescollected {...} {...}
doifnotfile                              \doifnotfile {...} {...}
doifnotflagged                           \doifnotflagged {...} {...}
doifnothing                              \doifnothing {...} {...}
doifnothingelse                          \doifnothingelse {...} {...} {...}
doifnotinset                             \doifnotinset {...} {...} {...}
doifnotinsidesplitfloat                  \doifnotinsidesplitfloat {...}
doifnotinstring                          \doifnotinstring {...} {...} {...}
doifnotmode                              \doifnotmode {...} {...}
doifnotnumber                            \doifnotnumber {...} {...}
doifnotsamestring                        \doifnotsamestring {...} {...} {...}
doifnotsetups                            \doifnotsetups {...} {...}
doifnotvalue                             \doifnotvalue {...} {...} {...}
doifnotvariable                          \doifnotvariable {...} {...} {...}
doifnumber                               \doifnumber {...} {...}
doifnumberelse                           \doifnumberelse {...} {...} {...}
doifobjectfoundelse                      \doifobjectfoundelse {...} {...} {...} {...}
doifobjectreferencefoundelse             \doifobjectreferencefoundelse {...} {...} {...} {...}
doifoddpageelse                          \doifoddpageelse {...} {...}
doifoddpagefloatelse                     \doifoddpagefloatelse {...} {...}
doifoldercontextelse                     \doifoldercontextelse {...} {...} {...}
doifolderversionelse                     \doifolderversionelse {...} {...} {...} {...}
doifoutervmode                           \doifoutervmode    {...}
doifoverlappingelse                      \doifoverlappingelse {...} {...} {...} {...}
doifoverlayelse                          \doifoverlayelse {...} {...} {...}
doifparallelelse                         \doifparallelelse {...} {...} {...} {...}
doifparentfileelse                       \doifparentfileelse {...} {...} {...}
doifpathelse                             \doifpathelse {...} {...} {...}
doifpathexistselse                       \doifpathexistselse {...} {...} {...}
doifpatternselse                         \doifpatternselse {...} {...} {...}
doifposition                             \doifposition {...} {...} {...}
doifpositionaction                       \doifpositionaction {...} {...} {...}
doifpositionactionelse                   \doifpositionactionelse {...} {...} {...}
```

```
doifpositionelse                        \doifpositionelse {...} {...} {...}
doifpositiononpageelse                   \doifpositiononpageelse {...} {...} {...} {...}
doifpositionsonsamepageelse              \doifpositionsonsamepageelse {...} {...} {...}
doifpositionsonthispageelse              \doifpositionsonthispageelse {...} {...} {...}
doifpositionsusedelse                    \doifpositionsusedelse {...} {...}
doifreferencefoundelse                   \doifreferencefoundelse {...} {...} {...}
doifrightpageelse                        \doifrightpageelse {...} {...}
doifrightpagefloatelse                   \doifrightpagefloatelse {...} {...}
doifrighttoleftinboxelse                 \doifrighttoleftinboxelse ... {...} {...}
doifsamelinereferenceelse                \doifsamelinereferenceelse {...} {...} {...}
doifsamestring                           \doifsamestring {...} {...} {...}
doifsamestringelse                       \doifsamestringelse {...} {...} {...} {...}
doifsetups                               \doifsetups {...} {...}
doifsetupselse                           \doifsetupselse {...} {...} {...}
doifsomebackground                       \doifsomebackground {...} {...} {...}
doifsomebackgroundelse                   \doifsomebackgroundelse {...} {...} {...}
doifsomespaceelse                        \doifsomespaceelse {...} {...} {...}
doifsomething                            \doifsomething {...} {...}
doifsomethingelse                        \doifsomethingelse {...} {...} {...}
doifsometoks                             \doifsometoks     \... {...}
doifsometokselse                         \doifsometokselse     \... {...} {...}
doifstringinstringelse                   \doifstringinstringelse {...} {...} {...} {...}
doifstructurelisthasnumberelse           \doifstructurelisthasnumberelse {...} {...}
doifstructurelisthaspageelse             \doifstructurelisthaspageelse {...} {...}
doifsymboldefinedelse                    \doifsymboldefinedelse {...} {...} {...}
doifsymbolsetelse                        \doifsymbolsetelse {...} {...} {...}
doiftext                                 \doiftext {...} {...} {...}
doiftextelse                             \doiftextelse {...} {...} {...}
doiftextflowcollectorelse                \doiftextflowcollectorelse {...} {...} {...}
doiftextflowelse                         \doiftextflowelse {...} {...} {...}
doiftopofpageelse                        \doiftopofpageelse {...} {...}
doiftypingfileelse                       \doiftypingfileelse {...} {...} {...}
doifundefined                            \doifundefined {...} {...}
doifundefinedcounter                     \doifundefinedcounter {...} {...}
doifundefinedelse                        \doifundefinedelse {...} {...} {...}
doifunknownfontfeature                   \doifunknownfontfeature {...} {...} {...}
doifurldefinedelse                       \doifurldefinedelse {...} {...} {...}
doifvalue                                \doifvalue {...} {...} {...}
doifvalueelse                            \doifvalueelse {...} {...} {...} {...}
doifvaluenothing                         \doifvaluenothing {...} {...}
doifvaluenothingelse                     \doifvaluenothingelse {...} {...} {...}
doifvaluesomething                       \doifvaluesomething {...} {...}
doifvariable                             \doifvariable {...} {...} {...}
doifvariableelse                         \doifvariableelse {...} {...} {...} {...}
doindentation                            \doindentation
dollar                                   \dollar
doloop                                   \doloop {...}
doloopoverlist                           \doloopoverlist {...} {...}
donothing                                \donothing
dontconvertfont                          \dontconvertfont
dontleavehmode                           \dontleavehmode
dontpermitspacesbetweengroups            \dontpermitspacesbetweengroups
dopositionaction                         \dopositionaction {...}
doprocesslocalsetups                     \doprocesslocalsetups {...}
doquadrupleargument                      \doquadrupleargument   \... [...] [...] [...] [...]
doquadrupleempty                         \doquadrupleempty   \... [...] [...] [...] [...]
doquadruplegroupempty                    \doquadruplegroupempty   \... {...} {...} {...} {...}
doquintupleargument                      \doquintupleargument   \... [...] [...] [...] [...] [...]
doquintupleempty                         \doquintupleempty   \... [...] [...] [...] [...] [...]
doquintuplegroupempty                    \doquintuplegroupempty   \... {...} {...} {...} {...} {...}
dorechecknextindentation                 \dorechecknextindentation
dorecurse                                \dorecurse {...} {...}
dorepeatwithcommand                      \dorepeatwithcommand [...]    \...
doreplacefeature                         \doreplacefeature {...}
doresetandaddfeature                     \doresetandaddfeature {...}
doresetattribute                         \doresetattribute {...}
dorotatebox                              \dorotatebox {...}   \...    {...}
dosetattribute                           \dosetattribute {...} {...}
dosetleftskipadaption                    \dosetleftskipadaption {...}
dosetrightskipadaption                   \dosetrightskipadaption {...}
dosetupcheckedinterlinespace             \dosetupcheckedinterlinespace {..=..}
dosetupcheckedinterlinespace:argument    \dosetupcheckedinterlinespace {...}
```

```
dosetupcheckedinterlinespace:name          \dosetupcheckedinterlinespace {...}
doseventupleargument                        \doseventupleargument   \... [...] [...] [...] [...] [...] [...] [...]
doseventupleempty                           \doseventupleempty   \... [...] [...] [...] [...] [...] [...] [...]
dosingleargument                            \dosingleargument   \... [...]
dosingleempty                               \dosingleempty   \... [...]
dosinglegroupempty                          \dosinglegroupempty   \... {...}
dosixtupleargument                          \dosixtupleargument   \... [...] [...] [...] [...] [...] [...]
dosixtupleempty                             \dosixtupleempty   \... [...] [...] [...] [...] [...] [...]
dosomebreak                                 \dosomebreak   \...
dostarttagged                               \dostarttagged {...} {...} ... \dostoptagged
dostepwiserecurse                           \dostepwiserecurse {...} {...} {...} {...}
dosubtractfeature                           \dosubtractfeature {...}
dotfill                                     \dotfill
dotfskip                                    \dotfskip {...}
dotoks                                      \dotoks   \...
dotripleargument                            \dotripleargument   \... [...] [...] [...]
dotripleargumentwithset                     \dotripleargumentwithset   \... [...] [...] [...]
dotripleempty                               \dotripleempty   \... [...] [...] [...]
dotripleemptywithset                        \dotripleemptywithset   \... [...] [...] [...]
dotriplegroupempty                          \dotriplegroupempty   \... {...} {...} {...}
doublebond                                  \doublebond
dowith                                      \dowith {...} {...}
dowithnextbox                               \dowithnextbox {...}   \...   {...}
dowithnextboxcontent                        \dowithnextboxcontent {...} {...}   \...   {...}
dowithnextboxcontentcs                      \dowithnextboxcontentcs   \...   \...   \...   {...}
dowithnextboxcs                             \dowithnextboxcs   \...   \...   {...}
dowithpargument                             \dowithpargument   \...
dowithrange                                 \dowithrange {...}   \...
dowithwargument                             \dowithwargument   \...
dpofstring                                  \dpofstring {...}
dummydigit                                  \dummydigit
dummyparameter                              \dummyparameter {...}
ETEX                                        \ETEX
EveryLine                                   \EveryLine {...}
EveryPar                                    \EveryPar {...}
edefconvertedargument                       \edefconvertedargument   \... {...}
efcmaxheight                                \efcmaxheight {...}
efcmaxwidth                                 \efcmaxwidth {...}
efcminheight                                \efcminheight {...}
efcminwidth                                 \efcminwidth {...}
efcparameter                                \efcparameter {...} {...}
effect                                      \effect [...]   {...}
elaborablocchi                              \elaborablocchi [...] [...] [..=..]
elapsedseconds                              \elapsedseconds
elapsedsteptime                             \elapsedsteptime
elapsedtime                                 \elapsedtime
elementi                                    \elementi [..=..] {...}
elemento                                    \elemento [...]
em                                          \em
emphasisboldface                            \emphasisboldface
emphasistypeface                            \emphasistypeface
emptylines                                  \emptylines [...]
emspace                                     \emspace
enableasciimode                             \enableasciimode
enabledelimiter                             \enabledelimiter
enabledirectives                            \enabledirectives [...]
enableexperiments                           \enableexperiments [...]
enablefiller                                \enablefiller
enablemode                                  \enablemode [...]
enableoutputstream                          \enableoutputstream [...]
enableparpositions                          \enableparpositions
enableregime                                \enableregime [...]
enabletrackers                              \enabletrackers [...]
enskip                                      \enskip
enspace                                     \enspace
enumerazione:example                        \ENUMERAZIONE [...] {...} ... \par
env                                         \env {...}
envvar                                      \envvar {...} {...}
epos                                        \epos {...}
equaldigits                                 \equaldigits {...}
eTeX                                        \eTeX
etichetta:example                           \ETICHETTA [...] {...}
```

executeifdefined	`\executeifdefined {...} {...}`
exitloop	`\exitloop`
exitloopnow	`\exitloopnow`
expandcheckedcsname	`\expandcheckedcsname \... {...} {...}`
expanded	`\expanded {...}`
expandeddoif	`\expandeddoif {...} {...} {...}`
expandeddoifelse	`\expandeddoifelse {...} {...} {...} {...}`
expandeddoifnot	`\expandeddoifnot {...} {...} {...}`
expandfontsynonym	`\expandfontsynonym \... {...}`
expdoif	`\expdoif {...} {...} {...}`
expdoifcommonelse	`\expdoifcommonelse {...} {...} {...} {...}`
expdoifelse	`\expdoifelse {...} {...} {...} {...}`
expdoifelsecommon	`\expdoifelsecommon {...} {...} {...} {...}`
expdoifelseinset	`\expdoifelseinset {...} {...} {...} {...}`
expdoifinsetelse	`\expdoifinsetelse {...} {...} {...} {...}`
expdoifnot	`\expdoifnot {...} {...} {...}`
externalfigurecollectionmaxheight	`\externalfigurecollectionmaxheight {...}`
externalfigurecollectionmaxwidth	`\externalfigurecollectionmaxwidth {...}`
externalfigurecollectionminheight	`\externalfigurecollectionminheight {...}`
externalfigurecollectionminwidth	`\externalfigurecollectionminwidth {...}`
externalfigurecollectionparameter	`\externalfigurecollectionparameter {...} {...}`
F	`\F {...}`
fakebox	`\fakebox ...`
fakeleftdelimiter	`\fakeleftdelimiter`
fakerightdelimiter	`\fakerightdelimiter`
fastdecrement	`\fastdecrement \...`
fastincrement	`\fastincrement \...`
fastlocalframed	`\fastlocalframed [...] [..=..] {...}`
fastloopfinal	`\fastloopfinal`
fastloopindex	`\fastloopindex`
fastscale	`\fastscale {...} {...}`
fastsetup	`\fastsetup {...}`
fastsetupwithargument	`\fastsetupwithargument {...} {...}`
fastsetupwithargumentswapped	`\fastsetupwithargumentswapped {...} {...}`
fastswitchtobodyfont	`\fastswitchtobodyfont {...}`
fastsxsy	`\fastsxsy {...} {...} {...}`
feature	`\feature [...] [...]`
feature:direct	`\feature {...} {...}`
fenced	`\fenced [...] [..=..] {...}`
fenced:argument	`\fenced [...] [..=..] {...} {...}`
fence:instance	`\FENCE [..=..] {...}`
fence:instance:argument	`\FENCE [..=..] {...} {...}`
fence:instance:brace	`\brace [..=..] {...}`
fence:instance:bracket	`\bracket [..=..] {...}`
fence:instance:ceiling	`\ceiling [..=..] {...}`
fence:instance:closedinterval	`\closedinterval [..=..] {...}`
fence:instance:floor	`\floor [..=..] {...}`
fence:instance:integerinterval	`\integerinterval [..=..] {...}`
fence:instance:interval	`\interval [..=..] {...}`
fence:instance:leftopeninterval	`\leftopeninterval [..=..] {...}`
fence:instance:openinterval	`\openinterval [..=..] {...}`
fence:instance:parenthesis	`\parenthesis [..=..] {...}`
fence:instance:rightopeninterval	`\rightopeninterval [..=..] {...}`
fence:instance:varleftopeninterval	`\varleftopeninterval [..=..] {...}`
fence:instance:varopeninterval	`\varopeninterval [..=..] {...}`
fence:instance:varrightopeninterval	`\varrightopeninterval [..=..] {...}`
fetchallmarkings	`\fetchallmarkings [...] [...]`
fetchallmarks	`\fetchallmarks [...]`
fetchmark	`\fetchmark [...] [...]`
fetchmarking	`\fetchmarking [...] [...] [...]`
fetchonemark	`\fetchonemark [...] [...]`
fetchonemarking	`\fetchonemarking [...] [...] [...]`
fetchruntinecommand	`\fetchruntinecommand \... {...}`
fetchtwomarkings	`\fetchtwomarkings [...] [...]`
fetchtwomarks	`\fetchtwomarks [...]`
fieldbody	`\fieldbody [...] [..=..]`
fifthoffivearguments	`\fifthoffivearguments {...} {...} {...} {...} {...}`
fifthofsixarguments	`\fifthofsixarguments {...} {...} {...} {...} {...} {...}`
figuraesterna	`\figuraesterna [...] [...] [..=..]`
figurefilename	`\figurefilename`
figurefilepath	`\figurefilepath`
figurefiletype	`\figurefiletype`

```
figurefullname                  \figurefullname
figureheight                    \figureheight
figurenaturalheight             \figurenaturalheight
figurenaturalwidth              \figurenaturalwidth
figuresymbol                    \figuresymbol [...] [..=..]
figurewidth                     \figurewidth
filename                        \filename {...}
filledhboxb                     \filledhboxb ...   {...}
filledhboxc                     \filledhboxc ...   {...}
filledhboxg                     \filledhboxg ...   {...}
filledhboxk                     \filledhboxk ...   {...}
filledhboxm                     \filledhboxm ...   {...}
filledhboxr                     \filledhboxr ...   {...}
filledhboxy                     \filledhboxy ...   {...}
filler                          \filler [...]
fillupto                        \fillupto [...] {...}
filterfromnext                  \filterfromnext {...} {...}   {...}   {...}   {...}   {...}   {...}
filterfromvalue                 \filterfromvalue {...} {...} {..}ᴼᴾᵀ      ᴼᴾᵀ      ᴼᴾᵀ      ᴼᴾᵀ      ᴼᴾᵀ
filterlist                      \filterlist {...} {...}
filterpages                     \filterpages [...] [...] [..=..]
filterreference                 \filterreference {...}
findtwopassdata                 \findtwopassdata {...} {...}
finishregisterentry             \finishregisterentry [...] [..=..] [..=..]
firstcharacter                  \firstcharacter
firstcounter                    \firstcounter [...] [...]
firstcountervalue               \firstcountervalue [...]
firstinlist                     \firstinlist [...]
firstoffivearguments            \firstoffivearguments {...} {...} {...} {...} {...}
firstoffourarguments            \firstoffourarguments {...} {...} {...} {...}
firstofoneargument              \firstofoneargument {...}
firstofoneunexpanded            \firstofoneunexpanded {...}
firstofsixarguments             \firstofsixarguments {...} {...} {...} {...} {...} {...}
firstofthreearguments           \firstofthreearguments {...} {...} {...}
firstofthreeunexpanded          \firstofthreeunexpanded {...} {...} {...}
firstoftwoarguments             \firstoftwoarguments {...} {...}
firstoftwounexpanded            \firstoftwounexpanded {...} {...}
firstrealpage                   \firstrealpage
firstrealpagenumber             \firstrealpagenumber
firstsubcountervalue            \firstsubcountervalue [...] [...]
firstsubpagenumber              \firstsubpagenumber
firstuserpage                   \firstuserpage
firstuserpagenumber             \firstuserpagenumber
fitfieldframed                  \fitfieldframed [..=..]   {...}
fittopbaselinegrid              \fittopbaselinegrid   {...}
flag                            \flag {...}
floatuserdataparameter          \floatuserdataparameter {...}
flushallmarginblocks            \flushallmarginblocks [...]
flushbox                        \flushbox {...} {...}
flushboxregister                \flushboxregister ...
flushcollector                  \flushcollector [...]
flushedrightlastline            \flushedrightlastline
flushinitial                    \flushinitial
flushlayer                      \flushlayer [...]
flushlocalfloats                \flushlocalfloats
flushnextbox                    \flushnextbox
flushnotes                      \flushnotes
flushoutputstream               \flushoutputstream [...]
flushpageblocks                 \flushpageblocks [...]
flushshapebox                   \flushshapebox
flushtextflow                   \flushtextflow {...}
flushtokens                     \flushtokens [...]
flushtoks                       \flushtoks   \...
fontalternative                 \fontalternative
fontbody                        \fontbody
fontchar                        \fontchar {...}
fontcharbyindex                 \fontcharbyindex {...}
fontclass                       \fontclass
fontclassname                   \fontclassname {...} {...}
fontface                        \fontface
fontfeaturelist                 \fontfeaturelist [...] [...]
fontsize                        \fontsize
fontstyle                       \fontstyle
```

forcecharacterstripping	`\forcecharacterstripping`
forcelocalfloats	`\forcelocalfloats`
forgeteverypar	`\forgeteverypar`
forgetinitial	`\forgetinitial`
forgetparagraphfreezing	`\forgetparagraphfreezing`
forgetparameters	`\forgetparameters [...] [..=..]`
forgetparskip	`\forgetparskip`
forgetparwrapper	`\forgetparwrapper`
forgetragged	`\forgetragged`
formula	`\formula [...] {...}`
foundbox	`\foundbox {...} {...}`
fourthoffivearguments	`\fourthoffivearguments {...} {...} {...} {...} {...}`
fourthoffourarguments	`\fourthoffourarguments {...} {...} {...} {...}`
fourthofsixarguments	`\fourthofsixarguments {...} {...} {...} {...} {...} {...}`
frameddimension	`\frameddimension {...}`
framedparameter	`\framedparameter {...}`
frazione:instance	`\FRACTION [..=..] {...} {...}`
frazione:instance:bartext	`\bartext [..=..] {...} {...}`
frazione:instance:binom	`\binom [..=..] {...} {...}`
frazione:instance:cfrac	`\cfrac [..=..] {...} {...}`
frazione:instance:dbinom	`\dbinom [..=..] {...} {...}`
frazione:instance:dfrac	`\dfrac [..=..] {...} {...}`
frazione:instance:equaltext	`\equaltext [..=..] {...} {...}`
frazione:instance:frac	`\frac [..=..] {...} {...}`
frazione:instance:hookleftarrowtext	`\hookleftarrowtext [..=..] {...} {...}`
frazione:instance:hookrightarrowtext	`\hookrightarrowtext [..=..] {...} {...}`
frazione:instance:Leftarrowtext	`\Leftarrowtext [..=..] {...} {...}`
frazione:instance:Leftrightarrowtext	`\Leftrightarrowtext [..=..] {...} {...}`
frazione:instance:leftarrowtext	`\leftarrowtext [..=..] {...} {...}`
frazione:instance:leftharpoondowntext	`\leftharpoondowntext [..=..] {...} {...}`
frazione:instance:leftharpoonuptext	`\leftharpoonuptext [..=..] {...} {...}`
frazione:instance:leftrightarrowtext	`\leftrightarrowtext [..=..] {...} {...}`
frazione:instance:leftrightharpoonstext	`\leftrightharpoonstext [..=..] {...} {...}`
frazione:instance:mapstotext	`\mapstotext [..=..] {...} {...}`
frazione:instance:Rightarrowtext	`\Rightarrowtext [..=..] {...} {...}`
frazione:instance:Rightleftarrowtext	`\Rightleftarrowtext [..=..] {...} {...}`
frazione:instance:relfraction	`\relfraction [..=..] {...} {...}`
frazione:instance:reltext	`\reltext [..=..] {...} {...}`
frazione:instance:rightarrowtext	`\rightarrowtext [..=..] {...} {...}`
frazione:instance:rightharpoondowntext	`\rightharpoondowntext [..=..] {...} {...}`
frazione:instance:rightharpoonuptext	`\rightharpoonuptext [..=..] {...} {...}`
frazione:instance:rightleftarrowtext	`\rightleftarrowtext [..=..] {...} {...}`
frazione:instance:rightleftharpoonstext	`\rightleftharpoonstext [..=..] {...} {...}`
frazione:instance:rightoverleftarrowtext	`\rightoverleftarrowtext [..=..] {...} {...}`
frazione:instance:sfrac	`\sfrac [..=..] {...} {...}`
frazione:instance:splitdfrac	`\splitdfrac [..=..] {...} {...}`
frazione:instance:splitfrac	`\splitfrac [..=..] {...} {...}`
frazione:instance:tbinom	`\tbinom [..=..] {...} {...}`
frazione:instance:tfrac	`\tfrac [..=..] {...} {...}`
frazione:instance:triplereltext	`\triplereltext [..=..] {...} {...}`
frazione:instance:twoheadleftarrowtext	`\twoheadleftarrowtext [..=..] {...} {...}`
frazione:instance:twoheadrightarrowtext	`\twoheadrightarrowtext [..=..] {...} {...}`
frazione:instance:vfrac	`\vfrac [..=..] {...} {...}`
frazione:instance:xfrac	`\xfrac [..=..] {...} {...}`
frazione:instance:xxfrac	`\xxfrac [..=..] {...} {...}`
freezedimenmacro	`\freezedimenmacro \... \...`
freezemeasure	`\freezemeasure [...] [...]`
freezeparagraphproperties	`\freezeparagraphproperties`
frenchspacing	`\frenchspacing`
fromlinenote	`\fromlinenote [...] {...}`
frozenhbox	`\frozenhbox {...}`
frule	`\frule ... \relax`
fsp	`\fsp {...}`
GetPar	`\GetPar`
GIORNOSETTIMANA	`\GIORNOSETTIMANA {...}`
GotoPar	`\GotoPar`
Greeknumerals	`\Greeknumerals {...}`
gdefconvertedargument	`\gdefconvertedargument \... {...}`
gdefconvertedcommand	`\gdefconvertedcommand \... \...`
getboxfromcache	`\getboxfromcache {...} {...} ...`
getboxllx	`\getboxllx ...`
getboxlly	`\getboxlly ...`

getbufferdata	`\getbufferdata [...]`
getcommacommandsize	`\getcommacommandsize [...]`
getcommalistsize	`\getcommalistsize [...]`
getdatavalue	`\getdatavalue {...}`
getdayoftheweek	`\getdayoftheweek {...} {...} {...}`
getdayspermonth	`\getdayspermonth {...} {...}`
getdefinedbuffer	`\getdefinedbuffer [...]`
getdocumentargument	`\getdocumentargument {...}`
getdocumentargumentdefault	`\getdocumentargumentdefault {...} {...}`
getdocumentfilename	`\getdocumentfilename {...}`
getdummyparameters	`\getdummyparameters [..=..]`
getemptyparameters	`\getemptyparameters [...] [..=..]`
geteparameters	`\geteparameters [...] [..=..]`
getexpandedparameters	`\getexpandedparameters [...] [..=..]`
getfiguredimensions	`\getfiguredimensions [...] [..=..]`
getfirstcharacter	`\getfirstcharacter {...}`
getfirsttwopassdata	`\getfirsttwopassdata {...}`
getfromcommacommand	`\getfromcommacommand [...] [...]`
getfromcommalist	`\getfromcommalist [...] [...]`
getfromluatable	`\getfromluatable    \... {...}`
getfromtwopassdata	`\getfromtwopassdata {...} {...}`
getglyphdirect	`\getglyphdirect {...} {...}`
getglyphstyled	`\getglyphstyled {...} {...}`
getgparameters	`\getgparameters [...] [..=..]`
getinlineuserdata	`\getinlineuserdata`
getlasttwopassdata	`\getlasttwopassdata {...}`
getlocalfloat	`\getlocalfloat {...}`
getlocalfloats	`\getlocalfloats`
getMPdrawing	`\getMPdrawing`
getMPlayer	`\getMPlayer [...] [..=..]    {...}`
getmessage	`\getmessage {...} {...}`
getnamedglyphdirect	`\getnamedglyphdirect {...} {...}`
getnamedglyphstyled	`\getnamedglyphstyled {...} {...}`
getnamedtwopassdatalist	`\getnamedtwopassdatalist    \... {...}`
getnaturaldimensions	`\getnaturaldimensions ...`
getnoflines	`\getnoflines {...}`
getobject	`\getobject {...} {...}`
getobjectdimensions	`\getobjectdimensions {...} {...}`
getpaletsize	`\getpaletsize [...]`
getparameters	`\getparameters [...] [..=..]`
getparwrapper	`\getparwrapper {...}`
getprivatechar	`\getprivatechar {...}`
getprivateslot	`\getprivateslot {...}`
getrandomcount	`\getrandomcount    \... {...} {...}`
getrandomdimen	`\getrandomdimen    \... {...} {...}`
getrandomfloat	`\getrandomfloat    \... {...} {...}`
getrandomnumber	`\getrandomnumber    \... {...} {...}`
getrandomseed	`\getrandomseed    \...`
getraweparameters	`\getraweparameters [...] [..=..]`
getrawgparameters	`\getrawgparameters [...] [..=..]`
getrawnoflines	`\getrawnoflines {...}`
getrawparameters	`\getrawparameters [...] [..=..]`
getrawxparameters	`\getrawxparameters [...] [..=..]`
getreference	`\getreference [...] [...]`
getreferenceentry	`\getreferenceentry {...}`
getroundednoflines	`\getroundednoflines {...}`
getshapetext	`\getshapetext`
getsubstring	`\getsubstring {...} {...} {...}`
gettokenlist	`\gettokenlist [...]`
gettwopassdata	`\gettwopassdata {...}`
gettwopassdatalist	`\gettwopassdatalist {...}`
getuserdata	`\getuserdata`
getuvalue	`\getuvalue {...}`
getvalue	`\getvalue {...}`
getvariable	`\getvariable {...} {...}`
getvariabledefault	`\getvariabledefault {...} {...} {...}`
getxparameters	`\getxparameters [...] [..=..]`
giornosettimana	`\giornosettimana {...}`
globaldisablemode	`\globaldisablemode [...]`
globalenablemode	`\globalenablemode [...]`
globalletempty	`\globalletempty    \...`
globalpopbox	`\globalpopbox ...`

globalpopmacro	`\globalpopmacro \...`
globalpreventmode	`\globalpreventmode [...]`
globalprocesscommalist	`\globalprocesscommalist [...] \...`
globalpushbox	`\globalpushbox ...`
globalpushmacro	`\globalpushmacro \...`
globalpushreferenceprefix	`\globalpushreferenceprefix {...} ... \globalpopreferenceprefix`
globalswapcounts	`\globalswapcounts \... \...`
globalswapdimens	`\globalswapdimens \... \...`
globalswapmacros	`\globalswapmacros \... \...`
globalundefine	`\globalundefine {...}`
glyphfontfile	`\glyphfontfile {...}`
gobbledoubleempty	`\gobbledoubleempty [...] [...]`
gobbleeightarguments	`\gobbleeightarguments {...} {...} {...} {...} {...} {...}`
gobblefivearguments	`\gobblefivearguments {...} {...} {...} {...} {...}`
gobblefiveoptionals	`\gobblefiveoptionals [...] [...] [...] [...] [...]`
gobblefourarguments	`\gobblefourarguments {...} {...} {...} {...}`
gobblefouroptionals	`\gobblefouroptionals [...] [...] [...] [...]`
gobbleninearguments	`\gobbleninearguments {...} {...} {...} {...} {...} {...}`
gobbleoneargument	`\gobbleoneargument {...}`
gobbleoneoptional	`\gobbleoneoptional [...]`
gobblesevenarguments	`\gobblesevenarguments {...} {...} {...} {...} {...} {...}`
gobblesingleempty	`\gobblesingleempty [...]`
gobblesixarguments	`\gobblesixarguments {...} {...} {...} {...} {...} {...}`
gobblespacetokens	`\gobblespacetokens`
gobbletenarguments	`\gobbletenarguments {...} {...} {...} {...} {...} {...} {`
gobblethreearguments	`\gobblethreearguments {...} {...} {...}`
gobblethreeoptionals	`\gobblethreeoptionals [...] [...] [...]`
gobbletwoarguments	`\gobbletwoarguments {...} {...}`
gobbletwooptionals	`\gobbletwooptionals [...] [...]`
gobbleuntil	`\gobbleuntil \...`
gobbleuntilandfinalize	`\gobbleuntilandfinalize \...`
gobbleuntilrelax	`\gobbleuntilrelax ... \relax`
grabbufferdata	`\grabbufferdata [...] [...] [...] [...]`
grabbufferdatadirect	`\grabbufferdatadirect {...} {...} {...}`
grabuntil	`\grabuntil {...} \...`
grafiamanuale	`\grafiamanuale`
grande	`\grande ...`
grassetto	`\grassetto`
grassettocorsivo	`\grassettocorsivo`
grassettoinclinato	`\grassettoinclinato`
grayvalue	`\grayvalue {...}`
greedysplitstring	`\greedysplitstring ... \at ... \to \... \and \...`
greeknumerals	`\greeknumerals {...}`
griglia	`\griglia [..=..]`
grossofontdeltesto	`\grossofontdeltesto`
groupedcommand	`\groupedcommand {...} {...}`
groupedcommandcs	`\groupedcommandcs \... \...`
gsetboxllx	`\gsetboxllx ... {...}`
gsetboxlly	`\gsetboxlly ... {...}`
gujaratinumerals	`\gujaratinumerals {...}`
gurmurkhinumerals	`\gurmurkhinumerals {...}`
hairspace	`\hairspace`
halflinestrut	`\halflinestrut`
halfstrut	`\halfstrut`
halfwaybox	`\halfwaybox {...}`
handletokens	`\handletokens ... \with \...`
hash	`\hash`
hboxofvbox	`\hboxofvbox ...`
hboxreference	`\hboxreference [...] {...}`
hbox:example	`\hboxBOX {...}`
hdofstring	`\hdofstring {...}`
headhbox	`\headhbox ... {...}`
headnumbercontent	`\headnumbercontent`
headnumberdistance	`\headnumberdistance`
headnumberwidth	`\headnumberwidth`
headreferenceattributes	`\headreferenceattributes`
headsetupspacing	`\headsetupspacing`
headtextcontent	`\headtextcontent`
headtextdistance	`\headtextdistance`
headtextwidth	`\headtextwidth`
headvbox	`\headvbox ... {...}`
headwidth	`\headwidth`

```
hebrewnumerals                      \hebrewnumerals {...}
heightanddepthofstring              \heightanddepthofstring {...}
heightofstring                      \heightofstring {...}
heightspanningtext                  \heightspanningtext {...} {...} {...}
help:instance                       \HELP [...] {...} {...}
help:instance:helptext              \helptext [...] {...} {...}
hexnumber                           \hexnumber {...}
hexstringtonumber                   \hexstringtonumber {...}
hglue                               \hglue ...
hiddencitation                      \hiddencitation [...]
hiddencite                          \hiddencite [...]
highlight                           \highlight [...] {...}
highlight:example                   \HIGHLIGHT {...}
highordinalstr                      \highordinalstr {...}
hilo                                \hilo [...]   {...}   {...}
himilo                              \himilo   {...}   {...}   {...}
hl                                  \hl [...]
horizontalgrowingbar                \horizontalgrowingbar [..=..]
horizontalpositionbar               \horizontalpositionbar [..=..]
hpackbox                            \hpackbox
hpackedbox                          \hpackedbox
hphantom                            \hphantom   {...}
hpos                                \hpos {...}   {...}
hsizefraction                       \hsizefraction {...} {...}
hsmash                              \hsmash   {...}
hsmashbox                           \hsmashbox ...
hsmashed                            \hsmashed   {...}
hspace                              \hspace [...] [...]
htdpofstring                        \htdpofstring {...}
htofstring                          \htofstring {...}
hyphen                              \hyphen
hyphenatedcoloredword               \hyphenatedcoloredword {...}
hyphenatedfile                      \hyphenatedfile {...}
hyphenatedfilename                  \hyphenatedfilename {...}
hyphenatedhbox                      \hyphenatedhbox   {...}
hyphenatedpar                       \hyphenatedpar {...}
hyphenatedurl                       \hyphenatedurl {...}
hyphenatedword                      \hyphenatedword {...}
INRSTEX                             \INRSTEX
ibox                                \ibox   {...}
idxfromluatable                     \idxfromluatable   \... ...
ifassignment                        \ifassignment ... \else ... \fi
ifinobject                          \ifinobject ... \else ... \fi
ifinoutputstream                    \ifinoutputstream ... \else ... \fi
iflua                               \iflua {...} ... \else ... \fi
ifparameters                        \ifparameters ... \else ... \fi
iftrialtypesetting                  \iftrialtypesetting ... \else ... \fi
ifxml                               \ifxml {...} {...} ... \else ... \fi
ifxmlatt                            \ifxmlatt {...} {...} {...} ... \else ... \fi
ifxmlattempty                       \ifxmlattempty {...} {...} ... \else ... \fi
ifxmlempty                          \ifxmlempty {...} {...} ... \else ... \fi
ifxmlselfempty                      \ifxmlselfempty {...} {...} ... \else ... \fi
ifxmltext                           \ifxmltext {...} {...} ... \else ... \fi
ignoreimplicitspaces                \ignoreimplicitspaces
ignoretagsinexport                  \ignoretagsinexport [...]
ignorevalue                         \ignorevalue {...}
ignoto                              \ignoto
im                                  \im   {...}
immediatesavetwopassdata            \immediatesavetwopassdata {...} {...}   {...}
imposta                             \imposta [...]
impostaallineamento                 \impostaallineamento [...]
impostaambientefontdeltesto         \impostaambientefontdeltesto [...] [...] [..=..]
impostaampiezzariga                 \impostaampiezzariga [...]
impostabarrainterazione             \impostabarrainterazione [...] [..=..]
impostablocco                       \impostablocco [...] [..=..]
impostabloccosezione                \impostabloccosezione [...] [..=..]
impostabuffer                       \impostabuffer [...] [..=..]
impostacampi                        \impostacampi [...] [..=..] [..=..] [..=..]
impostacampo                        \impostacampo [...] [...] [..=..] [..=..] [..=..]
impostacapoversi                    \impostacapoversi [...] [...] [..=..]
impostacapoversi:assignment         \impostacapoversi [...] [..=..]
impostacaption                      \impostacaption [...] [..=..]
```

impostacaptions	\impostacaptions [...] [..=..]
impostacima	\impostacima [...] [..=..]
impostaclippling	\impostaclippling [..=..]
impostacolonne	\impostacolonne [..=..]
impostacolore	\impostacolore [...]
impostacolori	\impostacolori [..=..]
impostacommento	\impostacommento [...] [..=..]
impostacommentopagina	\impostacommentopagina [..=..]
impostadescrizioni	\impostadescrizioni [...] [..=..]
impostadimensionicarta	\impostadimensionicarta [...] [..=..]
impostadimensionicarta:name	\impostadimensionicarta [...] [...]
impostaelementi	\impostaelementi [...] [..=..]
impostaelencazioni	\impostaelencazioni [...] [..=..]
impostaelenco	\impostaelenco [...] [..=..]
impostaelencocombinato	\impostaelencocombinato [...] [..=..]
impostaelencocombinato:instance	*\impostaCOMBINEDLIST* [..=..]
impostaelencocombinato:instance:content	*\impostacontent* [..=..]
impostaenumerazioni	\impostaenumerazioni [...] [..=..]
impostafigureesterne	\impostafigureesterne [...] [..=..]
impostafondo	\impostafondo [...] [..=..]
impostafontdeltesto	\impostafontdeltesto [...]
impostaforms	\impostaforms [..=..]
impostaformule	\impostaformule [...] [..=..]
impostagruppocolonne	\impostagruppocolonne [...] [..=..]
impostaincorniciato	\impostaincorniciato [...] [..=..]
impostainiziatermina	\impostainiziatermina [...] [..=..]
impostainstestazione	\impostainstestazione [...] [..=..]
impostainterazione	\impostainterazione [...] [..=..]
impostainterazione:name	\impostainterazione [...]
impostainterlinea	\impostainterlinea [...] [..=..]
impostainterlinea:argument	\impostainterlinea [...]
impostainterlinea:name	\impostainterlinea [...]
impostalayout	\impostalayout [...] [..=..]
impostalayout:name	\impostalayout [...]
impostalineemargine	\impostalineemargine [...] [..=..]
impostalineenere	\impostalineenere [..=..]
impostalineeriempimento	\impostalineeriempimento [..=..]
impostalineesottili	\impostalineesottili [..=..]
impostalineetesto	\impostalineetesto [..=..]
impostalingua	\impostalingua [...] [..=..]
impostamaiuscole	\impostamaiuscole [...] [..=..]
impostamakeup	\impostamakeup [...] [..=..]
impostamarcatura	\impostamarcatura [...] [..=..]
impostamenuinterazione	\impostamenuinterazione [...] [..=..]
impostamenzione	\impostamenzione [..=..]
impostanotepdp	\impostanotepdp [..=..]
impostanumerazionecapoversi	\impostanumerazionecapoversi [..=..]
impostanumerazionepagina	\impostanumerazionepagina [..=..]
impostanumerazionerighe	\impostanumerazionerighe [...] [..=..]
impostanumeropagina	\impostanumeropagina [..=..]
impostanumerosottopagina	\impostanumerosottopagina [..=..]
impostanumerotesta	\impostanumerotesta [...] [...]
impostaoggettimobili	\impostaoggettimobili [...] [..=..]
impostaoggettomobile	\impostaoggettomobile [...] [..=..]
impostaordinamento	\impostaordinamento [...] [..=..]
impostaoutput	\impostaoutput [...]
impostaparranging	\impostaparranging [...]
impostapdp	\impostapdp [...] [..=..]
impostapiustretto	\impostapiustretto [...] [..=..]
impostaposizionamento	\impostaposizionamento [...] [..=..]
impostaposizionamentoopposti	\impostaposizionamentoopposti [..=..]
impostaprogrammi	\impostaprogrammi [..=..]
impostaregistro	\impostaregistro [...] [..=..]
impostaregistro:argument	\impostaregistro [...] [...] [..=..]
impostaregistro:instance	*\impostaREGISTER* [...] [..=..]
impostaregistro:instance:index	*\impostaindex* [...] [..=..]
impostarientro	\impostarientro [...]
impostariferimento	\impostariferimento [..=..]
impostarighe	\impostarighe [...] [..=..]
impostarigheriempimento	\impostarigheriempimento [..=..]
impostarigovuoto	\impostarigovuoto [...]
impostarotazione	\impostarotazione [..=..]

```
impostaschermointerazione                      \impostaschermointerazione [..=..]
impostasegnosillabazione                        \impostasegnosillabazione [..=..]
impostasetsimboli                               \impostasetsimboli [...]
impostasfondi                                   \impostasfondi [...] [...] [..=..]
impostasfondi:page                              \impostasfondi [...] [..=..]
impostasfondo                                   \impostasfondo [...] [..=..]
impostasinonimi                                 \impostasinonimi [...] [..=..]
impostasistema                                  \impostasistema [..=..]
impostaspaziatura                               \impostaspaziatura [...]
impostaspaziobianco                             \impostaspaziobianco [...]
impostaspezzamentooggettomobile                 \impostaspezzamentooggettomobile [..=..]
impostastrut                                    \impostastrut [...]
impostatabelle                                  \impostatabelle [..=..]
impostatabulato                                 \impostatabulato [...] [...] [..=..]
impostatavolozza                                \impostatavolozza [...]
impostatesta                                    \impostatesta [...] [..=..]
impostateste                                    \impostateste [...] [..=..]
impostatesticima                                \impostatesticima [...] [...] [...] [...] [...]
impostatestifondo                               \impostatestifondo [...] [...] [...] [...] [...]
impostatestiincorniciati                        \impostatestiincorniciati [...] [..=..]
impostatestiintestazioni                        \impostatestiintestazioni [...] [...] [...] [...] [...]
impostatestipdp                                 \impostatestipdp [...] [...] [...] [...] [...]
impostatesto                                    \impostatesto [...] [..=..]
impostatestoetichette:instance                  \impostaLABELtesto [...] [..=..]
impostatestoetichette:instance:btxlabel         \impostabtxlabeltesto [...] [..=..]
impostatestoetichette:instance:head             \impostaheadtesto [...] [..=..]
impostatestoetichette:instance:label            \impostalabeltesto [...] [..=..]
impostatestoetichette:instance:mathlabel        \impostamathlabeltesto [...] [..=..]
impostatestoetichette:instance:operator         \impostaoperatortesto [...] [..=..]
impostatestoetichette:instance:prefix           \impostaprefixtesto [...] [..=..]
impostatestoetichette:instance:suffix           \impostasuffixtesto [...] [..=..]
impostatestoetichette:instance:taglabel         \impostataglabeltesto [...] [..=..]
impostatestoetichette:instance:unit             \impostaunittesto [...] [..=..]
impostatestotesti                               \impostatestotesti [...] [...] [...] [...] [...]
impostatolleranza                               \impostatolleranza [...]
impostatransizionepagina                        \impostatransizionepagina [...]
impostatype                                     \impostatype [...] [..=..]
impostatyping                                   \impostatyping [...] [..=..]
impostaurl                                      \impostaurl [..=..]
imposta:direct                                  \imposta {...}
in                                              \in {...} {...} [...]
inclinato                                       \inclinato
inclinatograssetto                              \inclinatograssetto
includemenu                                     \includemenu [...]
includesvgbuffer                                \includesvgbuffer [...] [..=..]
includesvgfile                                  \includesvgfile [...] [..=..]
includeversioninfo                              \includeversioninfo {...}
incorniciato                                    \incorniciato [..=..]   {...}
incorniciato:instance                           \FRAMED [..=..]   {...}
incorniciato:instance:fitfieldframed            \fitfieldframed [..=..]   {...}
incorniciato:instance:unframed                  \unframed [..=..]   {...}
incrementa                                      \incrementa   \...
incrementa:argument                             \incrementa (...)
incrementcounter                                \incrementcounter [...] [...]
incrementedcounter                              \incrementedcounter [...]
incrementpagenumber                             \incrementpagenumber
incrementsubpagenumber                          \incrementsubpagenumber
incrementvalue                                  \incrementvalue {...}
indentation                                     \indentation
infofont                                        \infofont
infofontbold                                    \infofontbold
inheritparameter                                \inheritparameter [...] [...] [...]
inhibitblank                                    \inhibitblank
initializeboxstack                              \initializeboxstack {...}
inizia                                          \inizia [...] ... \termina
iniziaalignment                                 \iniziaalignment [...] ... \terminaalignment
iniziaallineacentro                             \iniziaallineacentro ... \terminaallineacentro
iniziaallineadestra                             \iniziaallineadestra ... \terminaallineadestra
iniziaallineasinistra                           \iniziaallineasinistra ... \terminaallineasinistra
iniziaallmodes                                  \iniziaallmodes [...] ... \terminaallmodes
iniziaalternate                                 \iniziaalternate [..=..] ... \terminaalternate
iniziaambiente                                  \iniziaambiente [...] ... \terminaambiente
```

```
iniziaambientebloccosezione                        \iniziaambientebloccosezione [...] ... \terminaambientebloccosezione
iniziaambiente:string                              \iniziaambiente ... ... \terminaambiente
iniziaasciimode                                    \iniziaasciimode ... \terminaasciimode
iniziaattachment:instance                          \iniziaATTACHMENT [...] [..=..] ... \terminaATTACHMENT
iniziaattachment:instance:attachment               \iniziaattachment [...] [..=..] ... \terminaattachment
iniziabar                                          \iniziabar [...] ... \terminabar
iniziabbordermatrix                                \iniziabbordermatrix ... \terminabbordermatrix
iniziabitmapimage                                  \iniziabitmapimage [..=..] ... \terminabitmapimage
iniziabordermatrix                                 \iniziabordermatrix ... \terminabordermatrix
iniziaboxexport                                    \iniziaboxexport [..=..] ... \terminaboxexport
iniziabtxrenderingdefinitions                      \iniziabtxrenderingdefinitions [...] ... \terminabtxrenderingdefinition
iniziabuffer                                       \iniziabuffer [...] ... \terminabuffer
iniziabuffer:instance                              \iniziaBUFFER ... \terminaBUFFER
iniziabuffer:instance:hiding                       \iniziahiding ... \terminahiding
iniziacapoverso                                    \iniziacapoverso [...] [..=..] ... \terminacapoverso
iniziacapoverso:instance                           \iniziaSECTION [..=..] [..=..] ... \terminaSECTION
iniziacapoverso:instance:chapter                   \iniziachapter [..=..] [..=..] ... \terminachapter
iniziacapoverso:instance:part                      \iniziapart [..=..] [..=..] ... \terminapart
iniziacapoverso:instance:section                   \iniziasection [..=..] [..=..] ... \terminasection
iniziacapoverso:instance:subject                   \iniziasubject [..=..] [..=..] ... \terminasubject
iniziacapoverso:instance:subsection                \iniziasubsection [..=..] [..=..] ... \terminasubsection
iniziacapoverso:instance:subsubject                \iniziasubsubject [..=..] [..=..] ... \terminasubsubject
iniziacapoverso:instance:subsubsection             \iniziasubsubsection [..=..] [..=..] ... \terminasubsubsection
iniziacapoverso:instance:subsubsubject             \iniziasubsubsubject [..=..] [..=..] ... \terminasubsubsubject
iniziacapoverso:instance:subsubsubsection          \iniziasubsubsubsection [..=..] [..=..] ... \terminasubsubsubsect
iniziacapoverso:instance:subsubsubsubject          \iniziasubsubsubsubject [..=..] [..=..] ... \terminasubsubsubsubj
iniziacapoverso:instance:title                     \iniziatitle [..=..] [..=..] ... \terminatitle
iniziacatcodetable                                 \iniziacatcodetable   \... ... \terminacatcodetable
iniziacenteraligned                                \iniziacenteraligned ... \terminacenteraligned
iniziacharacteralign                               \iniziacharacteralign [..=..] ... \terminacharacteralign
iniziacharacteralign:argument                      \iniziacharacteralign [...] ... \terminacharacteralign
iniziacheckedfences                                \iniziacheckedfences ... \terminacheckedfences
iniziachemical                                     \iniziachemical [...] [..=..] ... \terminachemical
iniziacodatabella                                  \iniziacodatabella [...] ... \terminacodatabella
iniziacodatabulato                                 \iniziacodatabulato [...] ... \terminacodatabulato
iniziacollect                                      \iniziacollect ... \terminacollect
iniziacollecting                                   \iniziacollecting ... \terminacollecting
iniziacolore                                       \iniziacolore [...] ... \terminacolore
iniziacolorintent                                  \iniziacolorintent [...] ... \terminacolorintent
iniziacoloronly                                    \iniziacoloronly [...] ... \terminacoloronly
iniziacolorset                                     \iniziacolorset [...] ... \terminacolorset
iniziacolumnset                                    \iniziacolumnset [...] [..=..] ... \terminacolumnset
iniziacolumnsetspan                                \iniziacolumnsetspan [...] [..=..] ... \terminacolumnsetspan
iniziacolumnset:example                            \iniziaCOLUMNSET [..=..] ... \terminaCOLUMNSET
iniziacombination                                  \iniziacombination [...] [..=..] ... \terminacombination
iniziacombination:matrix                           \iniziacombination [...] [...] ... \terminacombination
iniziacommentopagina                               \iniziacommentopagina ... \terminacommentopagina
iniziacommento:instance                            \iniziaCOMMENT [...] [..=..] ... \terminaCOMMENT
iniziacommento:instance:comment                    \iniziacomment [...] [..=..] ... \terminacomment
iniziacomponenet                                   \iniziacomponenet [...] ... \terminacomponenet
iniziacomponenet:string                            \iniziacomponenet ... ... \terminacomponenet
iniziacontextcode                                  \iniziacontextcode ... \terminacontextcode
iniziacontextdefinitioncode                        \iniziacontextdefinitioncode ... \terminacontextdefinitioncode
iniziactxfunction                                  \iniziactxfunction ... ... \terminactxfunction
iniziactxfunctiondefinition                        \iniziactxfunctiondefinition ... ... \terminactxfunctiondefinition
iniziacurrentcolor                                 \iniziacurrentcolor ... \terminacurrentcolor
iniziacurrentlistentrywrapper                      \iniziacurrentlistentrywrapper ... \terminacurrentlistentrywrapper
iniziadelimited                                    \iniziadelimited [...] [...] [...] ... \terminadelimited
iniziadelimitedtext                                \iniziadelimitedtext [...] [...] [...] ... \terminadelimitedtext
iniziadelimitedtext:instance                       \iniziaDELIMITEDTEXT [...] [...] ... \terminaDELIMITEDTEXT
iniziadelimitedtext:instance:aside                 \iniziaaside [...] [...] ... \terminaaside
iniziadelimitedtext:instance:blockquote            \iniziablockquote [...] [...] ... \terminablockquote
iniziadelimitedtext:instance:quotation             \iniziaquotation [...] [...] ... \terminaquotation
iniziadelimitedtext:instance:quote                 \iniziaquote [...] [...] ... \terminaquote
iniziadelimitedtext:instance:speech                \iniziaspeech [...] [...] ... \terminaspeech
iniziadescrizione:example                          \iniziaDESCRIZIONE [..=..] ... \terminaDESCRIZIONE
iniziadescrizione:example:title                    \iniziaDESCRIZIONE [...] {...} ... \terminaDESCRIZIONE
iniziadisplaymath                                  \iniziadisplaymath ... \terminadisplaymath
iniziadmath                                        \iniziadmath ... \terminadmath
iniziadocument                                     \iniziadocument [...] [..=..] ... \terminadocument
```

```
iniziadocument:example                      \iniziadocument [...] [..=..] ... \terminadocument
iniziaeffect                                \iniziaeffect [...] ... \terminaeffect
iniziaeffect:example                        \iniziaEFFECT ... \terminaEFFECT
iniziaelement                               \iniziaelement [...] [..=..] ... \terminaelement
iniziaelemento                              \iniziaelemento [...] ... \terminaelemento
iniziaembeddedxtable                        \iniziaembeddedxtable [..=..] ... \terminaembeddedxtable
iniziaembeddedxtable:name                    \iniziaembeddedxtable [...] ... \terminaembeddedxtable
iniziaenumerazione:example                   \iniziaENUMERAZIONE [..=..] ... \terminaENUMERAZIONE
iniziaenumerazione:example:title             \iniziaENUMERAZIONE [...] {...} ... \terminaENUMERAZIONE
iniziaexceptions                            \iniziaexceptions [...] ... \terminaexceptions
iniziaexpanded                              \iniziaexpanded ... \terminaexpanded
iniziaexpandedcollect                       \iniziaexpandedcollect ... \terminaexpandedcollect
iniziaextendedcatcodetable                  \iniziaextendedcatcodetable    \... ... \terminaextendedcatcodetable
iniziaexternalfigurecollection              \iniziaexternalfigurecollection [...] ... \terminaexternalfigurecollect
iniziafacingfloat                           \iniziafacingfloat [...] ... \terminafacingfloat
iniziafigura                                \iniziafigura [...] [...] [..=..] ... \terminafigura
iniziafisso                                 \iniziafisso [...] ... \terminafisso
iniziafittingpage                           \iniziafittingpage [...] [..=..] ... \terminafittingpage
iniziafittingpage:instance                  \iniziaFITTINGPAGE [..=..] ... \terminaFITTINGPAGE
iniziafittingpage:instance:MPpage           \iniziaMPpage [..=..] ... \terminaMPpage
iniziafittingpage:instance:TEXpage          \iniziaTEXpage [..=..] ... \terminaTEXpage
iniziafloatcombination                      \iniziafloatcombination [..=..] ... \terminafloatcombination
iniziafloatcombination:matrix               \iniziafloatcombination [...] ... \terminafloatcombination
iniziafloattext:instance                    \iniziaFLOATtesto [...] [...] {...} ... \terminaFLOATtesto
iniziafloattext:instance:chemical           \iniziachemicaltesto [...] [...] {...} ... \terminachemicaltesto
iniziafloattext:instance:figure             \iniziafiguretesto [...] [...] {...} ... \terminafiguretesto
iniziafloattext:instance:graphic            \iniziagraphictesto [...] [...] {...} ... \terminagraphictesto
iniziafloattext:instance:intermezzo         \iniziaintermezzotesto [...] [...] {...} ... \terminaintermezzotesto
iniziafloattext:instance:table              \iniziatabletesto [...] [...] {...} ... \terminatabletesto
iniziafont                                  \iniziafont [...] ... \terminafont
iniziafontclass                             \iniziafontclass [...] ... \terminafontclass
iniziafontsolution                          \iniziafontsolution [...] ... \terminafontsolution
iniziaformula                               \iniziaformula [...] ... \terminaformula
iniziaformulacombination                    \iniziaformulacombination [..=..] ... \terminaformulacombination
iniziaformulacombination:matrix             \iniziaformulacombination [...] ... \terminaformulacombination
iniziaformula:assignment                    \iniziaformula [..=..] ... \terminaformula
iniziaformula:instance                      \iniziaFORMULAformula [...] ... \terminaFORMULAformula
iniziaformula:instance:assignment           \iniziaFORMULAformula [..=..] ... \terminaFORMULAformula
iniziaformula:instance:assignment:md        \iniziamdformula [..=..] ... \terminamdformula
iniziaformula:instance:assignment:mp        \iniziampformula [..=..] ... \terminampformula
iniziaformula:instance:assignment:sd        \iniziasdformula [..=..] ... \terminasdformula
iniziaformula:instance:assignment:sp        \iniziaspformula [..=..] ... \terminaspformula
iniziaformula:instance:md                   \iniziamdformula [...] ... \terminamdformula
iniziaformula:instance:mp                   \iniziampformula [...] ... \terminampformula
iniziaformula:instance:sd                   \iniziasdformula [...] ... \terminasdformula
iniziaformula:instance:sp                   \iniziaspformula [...] ... \terminaspformula
iniziaformule                               \iniziaformule [...] ... \terminaformule
iniziaframedcell                            \iniziaframedcell [..=..] ... \terminaframedcell
iniziaframedcontent                         \iniziaframedcontent [...] ... \terminaframedcontent
iniziaframedrow                             \iniziaframedrow [..=..] ... \terminaframedrow
iniziaframedtable                           \iniziaframedtable [...] [..=..] ... \terminaframedtable
iniziagridsnapping                          \iniziagridsnapping [...] ... \terminagridsnapping
iniziagridsnapping:list                     \iniziagridsnapping [...] ... \terminagridsnapping
iniziahboxestohbox                          \iniziahboxestohbox ... \terminahboxestohbox
iniziahboxregister                          \iniziahboxregister ... ... \terminahboxregister
iniziahelp:instance                         \iniziaHELP [...] ... \terminaHELP
iniziahelp:instance:helptext                \iniziahelptext [...] ... \terminahelptext
iniziahiddencontent                         \iniziahiddencontent ... \terminahiddencontent
iniziahighlight                             \iniziahighlight [...] ... \terminahighlight
iniziahyphenation                           \iniziahyphenation [...] ... \terminahyphenation
iniziaimath                                 \iniziaimath ... \terminaimath
iniziaimpaccato                             \iniziaimpaccato [...] ... \terminaimpaccato
iniziaincorniciato                          \iniziaincorniciato [...] [..=..] ... \terminaincorniciato
iniziaindentedtext                          \iniziaindentedtext [...] ... \terminaindentedtext
iniziaindentedtext:example                  \iniziaINDENTEDTEXT ... \terminaINDENTEDTEXT
iniziainterazione                           \iniziainterazione [...] ... \terminainterazione
iniziainterface                             \iniziainterface ... ... \terminainterface
iniziaintertext                             \iniziaintertext ... \terminaintertext
iniziaitemgroup                             \iniziaitemgroup [...] [...] [..=..] ... \terminaitemgroup
iniziaitemgrouptable:instance               \iniziaITEMGROUPtable [...] [..=..] ... \terminaITEMGROUPtable
iniziaitemgrouptable:instance:itemize       \iniziaitemizetable [...] [..=..] ... \terminaitemizetable
iniziaitemgroup:instance                    \iniziaITEMGROUP [...] [..=..] ... \terminaITEMGROUP
```

```
iniziaitemgroup:instance:itemize              \iniziaitemize [...] [..=..] ... \terminaitemize
iniziaJScode                                  \iniziaJScode ... ... ... ... \terminaJScode
iniziaJSpreamble                              \iniziaJSpreamble ... ... ... ... \terminaJSpreamble
iniziaknockout                                \iniziaknockout ... \terminaknockout
inizialayout                                  \inizialayout [...] ... \terminalayout
inizialinealignment                           \inizialinealignment [...] ... \terminalinealignment
inizialineamargine                            \inizialineamargine [...] ... \terminalineamargine
inizialineamargine:assignment                 \inizialineamargine [..=..] ... \terminalineamargine
inizialineatesto                              \inizialineatesto {...} ... \terminalineatesto
inizialinecorrection                          \inizialinecorrection [...] ... \terminalinecorrection
inizialinefiller                              \inizialinefiller [...] [..=..] ... \terminalinefiller
inizialinenumbering                           \inizialinenumbering [...] [..=..] ... \terminalinenumbering
inizialinenumbering:argument                  \inizialinenumbering [...] [...] ... \terminalinenumbering
inizialinetable                               \inizialinetable ... \terminalinetable
inizialinetablebody                           \inizialinetablebody ... \terminalinetablebody
inizialinetablecell                           \inizialinetablecell [..=..] ... \terminalinetablecell
inizialinetablehead                           \inizialinetablehead ... \terminalinetablehead
inizialingua                                  \inizialingua [...] ... \terminalingua
inizialocalbox                                \inizialocalbox [...] ... \terminalocalbox
inizialocalboxrange                           \inizialocalboxrange [...] ... \terminalocalboxrange
inizialocalfootnotes                          \inizialocalfootnotes ... \terminalocalfootnotes
inizialocalheadsetup                          \inizialocalheadsetup ... \terminalocalheadsetup
inizialocallinecorrection                     \inizialocallinecorrection [...] ... \terminalocallinecorrection
inizialocalnotes                              \inizialocalnotes [...] ... \terminalocalnotes
inizialocalsetups                             \inizialocalsetups [...] [...] ... \terminalocalsetups
inizialocalsetups:string                      \inizialocalsetups ... ... \terminalocalsetups
inizialua                                     \inizialua ... \terminalua
inizialuacode                                 \inizialuacode ... \terminaluacode
inizialuaparameterset                         \inizialuaparameterset [...] ... \terminaluaparameterset
inizialuasetups                               \inizialuasetups [...] [...] ... \terminaluasetups
inizialuasetups:string                        \inizialuasetups ... ... \terminaluasetups
iniziaMPclip                                  \iniziaMPclip {...} ... \terminaMPclip
iniziaMPcode                                  \iniziaMPcode {...} ... \terminaMPcode
iniziaMPdefinitions                           \iniziaMPdefinitions {...} ... \terminaMPdefinitions
iniziaMPdrawing                               \iniziaMPdrawing [...] ... \terminaMPdrawing
iniziaMPenvironment                           \iniziaMPenvironment [...] ... \terminaMPenvironment
iniziaMPextensions                            \iniziaMPextensions {...} ... \terminaMPextensions
iniziaMPinclusions                            \iniziaMPinclusions [...] {...} ... \terminaMPinclusions
iniziaMPinitializations                       \iniziaMPinitializations ... \terminaMPinitializations
iniziaMPpositiongraphic                       \iniziaMPpositiongraphic {...} {...} ... \terminaMPpositiongraphic
iniziaMPpositionmethod                        \iniziaMPpositionmethod {...} ... \terminaMPpositionmethod
iniziaMPrun                                   \iniziaMPrun {...} ... \terminaMPrun
iniziamakeup                                  \iniziamakeup [...] [..=..] ... \terminamakeup
iniziamakeup:instance                         \iniziaMAKEUPmakeup [..=..] ... \terminaMAKEUPmakeup
iniziamakeup:instance:middle                  \iniziamiddlemakeup [..=..] ... \terminamiddlemakeup
iniziamakeup:instance:page                    \iniziapagemakeup [..=..] ... \terminapagemakeup
iniziamakeup:instance:standard                \iniziastandardmakeup [..=..] ... \terminastandardmakeup
iniziamakeup:instance:text                    \iniziatextmakeup [..=..] ... \terminatextmakeup
iniziamarginblock                             \iniziamarginblock [...] ... \terminamarginblock
iniziamarkedcontent                           \iniziamarkedcontent [...] ... \terminamarkedcontent
iniziamarkpages                               \iniziamarkpages [...] ... \terminamarkpages
iniziamatematica                              \iniziamatematica [...] ... \terminamatematica
iniziamathalignment:instance                  \iniziaMATHALIGNMENT [..=..] ... \terminaMATHALIGNMENT
iniziamathalignment:instance:align            \iniziaalign [..=..] ... \terminaalign
iniziamathalignment:instance:mathalignment    \iniziamathalignment [..=..] ... \terminamathalignment
iniziamathcases:instance                      \iniziaMATHCASES [..=..] ... \terminaMATHCASES
iniziamathcases:instance:cases                \iniziacases [..=..] ... \terminacases
iniziamathcases:instance:mathcases            \iniziamathcases [..=..] ... \terminamathcases
iniziamathexport                              \iniziamathexport [..=..] ... \terminamathexport
iniziamathfenced                              \iniziamathfenced [...] [..=..] ... \terminamathfenced
iniziamathmatrix:instance                     \iniziaMATHMATRIX [..=..] ... \terminaMATHMATRIX
iniziamathmatrix:instance:mathmatrix          \iniziamathmatrix [..=..] ... \terminamathmatrix
iniziamathmatrix:instance:matrix              \iniziamatrix [..=..] ... \terminamatrix
iniziamathmatrix:instance:thematrix           \iniziathematrix [..=..] ... \terminathematrix
iniziamathmode                                \iniziamathmode ... \terminamathmode
iniziamathoperator:instance                   \iniziaMATHOPERATOR [..=..] ... \terminaMATHOPERATOR
iniziamathoperator:instance:aodownintc        \iniziaaodownintc [..=..] ... \terminaaodownintc
iniziamathoperator:instance:aointc            \iniziaaointc [..=..] ... \terminaaointc
iniziamathoperator:instance:barint            \iniziabarint [..=..] ... \terminabarint
iniziamathoperator:instance:bigbottom         \iniziabigbottom [..=..] ... \terminabigbottom
iniziamathoperator:instance:bigcap            \iniziabigcap [..=..] ... \terminabigcap
iniziamathoperator:instance:bigcup            \iniziabigcup [..=..] ... \terminabigcup
```

```
iniziamathoperator:instance:bigdoublevee              \iniziabigdoublevee [..=..] ... \terminabigdoublevee
iniziamathoperator:instance:bigdoublewedge            \iniziabigdoublewedge [..=..] ... \terminabigdoublewedge
iniziamathoperator:instance:bigodot                   \iniziabigodot [..=..] ... \terminabigodot
iniziamathoperator:instance:bigoplus                  \iniziabigoplus [..=..] ... \terminabigoplus
iniziamathoperator:instance:bigotimes                 \iniziabigotimes [..=..] ... \terminabigotimes
iniziamathoperator:instance:bigreversesolidus         \iniziabigreversesolidus [..=..] ... \terminabigreversesolidus
iniziamathoperator:instance:bigsolidus                \iniziabigsolidus [..=..] ... \terminabigsolidus
iniziamathoperator:instance:bigsqcap                  \iniziabigsqcap [..=..] ... \terminabigsqcap
iniziamathoperator:instance:bigsqcup                  \iniziabigsqcup [..=..] ... \terminabigsqcup
iniziamathoperator:instance:bigtimes                  \iniziabigtimes [..=..] ... \terminabigtimes
iniziamathoperator:instance:bigtop                    \iniziabigtop [..=..] ... \terminabigtop
iniziamathoperator:instance:bigudot                   \iniziabigudot [..=..] ... \terminabigudot
iniziamathoperator:instance:biguplus                  \iniziabiguplus [..=..] ... \terminabiguplus
iniziamathoperator:instance:bigvee                    \iniziabigvee [..=..] ... \terminabigvee
iniziamathoperator:instance:bigwedge                  \iniziabigwedge [..=..] ... \terminabigwedge
iniziamathoperator:instance:blackboardsum             \iniziablackboardsum [..=..] ... \terminablackboardsum
iniziamathoperator:instance:capint                    \iniziacapint [..=..] ... \terminacapint
iniziamathoperator:instance:circlepoleinsideintc      \iniziacirclepoleinsideintc [..=..] ... \terminacirclepoleinsideintc
iniziamathoperator:instance:circlepoleoutsideintc     \iniziacirclepoleoutsideintc [..=..] ... \terminacirclepoleoutsideintc
iniziamathoperator:instance:coprod                    \iniziacoprod [..=..] ... \terminacoprod
iniziamathoperator:instance:cupint                    \iniziacupint [..=..] ... \terminacupint
iniziamathoperator:instance:doublebarint              \iniziadoublebarint [..=..] ... \terminadoublebarint
iniziamathoperator:instance:fullouterjoin             \iniziafullouterjoin [..=..] ... \terminafullouterjoin
iniziamathoperator:instance:hookleftarrowint          \iniziahookleftarrowint [..=..] ... \terminahookleftarrowint
iniziamathoperator:instance:iiiint                    \iniziaiiiint [..=..] ... \terminaiiiint
iniziamathoperator:instance:iiiintegral               \iniziaiiiintegral [..=..] ... \terminaiiiintegral
iniziamathoperator:instance:iiiint                    \iniziaiiiint [..=..] ... \terminaiiiint
iniziamathoperator:instance:iiintegral                \iniziaiiintegral [..=..] ... \terminaiiintegral
iniziamathoperator:instance:iint                      \iniziaiint [..=..] ... \terminaiint
iniziamathoperator:instance:iintegral                 \iniziaiintegral [..=..] ... \terminaiintegral
iniziamathoperator:instance:int                       \iniziaint [..=..] ... \terminaint
iniziamathoperator:instance:intc                      \iniziaintc [..=..] ... \terminaintc
iniziamathoperator:instance:integral                  \iniziaintegral [..=..] ... \terminaintegral
iniziamathoperator:instance:leftouterjoin             \inizialeftouterjoin [..=..] ... \terminaleftouterjoin
iniziamathoperator:instance:lowerint                  \inizialowerint [..=..] ... \terminalowerint
iniziamathoperator:instance:modtwosum                 \iniziamodtwosum [..=..] ... \terminamodtwosum
iniziamathoperator:instance:oiiint                    \iniziaoiiint [..=..] ... \terminaoiiint
iniziamathoperator:instance:oiint                     \iniziaoiint [..=..] ... \terminaoiint
iniziamathoperator:instance:oint                      \iniziaoint [..=..] ... \terminaoint
iniziamathoperator:instance:ointc                     \iniziaointc [..=..] ... \terminaointc
iniziamathoperator:instance:prod                      \iniziaprod [..=..] ... \terminaprod
iniziamathoperator:instance:rectangularpoleintc       \iniziarectangularpoleintc [..=..] ... \terminarectangularpoleintc
iniziamathoperator:instance:rightouterjoin            \iniziarightouterjoin [..=..] ... \terminarightouterjoin
iniziamathoperator:instance:semicirclepoleintc        \iniziasemicirclepoleintc [..=..] ... \terminasemicirclepoleintc
iniziamathoperator:instance:slashint                  \iniziaslashint [..=..] ... \terminaslashint
iniziamathoperator:instance:squareintc                \iniziasquareintc [..=..] ... \terminasquareintc
iniziamathoperator:instance:sum                       \iniziasum [..=..] ... \terminasum
iniziamathoperator:instance:sumint                    \iniziasumint [..=..] ... \terminasumint
iniziamathoperator:instance:timesint                  \iniziatimesint [..=..] ... \terminatimesint
iniziamathoperator:instance:upperint                  \iniziaupperint [..=..] ... \terminaupperint
iniziamathsimplealign:instance                        \iniziaMATHSIMPLEALIGN [..=..] ... \terminaMATHSIMPLEALIGN
iniziamathsimplealign:instance:equationsystem         \iniziaequationsystem [..=..] ... \terminaequationsystem
iniziamathsimplealign:instance:lequationsystem        \inizialequationsystem [..=..] ... \terminalequationsystem
iniziamathsimplealign:instance:requationsystem        \iniziarequationsystem [..=..] ... \terminarequationsystem
iniziamathstyle                                       \iniziamathstyle [...] ... \terminamathstyle
iniziamatrices                                        \iniziamatrices [..=..] ... \terminamatrices
iniziamaxaligned                                      \iniziamaxaligned ... \terminamaxaligned
iniziamenuinterattivo                                 \iniziamenuinterattivo [...] ... \terminamenuinterattivo
iniziamettiformula                                    \iniziamettiformula [..=..] {...} ... \terminamettiformula
iniziamettiformula:argument                           \iniziamettiformula [...] ... \terminamettiformula
iniziamiddlealigned                                   \iniziamiddlealigned ... \terminamiddlealigned
iniziamixedcolumns                                    \iniziamixedcolumns [...] [..=..] ... \terminamixedcolumns
iniziamixedcolumns:instance                           \iniziaMIXEDCOLUMNS [..=..] ... \terminaMIXEDCOLUMNS
iniziamixedcolumns:instance:boxedcolumns              \iniziaboxedcolumns [..=..] ... \terminaboxedcolumns
iniziamixedcolumns:instance:columns                   \iniziacolumns [..=..] ... \terminacolumns
iniziamixedcolumns:instance:itemgroupcolumns          \iniziaitemgroupcolumns [..=..] ... \terminaitemgroupcolumns
iniziamode                                            \iniziamode [...] ... \terminamode
iniziamodeset                                         \iniziamodeset [...]   {...} ... \terminamodeset
iniziamodule                                          \iniziamodule [...] ... \terminamodule
iniziamoduletestsection                               \iniziamoduletestsection ... \terminamoduletestsection
iniziamodule:string                                   \iniziamodule ... ... \terminamodule
iniziamulticolumns                                    \iniziamulticolumns [..=..] ... \terminamulticolumns
```

```
inizianamedformula                              \inizianamedformula [...] [...] ... \terminanamedformula
inizianamedformula:assignment                   \inizianamedformula [...] [..=..] ... \terminanamedformula
inizianamedmatrix                               \inizianamedmatrix [...] [..=..]    {...} ... \terminanamedmatrix
inizianamednotation                             \inizianamednotation [...] [...] ... \terminanamednotation
inizianamednotation:assignment                  \inizianamednotation [...] [..=..] ... \terminanamednotation
inizianamedsection                              \inizianamedsection [...] [..=..] [..=..] ... \terminanamedsection
inizianamedsubformulas                          \inizianamedsubformulas [...] {...} ... \terminanamedsubformulas
inizianamedtyping                               \inizianamedtyping [...] [..=..] ... \terminanamedtyping
inizianamedtyping:argument                      \inizianamedtyping [...] [...] ... \terminanamedtyping
inizianarrower                                  \inizianarrower [...] ... \terminanarrower
inizianarrower:example                          \iniziaNARROWER [...] ... \terminaNARROWER
inizianegativo                                  \inizianegativo ... \terminanegativo
inizianicelyfilledbox                           \inizianicelyfilledbox [..=..] ... \terminanicelyfilledbox
inizianointerference                            \inizianointerference ... \terminanointerference
inizianotallmodes                               \inizianotallmodes [...] ... \terminanotallmodes
inizianota:instance                             \iniziaNOTE [...] ... \terminaNOTE
inizianota:instance:assignment                  \iniziaNOTE [..=..] ... \terminaNOTE
inizianota:instance:assignment:endnote          \iniziaendnote [..=..] ... \terminaendnote
inizianota:instance:assignment:footnote         \iniziafootnote [..=..] ... \terminafootnote
inizianota:instance:endnote                     \iniziaendnote [...] ... \terminaendnote
inizianota:instance:footnote                    \iniziafootnote [...] ... \terminafootnote
inizianotext                                    \inizianotext ... \terminanotext
inizianotmode                                   \inizianotmode [...] ... \terminanotmode
iniziaopposto                                   \iniziaopposto ... \terminaopposto
iniziaoutputstream                              \iniziaoutputstream [...] ... \terminaoutputstream
iniziaoutputsubstream                           \iniziaoutputsubstream [...] ... \terminaoutputsubstream
iniziaoverprint                                 \iniziaoverprint ... \terminaoverprint
iniziapageblock                                 \iniziapageblock [...] ... \terminapageblock
iniziapagecolumns                               \iniziapagecolumns [..=..] ... \terminapagecolumns
iniziapagecolumns:instance                      \iniziaPAGECOLUMNS ... \terminaPAGECOLUMNS
iniziapagecolumns:name                          \iniziapagecolumns [...] ... \terminapagecolumns
iniziapagefigure                                \iniziapagefigure [...] [..=..] ... \terminapagefigure
iniziapagelayout                                \iniziapagelayout [...] ... \terminapagelayout
iniziapar                                       \iniziapar [...] [..=..] ... \terminapar
iniziaparagraphs                                \iniziaparagraphs [...] ... \terminaparagraphs
iniziaparagraphscell                            \iniziaparagraphscell ... \terminaparagraphscell
iniziaparagraphshape                            \iniziaparagraphshape [...] ... \terminaparagraphshape
iniziaparagraphs:example                        \iniziaPARAGRAPHS ... \terminaPARAGRAPHS
iniziaparallel:example                          \iniziaPARALLEL ... \terminaPARALLEL
iniziaparbuilder                                \iniziaparbuilder [...] ... \terminaparbuilder
iniziaplacefloat                                \iniziaplacefloat [...] [..=..] [..=..] ... \terminaplacefloat
iniziaplacefloat:instance                       \iniziamettiFLOAT [..=..] [..=..] ... \terminamettiFLOAT
iniziaplacefloat:instance:chemical              \iniziamettichemical [..=..] [..=..] ... \terminamettichemical
iniziaplacefloat:instance:figure                \iniziamettifigure [..=..] [..=..] ... \terminamettifigure
iniziaplacefloat:instance:graphic               \iniziamettigraphic [..=..] [..=..] ... \terminamettigraphic
iniziaplacefloat:instance:intermezzo            \iniziamettiintermezzo [..=..] [..=..] ... \terminamettiintermezzo
iniziaplacefloat:instance:table                 \iniziamettitable [..=..] [..=..] ... \terminamettitable
iniziaplacepairedbox                            \iniziaplacepairedbox [...] [..=..] ... \terminaplacepairedbox
iniziaplacepairedbox:instance                   \iniziamettiPAIREDBOX [..=..] ... \terminamettiPAIREDBOX
iniziaplacepairedbox:instance:legend            \iniziamettilegend [..=..] ... \terminamettilegend
iniziapositioning                               \iniziapositioning [...] [..=..] ... \terminapositioning
iniziapositionoverlay                           \iniziapositionoverlay {...} ... \terminapositionoverlay
iniziapositivo                                  \iniziapositivo ... \terminapositivo
iniziaposporre                                  \iniziaposporre [...] ... \terminaposporre
iniziapostponingnotes                           \iniziapostponingnotes ... \terminapostponingnotes
iniziaprerollpageblock                          \iniziaprerollpageblock [...] ... \terminaprerollpageblock
iniziaprocessassignmentcommand                  \iniziaprocessassignmentcommand [..=..] ... \terminaprocessassignmentco
iniziaprocessassignmentlist                     \iniziaprocessassignmentlist [..=..] ... \terminaprocessassignmentlist
iniziaprocesscommacommand                       \iniziaprocesscommacommand [...] ... \terminaprocesscommacommand
iniziaprocesscommalist                          \iniziaprocesscommalist [...] ... \terminaprocesscommalist
iniziaprodotto                                  \iniziaprodotto [...] ... \terminaprodotto
iniziaprodotto:string                           \iniziaprodotto ... ... \terminaprodotto
iniziaprofile                                   \iniziaprofile [...] ... \terminaprofile
iniziaprofile:assignment                        \iniziaprofile [..=..] ... \terminaprofile
iniziaprofile:example                           \iniziaPROFILE [...] ... \terminaPROFILE
iniziaprofile:example:assignment                \iniziaPROFILE [..=..] ... \terminaPROFILE
iniziaprogetto                                  \iniziaprogetto [...] ... \terminaprogetto
iniziaprogetto:string                           \iniziaprogetto ... ... \terminaprogetto
iniziaprotectedcolors                           \iniziaprotectedcolors ... \terminaprotectedcolors
iniziapubblicazione                             \iniziapubblicazione [...] [..=..] ... \terminapubblicazione
iniziarandomized                                \iniziarandomized ... \terminarandomized
iniziarawsetups                                 \iniziarawsetups [...] [...] ... \terminarawsetups
```

```
iniziarawsetups:string                      \iniziarawsetups ... ... \terminarawsetups
iniziareadingfile                           \iniziareadingfile ... \terminareadingfile
iniziaregime                                \iniziaregime [...] ... \terminaregime
iniziareusableMPgraphic                     \iniziareusableMPgraphic {...} {...} ... \terminareusableMPgraphic
iniziariga                                  \iniziariga [...]
iniziarighe:instance                        \iniziaLINES [..=..] ... \terminaLINES
iniziarighe:instance:lines                  \inizialines [..=..] ... \terminalines
iniziaruby                                  \iniziaruby [...] ... \terminaruby
iniziascript                                \iniziascript [...] ... \terminascript
iniziasectionblock                          \iniziasectionblock [...] [..=..] ... \terminasectionblock
iniziasectionblock:instance                 \iniziaSECTIONBLOCK [..=..] ... \terminaSECTIONBLOCK
iniziasectionblock:instance:appendices      \iniziaappendices [..=..] ... \terminaappendices
iniziasectionblock:instance:backmatter      \iniziabackmatter [..=..] ... \terminabackmatter
iniziasectionblock:instance:bodymatter      \iniziabodymatter [..=..] ... \terminabodymatter
iniziasectionblock:instance:frontmatter     \iniziafrontmatter [..=..] ... \terminafrontmatter
iniziasectionlevel                          \iniziasectionlevel [...] [..=..] [..=..] ... \terminasectionlevel
iniziasetups                                \iniziasetups [...] [...] ... \terminasetups
iniziasetups:string                         \iniziasetups ... ... \terminasetups
iniziasfondo                                \iniziasfondo [..=..] ... \terminasfondo
iniziasfondo:example                        \iniziaSFONDO [..=..] ... \terminaSFONDO
iniziashapedparagraph                       \iniziashapedparagraph [..=..] ... \terminashapedparagraph
iniziashapetext                             \iniziashapetext [...] ... \terminashapetext
iniziashift                                 \iniziashift [...] ... \terminashift
iniziashowbreakpoints                       \iniziashowbreakpoints [..=..] ... \terminashowbreakpoints
iniziashowrivers                            \iniziashowrivers [..=..] ... \terminashowrivers
iniziasidebar                               \iniziasidebar [...] [..=..] ... \terminasidebar
iniziasimplecolumns                         \iniziasimplecolumns [..=..] ... \terminasimplecolumns
iniziasospeso                               \iniziasospeso [..=..]    {...} ... \terminasospeso
iniziasospeso:argument                      \iniziasospeso [...]    {...} ... \terminasospeso
iniziasovrapponi                            \iniziasovrapponi ... \terminasovrapponi
iniziaspecialitem:item                      \iniziaspecialitem [...] [...] ... \terminaspecialitem
iniziaspecialitem:none                      \iniziaspecialitem [...] ... \terminaspecialitem
iniziaspecialitem:symbol                    \iniziaspecialitem [...] {...} ... \terminaspecialitem
iniziasplittext                             \iniziasplittext ... \terminasplittext
iniziaspread                                \iniziaspread ... \terminaspread
iniziastacking                              \iniziastacking [...] ... \terminastacking
iniziastackingsteps                         \iniziastackingsteps [...] ... \terminastackingsteps
iniziastacking:example                      \iniziaSTACKING [...] ... \terminaSTACKING
iniziastartstop:example                     \iniziaSTARTSTOP ... \terminaSTARTSTOP
iniziastartstop:example:argument            \iniziaSTARTSTOP [..=..] ... \terminaSTARTSTOP
iniziastaticMPfigure                        \iniziastaticMPfigure {...} ... \terminastaticMPfigure
iniziastaticMPgraphic                       \iniziastaticMPgraphic {...} {...} ... \terminastaticMPgraphic
iniziastretto                               \iniziastretto [...] [..=..] ... \terminastretto
iniziastretto:assignment                    \iniziastretto [..=..] [...] ... \terminastretto
iniziastretto:name                          \iniziastretto [...] [...] ... \terminastretto
iniziastrictinspectnextcharacter            \iniziastrictinspectnextcharacter ... \terminastrictinspectnextcharacter
iniziastyle                                 \iniziastyle [..=..] ... \terminastyle
iniziastyle:argument                        \iniziastyle [...] ... \terminastyle
iniziastyle:instance                        \iniziaSTYLE ... \terminaSTYLE
iniziasubformulas                           \iniziasubformulas [...] ... \terminasubformulas
iniziasubjectlevel                          \iniziasubjectlevel [...] [..=..] [..=..] ... \terminasubjectlevel
iniziasubnumberinghere                      \iniziasubnumberinghere ... \terminasubnumberinghere
iniziasubsentence                           \iniziasubsentence ... \terminasubsentence
iniziasubstack                              \iniziasubstack ... \terminasubstack
iniziasymbolset                             \iniziasymbolset [...] [..=..] ... \terminasymbolset
iniziaTABLE                                 \iniziaTABLE [..=..] ... \terminaTABLE
iniziaTABLEbody                             \iniziaTABLEbody [..=..] ... \terminaTABLEbody
iniziaTABLEfoot                             \iniziaTABLEfoot [..=..] ... \terminaTABLEfoot
iniziaTABLEhead                             \iniziaTABLEhead [..=..] ... \terminaTABLEhead
iniziaTABLEnext                             \iniziaTABLEnext [..=..] ... \terminaTABLEnext
iniziatabella                               \iniziatabella   [|...|] [..=..] ... \terminatabella
iniziatabella:name                          \iniziatabella [...] [..=..] ... \terminatabella
iniziatabelle                               \iniziatabelle   [|...|] ... \terminatabelle
iniziatabelle:name                          \iniziatabelle [...] ... \terminatabelle
iniziatabulato                              \iniziatabulato   [|...|] [..=..] ... \terminatabulato
iniziatabulato:instance                     \iniziaTABULATE [...]^OPT[..=..] ... \terminaTABULATE
iniziatabulato:instance:fact                \iniziafact [...] [..=..] ... \terminafact
iniziatabulato:instance:legend              \inizialegend [...] [..=..] ... \terminalegend
iniziatesta                                 \iniziatesta [...] {...} ... \terminatesta
iniziatestatabella                          \iniziatestatabella [...] ... \terminatestatabella
iniziatestatabulato                         \iniziatestatabulato [...] ... \terminatestatabulato
iniziatesto                                 \iniziatesto ... \terminatesto
```

```
iniziatestoaiuto                                \iniziatestoaiuto [...] ... \terminatestoaiuto
iniziatestoetichetta:instance                   \iniziaLABELtesto [...] [...] ... \terminaLABELtesto
iniziatestoetichetta:instance:btxlabel          \iniziabtxlabeltesto [...] [...] ... \terminabtxlabeltesto
iniziatestoetichetta:instance:head              \iniziaheadtesto [...] [...] ... \terminaheadtesto
iniziatestoetichetta:instance:label             \inizialabeltesto [...] [...] ... \terminalabeltesto
iniziatestoetichetta:instance:mathlabel         \iniziamathlabeltesto [...] [...] ... \terminamathlabeltesto
iniziatestoetichetta:instance:operator          \iniziaoperatortesto [...] [...] ... \terminaoperatortesto
iniziatestoetichetta:instance:prefix            \iniziaprefixtesto [...] [...] ... \terminaprefixtesto
iniziatestoetichetta:instance:suffix            \iniziasuffixtesto [...] [...] ... \terminasuffixtesto
iniziatestoetichetta:instance:taglabel          \iniziataglabeltesto [...] [...] ... \terminataglabeltesto
iniziatestoetichetta:instance:unit              \iniziaunittesto [...] [...] ... \terminaunittesto
iniziatestoincorniciato:instance                \iniziaFRAMEDTEXT [...] [..=..] ... \terminaFRAMEDTEXT
iniziatestoincorniciato:instance:framedtext     \iniziaframedtext [...] [..=..] ... \terminaframedtext
iniziatexcode                                   \iniziatexcode ... \terminatexcode
iniziatexdefinition                             \iniziatexdefinition ... ... ... ... ... ... ... ... ... ... ... ... ..
iniziatextbackground                            \iniziatextbackground [...] [..=..] ... \terminatextbackground
iniziatextbackgroundmanual                      \iniziatextbackgroundmanual ... \terminatextbackgroundmanual
iniziatextbackground:example                    \iniziaTEXTBACKGROUND [..=..] ... \terminaTEXTBACKGROUND
iniziatextcolor                                 \iniziatextcolor [...] ... \terminatextcolor
iniziatextcolorintent                           \iniziatextcolorintent ... \terminatextcolorintent
iniziatextdisplay:instance                      \iniziaTEXTDISPLAY [..=..] ... \terminaTEXTDISPLAY
iniziatextdisplay:instance:textdisplay          \iniziatextdisplay [..=..] ... \terminatextdisplay
iniziatextflow                                  \iniziatextflow [...] ... \terminatextflow
iniziatokenlist                                 \iniziatokenlist [...] ... \terminatokenlist
iniziatokens                                    \iniziatokens [...] ... \terminatokens
iniziatransparent                               \iniziatransparent [...] ... \terminatransparent
iniziatypescript                                \iniziatypescript [...] [...] [...] ... \terminatypescript
iniziatypescriptcollection                      \iniziatypescriptcollection [...] ... \terminatypescriptcollection
iniziatyping:instance                           \iniziaTYPING [..=..] ... \terminaTYPING
iniziatyping:instance:argument                  \iniziaTYPING [...] ... \terminaTYPING
iniziatyping:instance:argument:LUA              \iniziaLUA [...] ... \terminaLUA
iniziatyping:instance:argument:MP               \iniziaMP [...] ... \terminaMP
iniziatyping:instance:argument:PARSEDXML        \iniziaPARSEDXML [...] ... \terminaPARSEDXML
iniziatyping:instance:argument:TEX              \iniziaTEX [...] ... \terminaTEX
iniziatyping:instance:argument:typing           \iniziatyping [...] ... \terminatyping
iniziatyping:instance:argument:XML              \iniziaXML [...] ... \terminaXML
iniziatyping:instance:LUA                       \iniziaLUA [..=..] ... \terminaLUA
iniziatyping:instance:MP                        \iniziaMP [..=..] ... \terminaMP
iniziatyping:instance:PARSEDXML                 \iniziaPARSEDXML [..=..] ... \terminaPARSEDXML
iniziatyping:instance:TEX                        \iniziaTEX [..=..] ... \terminaTEX
iniziatyping:instance:typing                    \iniziatyping [..=..] ... \terminatyping
iniziatyping:instance:XML                       \iniziaXML [..=..] ... \terminaXML
iniziauniqueMPgraphic                           \iniziauniqueMPgraphic {...} {...} ... \terminauniqueMPgraphic
iniziauniqueMPpagegraphic                       \iniziauniqueMPpagegraphic {...} {...} ... \terminauniqueMPpagegraphic
iniziaunpacked                                  \iniziaunpacked ... \terminaunpacked
iniziausableMPgraphic                           \iniziausableMPgraphic {...} {...} ... \terminausableMPgraphic
iniziauseMPgraphic                              \iniziauseMPgraphic {...} {...} ... \terminauseMPgraphic
iniziausemathstyleparameter                     \iniziausemathstyleparameter   \... ... \terminausemathstyleparameter
iniziauserdata                                  \iniziauserdata [...] [..=..] ... \terminauserdata
iniziauserdata:example                          \iniziaUSERDATA [..=..] ... \terminaUSERDATA
iniziausingbtxspecification                     \iniziausingbtxspecification [...] ... \terminausingbtxspecification
iniziavaia                                      \iniziavaia [...] ... \terminavaia
iniziavboxregister                              \iniziavboxregister ... ... \terminavboxregister
iniziavboxtohbox                                \iniziavboxtohbox ... \terminavboxtohbox
iniziavboxtohboxseparator                       \iniziavboxtohboxseparator ... \terminavboxtohboxseparator
iniziaviewerlayer                               \iniziaviewerlayer [...] ... \terminaviewerlayer
iniziaviewerlayer:example                       \iniziaVIEWERLAYER ... \terminaVIEWERLAYER
iniziavtopregister                              \iniziavtopregister ... ... \terminavtopregister
iniziaxcell                                     \iniziaxcell [...] [..=..] ... \terminaxcell
iniziaxcellgroup                                \iniziaxcellgroup [...] [..=..] ... \terminaxcellgroup
iniziaxcolumn                                   \iniziaxcolumn [..=..] ... \terminaxcolumn
iniziaxcolumn:name                              \iniziaxcolumn [...] ... \terminaxcolumn
iniziaxgroup                                    \iniziaxgroup [...] [..=..] ... \terminaxgroup
iniziaxmldisplayverbatim                        \iniziaxmldisplayverbatim [...] ... \terminaxmldisplayverbatim
iniziaxmlinlineverbatim                         \iniziaxmlinlineverbatim [...] ... \terminaxmlinlineverbatim
iniziaxmlraw                                    \iniziaxmlraw ... \terminaxmlraw
iniziaxmlsetups                                 \iniziaxmlsetups [...] [...] ... \terminaxmlsetups
iniziaxmlsetups:string                          \iniziaxmlsetups ... ... \terminaxmlsetups
iniziaxrow                                      \iniziaxrow [...] [..=..] ... \terminaxrow
iniziaxrowgroup                                 \iniziaxrowgroup [...] [..=..] ... \terminaxrowgroup
iniziaxtable                                    \iniziaxtable [..=..] ... \terminaxtable
iniziaxtablebody                                \iniziaxtablebody [..=..] ... \terminaxtablebody
```

```
iniziaxtablebody:name                    \iniziaxtablebody [...] ... \terminaxtablebody
iniziaxtablefoot                         \iniziaxtablefoot [..=..] ... \terminaxtablefoot
iniziaxtablefoot:name                    \iniziaxtablefoot [...] ... \terminaxtablefoot
iniziaxtablehead                         \iniziaxtablehead [..=..] ... \terminaxtablehead
iniziaxtablehead:name                    \iniziaxtablehead [...] ... \terminaxtablehead
iniziaxtablenext                         \iniziaxtablenext [..=..] ... \terminaxtablenext
iniziaxtablenext:name                    \iniziaxtablenext [...] ... \terminaxtablenext
iniziaxtable:example                     \iniziaXTABLE [..=..] ... \terminaXTABLE
iniziaxtable:name                        \iniziaxtable [...] ... \terminaxtable
inlinebar                                \inlinebar [...]   {...}
inlinebuffer                             \inlinebuffer [...]
inlinedbox                               \inlinedbox   {...}
inlinemath                               \inlinemath   {...}
inlinemathematics                        \inlinemathematics   {...}
inlinemessage                            \inlinemessage {...}
inlineordisplaymath                      \inlineordisplaymath   {...}   {...}
inlineprettyprintbuffer                  \inlineprettyprintbuffer {...} {...}
inlinerange                              \inlinerange [...]
innerflushshapebox                       \innerflushshapebox
input                                    \input {...}
inputfilebarename                        \inputfilebarename
inputfilename                            \inputfilename
inputfilerealsuffix                      \inputfilerealsuffix
inputfilesuffix                          \inputfilesuffix
inputgivenfile                           \inputgivenfile {...}
input:string                             \input ...
inriga                                   \inriga {...} [...]
insertblankafter                         \insertblankafter [...]
insertblankbefore                        \insertblankbefore [...]
insertlineafter                          \insertlineafter   {...}
insertlinebefore                         \insertlinebefore   {...}
insertpages                              \insertpages [...] [...] [..=..]
inspectluatable                          \inspectluatable   \...
installactionhandler                     \installactionhandler {...}
installactivecharacter                   \installactivecharacter ...
installalingua                           \installalingua [...] [..=..]
installalingua:name                      \installalingua [...] [...]
installanddefineactivecharacter          \installanddefineactivecharacter ... {...}
installattributestack                    \installattributestack   \...
installautocommandhandler                \installautocommandhandler   \... {...}   \...
installautosetuphandler                  \installautosetuphandler   \... {...}
installbasicautosetuphandler             \installbasicautosetuphandler   \... {...}   \...
installbasicparameterhandler             \installbasicparameterhandler   \... {...}
installbottomframerenderer               \installbottomframerenderer {...} {...}
installcommandhandler                    \installcommandhandler   \... {...}   \...
installcorenamespace                     \installcorenamespace {...}
installctxfunction                       \installctxfunction   \...   {...}
installctxscanner                        \installctxscanner   \...   {...}
installdefinehandler                     \installdefinehandler   \... {...}   \...
installdefinitionset                     \installdefinitionset   \... {...}
installdefinitionsetmember               \installdefinitionsetmember   \... {...}   \... {...}
installdirectcommandhandler              \installdirectcommandhandler   \... {...}
installdirectparameterhandler            \installdirectparameterhandler   \... {...}
installdirectparametersethandler         \installdirectparametersethandler   \... {...}
installdirectsetuphandler                \installdirectsetuphandler   \... {...}
installdirectstyleandcolorhandler        \installdirectstyleandcolorhandler   \... {...}
installframedautocommandhandler          \installframedautocommandhandler   \... {...}   \...
installframedcommandhandler              \installframedcommandhandler   \... {...}   \...
installglobalmacrostack                  \installglobalmacrostack   \...
installleftframerenderer                 \installleftframerenderer {...} {...}
installmacrostack                        \installmacrostack   \...
installnamespace                         \installnamespace {...}
installoutputroutine                     \installoutputroutine   \... {...}
installpagearrangement                   \installpagearrangement ... {...}
installparameterhandler                  \installparameterhandler   \... {...}
installparameterhashhandler              \installparameterhashhandler   \... {...}
installparametersethandler               \installparametersethandler   \... {...}
installparentinjector                    \installparentinjector   \... {...}
installprotectedctxfunction              \installprotectedctxfunction   \...   {...}
installprotectedctxscanner               \installprotectedctxscanner   \...   {...}
installrightframerenderer                \installrightframerenderer {...} {...}
installrootparameterhandler              \installrootparameterhandler   \... {...}
```

installsetuphandler	`\installsetuphandler   \... {...}`
installsetuponlycommandhandler	`\installsetuponlycommandhandler   \... {...}`
installshipoutmethod	`\installshipoutmethod {...} {...}`
installsimplecommandhandler	`\installsimplecommandhandler   \... {...}   \...`
installsimpleframedcommandhandler	`\installsimpleframedcommandhandler   \... {...}   \...`
installstyleandcolorhandler	`\installstyleandcolorhandler   \... {...}`
installswitchcommandhandler	`\installswitchcommandhandler   \... {...}   \...`
installswitchsetuphandler	`\installswitchsetuphandler   \... {...}`
installtexdirective	`\installtexdirective {...} {...} {...}`
installtextracker	`\installtextracker {...} {...} {...}`
installtopframerenderer	`\installtopframerenderer {...} {...}`
installunitsseparator	`\installunitsseparator {...} {...}`
installunitsspace	`\installunitsspace {...} {...}`
installversioninfo	`\installversioninfo {...} {...}`
integerrounding	`\integerrounding {...}`
intertext	`\intertext {...}`
interwordspaceafter	`\interwordspaceafter`
interwordspacebefore	`\interwordspacebefore`
interwordspaces	`\interwordspaces {...}`
interwordspacesafter	`\interwordspacesafter {...}`
interwordspacesbefore	`\interwordspacesbefore {...}`
intorno	`\intorno [...]`
invokepagehandler	`\invokepagehandler {...}   {...}`
italiccorrection	`\italiccorrection`
italicface	`\italicface`
itemtag	`\itemtag [...]`
jobfilename	`\jobfilename`
jobfilesuffix	`\jobfilesuffix`
kap	`\kap {...}`
keeplinestogether	`\keeplinestogether {...}`
keepunwantedspaces	`\keepunwantedspaces`
kerncharacters	`\kerncharacters [...] {...}`
koreancirclenumerals	`\koreancirclenumerals {...}`
koreannumerals	`\koreannumerals {...}`
koreannumeralsc	`\koreannumeralsc {...}`
koreannumeralsp	`\koreannumeralsp {...}`
koreanparentnumerals	`\koreanparentnumerals {...}`
LAMSTEX	`\LAMSTEX`
LATEX	`\LATEX`
LamSTeX	`\LamSTeX`
LaTeX	`\LaTeX`
Lettera	`\Lettera {...}`
Lettere	`\Lettere {...}`
LUAJITTEX	`\LUAJITTEX`
LUAMETATEX	`\LUAMETATEX`
LUATEX	`\LUATEX`
Lua	`\Lua`
LuajitTeX	`\LuajitTeX`
LuaMetaTeX	`\LuaMetaTeX`
LuaTeX	`\LuaTeX`
labellanguage:instance	`\LABELlingua`
labellanguage:instance:btxlabel	`\btxlabellingua`
labellanguage:instance:head	`\headlingua`
labellanguage:instance:label	`\labellingua`
labellanguage:instance:mathlabel	`\mathlabellingua`
labellanguage:instance:operator	`\operatorlingua`
labellanguage:instance:prefix	`\prefixlingua`
labellanguage:instance:suffix	`\suffixlingua`
labellanguage:instance:taglabel	`\taglabellingua`
labellanguage:instance:unit	`\unitlingua`
labeltexts:instance	`\LABELtexts {...} {...}`
labeltexts:instance:head	`\headtexts {...} {...}`
labeltexts:instance:label	`\labeltexts {...} {...}`
labeltexts:instance:mathlabel	`\mathlabeltexts {...} {...}`
languageCharacters	`\languageCharacters {...}`
languagecharacters	`\languagecharacters {...}`
languagecharwidth	`\languagecharwidth {...}`
lastcounter	`\lastcounter [...] [...]`
lastcountervalue	`\lastcountervalue [...]`
lastdigit	`\lastdigit {...}`
lastlinewidth	`\lastlinewidth`
lastnaturalboxdp	`\lastnaturalboxdp`

```
lastnaturalboxht                      \lastnaturalboxht
lastnaturalboxwd                      \lastnaturalboxwd
lastparwrapper                        \lastparwrapper {...}
lastpredefinedsymbol                  \lastpredefinedsymbol
lastrealpage                          \lastrealpage
lastrealpagenumber                    \lastrealpagenumber
lastsubcountervalue                   \lastsubcountervalue [...] [...]
lastsubpagenumber                     \lastsubpagenumber
lasttwodigits                         \lasttwodigits {...}
lastuserpage                          \lastuserpage
lastuserpagenumber                    \lastuserpagenumber
lateluacode                           \lateluacode {...}
layeredtext                           \layeredtext [..=..] [..=..] {...}   {...}
layerheight                           \layerheight
layerwidth                            \layerwidth
lazysavetaggedtwopassdata             \lazysavetaggedtwopassdata {...} {...} {...}   {...}
lazysavetwopassdata                   \lazysavetwopassdata {...} {...}   {...}
lbox                                  \lbox ...   {...}
lchexnumber                           \lchexnumber {...}
lchexnumbers                          \lchexnumbers {...}
leftbottombox                         \leftbottombox   {...}
leftbox                               \leftbox   {...}
lefthbox                              \lefthbox   {...}
leftlabeltext:instance                \leftLABELtesto {...}
leftlabeltext:instance:head           \leftheadtesto {...}
leftlabeltext:instance:label          \leftlabeltesto {...}
leftlabeltext:instance:mathlabel      \leftmathlabeltesto {...}
leftline                              \leftline   {...}
leftorrighthbox                       \leftorrighthbox ...   {...}
leftorrightvbox                       \leftorrightvbox ...   {...}
leftorrightvtop                       \leftorrightvtop ...   {...}
leftparbox                            \leftparbox [...]   {...}
leftskipadaption                      \leftskipadaption
leftsubguillemot                      \leftsubguillemot
lefttopbox                            \lefttopbox   {...}
lefttoright                           \lefttoright
lefttorighthbox                       \lefttorighthbox ...   {...}
lefttorightvbox                       \lefttorightvbox ...   {...}
lefttorightvtop                       \lefttorightvtop ...   {...}
letbeundefined                        \letbeundefined {...}
letcatcodecommand                     \letcatcodecommand   \... ...   \...
letcscsname                           \letcscsname   \... \csname ... \endcsname
letcsnamecs                           \letcsnamecs \csname ... \endcsname   \...
letcsnamecsname                       \letcsnamecsname \csname ... \endcsname \csname ... \endcsname
letdummyparameter                     \letdummyparameter {...}   \...
letempty                              \letempty   \...
letgvalue                             \letgvalue {...}   \...
letgvalueempty                        \letgvalueempty {...}
letgvaluerelax                        \letgvaluerelax {...}
lettera                               \lettera {...}
letterampersand                       \letterampersand
letterat                              \letterat
letterbackslash                       \letterbackslash
letterbar                             \letterbar
letterbgroup                          \letterbgroup
letterclosebrace                      \letterclosebrace
lettercolon                           \lettercolon
letterdollar                          \letterdollar
letterdoublequote                     \letterdoublequote
lettere                               \lettere {...}
letteregroup                          \letteregroup
letterescape                          \letterescape
letterexclamationmark                 \letterexclamationmark
letterhash                            \letterhash
letterhat                             \letterhat
letterhyphen                          \letterhyphen
letterleftbrace                       \letterleftbrace
letterleftbracket                     \letterleftbracket
letterleftparenthesis                 \letterleftparenthesis
letterless                            \letterless
lettermore                            \lettermore
letteropenbrace                       \letteropenbrace
```

```
letterpercent                    \letterpercent
letterquestionmark               \letterquestionmark
letterrightbrace                 \letterrightbrace
letterrightbracket               \letterrightbracket
letterrightparenthesis           \letterrightparenthesis
lettersinglequote                \lettersinglequote
letterslash                      \letterslash
letterspacing                    \letterspacing [...] {...}
lettertilde                      \lettertilde
letterunderscore                 \letterunderscore
letvalue                         \letvalue {...}   \...
letvalueempty                    \letvalueempty {...}
letvaluerelax                    \letvaluerelax {...}
lfence                           \lfence ...
lhbox                            \lhbox   {...}
limitatefirstline                \limitatefirstline {...} {...} {...}
limitatelines                    \limitatelines {...} {...} {...}
limitatetext                     \limitatetext {...} {...} {...}
limitatetext:list                \limitatetext {...} {...} {...}
lineanera                        \lineanera [..=..]
lineasottile                     \lineasottile
lineatesto                       \lineatesto [...] {...}
linebox                          \linebox   {...}
lineenere                        \lineenere [..=..]
lineeriempimento                 \lineeriempimento [..=..] {...} {...}
lineesottili                     \lineesottili [..=..]
linefillerhbox                   \linefillerhbox [...] ...   {...}
linefillervbox                   \linefillervbox [...] ...   {...}
linefillervtop                   \linefillervtop [...] ...   {...}
linenote:instance                \LINENOTE {...}
linenote:instance:linenote       \linenote {...}
linespanningtext                 \linespanningtext {...} {...} {...}
lingua                           \lingua [...]
linguaprincipale                 \linguaprincipale [...]
lingua:example                   \LANGUAGE
listcitation                     \listcitation [..=..] [...]
listcitation:alternative         \listcitation [...] [...]
listcitation:userdata            \listcitation [..=..] [..=..]
listcite                         \listcite [..=..] [...]
listcite:alternative             \listcite [...] [...]
listcite:userdata                \listcite [..=..] [..=..]
listnamespaces                   \listnamespaces
literalmode                      \literalmode
llap                             \llap   {...}
loadanyfile                      \loadanyfile [...]
loadanyfileonce                  \loadanyfileonce [...]
loadbtxdefinitionfile            \loadbtxdefinitionfile [...]
loadbtxreplacementfile           \loadbtxreplacementfile [...]
loadcldfile                      \loadcldfile [...]
loadcldfileonce                  \loadcldfileonce [...]
loadfontgoodies                  \loadfontgoodies [...]
loadluafile                      \loadluafile [...]
loadluafileonce                  \loadluafileonce [...]
loadspellchecklist               \loadspellchecklist [...] [...]
loadtexfile                      \loadtexfile [...]
loadtexfileonce                  \loadtexfileonce [...]
loadtypescriptfile               \loadtypescriptfile [...]
localbox                         \localbox [...]   {...}
localframed                      \localframed [...] [..=..]   {...}
localframedwithsettings          \localframedwithsettings [...] [..=..]   {...}
localhsize                       \localhsize
localmargintext                  \localmargintext [...]   {...}
localpopbox                      \localpopbox ...
localpopmacro                    \localpopmacro   \...
localpushbox                     \localpushbox ...
localpushmacro                   \localpushmacro   \...
localundefine                    \localundefine {...}
locatedfilepath                  \locatedfilepath
locatefilepath                   \locatefilepath {...}
locfilename                      \locfilename {...}
lomihi                           \lomihi   {...}   {...}   {...}
lowerbox                         \lowerbox {...}   \...   {...}
```

lowercased	`\lowercased {...}`
lowercasestring	`\lowercasestring ... \to   \...`
lowercasing	`\lowercasing`
lowerleftdoublenInequote	`\lowerleftdoubleninequote`
lowerleftsingleninequote	`\lowerleftsingleninequote`
lowerrightdoubleninequote	`\lowerrightdoubleninequote`
lowerrightsingleninequote	`\lowerrightsingleninequote`
lowhigh:instance	*`\LOWHIGH [...]   {...}   {...}`*
lowmidhigh:instance	*`\LOWMIDHIGH   {...}   {...}   {...}`*
lrtbbox	`\lrtbbox {...} {...} {...} {...}   {...}`
ltop	`\ltop ...   {...}`
ltrhbox	`\ltrhbox ...   {...}`
ltrtext	`\ltrtext   {...}`
ltrvbox	`\ltrvbox ...   {...}`
ltrvtop	`\ltrvtop ...   {...}`
luacode	`\luacode {...}`
luaconditional	`\luaconditional   \...`
luaenvironment	`\luaenvironment ...`
luaexpanded	`\luaexpanded {...}`
luaexpr	`\luaexpr [...]   {...}`
luafunction	`\luafunction {...}`
luajitTeX	`\luajitTeX`
luamajorversion	`\luamajorversion`
luametaTeX	`\luametaTeX`
luaminorversion	`\luaminorversion`
luaparameterset	`\luaparameterset {...}   {...}`
luasetup	`\luasetup {...}`
luaTeX	`\luaTeX`
luaversion	`\luaversion`
lunghezzaelenco	`\lunghezzaelenco`
MESE	`\MESE {...}`
METAFONT	`\METAFONT`
METAFUN	`\METAFUN`
METAPOST	`\METAPOST`
MetaFont	`\MetaFont`
MetaFontLogo	`\MetaFontLogo`
MetaFun	`\MetaFun`
MetaPost	`\MetaPost`
MetaPostLogo	`\MetaPostLogo`
MKII	`\MKII`
MKIV	`\MKIV`
MKIX	`\MKIX`
MKLX	`\MKLX`
MKVI	`\MKVI`
MKXI	`\MKXI`
MKXL	`\MKXL`
MONTHLONG	`\MONTHLONG {...}`
MONTHSHORT	`\MONTHSHORT {...}`
MPanchor	`\MPanchor {...}`
MPbetex	`\MPbetex {...}`
MPc	`\MPc {...}`
MPcode	`\MPcode {...}   {...}`
MPcolor	`\MPcolor {...}`
MPcoloronly	`\MPcoloronly {...}`
MPcolumn	`\MPcolumn {...}`
MPd	`\MPd {...}`
MPdrawing	`\MPdrawing   {...}`
MPfontsizehskip	`\MPfontsizehskip {...}`
MPgetmultipars	`\MPgetmultipars {...} {...}`
MPgetmultishape	`\MPgetmultishape {...} {...}`
MPgetposboxes	`\MPgetposboxes {...} {...}`
MPh	`\MPh {...}`
MPII	`\MPII`
MPIV	`\MPIV`
MPinclusions	`\MPinclusions [...] {...}   {...}`
MPLX	`\MPLX`
MPleftskip	`\MPleftskip {...}`
MPll	`\MPll {...}`
MPlr	`\MPlr {...}`
MPls	`\MPls {...}`
MPmenubuttons	`\MPmenubuttons {...}`
MPn	`\MPn {...}`

```
MPoptions                              \MPoptions {...}
MPoverlayanchor                        \MPoverlayanchor {...}
MPp                                    \MPp {...}
MPpage                                 \MPpage {...}
MPpardata                              \MPpardata {...}
MPplus                                 \MPplus {...} {...}   {...}
MPpos                                  \MPpos {...}
MPpositiongraphic                      \MPpositiongraphic {...} {..=..}
MPposset                               \MPposset {...}
MPr                                    \MPr {...}
MPrawvar                               \MPrawvar {...} {...}
MPregion                               \MPregion {...}
MPrest                                 \MPrest {...}   {...}
MPrightskip                            \MPrightskip {...}
MPrs                                   \MPrs {...}
MPstring                               \MPstring {...}
MPtext                                 \MPtext {...}
MPtransparency                         \MPtransparency {...}
MPul                                   \MPul {...}
MPur                                   \MPur {...}
MPVI                                   \MPVI
MPv                                    \MPv {...} {...}   {...}
MPvar                                  \MPvar {...}
MPvariable                             \MPvariable {...}
MPvv                                   \MPvv {...}   {...}
MPw                                    \MPw {...}
MPwhd                                  \MPwhd {...}
MPXL                                   \MPXL
MPx                                    \MPx {...}
MPxy                                   \MPxy {...}
MPxywhd                                \MPxywhd {...}
MPy                                    \MPy {...}
m                                      \m [...]   {...}
maiuscoletto                           \maiuscoletto {...}
maiuscolo                              \maiuscolo {...}
makecharacteractive                    \makecharacteractive ...
makerawcommalist                       \makerawcommalist [...]   \...
makestrutofbox                         \makestrutofbox ...
mapfontsize                            \mapfontsize [...] [...]
marcatura                              \marcatura   (...,...)   (...,...) [...]
margindata                             \margindata [...] [..=..] [..=..]   {...}
margindata:instance                    \MARGINDATA [..=..] [..=..]   {...}
margindata:instance:atleftmargin       \atleftmargin [..=..] [..=..]   {...}
margindata:instance:atrightmargin      \atrightmargin [..=..] [..=..]   {...}
margindata:instance:ininner            \ininner [..=..] [..=..]   {...}
margindata:instance:ininneredge        \ininneredge [..=..] [..=..]   {...}
margindata:instance:ininnermargin      \ininnermargin [..=..] [..=..]   {...}
margindata:instance:inleft             \inleft [..=..] [..=..]   {...}
margindata:instance:inleftedge         \inleftedge [..=..] [..=..]   {...}
margindata:instance:inleftmargin       \inleftmargin [..=..] [..=..]   {...}
margindata:instance:inmargin           \inmargin [..=..] [..=..]   {...}
margindata:instance:inother            \inother [..=..] [..=..]   {...}
margindata:instance:inouter            \inouter [..=..] [..=..]   {...}
margindata:instance:inouteredge        \inouteredge [..=..] [..=..]   {...}
margindata:instance:inoutermargin      \inoutermargin [..=..] [..=..]   {...}
margindata:instance:inright            \inright [..=..] [..=..]   {...}
margindata:instance:inrightedge        \inrightedge [..=..] [..=..]   {...}
margindata:instance:inrightmargin      \inrightmargin [..=..] [..=..]   {...}
margindata:instance:margintext         \margintext [..=..] [..=..]   {...}
markcontent                            \markcontent [...]   {...}
markedpages                            \markedpages [...]
marker                                 \marker {...}
markinjector                           \markinjector [...]
markpage                               \markpage [...] [...]
markreferencepage                      \markreferencepage
mat                                    \mat   {...}
matematica                             \matematica [...]   {...}
matematica:assignment                  \matematica [..=..]   {...}
math                                   \math [...]   {...}
mathaccent:instance                    \MATHACCENT [..=..]   {...}
mathaccent:instance:acute              \acute [..=..]   {...}
mathaccent:instance:bar                \bar [..=..]   {...}
```

```
mathaccent:instance:breve                              \breve [..=..]   {...}
mathaccent:instance:check                              \check [..=..]   {...}
mathaccent:instance:closure                            \closure [..=..]   {...}
mathaccent:instance:conjugate                          \conjugate [..=..]   {...}
mathaccent:instance:ddddot                             \ddddot [..=..]   {...}
mathaccent:instance:dddot                              \dddot [..=..]   {...}
mathaccent:instance:ddot                               \ddot [..=..]   {...}
mathaccent:instance:dot                                \dot [..=..]   {...}
mathaccent:instance:grave                              \grave [..=..]   {...}
mathaccent:instance:hat                                \hat [..=..]   {...}
mathaccent:instance:overhook                           \overhook [..=..]   {...}
mathaccent:instance:overleftharpoon                    \overleftharpoon [..=..]   {...}
mathaccent:instance:overrightharpoon                   \overrightharpoon [..=..]   {...}
mathaccent:instance:ring                               \ring [..=..]   {...}
mathaccent:instance:tilde                              \tilde [..=..]   {...}
mathaccent:instance:vec                                \vec [..=..]   {...}
mathaccent:instance:wideacute                          \wideacute [..=..]   {...}
mathaccent:instance:widebar                            \widebar [..=..]   {...}
mathaccent:instance:widebreve                          \widebreve [..=..]   {...}
mathaccent:instance:widecheck                          \widecheck [..=..]   {...}
mathaccent:instance:widedddot                          \widedddot [..=..]   {...}
mathaccent:instance:wideddot                           \wideddot [..=..]   {...}
mathaccent:instance:widedot                            \widedot [..=..]   {...}
mathaccent:instance:widegrave                          \widegrave [..=..]   {...}
mathaccent:instance:widehat                            \widehat [..=..]   {...}
mathaccent:instance:wideoverleftarrow                  \wideoverleftarrow [..=..]   {...}
mathaccent:instance:wideoverleftharpoon                \wideoverleftharpoon [..=..]   {...}
mathaccent:instance:wideoverleftrightarrow             \wideoverleftrightarrow [..=..]   {...}
mathaccent:instance:wideoverrightarrow                 \wideoverrightarrow [..=..]   {...}
mathaccent:instance:wideoverrightharpoon               \wideoverrightharpoon [..=..]   {...}
mathaccent:instance:widering                           \widering [..=..]   {...}
mathaccent:instance:widetilde                          \widetilde [..=..]   {...}
mathaccent:instance:wideunderbar                       \wideunderbar [..=..]   {...}
mathaccent:instance:wideunderleftarrow                 \wideunderleftarrow [..=..]   {...}
mathaccent:instance:wideunderleftharpoon               \wideunderleftharpoon [..=..]   {...}
mathaccent:instance:wideunderleftrightarrow            \wideunderleftrightarrow [..=..]   {...}
mathaccent:instance:wideunderrightarrow                \wideunderrightarrow [..=..]   {...}
mathaccent:instance:wideunderrightharpoon              \wideunderrightharpoon [..=..]   {...}
mathaccent:instance:wideundertilde                     \wideundertilde [..=..]   {...}
mathbf                                                 \mathbf
mathbi                                                 \mathbi
mathblackboard                                         \mathblackboard
mathbs                                                 \mathbs
mathcommand:example                                    \MATHCOMMAND {...} {...}
mathdefault                                            \mathdefault
mathdelimited:instance                                 \MATHDELIMITED [..=..]   {...}
mathdelimited:instance:astmarked                       \astmarked [..=..]   {...}
mathdelimited:instance:barmarked                       \barmarked [..=..]   {...}
mathdelimited:instance:brevemarked                     \brevemarked [..=..]   {...}
mathdelimited:instance:checkmarked                     \checkmarked [..=..]   {...}
mathdelimited:instance:daggermarked                    \daggermarked [..=..]   {...}
mathdelimited:instance:ddaggermarked                   \ddaggermarked [..=..]   {...}
mathdelimited:instance:dddotmarked                     \dddotmarked [..=..]   {...}
mathdelimited:instance:ddotmarked                      \ddotmarked [..=..]   {...}
mathdelimited:instance:doubleprimed                    \doubleprimed [..=..]   {...}
mathdelimited:instance:doublereverseprimed             \doublereverseprimed [..=..]   {...}
mathdelimited:instance:hatmarked                       \hatmarked [..=..]   {...}
mathdelimited:instance:primed                          \primed [..=..]   {...}
mathdelimited:instance:quadrupleprimed                 \quadrupleprimed [..=..]   {...}
mathdelimited:instance:reverseprimed                   \reverseprimed [..=..]   {...}
mathdelimited:instance:ringmarked                      \ringmarked [..=..]   {...}
mathdelimited:instance:starmarked                      \starmarked [..=..]   {...}
mathdelimited:instance:tildemarked                     \tildemarked [..=..]   {...}
mathdelimited:instance:tripleprimed                    \tripleprimed [..=..]   {...}
mathdelimited:instance:triplereverseprimed             \triplereverseprimed [..=..]   {...}
mathdelimiter                                          \mathdelimiter [...] [...]
mathdelimiter:assignment                               \mathdelimiter [...] [..=..]
mathdelimiter:example                                  \mathdelimiter [...]
mathdelimiter:example:assignment                       \mathdelimiter [..=..]
mathdouble                                             \mathdouble [...] {...} {...} {...}
mathdoubleextensible:instance                          \MATHDOUBLEEXTENSIBLE [..=..] {...}
mathdoubleextensible:instance:doublebar                \doublebar [..=..] {...}
```

```
mathdoubleextensible:instance:doublebrace              \doublebrace [..=..] {...}
mathdoubleextensible:instance:doublebracket            \doublebracket [..=..] {...}
mathdoubleextensible:instance:doubleparent             \doubleparent [..=..] {...}
mathdoubleextensible:instance:overbarunderbar          \overbarunderbar [..=..] {...}
mathdoubleextensible:instance:overbraceunderbrace      \overbraceunderbrace [..=..] {...}
mathdoubleextensible:instance:overbracketunderbracket  \overbracketunderbracket [..=..] {...}
mathdoubleextensible:instance:overparentunderparent    \overparentunderparent [..=..] {...}
mathdouble:example                                     \MATHDOUBLE {...}
mathextensible:instance                                \MATHEXTENSIBLE [...] {...} {...}
mathextensible:instance:assignment                     \MATHEXTENSIBLE [..=..] {...} {...}
mathextensible:instance:assignment:cequilibrium        \cequilibrium [..=..] {...} {...}
mathextensible:instance:assignment:cgives              \cgives [..=..] {...} {...}
mathextensible:instance:assignment:cleaningleft        \cleaningleft [..=..] {...} {...}
mathextensible:instance:assignment:cleaningright       \cleaningright [..=..] {...} {...}
mathextensible:instance:assignment:clongequilibrium    \clongequilibrium [..=..] {...} {...}
mathextensible:instance:assignment:clonggives          \clonggives [..=..] {...} {...}
mathextensible:instance:assignment:clongleaningleft    \clongleaningleft [..=..] {...} {...}
mathextensible:instance:assignment:clongleaningright   \clongleaningright [..=..] {...} {...}
mathextensible:instance:assignment:clongmesomeric      \clongmesomeric [..=..] {...} {...}
mathextensible:instance:assignment:clongreturns        \clongreturns [..=..] {...} {...}
mathextensible:instance:assignment:cmesomeric          \cmesomeric [..=..] {...} {...}
mathextensible:instance:assignment:creturns            \creturns [..=..] {...} {...}
mathextensible:instance:assignment:mequal              \mequal [..=..] {...} {...}
mathextensible:instance:assignment:mhookleftarrow      \mhookleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:mhookrightarrow     \mhookrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mLeftarrow          \mLeftarrow [..=..] {...} {...}
mathextensible:instance:assignment:mLeftrightarrow     \mLeftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mleftarrow          \mleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:mleftharpoondown    \mleftharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:mleftharpoonup      \mleftharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:mleftoverrightarrow \mleftoverrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mleftrightarrow     \mleftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mleftrightharpoons  \mleftrightharpoons [..=..] {...} {...}
mathextensible:instance:assignment:mmapsto             \mmapsto [..=..] {...} {...}
mathextensible:instance:assignment:mRightarrow         \mRightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mrel                \mrel [..=..] {...} {...}
mathextensible:instance:assignment:mrightarrow         \mrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:mrightharpoondown   \mrightharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:mrightharpoonup     \mrightharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:mrightleftharpoons  \mrightleftharpoons [..=..] {...} {...}
mathextensible:instance:assignment:mrightoverleftarrow \mrightoverleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:mtriplerel          \mtriplerel [..=..] {...} {...}
mathextensible:instance:assignment:mtwoheadleftarrow   \mtwoheadleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:mtwoheadrightarrow  \mtwoheadrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:tequal              \tequal [..=..] {...} {...}
mathextensible:instance:assignment:thookleftarrow      \thookleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:thookrightarrow     \thookrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:tLeftarrow          \tLeftarrow [..=..] {...} {...}
mathextensible:instance:assignment:tLeftrightarrow     \tLeftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:tleftarrow          \tleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:tleftharpoondown    \tleftharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:tleftharpoonup      \tleftharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:tleftoverrightarrow \tleftoverrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:tleftrightarrow     \tleftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:tleftrightharpoons  \tleftrightharpoons [..=..] {...} {...}
mathextensible:instance:assignment:tmapsto             \tmapsto [..=..] {...} {...}
mathextensible:instance:assignment:tRightarrow         \tRightarrow [..=..] {...} {...}
mathextensible:instance:assignment:trel                \trel [..=..] {...} {...}
mathextensible:instance:assignment:trightarrow         \trightarrow [..=..] {...} {...}
mathextensible:instance:assignment:trightharpoondown   \trightharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:trightharpoonup     \trightharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:trightleftharpoons  \trightleftharpoons [..=..] {...} {...}
mathextensible:instance:assignment:trightoverleftarrow \trightoverleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:ttriplerel          \ttriplerel [..=..] {...} {...}
mathextensible:instance:assignment:ttwoheadleftarrow   \ttwoheadleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:ttwoheadrightarrow  \ttwoheadrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xequal              \xequal [..=..] {...} {...}
mathextensible:instance:assignment:xhookleftarrow      \xhookleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:xhookrightarrow     \xhookrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xLeftarrow          \xLeftarrow [..=..] {...} {...}
mathextensible:instance:assignment:xLeftrightarrow     \xLeftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xleftarrow          \xleftarrow [..=..] {...} {...}
```

```
mathextensible:instance:assignment:xleftharpoondown      \xleftharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:xleftharpoonup        \xleftharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:xleftoverrightarrow   \xleftoverrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xleftrightarrow       \xleftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xleftrightharpoons    \xleftrightharpoons [..=..] {...} {...}
mathextensible:instance:assignment:xlongleftarrow        \xlongleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:xlongleftrightarrow   \xlongleftrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xlongrightarrow       \xlongrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xmapsto               \xmapsto [..=..] {...} {...}
mathextensible:instance:assignment:xRightarrow           \xRightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xrel                  \xrel [..=..] {...} {...}
mathextensible:instance:assignment:xrightarrow           \xrightarrow [..=..] {...} {...}
mathextensible:instance:assignment:xrightharpoondown     \xrightharpoondown [..=..] {...} {...}
mathextensible:instance:assignment:xrightharpoonup       \xrightharpoonup [..=..] {...} {...}
mathextensible:instance:assignment:xrightleftharpoons    \xrightleftharpoons [..=..] {...} {...}
mathextensible:instance:assignment:xrightoverleftarrow   \xrightoverleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:xtriplerel            \xtriplerel [..=..] {...} {...}
mathextensible:instance:assignment:xtwoheadleftarrow     \xtwoheadleftarrow [..=..] {...} {...}
mathextensible:instance:assignment:xtwoheadrightarrow    \xtwoheadrightarrow [..=..] {...} {...}
mathextensible:instance:cequilibrium                     \cequilibrium [...] {...} {...}
mathextensible:instance:cgives                           \cgives [...] {...} {...}
mathextensible:instance:cleaningleft                     \cleaningleft [...] {...} {...}
mathextensible:instance:cleaningright                    \cleaningright [...] {...} {...}
mathextensible:instance:clongequilibrium                 \clongequilibrium [...] {...} {...}
mathextensible:instance:clonggives                       \clonggives [...] {...} {...}
mathextensible:instance:clongleaningleft                 \clongleaningleft [...] {...} {...}
mathextensible:instance:clongleaningright                \clongleaningright [...] {...} {...}
mathextensible:instance:clongmesomeric                   \clongmesomeric [...] {...} {...}
mathextensible:instance:clongreturns                     \clongreturns [...] {...} {...}
mathextensible:instance:cmesomeric                       \cmesomeric [...] {...} {...}
mathextensible:instance:creturns                         \creturns [...] {...} {...}
mathextensible:instance:mequal                           \mequal [...] {...} {...}
mathextensible:instance:mhookleftarrow                   \mhookleftarrow [...] {...} {...}
mathextensible:instance:mhookrightarrow                  \mhookrightarrow [...] {...} {...}
mathextensible:instance:mLeftarrow                       \mLeftarrow [...] {...} {...}
mathextensible:instance:mLeftrightarrow                  \mLeftrightarrow [...] {...} {...}
mathextensible:instance:mleftarrow                       \mleftarrow [...] {...} {...}
mathextensible:instance:mleftharpoondown                 \mleftharpoondown [...] {...} {...}
mathextensible:instance:mleftharpoonup                   \mleftharpoonup [...] {...} {...}
mathextensible:instance:mleftoverrightarrow              \mleftoverrightarrow [...] {...} {...}
mathextensible:instance:mleftrightarrow                  \mleftrightarrow [...] {...} {...}
mathextensible:instance:mleftrightharpoons               \mleftrightharpoons [...] {...} {...}
mathextensible:instance:mmapsto                          \mmapsto [...] {...} {...}
mathextensible:instance:mRightarrow                      \mRightarrow [...] {...} {...}
mathextensible:instance:mrel                             \mrel [...] {...} {...}
mathextensible:instance:mrightarrow                      \mrightarrow [...] {...} {...}
mathextensible:instance:mrightharpoondown                \mrightharpoondown [...] {...} {...}
mathextensible:instance:mrightharpoonup                  \mrightharpoonup [...] {...} {...}
mathextensible:instance:mrightleftharpoons               \mrightleftharpoons [...] {...} {...}
mathextensible:instance:mrightoverleftarrow              \mrightoverleftarrow [...] {...} {...}
mathextensible:instance:mtriplerel                       \mtriplerel [...] {...} {...}
mathextensible:instance:mtwoheadleftarrow                \mtwoheadleftarrow [...] {...} {...}
mathextensible:instance:mtwoheadrightarrow               \mtwoheadrightarrow [...] {...} {...}
mathextensible:instance:tequal                           \tequal [...] {...} {...}
mathextensible:instance:thookleftarrow                   \thookleftarrow [...] {...} {...}
mathextensible:instance:thookrightarrow                  \thookrightarrow [...] {...} {...}
mathextensible:instance:tLeftarrow                       \tLeftarrow [...] {...} {...}
mathextensible:instance:tLeftrightarrow                  \tLeftrightarrow [...] {...} {...}
mathextensible:instance:tleftarrow                       \tleftarrow [...] {...} {...}
mathextensible:instance:tleftharpoondown                 \tleftharpoondown [...] {...} {...}
mathextensible:instance:tleftharpoonup                   \tleftharpoonup [...] {...} {...}
mathextensible:instance:tleftoverrightarrow              \tleftoverrightarrow [...] {...} {...}
mathextensible:instance:tleftrightarrow                  \tleftrightarrow [...] {...} {...}
mathextensible:instance:tleftrightharpoons               \tleftrightharpoons [...] {...} {...}
mathextensible:instance:tmapsto                          \tmapsto [...] {...} {...}
mathextensible:instance:tRightarrow                      \tRightarrow [...] {...} {...}
mathextensible:instance:trel                             \trel [...] {...} {...}
mathextensible:instance:trightarrow                      \trightarrow [...] {...} {...}
mathextensible:instance:trightharpoondown                \trightharpoondown [...] {...} {...}
mathextensible:instance:trightharpoonup                  \trightharpoonup [...] {...} {...}
mathextensible:instance:trightleftharpoons               \trightleftharpoons [...] {...} {...}
mathextensible:instance:trightoverleftarrow              \trightoverleftarrow [...] {...} {...}
```

```
mathextensible:instance:ttriplerel                    \ttriplerel [...] {...} {...}
mathextensible:instance:ttwoheadleftarrow             \ttwoheadleftarrow [...] {...} {...}
mathextensible:instance:ttwoheadrightarrow            \ttwoheadrightarrow [...] {...} {...}
mathextensible:instance:xequal                        \xequal [...] {...} {...}
mathextensible:instance:xhookleftarrow                \xhookleftarrow [...] {...} {...}
mathextensible:instance:xhookrightarrow               \xhookrightarrow [...] {...} {...}
mathextensible:instance:xLeftarrow                    \xLeftarrow [...] {...} {...}
mathextensible:instance:xLeftrightarrow               \xLeftrightarrow [...] {...} {...}
mathextensible:instance:xleftarrow                    \xleftarrow [...] {...} {...}
mathextensible:instance:xleftharpoondown              \xleftharpoondown [...] {...} {...}
mathextensible:instance:xleftharpoonup                \xleftharpoonup [...] {...} {...}
mathextensible:instance:xleftoverrightarrow           \xleftoverrightarrow [...] {...} {...}
mathextensible:instance:xleftrightarrow               \xleftrightarrow [...] {...} {...}
mathextensible:instance:xleftrightharpoons            \xleftrightharpoons [...] {...} {...}
mathextensible:instance:xlongleftarrow                \xlongleftarrow [...] {...} {...}
mathextensible:instance:xlongleftrightarrow           \xlongleftrightarrow [...] {...} {...}
mathextensible:instance:xlongrightarrow               \xlongrightarrow [...] {...} {...}
mathextensible:instance:xmapsto                       \xmapsto [...] {...} {...}
mathextensible:instance:xRightarrow                   \xRightarrow [...] {...} {...}
mathextensible:instance:xrel                          \xrel [...] {...} {...}
mathextensible:instance:xrightarrow                   \xrightarrow [...] {...} {...}
mathextensible:instance:xrightharpoondown             \xrightharpoondown [...] {...} {...}
mathextensible:instance:xrightharpoonup               \xrightharpoonup [...] {...} {...}
mathextensible:instance:xrightleftharpoons            \xrightleftharpoons [...] {...} {...}
mathextensible:instance:xrightoverleftarrow           \xrightoverleftarrow [...] {...} {...}
mathextensible:instance:xtriplerel                    \xtriplerel [...] {...} {...}
mathextensible:instance:xtwoheadleftarrow             \xtwoheadleftarrow [...] {...} {...}
mathextensible:instance:xtwoheadrightarrow            \xtwoheadrightarrow [...] {...} {...}
mathfraktur                                           \mathfraktur
mathframed:instance                                   \MATHFRAMED [..=..]   {...}
mathframed:instance:inmframed                         \inmframed [..=..]   {...}
mathframed:instance:mcframed                          \mcframed [..=..]   {...}
mathframed:instance:mframed                           \mframed [..=..]   {...}
mathfunction:instance                                 \MATHFUNCTION
mathfunction:instance:acos                            \acos
mathfunction:instance:adj                             \adj
mathfunction:instance:arccos                          \arccos
mathfunction:instance:arccosh                         \arccosh
mathfunction:instance:arcsin                          \arcsin
mathfunction:instance:arcsinh                         \arcsinh
mathfunction:instance:arctan                          \arctan
mathfunction:instance:arctanh                         \arctanh
mathfunction:instance:arg                             \arg
mathfunction:instance:argument                        \MATHFUNCTION   {...}
mathfunction:instance:argument:adjoint                \adjoint   {...}
mathfunction:instance:argument:derivative             \derivative   {...}
mathfunction:instance:argument:fourthderivative       \fourthderivative   {...}
mathfunction:instance:argument:inverse                \inverse   {...}
mathfunction:instance:argument:orthogonalcomplement   \orthogonalcomplement   {...}
mathfunction:instance:argument:preimage               \preimage   {...}
mathfunction:instance:argument:secondderivative       \secondderivative   {...}
mathfunction:instance:argument:thirdderivative        \thirdderivative   {...}
mathfunction:instance:argument:transpose              \transpose   {...}
mathfunction:instance:asin                            \asin
mathfunction:instance:atan                            \atan
mathfunction:instance:coker                           \coker
mathfunction:instance:cos                             \cos
mathfunction:instance:cosh                            \cosh
mathfunction:instance:cot                             \cot
mathfunction:instance:coth                            \coth
mathfunction:instance:csc                             \csc
mathfunction:instance:deg                             \deg
mathfunction:instance:det                             \det
mathfunction:instance:diff                            \diff
mathfunction:instance:dim                             \dim
mathfunction:instance:erf                             \erf
mathfunction:instance:erfc                            \erfc
mathfunction:instance:erfi                            \erfi
mathfunction:instance:exp                             \exp
mathfunction:instance:gcd                             \gcd
mathfunction:instance:hom                             \hom
mathfunction:instance:inf                             \inf
```

mathfunction:instance:injlim	`\injlim`
mathfunction:instance:inv	`\inv`
mathfunction:instance:ker	`\ker`
mathfunction:instance:lg	`\lg`
mathfunction:instance:lim	`\lim`
mathfunction:instance:liminf	`\liminf`
mathfunction:instance:limsup	`\limsup`
mathfunction:instance:ln	`\ln`
mathfunction:instance:log	`\log`
mathfunction:instance:max	`\max`
mathfunction:instance:median	`\median`
mathfunction:instance:min	`\min`
mathfunction:instance:mod	`\mod`
mathfunction:instance:neg	`\neg`
mathfunction:instance:Pr	`\Pr`
mathfunction:instance:projlim	`\projlim`
mathfunction:instance:sec	`\sec`
mathfunction:instance:sin	`\sin`
mathfunction:instance:sinh	`\sinh`
mathfunction:instance:sup	`\sup`
mathfunction:instance:tan	`\tan`
mathfunction:instance:tanh	`\tanh`
mathgroupedcommandcs	`\mathgroupedcommandcs  \...`
mathit	`\mathit`
mathitalic	`\mathitalic`
mathmatrix:instance	`\MATHMATRIX [..=..]  {...}`
mathmatrix:instance:bmatrix	`\bmatrix [..=..]  {...}`
mathmatrix:instance:bracematrix	`\bracematrix [..=..]  {...}`
mathmatrix:instance:gmatrix	`\gmatrix [..=..]  {...}`
mathmatrix:instance:matrix	`\matrix [..=..]  {...}`
mathmatrix:instance:pmatrix	`\pmatrix [..=..]  {...}`
mathmatrix:instance:thematrix	`\thematrix [..=..]  {...}`
mathmatrix:instance:vmatrix	`\vmatrix [..=..]  {...}`
mathmatrix:instance:vvmatrix	`\vvmatrix [..=..]  {...}`
mathmatrix:instance:vvvmatrix	`\vvvmatrix [..=..]  {...}`
mathnesting	`\mathnesting [...]  {...}`
mathnesting:instance	`\MATHNESTING [..=..]  {...}`
mathnesting:instance:mathloose	`\mathloose [..=..]  {...}`
mathnesting:instance:mathtogether	`\mathtogether [..=..]  {...}`
mathop	`\mathop  {...}`
mathopdolimits	`\mathopdolimits  {...}`
mathoperator:instance	`\MATHOPERATOR [..=..] {...}`
mathoperator:instance:aodownintc	`\aodownintc [..=..] {...}`
mathoperator:instance:aointc	`\aointc [..=..] {...}`
mathoperator:instance:barint	`\barint [..=..] {...}`
mathoperator:instance:bigbottom	`\bigbottom [..=..] {...}`
mathoperator:instance:bigcap	`\bigcap [..=..] {...}`
mathoperator:instance:bigcup	`\bigcup [..=..] {...}`
mathoperator:instance:bigdoublevee	`\bigdoublevee [..=..] {...}`
mathoperator:instance:bigdoublewedge	`\bigdoublewedge [..=..] {...}`
mathoperator:instance:bigodot	`\bigodot [..=..] {...}`
mathoperator:instance:bigoplus	`\bigoplus [..=..] {...}`
mathoperator:instance:bigotimes	`\bigotimes [..=..] {...}`
mathoperator:instance:bigreversesolidus	`\bigreversesolidus [..=..] {...}`
mathoperator:instance:bigsolidus	`\bigsolidus [..=..] {...}`
mathoperator:instance:bigsqcap	`\bigsqcap [..=..] {...}`
mathoperator:instance:bigsqcup	`\bigsqcup [..=..] {...}`
mathoperator:instance:bigtimes	`\bigtimes [..=..] {...}`
mathoperator:instance:bigtop	`\bigtop [..=..] {...}`
mathoperator:instance:bigudot	`\bigudot [..=..] {...}`
mathoperator:instance:biguplus	`\biguplus [..=..] {...}`
mathoperator:instance:bigvee	`\bigvee [..=..] {...}`
mathoperator:instance:bigwedge	`\bigwedge [..=..] {...}`
mathoperator:instance:blackboardsum	`\blackboardsum [..=..] {...}`
mathoperator:instance:capint	`\capint [..=..] {...}`
mathoperator:instance:circlepoleinsideintc	`\circlepoleinsideintc [..=..] {...}`
mathoperator:instance:circlepoleoutsideintc	`\circlepoleoutsideintc [..=..] {...}`
mathoperator:instance:coprod	`\coprod [..=..] {...}`
mathoperator:instance:cupint	`\cupint [..=..] {...}`
mathoperator:instance:doublebarint	`\doublebarint [..=..] {...}`
mathoperator:instance:fullouterjoin	`\fullouterjoin [..=..] {...}`
mathoperator:instance:hookleftarrowint	`\hookleftarrowint [..=..] {...}`

```
mathoperator:instance:iiiint                          \iiiint [..=..] {...}
mathoperator:instance:iiiintegral                     \iiiintegral [..=..] {...}
mathoperator:instance:iiint                           \iiint [..=..] {...}
mathoperator:instance:iiintegral                      \iiintegral [..=..] {...}
mathoperator:instance:iint                            \iint [..=..] {...}
mathoperator:instance:iintegral                       \iintegral [..=..] {...}
mathoperator:instance:int                             \int [..=..] {...}
mathoperator:instance:intc                            \intc [..=..] {...}
mathoperator:instance:integral                        \integral [..=..] {...}
mathoperator:instance:leftouterjoin                   \leftouterjoin [..=..] {...}
mathoperator:instance:lowerint                        \lowerint [..=..] {...}
mathoperator:instance:modtwosum                       \modtwosum [..=..] {...}
mathoperator:instance:oiiint                          \oiiint [..=..] {...}
mathoperator:instance:oiint                           \oiint [..=..] {...}
mathoperator:instance:oint                            \oint [..=..] {...}
mathoperator:instance:ointc                           \ointc [..=..] {...}
mathoperator:instance:prod                            \prod [..=..] {...}
mathoperator:instance:rectangularpoleintc            \rectangularpoleintc [..=..] {...}
mathoperator:instance:rightouterjoin                  \rightouterjoin [..=..] {...}
mathoperator:instance:semicirclepoleintc             \semicirclepoleintc [..=..] {...}
mathoperator:instance:slashint                        \slashint [..=..] {...}
mathoperator:instance:squareintc                      \squareintc [..=..] {...}
mathoperator:instance:sum                             \sum [..=..] {...}
mathoperator:instance:sumint                          \sumint [..=..] {...}
mathoperator:instance:timesint                        \timesint [..=..] {...}
mathoperator:instance:upperint                        \upperint [..=..] {...}
mathopnolimits                                        \mathopnolimits   {...}
mathornament:example                                  \MATHORNAMENT   {...}
mathover                                              \mathover [...] [..=..] {...} {...}
mathoverextensible:instance                           \MATHOVEREXTENSIBLE [..=..] {...}
mathoverextensible:instance:overbar                   \overbar [..=..] {...}
mathoverextensible:instance:overbrace                 \overbrace [..=..] {...}
mathoverextensible:instance:overbracket               \overbracket [..=..] {...}
mathoverextensible:instance:overLeftarrow             \overLeftarrow [..=..] {...}
mathoverextensible:instance:overLeftbararrow          \overLeftbararrow [..=..] {...}
mathoverextensible:instance:overLeftrightarrow        \overLeftrightarrow [..=..] {...}
mathoverextensible:instance:overleftarrow             \overleftarrow [..=..] {...}
mathoverextensible:instance:overleftbararrow          \overleftbararrow [..=..] {...}
mathoverextensible:instance:overleftharpoondown       \overleftharpoondown [..=..] {...}
mathoverextensible:instance:overleftharpoonup         \overleftharpoonup [..=..] {...}
mathoverextensible:instance:overlefthookarrow         \overlefthookarrow [..=..] {...}
mathoverextensible:instance:overleftrightarrow        \overleftrightarrow [..=..] {...}
mathoverextensible:instance:overlefttailarrow         \overlefttailarrow [..=..] {...}
mathoverextensible:instance:overparent                \overparent [..=..] {...}
mathoverextensible:instance:overRightarrow            \overRightarrow [..=..] {...}
mathoverextensible:instance:overRightbararrow         \overRightbararrow [..=..] {...}
mathoverextensible:instance:overrightarrow            \overrightarrow [..=..] {...}
mathoverextensible:instance:overrightbararrow         \overrightbararrow [..=..] {...}
mathoverextensible:instance:overrightharpoondown      \overrightharpoondown [..=..] {...}
mathoverextensible:instance:overrightharpoonup        \overrightharpoonup [..=..] {...}
mathoverextensible:instance:overrighthookarrow        \overrighthookarrow [..=..] {...}
mathoverextensible:instance:overrighttailarrow        \overrighttailarrow [..=..] {...}
mathoverextensible:instance:overtwoheadleftarrow      \overtwoheadleftarrow [..=..] {...}
mathoverextensible:instance:overtwoheadrightarrow     \overtwoheadrightarrow [..=..] {...}
mathovertext                                          \mathovertext [...] {...} {...}
mathovertextextensible:instance                       \MATHOVERTEXTEXTENSIBLE {...} {...}
mathovertextextensible:instance:overbartext           \overbartext {...} {...}
mathovertextextensible:instance:overbracetext         \overbracetext {...} {...}
mathovertextextensible:instance:overbrackettext       \overbrackettext {...} {...}
mathovertextextensible:instance:overparenttext        \overparenttext {...} {...}
mathover:instance                                     \MATHOVER {...}
mathover:instance:interiorset                         \interiorset {...}
mathradical:instance                                  \MATHRADICAL [..=..] [...]   {...}
mathradical:instance:annuity                          \annuity [..=..] [...]    {...}
mathradical:instance:lannuity                         \lannuity [..=..] [...]    {...}
mathradical:instance:lbannuity                        \lbannuity [..=..] [...]    {...}
mathradical:instance:lrannuity                        \lrannuity [..=..] [...]    {...}
mathradical:instance:lrbannuity                       \lrbannuity [..=..] [...]    {...}
mathradical:instance:rannuity                         \rannuity [..=..] [...]    {...}
mathradical:instance:rbannuity                        \rbannuity [..=..] [...]    {...}
mathradical:instance:rlannuity                        \rlannuity [..=..] [...]    {...}
mathradical:instance:rlbannuity                       \rlbannuity [..=..] [...]    {...}
```

```
mathradical:instance:root                                \root [..=..] [...]  {...}
mathradical:instance:sqrt                                \sqrt [..=..] [...]  {...}
mathrm                                                   \mathrm
mathscript                                               \mathscript
mathsimplealign:instance                                 \MATHSIMPLEALIGN [..=..]  {...}
mathsimplealign:instance:equationsystem                  \equationsystem [..=..]  {...}
mathsimplealign:instance:lequationsystem                 \lequationsystem [..=..]  {...}
mathsimplealign:instance:requationsystem                 \requationsystem [..=..]  {...}
mathsl                                                   \mathsl
mathss                                                   \mathss
mathstacker                                              \mathstacker [...] {...} {...} {...}
mathtext                                                 \mathtext ... {...}
mathtextbf                                               \mathtextbf ... {...}
mathtextbi                                               \mathtextbi ... {...}
mathtextbs                                               \mathtextbs ... {...}
mathtextit                                               \mathtextit ... {...}
mathtextsl                                               \mathtextsl ... {...}
mathtextttf                                              \mathtextttf ... {...}
mathtf                                                   \mathtf
mathtriplet                                              \mathtriplet [...] {...} {...} {...}
mathtriplet:example                                      \MATHTRIPLET [...] {...} {...} {...}
mathtt                                                   \mathtt
mathunder                                                \mathunder [...] [..=..] {...} {...}
mathunderextensible:instance                             \MATHUNDEREXTENSIBLE [..=..] {...}
mathunderextensible:instance:underbar                    \underbar [..=..] {...}
mathunderextensible:instance:underbrace                  \underbrace [..=..] {...}
mathunderextensible:instance:underbracket                \underbracket [..=..] {...}
mathunderextensible:instance:underLeftarrow              \underLeftarrow [..=..] {...}
mathunderextensible:instance:underLeftbararrow           \underLeftbararrow [..=..] {...}
mathunderextensible:instance:underLeftrightarrow         \underLeftrightarrow [..=..] {...}
mathunderextensible:instance:underleftarrow              \underleftarrow [..=..] {...}
mathunderextensible:instance:underleftbararrow           \underleftbararrow [..=..] {...}
mathunderextensible:instance:underleftharpoondown        \underleftharpoondown [..=..] {...}
mathunderextensible:instance:underleftharpoonup          \underleftharpoonup [..=..] {...}
mathunderextensible:instance:underlefthookarrow          \underlefthookarrow [..=..] {...}
mathunderextensible:instance:underleftrightarrow         \underleftrightarrow [..=..] {...}
mathunderextensible:instance:underlefttailarrow          \underlefttailarrow [..=..] {...}
mathunderextensible:instance:underparent                 \underparent [..=..] {...}
mathunderextensible:instance:underRightarrow             \underRightarrow [..=..] {...}
mathunderextensible:instance:underRightbararrow          \underRightbararrow [..=..] {...}
mathunderextensible:instance:underrightarrow             \underrightarrow [..=..] {...}
mathunderextensible:instance:underrightbararrow          \underrightbararrow [..=..] {...}
mathunderextensible:instance:underrightharpoondown       \underrightharpoondown [..=..] {...}
mathunderextensible:instance:underrightharpoonup         \underrightharpoonup [..=..] {...}
mathunderextensible:instance:underrighthookarrow         \underrighthookarrow [..=..] {...}
mathunderextensible:instance:underrighttailarrow         \underrighttailarrow [..=..] {...}
mathunderextensible:instance:undertwoheadleftarrow       \undertwoheadleftarrow [..=..] {...}
mathunderextensible:instance:undertwoheadrightarrow      \undertwoheadrightarrow [..=..] {...}
mathundertext                                            \mathundertext [...] {...} {...}
mathundertextextensible:instance                         \MATHUNDERTEXTEXTENSIBLE {...} {...}
mathundertextextensible:instance:underbartext            \underbartext {...} {...}
mathundertextextensible:instance:underbracetext          \underbracetext {...} {...}
mathundertextextensible:instance:underbrackettext        \underbrackettext {...} {...}
mathundertextextensible:instance:underparenttext         \underparenttext {...} {...}
mathunder:example                                        \MATHUNDER {...}
mathunstacked:instance                                   \MATHUNSTACKED
mathunstacked:instance:And                               \And
mathunstacked:instance:iff                               \iff
mathunstacked:instance:impliedby                         \impliedby
mathunstacked:instance:implies                           \implies
mathunstacked:instance:impliesby                         \impliesby
mathupright                                              \mathupright
mathword                                                 \mathword ... {...}
mathwordbf                                               \mathwordbf ... {...}
mathwordbi                                               \mathwordbi ... {...}
mathwordbs                                               \mathwordbs ... {...}
mathwordit                                               \mathwordit ... {...}
mathwordsl                                               \mathwordsl ... {...}
mathwordtf                                               \mathwordtf ... {...}
math:assignment                                          \math [..=..]  {...}
maxaligned                                               \maxaligned  {...}
mbox                                                     \mbox  {...}
```

```
measure                                  \measure {...}
measured                                 \measured {...}
medskip                                  \medskip
medspace                                 \medspace
menuinterattivo                          \menuinterattivo [...] [..=..]
mese                                     \mese {...}
message                                  \message {...}
mettielenco                              \mettielenco [...] [..=..]
mettielencocombinato                     \mettielencocombinato [...] [..=..]
mettielencocombinato:instance            \mettiCOMBINEDLIST [..=..]
mettielencocombinato:instance:content    \metticontent [..=..]
mettifiancoafianco                       \mettifiancoafianco   {...}   {...}
mettiformula                             \mettiformula [...] {...}
mettiingriglia                           \mettiingriglia [...]   {...}
mettiingriglia:list                      \mettiingriglia [...]   {...}
mettinotepdp                             \mettinotepdp [..=..]
mettinotepdplocali                       \mettinotepdplocali [..=..]
mettinumeropagina                        \mettinumeropagina
mettiregistro                            \mettiregistro [...] [..=..]
mettiregistro:instance                   \mettiREGISTER [..=..]
mettiregistro:instance:index             \mettiindex [..=..]
mettisegnalibro                          \mettisegnalibro [...] [...] [..=..]
mettisottoformula                        \mettisottoformula [...] {...}
mettiunosullaltro                        \mettiunosullaltro   {...}   {...}
mfence                                   \mfence ...
mfunction                                \mfunction [..=..] [...]
mfunctionlabeltext                       \mfunctionlabeltext {...}
mfunction:argument                       \mfunction [..=..] {...}
mhbox                                    \mhbox   {...}
middlealigned                            \middlealigned   {...}
middlebox                                \middlebox   {...}
middleparbox                             \middleparbox [...]   {...}
midhbox                                  \midhbox   {...}
midsubsentence                           \midsubsentence
minimalhbox                              \minimalhbox ...   {...}
mixedcaps                                \mixedcaps {...}
mkvibuffer                               \mkvibuffer [...]
moduleparameter                          \moduleparameter {...} {...}
molecule                                 \molecule   {...}
mono                                     \mono
monograssetto                            \monograssetto
mononormal                               \mononormal
monthlong                                \monthlong {...}
monthshort                               \monthshort {...}
mostraambientefontdeltesto               \mostraambientefontdeltesto [...]
mostracolore                             \mostracolore [...]
mostracornice                            \mostracornice [...] [...]
mostrafontdeltesto                       \mostrafontdeltesto [...]
mostragriglia                            \mostragriglia [...]
mostragruppocolori                       \mostragruppocolori [...] [...]
mostraimpostazioni                       \mostraimpostazioni [...]
mostralyout                              \mostralyout [...]
mostramakeup                             \mostramakeup [...]
mostrasetsimboli                         \mostrasetsimboli [...]
mostrastampa                             \mostrastampa [...] [...] [..=..]
mostrastruts                             \mostrastruts
mostratavolozza                          \mostratavolozza [...] [...]
mplocation                               \mplocation {...}
mprandomnumber                           \mprandomnumber
mtext                                    \mtext   {...}
mtp                                      \mtp   {...}
m:assignment                             \m [..=..]   {...}
NormalizeFontHeight                      \NormalizeFontHeight   \... {...} {...} {...}
NormalizeFontWidth                       \NormalizeFontWidth   \... {...} {...} {...}
NormalizeTextHeight                      \NormalizeTextHeight {...} {...} {...}
NormalizeTextWidth                       \NormalizeTextWidth {...} {...} {...}
Numeri                                   \Numeri {...}
Numeriromani                             \Numeriromani {...}
namedheadnumber                          \namedheadnumber {...}
namedstructureheadlocation               \namedstructureheadlocation {...}
namedstructureuservariable               \namedstructureuservariable {...} {...}
namedstructurevariable                   \namedstructurevariable {...} {...}
```

namedtaggedlabeltexts	`\namedtaggedlabeltexts {...} {...} {...} {...}   {...}`
nascondiblocchi	`\nascondiblocchi [...] [...]`
naturalhbox	`\naturalhbox ...   {...}`
naturalhpack	`\naturalhpack ...   {...}`
naturaltpack	`\naturaltpack ...   {...}`
naturalvbox	`\naturalvbox ...   {...}`
naturalvcenter	`\naturalvcenter ...   {...}`
naturalvpack	`\naturalvpack ...   {...}`
naturalvtop	`\naturalvtop ...   {...}`
naturalwd	`\naturalwd ...`
negatecolorbox	`\negatecolorbox ...`
negated	`\negated {...}`
negemspace	`\negemspace`
negenspace	`\negenspace`
negthinspace	`\negthinspace`
newattribute	`\newattribute   \...`
newcatcodetable	`\newcatcodetable   \...`
newcounter	`\newcounter   \...`
newevery	`\newevery   \...   \...`
newfrenchspacing	`\newfrenchspacing`
newluatable	`\newluatable   \...`
newmode	`\newmode {...}`
newrepeatablerandom	`\newrepeatablerandom   \... {...}`
newsignal	`\newsignal   \...`
newsystemmode	`\newsystemmode {...}`
nextbox	`\nextbox`
nextboxdp	`\nextboxdp`
nextboxht	`\nextboxht`
nextboxhtdp	`\nextboxhtdp`
nextboxwd	`\nextboxwd`
nextcounter	`\nextcounter [...] [...]`
nextcountervalue	`\nextcountervalue [...]`
nextdepth	`\nextdepth`
nextparagraphs	`\nextparagraphs`
nextparagraphs:example	*\successivoPARAGRAPHS*
nextrealpage	`\nextrealpage`
nextrealpagenumber	`\nextrealpagenumber`
nextsubcountervalue	`\nextsubcountervalue [...] [...]`
nextsubpagenumber	`\nextsubpagenumber`
nextuserpage	`\nextuserpage`
nextuserpagenumber	`\nextuserpagenumber`
nientelineecimafondo	`\nientelineecimafondo`
nientelineintestazionepdp	`\nientelineintestazionepdp`
nientespazio	`\nientespazio`
nobar	`\nobar   {...}`
nocap	`\nocap {...}`
nocasing	`\nocasing   {...}`
nocharacteralign	`\nocharacteralign`
nocitation	`\nocitation [...]`
nocitation:direct	`\nocitation {...}`
nocite	`\nocite [...]`
nocite:direct	`\nocite {...}`
nodepthstrut	`\nodepthstrut`
nodetostring	`\nodetostring   \...   {...}`
noffigurepages	`\noffigurepages`
noflines	`\noflines`
noflinesinbox	`\noflinesinbox ...`
noflocalfloats	`\noflocalfloats`
noheightstrut	`\noheightstrut`
nohyphens	`\nohyphens`
noindentation	`\noindentation`
noitem	`\noitem`
nonfrenchspacing	`\nonfrenchspacing`
nonmathematics	`\nonmathematics   {...}`
nonvalidassignment	`\nonvalidassignment {...}`
normalboldface	`\normalboldface`
normale	`\normale`
normalframedwithsettings	`\normalframedwithsettings [..=..]   {...}`
normalitalicface	`\normalitalicface`
normalizebodyfontsize	`\normalizebodyfontsize   \... {...}`
normalizedfontsize	`\normalizedfontsize`
normalizefontdepth	`\normalizefontdepth   \... {...} {...} {...}`

normalizefontheight	`\normalizefontheight  \... {...} {...} {...}`
normalizefontline	`\normalizefontline   \... {...} {...} {...}`
normalizefontwidth	`\normalizefontwidth   \... {...} {...} {...}`
normalizetextdepth	`\normalizetextdepth {...} {...} {...}`
normalizetextheight	`\normalizetextheight {...} {...} {...}`
normalizetextline	`\normalizetextline {...} {...} {...}`
normalizetextwidth	`\normalizetextwidth {...} {...} {...}`
normalslantedface	`\normalslantedface`
normaltypeface	`\normaltypeface`
nota	`\nota [...] [...]`
nota:instance	`\NOTE [...] {...}`
nota:instance:assignment	`\NOTE [..=..]`
nota:instance:assignment:endnote	`\endnote [..=..]`
nota:instance:assignment:footnote	`\footnote [..=..]`
nota:instance:endnote	`\endnote [...] {...}`
nota:instance:footnote	`\footnote [...] {...}`
notesymbol	`\notesymbol [...] [...]`
notragged	`\notragged`
ntimes	`\ntimes {...} {...}`
numberhere	`\numberhere [..=..]`
numberhere:argument	`\numberhere [...]`
numberofpoints	`\numberofpoints {...}`
numeri	`\numeri {...}`
numeriromani	`\numeriromani {...}`
numeroformula	`\numeroformula [...]`
numeropagina	`\numeropagina`
numeropaginacompleto	`\numeropaginacompleto`
numerotesta	`\numerotesta [...] [...]`
numerotestacorrente	`\numerotestacorrente`
obeydepth	`\obeydepth`
objectdepth	`\objectdepth`
objectheight	`\objectheight`
objectmargin	`\objectmargin`
objectwidth	`\objectwidth`
obox	`\obox    {...}`
octnumber	`\octnumber {...}`
octstringtonumber	`\octstringtonumber {...}`
offset	`\offset [..=..]    {...}`
offsetbox	`\offsetbox [..=..]   \...    {...}`
onedigitrounding	`\onedigitrounding {...}`
optimize	`\optimize [...]`
optimize:assignment	`\optimize [..=..]`
optionalword	`\optionalword`
ordinaldaynumber	`\ordinaldaynumber {...}`
ordinalstr	`\ordinalstr {...}`
ornamenttext:collector	`\ornamenttext [..=..] [..=..] {...}   {...}`
ornamenttext:direct	`\ornamenttext [...] {...}   {...}`
ornamenttext:layer	`\ornamenttext [..=..] [..=..] {...}   {...}`
ornament:example	`\ORNAMENT {...}   {...}`
outputfilename	`\outputfilename`
outputstreambox	`\outputstreambox [...]`
outputstreamcopy	`\outputstreamcopy [...]`
outputstreamunvbox	`\outputstreamunvbox [...]`
outputstreamunvcopy	`\outputstreamunvcopy [...]`
over	`\over [...]`
overlaybutton	`\overlaybutton [...]`
overlaybutton:direct	`\overlaybutton {...}`
overlaycolor	`\overlaycolor`
overlaydepth	`\overlaydepth`
overlayfigure	`\overlayfigure {...}`
overlayheight	`\overlayheight`
overlayimage	`\overlayimage {...}`
overlaylinecolor	`\overlaylinecolor`
overlaylinewidth	`\overlaylinewidth`
overlayoffset	`\overlayoffset`
overlayrollbutton	`\overlayrollbutton [...] [...]`
overlaywidth	`\overlaywidth`
overloaderror	`\overloaderror`
overset	`\overset {...} {...}`
PAROLA	`\PAROLA {...}`
PAROLE	`\PAROLE {...}`
Parola	`\Parola {...}`

```
Parole                           \Parole {...}
PDFcolor                         \PDFcolor {...}
PDFETEX                          \PDFETEX
PDFTEX                           \PDFTEX
Periodic                         \Periodic {...}
PICTEX                           \PICTEX
PiCTeX                           \PiCTeX
PointsToBigPoints                \PointsToBigPoints {...}   \...
PointsToReal                     \PointsToReal {...}   \...
PointsToWholeBigPoints           \PointsToWholeBigPoints {...}   \...
PPCHTEX                          \PPCHTEX
PPCHTeX                          \PPCHTeX
PRAGMA                           \PRAGMA
PtToCm                           \PtToCm {...}
pagearea                         \pagearea [...] [...] [...]
pageblockrealpage                \pageblockrealpage {...}
pagebreak                        \pagebreak [...]
pagefigure                       \pagefigure [...] [..=..]
pageinjection                    \pageinjection [...] [..=..]
pageinjection:assignment         \pageinjection [..=..] [..=..]
pagestaterealpage                \pagestaterealpage {...} {...}
pagestaterealpageorder           \pagestaterealpageorder {...} {...}
pagina                           \pagina [...]
paletsize                        \paletsize
paragraphs:example               \PARAGRAPHS
parola                           \parola {...}
paroladestra                     \paroladestra [...]   {...}
pdfactualtext                    \pdfactualtext   {...} {...}
pdfbackendactualtext             \pdfbackendactualtext   {...} {...}
pdfbackendcurrentresources       \pdfbackendcurrentresources
pdfbackendsetcatalog             \pdfbackendsetcatalog {...} {...}
pdfbackendsetcolorspace          \pdfbackendsetcolorspace {...} {...}
pdfbackendsetextgstate           \pdfbackendsetextgstate {...} {...}
pdfbackendsetinfo                \pdfbackendsetinfo {...} {...}
pdfbackendsetname                \pdfbackendsetname {...} {...}
pdfbackendsetpageattribute       \pdfbackendsetpageattribute {...} {...}
pdfbackendsetpageresource        \pdfbackendsetpageresource {...} {...}
pdfbackendsetpagesattribute      \pdfbackendsetpagesattribute {...} {...}
pdfbackendsetpattern             \pdfbackendsetpattern {...} {...}
pdfbackendsetshade               \pdfbackendsetshade {...} {...}
pdfcolor                         \pdfcolor {...}
pdfeTeX                          \pdfeTeX
pdfTeX                           \pdfTeX
ped                              \ped   {...}
pedap                            \pedap [...]   {...}   {...}
ped:instance                     \LOW   {...}
ped:instance:unitslow            \unitslow   {...}
percent                          \percent
percentdimen                     \percentdimen {...} {...}
periodic                         \periodic {...}
perlungo                         \perlungo {...}
permitcaretescape                \permitcaretescape
permitcircumflexescape           \permitcircumflexescape
permitspacesbetweengroups        \permitspacesbetweengroups
persiandecimals                  \persiandecimals {...}
persiannumerals                  \persiannumerals {...}
phantom                          \phantom   {...}
phantombox                       \phantombox [..=..]
piccolo                          \piccolo
piccolocorsivograssetto          \piccolocorsivograssetto
piccolofontdelcorpo              \piccolofontdelcorpo
piccolograssetto                 \piccolograssetto
piccolograssettocorsivo          \piccolograssettocorsivo
piccolograssettoinclinato        \piccolograssettoinclinato
piccoloinclinato                 \piccoloinclinato
piccoloinclinatograssetto        \piccoloinclinatograssetto
piccolonormale                   \piccolonormale
piccolotype                      \piccolotype
pickupgroupedcommand             \pickupgroupedcommand {...} {...} {...}
pickupgroupedcommandcs           \pickupgroupedcommandcs   \...   \...   \...
placeattachments                 \placeattachments
placebtxrendering                \placebtxrendering [...] [..=..]
```

placecitation	`\placecitation [...]`
placecomments	`\placecomments`
placecurrentformulanumber	`\placecurrentformulanumber`
placedbox	`\placedbox {...}`
placefloat	`\placefloat [...] [...] [...] {...} {...}`
placefloatcaption	`\placefloatcaption [...] [..=..] [..=..]`
placefloatplaceholder	`\placefloatplaceholder`
placefloatwithsetups	`\placefloatwithsetups [...] [...] [...] {...} {...}`
placefloat:instance	*`\mettiFLOAT [...] [...] {...} {...}`*
placefloat:instance:chemical	*`\mettichemical [...] [...] {...} {...}`*
placefloat:instance:figure	*`\mettifigure [...] [...] {...} {...}`*
placefloat:instance:graphic	*`\mettigraphic [...] [...] {...} {...}`*
placefloat:instance:intermezzo	*`\mettiintermezzo [...] [...] {...} {...}`*
placefloat:instance:table	*`\mettitable [...] [...] {...} {...}`*
placeframed	`\placeframed [...] [..=..] {...}`
placehelp	`\placehelp`
placeholder	`\placeholder [...]`
placeinitial	`\placeinitial [...]`
placelayer	`\placelayer [...]`
placelayeredtext	`\placelayeredtext [...] [..=..] [..=..] {...} {...}`
placelistoffloats:instance	*`\placelistofFLOATS [..=..]`*
placelistoffloats:instance:chemicals	*`\placelistofchemicals [..=..]`*
placelistoffloats:instance:figures	*`\placelistoffigures [..=..]`*
placelistoffloats:instance:graphics	*`\placelistofgraphics [..=..]`*
placelistoffloats:instance:intermezzi	*`\placelistofintermezzi [..=..]`*
placelistoffloats:instance:tables	*`\placelistoftables [..=..]`*
placelistofpublications	`\placelistofpublications [...] [..=..]`
placelistofsorts	`\placelistofsorts [...] [..=..]`
placelistofsorts:instance	*`\placelistofSORTS [..=..]`*
placelistofsorts:instance:logos	*`\placelistoflogos [..=..]`*
placelistofsynonyms	`\placelistofsynonyms [...] [..=..]`
placelistofsynonyms:instance	*`\placelistofSYNONYMS [..=..]`*
placelistofsynonyms:instance:abbreviations	*`\placelistofabbreviations [..=..]`*
placelocalnotes	`\placelocalnotes [...] [..=..]`
placement	`\placement [...] [..=..] {...}`
placement:example	*`\PLACEMENT [..=..] {...}`*
placenamedfloat	`\placenamedfloat [...] [...]`
placenamedformula	`\placenamedformula [...] {...} {...}`
placenotes	`\placenotes [...] [..=..]`
placepairedbox	`\placepairedbox [...] [..=..] {...} {...}`
placepairedbox:instance	*`\mettiPAIREDBOX [..=..] {...} {...}`*
placepairedbox:instance:legend	*`\mettilegend [..=..] {...} {...}`*
placeparallel	`\placeparallel [...] [...] [..=..]`
placerawheaddata	`\placerawheaddata [...]`
placerawheadnumber	`\placerawheadnumber [...]`
placerawheadtext	`\placerawheadtext [...]`
placerawlist	`\placerawlist [...] [..=..]`
placerenderingwindow	`\placerenderingwindow [...] [...]`
placesavedfloat	`\placesavedfloat [...] [...] [..=..]`
placesynchronize	`\placesynchronize [...] [..=..]`
popattribute	`\popattribute \...`
popmacro	`\popmacro \...`
popmode	`\popmode [...]`
popsystemmode	`\popsystemmode {...}`
positionoverlay	`\positionoverlay {...}`
positionregionoverlay	`\positionregionoverlay {...} {...}`
posizionanumerotesta	`\posizionanumerotesta [...]`
posizionatestotesta	`\posizionatestotesta [...]`
posizione	`\posizione [..=..] (...,...) {...}`
postponenotes	`\postponenotes`
predefinedfont	`\predefinedfont [...]`
predefinefont	`\predefinefont [...] [...]`
predefinesymbol	`\predefinesymbol [...]`
prefixedpagenumber	`\prefixedpagenumber`
prendibuffer	`\prendibuffer [...]`
prendibuffer:instance	*`\prendiBUFFER`*
prendimarcatura	`\prendimarcatura [...] [...] [...]`
prependetoks	`\prependetoks ... \to \...`
prependgvalue	`\prependgvalue {...} {...}`
prependhiddenbackground	`\prependhiddenbackground {...}`
prependtocommalist	`\prependtocommalist {...} \...`
prependtoks	`\prependtoks ... \to \...`

```
prependtoksonce                              \prependtoksonce ... \to   \...
prependvalue                                 \prependvalue {...} {...}
prerollblank                                 \prerollblank [...]
prerolledpages                               \prerolledpages [...]
presetdocument                               \presetdocument [...] [..=..]
presetfieldsymbols                           \presetfieldsymbols [...]
presetlabeltext:instance                     \presetLABELtesto [...] [..=..]
presetlabeltext:instance:btxlabel            \presetbtxlabeltesto [...] [..=..]
presetlabeltext:instance:head                \presetheadtesto [...] [..=..]
presetlabeltext:instance:label               \presetlabeltesto [...] [..=..]
presetlabeltext:instance:mathlabel           \presetmathlabeltesto [...] [..=..]
presetlabeltext:instance:operator            \presetoperatortesto [...] [..=..]
presetlabeltext:instance:prefix              \presetprefixtesto [...] [..=..]
presetlabeltext:instance:suffix              \presetsuffixtesto [...] [..=..]
presetlabeltext:instance:taglabel            \presettaglabeltesto [...] [..=..]
presetlabeltext:instance:unit                \presetunittesto [...] [..=..]
pretocommalist                               \pretocommalist {...}   \...
prettyprintbuffer                            \prettyprintbuffer {...} {...}
prevcounter                                  \prevcounter [...] [...]
prevcountervalue                             \prevcountervalue [...]
preventmode                                  \preventmode [...]
prevrealpage                                 \prevrealpage
prevrealpagenumber                           \prevrealpagenumber
prevsubcountervalue                          \prevsubcountervalue [...] [...]
prevsubpage                                  \prevsubpage
prevsubpagenumber                            \prevsubpagenumber
prevuserpage                                 \prevuserpage
prevuserpagenumber                           \prevuserpagenumber
primasottopagina                             \primasottopagina
procent                                      \procent
processaction                                \processaction [...]   [..,..=>..,..]
processallactionsinset                       \processallactionsinset [...]   [..,..=>..,..]
processassignlist                            \processassignlist [...]   \...
processassignmentcommand                     \processassignmentcommand [..=..]   \...
processassignmentlist                        \processassignmentlist [..=..]   \...
processbetween                               \processbetween {...}   \...
processbodyfontenvironmentlist               \processbodyfontenvironmentlist   \...
processcolorcomponents                       \processcolorcomponents {...}
processcommacommand                          \processcommacommand [...]   \...
processcommalist                             \processcommalist [...]   \...
processcommalistwithparameters               \processcommalistwithparameters [...]   \...
processcontent                               \processcontent {...}   \...
processfile                                  \processfile {...}
processfilemany                              \processfilemany {...}
processfilenone                              \processfilenone {...}
processfileonce                              \processfileonce {...}
processfirstactioninset                      \processfirstactioninset [...]   [..,..=>..,..]
processisolatedchars                         \processisolatedchars {...}   \...
processisolatedwords                         \processisolatedwords {...}   \...
processlinetablebuffer                       \processlinetablebuffer [...]
processlinetablefile                         \processlinetablefile {...}
processlist                                  \processlist {...} {...} {...}   \...
processMPbuffer                              \processMPbuffer [...]
processMPfigurefile                          \processMPfigurefile {...}
processmonth                                 \processmonth {...} {...} {...}
processranges                                \processranges [...]   \...
processseparatedlist                         \processseparatedlist [...] [...] {...}
processtexbuffer                             \processTEXbuffer [...]
processtokens                                \processtokens {...} {...} {...} {...} {...}
processuntil                                 \processuntil   \...
processxmlbuffer                             \processxmlbuffer {...}
processxmlfile                               \processxmlfile {...}
processxtablebuffer                          \processxtablebuffer [...]
processyear                                  \processyear {...} {...} {...} {...}
prodotto                                     \prodotto [...]
prodotto:string                              \prodotto ...
profiledbox                                  \profiledbox [...] [..=..]   {...}
profilegivenbox                              \profilegivenbox {...} ...
progetto                                     \progetto [...]
progetto:string                              \progetto ...
programma                                    \programma [...]
pseudoMixedCapped                            \pseudoMixedCapped {...}
```

pseudoSmallCapped	`\pseudoSmallCapped {...}`
pseudoSmallcapped	`\pseudoSmallcapped {...}`
pseudosmallcapped	`\pseudosmallcapped {...}`
pulsante	`\pulsante [..=..] {...} [...]`
pulsantemenu:button	`\pulsantemenu [..=..] {...} {...}`
pulsantemenu:interactionmenu	`\pulsantemenu [...] [..=..] {...} {...}`
pulsante:example	`\BUTTON [..=..] {...} [...]`
pulsantinterazione	`\pulsantinterazione [..=..] [...]`
punti	`\punti [...]`
punti:assignment	`\punti [..=..]`
purenumber	`\purenumber {...}`
pusharrangedpages	`\pusharrangedpages ... \poparrangedpages`
pushattribute	`\pushattribute    \...`
pushbar	`\pushbar [...] ... \popbar`
pushbutton	`\pushbutton [...] [...]`
pushcatcodetable	`\pushcatcodetable ... \popcatcodetable`
pushcolore	`\pushcolore [...] ... \popcolore`
pushendofline	`\pushendofline ... \popendofline`
pushindentation	`\pushindentation ... \popindentation`
pushMPdrawing	`\pushMPdrawing ... \popMPdrawing`
pushmacro	`\pushmacro    \...`
pushmathstyle	`\pushmathstyle ... \popmathstyle`
pushmode	`\pushmode [...]`
pushoutputstream	`\pushoutputstream [...]`
pushpath	`\pushpath [...] ... \poppath`
pushpunctuation	`\pushpunctuation ... \poppunctuation`
pushrandomseed	`\pushrandomseed ... \poprandomseed`
pushreferenceprefix	`\pushreferenceprefix {...} ... \popreferenceprefix`
pushsfondo	`\pushsfondo [...] ... \popsfondo`
pushsystemmode	`\pushsystemmode {...}`
putboxincache	`\putboxincache {...} {...} ...`
putnextboxincache	`\putnextboxincache {...} {...}    \...    {...}`
qquad	`\qquad`
quad	`\quad`
quads	`\quads [...]`
qualcheriga	`\qualcheriga [...]`
quarterstrut	`\quarterstrut`
quitcommalist	`\quitcommalist`
quitprevcommalist	`\quitprevcommalist`
quittypescriptscanning	`\quittypescriptscanning`
ReadFile	`\ReadFile {...}`
raggedbottom	`\raggedbottom`
raggedcenter	`\raggedcenter`
raggedleft	`\raggedleft`
raggedright	`\raggedright`
raggedwidecenter	`\raggedwidecenter`
raisebox	`\raisebox {...}    \...    {...}`
randomizetext	`\randomizetext {...}`
randomnumber	`\randomnumber {...} {...}`
rawcounter	`\rawcounter [...] [...]`
rawcountervalue	`\rawcountervalue [...]`
rawdate	`\rawdate [...]`
rawdoifelseinset	`\rawdoifelseinset {...} {...} {...} {...}`
rawdoifinset	`\rawdoifinset {...} {...} {...}`
rawdoifinsetelse	`\rawdoifinsetelse {...} {...} {...} {...}`
rawgetparameters	`\rawgetparameters [...] [..=..]`
rawmathematics	`\rawmathematics    {...}`
rawparagraphshape	`\rawparagraphshape {...}`
rawprocessaction	`\rawprocessaction [...]    [..,..=>..,..]`
rawprocesscommacommand	`\rawprocesscommacommand [...]    \...`
rawprocesscommalist	`\rawprocesscommalist [...]    \...`
rawstructurelistuservariable	`\rawstructurelistuservariable {...}`
rawsubcountervalue	`\rawsubcountervalue [...] [...]`
rbox	`\rbox ...    {...}`
readfile	`\readfile {...} {...} {...}`
readfixfile	`\readfixfile {...} {...} {...} {...}`
readjobfile	`\readjobfile {...} {...} {...}`
readlocfile	`\readlocfile {...} {...} {...}`
readsetfile	`\readsetfile {...} {...} {...} {...}`
readsysfile	`\readsysfile {...} {...} {...}`
readtexfile	`\readtexfile {...} {...} {...}`
readxmlfile	`\readxmlfile {...} {...} {...}`

```
realpagenumber                          \realpagenumber
realSmallCapped                         \realSmallCapped {...}
realSmallcapped                         \realSmallcapped {...}
realsmallcapped                         \realsmallcapped {...}
recursedepth                            \recursedepth
recurselevel                            \recurselevel
recursestring                           \recursestring
redoconvertfont                         \redoconvertfont
referencecolumnnumber                   \referencecolumnnumber
referenceformat:example                 \REFERENCEFORMAT {...} {...} [...]
referencepagedetail                     \referencepagedetail
referencepagestate                      \referencepagestate
referenceprefix                         \referenceprefix
referencerealpage                       \referencerealpage
referencesymbol                         \referencesymbol
referring                               \referring   (...,...)   (...,...) [...]
registerattachment                      \registerattachment [...] [..=..]
registerctxluafile                      \registerctxluafile {...} {...}
registerexternalfigure                  \registerexternalfigure [...] [...] [..=..]
registerfontclass                       \registerfontclass {...}
registerhyphenationexception            \registerhyphenationexception [...] [...]
registerhyphenationpattern              \registerhyphenationpattern [...] [...]
registermenubuttons                     \registermenubuttons [...] [...]
registeroverloads                       \registeroverloads [...]
registerparwrapper                      \registerparwrapper {...}   {...}   {...}
registerparwrapperreverse               \registerparwrapperreverse {...}   {...}   {...}
registersort                            \registersort [...] [...]
registersortpage                        \registersortpage [...] [...]
registersynonym                         \registersynonym [...] [...]
registertopcontent                      \registertopcontent [...]   \...   {...}
registerunit                            \registerunit [...] [..=..]
registerunitshortcut                    \registerunitshortcut [...] [..=..]
registro:instance                       \REGISTER [...]   {..+...+..}
registro:instance:index                 \index [...]   {..+...+..}
registro:instance:ownnumber             \REGISTER [...] {...}   {..+...+..}
registro:instance:ownnumber:index       \index [...] {...}   {..+...+..}
regolare                                \regolare
reimpostamarcatura                      \reimpostamarcatura [...]
relatemarking                           \relatemarking [...] [...]
relateparameterhandlers                 \relateparameterhandlers {...} {...} {...} {...}
relaxvalueifundefined                   \relaxvalueifundefined {...}
remainingcharacters                     \remainingcharacters
removebottomthings                      \removebottomthings
removedepth                             \removedepth
removefromcommalist                     \removefromcommalist {...}   \...
removelastskip                          \removelastskip
removelastspace                         \removelastspace
removemarkedcontent                     \removemarkedcontent [...]
removepunctuation                       \removepunctuation
removesubstring                         \removesubstring ... \from ... \to   \...
removetoks                              \removetoks ... \from   \...
removeunwantedspaces                    \removeunwantedspaces
repeathead                              \repeathead [...]
replacefeature                          \replacefeature [...]
replacefeature:direct                   \replacefeature {...}
replaceincommalist                      \replaceincommalist   \... {...}
replaceword                             \replaceword [...] [...] [...]
rescan                                  \rescan   {...}
rescanwithsetup                         \rescanwithsetup {...}   {...}
resetalignmentcharacter                 \resetalignmentcharacter
resetallattributes                      \resetallattributes
resetalternate                          \resetalternate
resetandaddfeature                      \resetandaddfeature [...]
resetandaddfeature:direct               \resetandaddfeature {...}
resetbar                                \resetbar
resetboxesincache                       \resetboxesincache {...}
resetbreakpoints                        \resetbreakpoints
resetbuffer                             \resetbuffer [...]
resetcharacteralign                     \resetcharacteralign
resetcharacterkerning                   \resetcharacterkerning
resetcharacterspacing                   \resetcharacterspacing
resetcharacterstripping                 \resetcharacterstripping
```

resetcollector	\resetcollector [...]
resetcounter	\resetcounter [...] [...]
resetctxscanner	\resetctxscanner \...
resetdigitsmanipulation	\resetdigitsmanipulation
resetdirection	\resetdirection
resetextrafontkerns	\resetextrafontkerns
resetfeature	\resetfeature
resetflag	\resetflag {...}
resetfontcolorscheme	\resetfontcolorscheme
resetfontfallback	\resetfontfallback [...] [...]
resetfontsolution	\resetfontsolution
resethyphenationfeatures	\resethyphenationfeatures
resetinjector	\resetinjector [...]
resetinteractionmenu	\resetinteractionmenu [...]
resetitaliccorrection	\resetitaliccorrection
resetlayer	\resetlayer [...]
resetlineprofile	\resetlineprofile
resetlistsynonyms	\resetlistsynonyms [...]
resetlocalbox	\resetlocalbox [...]
resetlocalfloats	\resetlocalfloats
resetlocalshowmakeup	\resetlocalshowmakeup
resetMPdrawing	\resetMPdrawing
resetMPenvironment	\resetMPenvironment
resetMPinstance	\resetMPinstance [...]
resetmacros	\resetmacros [...]
resetmarker	\resetmarker [...]
resetmode	\resetmode {...}
resetoverloads	\resetoverloads
resetpagenumber	\resetpagenumber
resetparallel	\resetparallel [...] [...]
resetpath	\resetpath
resetpenalties	\resetpenalties \...
resetperiodkerning	\resetperiodkerning
resetprofile	\resetprofile
resetrecurselevel	\resetrecurselevel
resetreference	\resetreference [...]
resetreplacements	\resetreplacements
resetscript	\resetscript
resetsetups	\resetsetups [...]
resetshownsynonyms	\resetshownsynonyms [...]
resetsubpagenumber	\resetsubpagenumber
resetsymbolset	\resetsymbolset
resetsynchronizemarking	\resetsynchronizemarking [...]
resetsynonyms	\resetsynonyms [...]
resetsynonymsprogress	\resetsynonymsprogress [...]
resetsystemmode	\resetsystemmode {...}
resettimer	\resettimer
resettokenlist	\resettokenlist [...]
resettrackers	\resettrackers
resettrialtypesetting	\resettrialtypesetting
resetusedsortings	\resetusedsortings [...]
resetusedsynonyms	\resetusedsynonyms [...]
resetuserpagenumber	\resetuserpagenumber
resetvalue	\resetvalue {...}
resetvisualizers	\resetvisualizers
reshapebox	\reshapebox {...}
resolvedglyphdirect	\resolvedglyphdirect {...} {...}
resolvedglyphstyled	\resolvedglyphstyled {...} {...}
restartcounter	\restartcounter [...] [...] [...]
restorebox	\restorebox {...} {...}
restorecatcodes	\restorecatcodes
restorecounter	\restorecounter [...]
restorecurrentattributes	\restorecurrentattributes {...}
restoreendofline	\restoreendofline
restoreglobalbodyfont	\restoreglobalbodyfont
retestfeature	\retestfeature
reusableMPgraphic	\reusableMPgraphic {...} {..=..}
reuseMPgraphic	\reuseMPgraphic {...} {..=..}
reuserandomseed	\reuserandomseed
reversehbox	\reversehbox ... {...}
reversehpack	\reversehpack ... {...}
reversetpack	\reversetpack ... {...}

reversevbox	`\reversevbox ... {...}`
reversevboxcontent	`\reversevboxcontent ...`
reversevpack	`\reversevpack ... {...}`
reversevtop	`\reversevtop ... {...}`
revivefeature	`\revivefeature`
rfence	`\rfence ...`
rhbox	`\rhbox {...}`
rif	`\rif [...] [...]`
riferimento	`\riferimento [...] {...}`
riferimentopagina	`\riferimentopagina [...]`
riferimentotesto	`\riferimentotesto [...] {...}`
riflessione	`\riflessione {...}`
riga	`\riga {...}`
rigariempimento	`\rigariempimento [..=..]`
rightbottombox	`\rightbottombox {...}`
rightbox	`\rightbox {...}`
righthbox	`\righthbox {...}`
rightlabeltext:instance	*\rightLABELtesto* `{...}`
rightlabeltext:instance:head	*\rightheadtesto* `{...}`
rightlabeltext:instance:label	*\rightlabeltesto* `{...}`
rightlabeltext:instance:mathlabel	*\rightmathlabeltesto* `{...}`
rightline	`\rightline {...}`
rightorleftpageaction	`\rightorleftpageaction {...} {...}`
rightpageorder	`\rightpageorder`
rightparbox	`\rightparbox [...] {...}`
rightskipadaption	`\rightskipadaption`
rightsubguillemot	`\rightsubguillemot`
righttoleft	`\righttoleft`
righttolefthbox	`\righttolefthbox ... {...}`
righttoleftvbox	`\righttoleftvbox ... {...}`
righttoleftvtop	`\righttoleftvtop ... {...}`
righttopbox	`\righttopbox {...}`
rigovuoto	`\rigovuoto [...]`
rlap	`\rlap {...}`
robustaddtocommalist	`\robustaddtocommalist {...} \...`
robustdoifelseinset	`\robustdoifelseinset {...} {...} {...} {...}`
robustdoifinsetelse	`\robustdoifinsetelse {...} {...} {...} {...}`
robustpretocommalist	`\robustpretocommalist {...} \...`
rollbutton:button	`\rollbutton [..=..] ... [...]`
rollbutton:interactionmenu	`\rollbutton [...] [..=..] ... [...]`
roman	`\roman`
rtlhbox	`\rtlhbox ... {...}`
rtltext	`\rtltext {...}`
rtlvbox	`\rtlvbox ... {...}`
rtlvtop	`\rtlvtop ... {...}`
rtop	`\rtop ... {...}`
ruby	`\ruby [...] {...} {...}`
ruleddbox	`\ruleddbox ... {...}`
ruleddpack	`\ruleddpack ... {...}`
ruledhbox	`\ruledhbox ... {...}`
ruledhpack	`\ruledhpack ... {...}`
ruledmbox	`\ruledmbox {...}`
ruledtpack	`\ruledtpack ... {...}`
ruledvbox	`\ruledvbox ... {...}`
ruledvpack	`\ruledvpack ... {...}`
ruledvtop	`\ruledvtop ... {...}`
runMPbuffer	`\runMPbuffer [...]`
runninghbox	`\runninghbox {...}`
ruota	`\ruota [..=..] {...}`
russianNumerals	`\russianNumerals {...}`
russiannumerals	`\russiannumerals {...}`
ScaledPointsToBigPoints	`\ScaledPointsToBigPoints {...} \...`
ScaledPointsToWholeBigPoints	`\ScaledPointsToWholeBigPoints {...} \...`
Smallcapped	`\Smallcapped {...}`
safechar	`\safechar {...}`
samplefile	`\samplefile {...}`
sans	`\sans`
sansgrassetto	`\sansgrassetto`
sansnormal	`\sansnormal`
sansserif	`\sansserif`
savebox	`\savebox {...} {...} {...}`
savebtxdataset	`\savebtxdataset [...] [...] [..=..]`

```
savebuffer                         \savebuffer [..=..]
savebuffer:list                    \savebuffer [...] [...]
savecolore                         \savecolore ... \restorecolore
savecounter                        \savecounter [...]
savecurrentattributes              \savecurrentattributes {...}
savemathexport                     \savemathexport [..=..]
savenormalmeaning                  \savenormalmeaning    \...
savetaggedtwopassdata              \savetaggedtwopassdata {...} {...} {...}   {...}
savetwopassdata                    \savetwopassdata {...} {...}   {...}
sbox                               \sbox    {...}
scala                              \scala [...] [..=..]   {...}
schermo                            \schermo [...]
script:instance                    \SCRIPT
script:instance:ethiopic           \ethiopic
script:instance:hangul             \hangul
script:instance:hanzi              \hanzi
script:instance:latin              \latin
script:instance:nihongo            \nihongo
script:instance:test               \test
script:instance:thai               \thai
scrividentroelenco                 \scrividentroelenco [...] [..=..] {...}
scriviinelenco                     \scriviinelenco [...] [..=..] {...} {...}
secondoffivearguments              \secondoffivearguments {...} {...} {...} {...} {...}
secondoffourarguments              \secondoffourarguments {...} {...} {...} {...}
secondofsixarguments               \secondofsixarguments {...} {...} {...} {...} {...} {...}
secondofthreearguments             \secondofthreearguments {...} {...} {...}
secondofthreeunexpanded            \secondofthreeunexpanded {...} {...} {...}
secondoftwoarguments               \secondoftwoarguments {...} {...}
secondoftwounexpanded              \secondoftwounexpanded {...} {...}
seeregister:instance               \vediREGISTER [...]    {..+...+..} {...}
seeregister:instance:index         \vediindex [...]    {..+...+..} {...}
segnalibro                         \segnalibro [...] {...}
select                             \select {...}   {...}   {...}   {...}   {...}   {...}
selezionablocchi                   \selezionablocchi [OPT...] [OPT...] [..=OPT..]    OPT      OPT
serializecommalist                 \serializecommalist [...]
serializedcommalist                \serializedcommalist
serif                              \serif
serifbold                          \serifbold
serifnormal                        \serifnormal
setalignmentcharacter              \setalignmentcharacter
setalignmentswitch                 \setalignmentswitch {...}
setalternate                       \setalternate {...}
setautopagestaterealpageno         \setautopagestaterealpageno {...}
setbar                             \setbar [...]
setbigbodyfont                     \setbigbodyfont
setboxllx                          \setboxllx ... {...}
setboxlly                          \setboxlly ... {...}
setbreakpoints                     \setbreakpoints [...]
setbuffer                          \setbuffer [...] ... \endbuffer
setcapstrut                        \setcapstrut
setcatcodetable                    \setcatcodetable    \...
setcharacteralign                  \setcharacteralign {...} {...}
setcharacteraligndetail            \setcharacteraligndetail {...} {...} {...} {...}
setcharactercasing                 \setcharactercasing [...]
setcharactercleaning               \setcharactercleaning [...]
setcharacterkerning                \setcharacterkerning [...]
setcharacterspacing                \setcharacterspacing [...]
setcharacterstripping              \setcharacterstripping [...]
setcharstrut                       \setcharstrut {...}
setcollector                       \setcollector [...] [..=..]   {...}
setcolormodel                      \setcolormodel [...]
setcounter                         \setcounter [...] [...] [...]
setcounterown                      \setcounterown [...] [...] [...]
setctxluafunction                  \setctxluafunction {...} {...}
setcurrentfontclass                \setcurrentfontclass {...}
setdataset                         \setdataset [...] [...] [..=..]
setdatavalue                       \setdatavalue {...} {...}
setdefaultpenalties                \setdefaultpenalties
setdigitsmanipulation              \setdigitsmanipulation [...]
setdirection                       \setdirection [...]
setdocumentargument                \setdocumentargument {...} {...}
setdocumentargumentdefault         \setdocumentargumentdefault {...} {...}
```

setdocumentfilename	`\setdocumentfilename {...} {...}`
setdummyparameter	`\setdummyparameter {...} {...}`
setelementbackendtag	`\setelementbackendtag [...] [...]`
setelementexporttag	`\setelementexporttag [...] [...] [...]`
setelementexporttag:nature	`\setelementexporttag [...] [...] [...]`
setelementexporttag:pdf	`\setelementexporttag [...] [...] [...]`
setelementnature	`\setelementnature [...] [...]`
setemeasure	`\setemeasure {...} {...}`
setevalue	`\setevalue {...}    {...}`
setevariable	`\setevariable {...} {...} {...}`
setevariables	`\setevariables [...] [..=..]`
setexpansion	`\setexpansion [...]`
setextrafontkerns	`\setextrafontkerns [...]`
setfirstline	`\setfirstline [...]`
setfirstpasscharacteralign	`\setfirstpasscharacteralign`
setflag	`\setflag {...}`
setfont	`\setfont ...`
setfontcolorscheme	`\setfontcolorscheme [...]`
setfontfeature	`\setfontfeature {...}`
setfontsolution	`\setfontsolution [...]`
setfontstrut	`\setfontstrut`
setfractions	`\setfractions`
setglobalscript	`\setglobalscript [...]`
setgmeasure	`\setgmeasure {...} {...}`
setgvalue	`\setgvalue {...}    {...}`
setgvariable	`\setgvariable {...} {...} {...}`
setgvariables	`\setgvariables [...] [..=..]`
sethboxregister	`\sethboxregister ...    {...}`
sethyphenatedurlafter	`\sethyphenatedurlafter {...}`
sethyphenatedurlbefore	`\sethyphenatedurlbefore {...}`
sethyphenatedurlnormal	`\sethyphenatedurlnormal {...}`
sethyphenationfeatures	`\sethyphenationfeatures [...]`
setinitial	`\setinitial [...] [..=..]`
setinjector	`\setinjector [...] [...] [...]`
setinteraction	`\setinteraction [...]`
setinterfacecommand	`\setinterfacecommand {...} {...}`
setinterfaceconstant	`\setinterfaceconstant {...} {...}`
setinterfaceelement	`\setinterfaceelement {...} {...}`
setinterfacemessage	`\setinterfacemessage {...} {...} {...}`
setinterfacevariable	`\setinterfacevariable {...} {...}`
setinternalrendering	`\setinternalrendering [...] [...]    {...}`
setitaliccorrection	`\setitaliccorrection [...]`
setJSpreamble	`\setJSpreamble {...}    {...}`
setlayer	`\setlayer [...] [...] [..=..]    {...}`
setlayerframed	`\setlayerframed [...] [..=..] [..=..]    {...}`
setlayerframed:combination	`\setlayerframed [...] [..=..]    {...}`
setlayertext	`\setlayertext [...] [..=..] [..=..] {...}`
setlinefiller	`\setlinefiller [...]`
setlineprofile	`\setlineprofile [...]`
setlocalhsize	`\setlocalhsize [...]`
setlocalscript	`\setlocalscript [...]`
setlocalshowmakeup	`\setlocalshowmakeup`
setluatable	`\setluatable   \...    {...}`
setMPlayer	`\setMPlayer [...] [...] [..=..]    {...}`
setMPpositiongraphic	`\setMPpositiongraphic {...} {...} {..=..}`
setMPpositiongraphicrange	`\setMPpositiongraphicrange {...} {...} {...} {..=..}`
setMPtext	`\setMPtext {...} {...}`
setMPvariable	`\setMPvariable [...] [..=..]`
setMPvariables	`\setMPvariables [...] [..=..]`
setmainbodyfont	`\setmainbodyfont`
setmainlineprofile	`\setmainlineprofile`
setmainparbuilder	`\setmainparbuilder [...]`
setmarker	`\setmarker [...] [...]`
setmarking	`\setmarking [...] {...}`
setmathmatrixanchoring	`\setmathmatrixanchoring [...]`
setmathstyle	`\setmathstyle {...}`
setmeasure	`\setmeasure {...} {...}`
setmessagetext	`\setmessagetext {...} {...}`
setmode	`\setmode {...}`
setnostrut	`\setnostrut`
setnote	`\setnote [...] [...] {...}`
setnotetext	`\setnotetext [...] [...] {...}`

setnotetext:assignment	`\setnotetext [...] [..=..]`
setnote:assignment	`\setnote [...] [..=..]`
setobject	`\setobject {...} {...}   \...   {...}`
setoldstyle	`\setoldstyle`
setoverloads	`\setoverloads [...]`
setpagelooseness	`\setpagelooseness [...]`
setpagelooseness:assignment	`\setpagelooseness [..=..]`
setpagereference	`\setpagereference {...} {...}`
setpagestate	`\setpagestate [...] [...]`
setpagestaterealpageno	`\setpagestaterealpageno {...} {...}`
setparagraphfreezing	`\setparagraphfreezing`
setparagraphshape	`\setparagraphshape [...]`
setpenalties	`\setpenalties   \... {...} {...}`
setpercentdimen	`\setpercentdimen {...} {...}`
setperiodkerning	`\setperiodkerning [...]`
setposition	`\setposition {...}`
setpositionbox	`\setpositionbox {...}   \...   {...}`
setpositiondata	`\setpositiondata {...} {...} {...} {...}`
setpositiondataplus	`\setpositiondataplus {...} {...} {...} {...} {...}`
setpositiononly	`\setpositiononly {...}`
setpositionplus	`\setpositionplus {...} {...}   \...   {...}`
setpositionstrut	`\setpositionstrut {...}`
setprofile	`\setprofile [...]`
setrandomseed	`\setrandomseed {...}`
setreference	`\setreference [...] [..=..]`
setreferencedobject	`\setreferencedobject {...} {...}   \...   {...}`
setregisterentry	`\setregisterentry [...] [..=..] [..=..]`
setreplacements	`\setreplacements [...] [...]`
setrigidcolumnbalance	`\setrigidcolumnbalance ...`
setrigidcolumnhsize	`\setrigidcolumnhsize {...} {...} {...}`
setscript	`\setscript [...]`
setsecondpasscharacteralign	`\setsecondpasscharacteralign`
setsectionblock	`\setsectionblock [...] [..=..]`
setsimplecolumnshsize	`\setsimplecolumnshsize [..=..]`
setsmallbodyfont	`\setsmallbodyfont`
setsmallcaps	`\setsmallcaps`
setstackbox	`\setstackbox {...} {...}   {...}`
setstructurepageregister	`\setstructurepageregister [...] [..=..] [..=..]`
setstrut	`\setstrut`
setsuperiors	`\setsuperiors`
setsystemmode	`\setsystemmode {...}`
settabular	`\settabular`
settaggedmetadata	`\settaggedmetadata [..=..]`
settestcrlf	`\settestcrlf`
settext	`\settext [...] [...] [...] [...] [...]`
settightobject	`\settightobject {...} {...}   \...   {...}`
settightreferencedobject	`\settightreferencedobject {...} {...}   \...   {...}`
settightstrut	`\settightstrut`
settightunreferencedobject	`\settightunreferencedobject {...} {...}   \...   {...}`
settokenlist	`\settokenlist [...] {...}`
settrialtypesetting	`\settrialtypesetting`
setuevalue	`\setuevalue {...}   {...}`
setugvalue	`\setugvalue {...}   {...}`
setunreferencedobject	`\setunreferencedobject {...} {...}   \...   {...}`
setupadaptive	`\setupadaptive [...] [..=..]`
setupalignpass	`\setupalignpass [...]`
setupalternativestyles	`\setupalternativestyles [..=..]`
setupattachment	`\setupattachment [...] [..=..]`
setupattachments	`\setupattachments [...] [..=..]`
setupbackend	`\setupbackend [..=..]`
setupbar	`\setupbar [...] [..=..]`
setupbars	`\setupbars [...] [..=..]`
setupbleeding	`\setupbleeding [..=..]`
setupbookmark	`\setupbookmark [..=..]`
setupboxexport	`\setupboxexport [..=..]`
setupbtx	`\setupbtx [...] [..=..]`
setupbtxdataset	`\setupbtxdataset [...] [..=..]`
setupbtxlist	`\setupbtxlist [...] [..=..]`
setupbtxregister	`\setupbtxregister [...] [..=..]`
setupbtxrendering	`\setupbtxrendering [...] [..=..]`
setupbtx:name	`\setupbtx [...]`
setupbutton	`\setupbutton [...] [..=..]`

setupcharacteralign	`\setupcharacteralign [..=..]`
setupcharacterkerning	`\setupcharacterkerning [...] [..=..]`
setupcharacterspacing	`\setupcharacterspacing [...] [...] [..=..]`
setupchemical	`\setupchemical [...] [..=..]`
setupchemicalframed	`\setupchemicalframed [...] [..=..]`
setupcollector	`\setupcollector [...] [..=..]`
setupcolumnsetarea	`\setupcolumnsetarea [...] [..=..]`
setupcolumnsetareatext	`\setupcolumnsetareatext [...] [...]`
setupcolumnsetlines	`\setupcolumnsetlines [...] [...] [...] [...]`
setupcolumnsetspan	`\setupcolumnsetspan [...] [..=..]`
setupcolumnsetstart	`\setupcolumnsetstart [...] [...] [...] [...]`
setupcombination	`\setupcombination [...] [..=..]`
setupcounter	`\setupcounter [...] [..=..]`
setupdataset	`\setupdataset [...] [..=..]`
setupdelimitedtext	`\setupdelimitedtext [...] [..=..]`
setupdescription	`\setupdescription [...] [..=..]`
setupdirections	`\setupdirections [..=..]`
setupdocument	`\setupdocument [...] [..=..]`
setupeffect	`\setupeffect [...] [..=..]`
setupenumeration	`\setupenumeration [...] [..=..]`
setupenv	`\setupenv [..=..]`
setupexpansion	`\setupexpansion [...] [..=..]`
setupexport	`\setupexport [..=..]`
setupexternalfigure	`\setupexternalfigure [...] [..=..]`
setupfacingfloat	`\setupfacingfloat [...] [..=..]`
setupfieldbody	`\setupfieldbody [...] [..=..]`
setupfieldcategory	`\setupfieldcategory [...] [..=..]`
setupfieldcontentframed	`\setupfieldcontentframed [...] [..=..]`
setupfieldlabelframed	`\setupfieldlabelframed [...] [..=..]`
setupfieldtotalframed	`\setupfieldtotalframed [...] [..=..]`
setupfiller	`\setupfiller [...] [..=..]`
setupfirstline	`\setupfirstline [...] [..=..]`
setupfittingpage	`\setupfittingpage [...] [..=..]`
setupfloatframed	`\setupfloatframed [...] [..=..]`
setupfontexpansion	`\setupfontexpansion [...] [..=..]`
setupfontprotrusion	`\setupfontprotrusion [...] [..=..]`
setupfonts	`\setupfonts [..=..]`
setupfontsolution	`\setupfontsolution [...] [..=..]`
setupformula	`\setupformula [...] [..=..]`
setupformulaframed	`\setupformulaframed [...] [..=..]`
setupframedcontent	`\setupframedcontent [...] [..=..]`
setupframedtable	`\setupframedtable [...] [..=..]`
setupframedtablecolumn	`\setupframedtablecolumn [...] [...] [..=..]`
setupframedtablerow	`\setupframedtablerow [...] [...] [..=..]`
setupframedtext	`\setupframedtext [...] [..=..]`
setupglobalreferenceprefix	`\setupglobalreferenceprefix [...]`
setupheadalternative	`\setupheadalternative [...] [..=..]`
setuphelp	`\setuphelp [...] [..=..]`
setuphigh	`\setuphigh [...] [..=..]`
setuphighlight	`\setuphighlight [...] [..=..]`
setuphyphenation	`\setuphyphenation [..=..]`
setupindentedtext	`\setupindentedtext [...] [..=..]`
setupinitial	`\setupinitial [...] [..=..]`
setupinsertion	`\setupinsertion [...] [..=..]`
setupitaliccorrection	`\setupitaliccorrection [...]`
setupitemgroup	`\setupitemgroup [...] [...] [...] [..=..]`
setupitemgroup:assignment	`\setupitemgroup [...] [..=..]`
setupitemgroup:instance	`\impostaITEMGROUP [...] [...] [..=..]`
setupitemgroup:instance:itemize	`\impostaitemize [...] [...] [..=..]`
setuplabel	`\setuplabel [...] [..=..]`
setuplayer	`\setuplayer [...] [..=..]`
setuplayeredtext	`\setuplayeredtext [...] [..=..]`
setuplayouttext	`\setuplayouttext [...] [...] [..=..]`
setuplinefiller	`\setuplinefiller [...] [..=..]`
setuplinefillers	`\setuplinefillers [...] [..=..]`
setuplinenote	`\setuplinenote [...] [..=..]`
setuplineprofile	`\setuplineprofile [...] [..=..]`
setuplinetable	`\setuplinetable [...] [...] [..=..]`
setuplistalternative	`\setuplistalternative [...] [..=..]`
setuplistextra	`\setuplistextra [...] [..=..]`
setuplocalboxes	`\setuplocalboxes [...] [..=..]`
setuplocalfloats	`\setuplocalfloats [..=..]`

```
setuplocalinterlinespace           \setuplocalinterlinespace [...] [..=..]
setuplocalinterlinespace:argument  \setuplocalinterlinespace [...]
setuplocalinterlinespace:name      \setuplocalinterlinespace [...]
setuplow                           \setuplow [...] [..=..]
setuplowhigh                       \setuplowhigh [...] [..=..]
setuplowmidhigh                    \setuplowmidhigh [...] [..=..]
setupMPgraphics                    \setupMPgraphics [..=..]
setupMPinstance                    \setupMPinstance [...] [..=..]
setupMPpage                        \setupMPpage [..=..]
setupMPvariables                   \setupMPvariables [...] [..=..]
setupmarginblock                   \setupmarginblock [...] [..=..]
setupmargindata                    \setupmargindata [...] [..=..]
setupmarginframed                  \setupmarginframed [...] [..=..]
setupmarginrule                    \setupmarginrule [...] [..=..]
setupmathaccent                    \setupmathaccent [...] [..=..]
setupmathaccents                   \setupmathaccents [...] [..=..]
setupmathalignment                 \setupmathalignment [...] [..=..]
setupmathcases                     \setupmathcases [...] [..=..]
setupmathdelimited                 \setupmathdelimited [...] [..=..]
setupmathdelimiter                 \setupmathdelimiter [...] [..=..]
setupmathematics                   \setupmathematics [...] [..=..]
setupmathexport                    \setupmathexport [..=..]
setupmathfence                     \setupmathfence [...] [..=..]
setupmathfences                    \setupmathfences [...] [..=..]
setupmathfraction                  \setupmathfraction [...] [..=..]
setupmathfractions                 \setupmathfractions [...] [..=..]
setupmathframed                    \setupmathframed [...] [..=..]
setupmathfunction                  \setupmathfunction [...] [..=..]
setupmathfunctions                 \setupmathfunctions [...] [..=..]
setupmathmatrix                    \setupmathmatrix [...] [..=..]
setupmathnesting                   \setupmathnesting [...] [..=..]
setupmathoperator                  \setupmathoperator [...] [..=..]
setupmathoperators                 \setupmathoperators [...] [..=..]
setupmathornament                  \setupmathornament [...] [..=..]
setupmathradical                   \setupmathradical [...] [..=..]
setupmathsimplealign               \setupmathsimplealign [...] [..=..]
setupmathstackers                  \setupmathstackers [...] [..=..]
setupmathstyle                     \setupmathstyle [...]
setupmixedcolumns                  \setupmixedcolumns [...] [..=..]
setupmodule                        \setupmodule [...] [..=..]
setupmulticolumns                  \setupmulticolumns [...] [..=..]
setupnotation                      \setupnotation [...] [..=..]
setupnotations                     \setupnotations [...] [..=..]
setupnote                          \setupnote [...] [..=..]
setupnotes                         \setupnotes [...] [..=..]
setupoffset                        \setupoffset [..=..]
setupoffsetbox                     \setupoffsetbox [..=..]
setupoptimize                      \setupoptimize [...] [..=..]
setuporientation                   \setuporientation [...] [..=..]
setupoutputroutine                 \setupoutputroutine [...] [..=..]
setupoutputroutine:name            \setupoutputroutine [...]
setuppagechecker                   \setuppagechecker [...] [..=..]
setuppagecolumns                   \setuppagecolumns [...] [..=..]
setuppageinjection                 \setuppageinjection [...] [..=..]
setuppageinjectionalternative      \setuppageinjectionalternative [...] [..=..]
setuppageshift                     \setuppageshift [...] [...] [...]
setuppagestate                     \setuppagestate [...] [..=..]
setuppairedbox                     \setuppairedbox [...] [..=..]
setuppairedbox:instance            \impostaPAIREDBOX [..=..]
setuppairedbox:instance:legend     \impostalegend [..=..]
setuppaper                         \setuppaper [..=..]
setupparagraph                     \setupparagraph [...] [..=..]
setupparagraphintro                \setupparagraphintro [...] [...]
setupparallel                      \setupparallel [...] [...] [..=..]
setupperiodkerning                 \setupperiodkerning [...] [..=..]
setupperiods                       \setupperiods [..=..]
setupplaceholder                   \setupplaceholder [...] [..=..]
setupplacement                     \setupplacement [...] [..=..]
setuppositionbar                   \setuppositionbar [..=..]
setupprocessor                     \setupprocessor [...] [..=..]
setupprofile                       \setupprofile [...] [..=..]
setupquotation                     \setupquotation [..=..]
```

setuprealpagenumber	`\setuprealpagenumber [..=..]`
setupreferenceformat	`\setupreferenceformat [...] [..=..]`
setupreferenceprefix	`\setupreferenceprefix [...]`
setupreferencestructureprefix	`\setupreferencestructureprefix [...] [...] [..=..]`
setupregisters	`\setupregisters [...] [..=..]`
setupregisters:argument	`\setupregisters [...] [...] [..=..]`
setuprenderingwindow	`\setuprenderingwindow [...] [..=..]`
setupruby	`\setupruby [...] [..=..]`
setups	`\setups [...]`
setupscale	`\setupscale [...] [..=..]`
setupscript	`\setupscript [...] [..=..]`
setupscripts	`\setupscripts [...] [..=..]`
setupselector	`\setupselector [...] [..=..]`
setupshapedparagraph	`\setupshapedparagraph [..=..]`
setupshift	`\setupshift [...] [..=..]`
setupsidebar	`\setupsidebar [...] [..=..]`
setupspellchecking	`\setupspellchecking [..=..]`
setupstacking	`\setupstacking [...] [..=..]`
setupstretched	`\setupstretched [..=..]`
setupstyle	`\setupstyle [...] [..=..]`
setupsubformula	`\setupsubformula [...] [..=..]`
setupsubformulas	`\setupsubformulas [...] [..=..]`
setupsymbols	`\setupsymbols [..=..]`
setupsynchronize	`\setupsynchronize [...] [..=..]`
setupsynchronizecontent	`\setupsynchronizecontent [...] [..=..]`
setupsynctex	`\setupsynctex [..=..]`
setups:direct	`\setups {...}`
setupTABLE	`\setupTABLE [...] [...] [..=..]`
setupTEXpage	`\setupTEXpage [..=..]`
setuptabulatemove	`\setuptabulatemove [...] [..=..]`
setuptagging	`\setuptagging [..=..]`
setuptextbackground	`\setuptextbackground [...] [..=..]`
setuptextdisplay	`\setuptextdisplay [...] [..=..]`
setuptextflow	`\setuptextflow [...] [..=..]`
setuptextnote	`\setuptextnote [...] [..=..]`
setuptooltip	`\setuptooltip [...] [..=..]`
setupunit	`\setupunit [...] [..=..]`
setupuserdata	`\setupuserdata [...] [..=..]`
setupuserdataalternative	`\setupuserdataalternative [...] [..=..]`
setupuserpagenumber	`\setupuserpagenumber [..=..]`
setupversion	`\setupversion [...]`
setupviewerlayer	`\setupviewerlayer [..=..]`
setupvspacing	`\setupvspacing [...]`
setupwithargument	`\setupwithargument {...} {...}`
setupwithargumentswapped	`\setupwithargumentswapped {...} {...}`
setupxml	`\setupxml [..=..]`
setupxtable	`\setupxtable [...] [..=..]`
setuvalue	`\setuvalue {...} {...}`
setuxvalue	`\setuxvalue {...} {...}`
setvalue	`\setvalue {...} {...}`
setvariable	`\setvariable {...} {...} {...}`
setvariables	`\setvariables [...] [..=..]`
setvboxregister	`\setvboxregister ... {...}`
setvisualizerfont	`\setvisualizerfont [...]`
setvtopregister	`\setvtopregister ... {...}`
setwidthof	`\setwidthof ... \to \...`
setxmeasure	`\setxmeasure {...} {...}`
setxvalue	`\setxvalue {...} {...}`
setxvariable	`\setxvariable {...} {...} {...}`
setxvariables	`\setxvariables [...] [..=..]`
sfondo	`\sfondo {...}`
sfondo:example	`\SFONDO {...}`
shapedhbox	`\shapedhbox {...}`
shiftbox	`\shiftbox {...}`
shift:instance	`\SHIFT {...}`
shift:instance:shiftdown	`\shiftdown {...}`
shift:instance:shiftup	`\shiftup {...}`
showallmakeup	`\showallmakeup`
showattributes	`\showattributes`
showboxes	`\showboxes`
showbreakpoints	`\showbreakpoints [..=..]`
showbtxdatasetauthors	`\showbtxdatasetauthors [..=..]`

```
showbtxdatasetauthors:argument          \showbtxdatasetauthors [...]
showbtxdatasetcompleteness              \showbtxdatasetcompleteness [..=..]
showbtxdatasetcompleteness:argument     \showbtxdatasetcompleteness [...]
showbtxdatasetfields                    \showbtxdatasetfields [..=..]
showbtxdatasetfields:argument           \showbtxdatasetfields [...]
showbtxfields                           \showbtxfields [..=..]
showbtxfields:argument                  \showbtxfields [...]
showbtxhashedauthors                    \showbtxhashedauthors [...]
showbtxtables                           \showbtxtables [...]
showchardata                            \showchardata {...}
showcharratio                           \showcharratio {...}
showcolorbar                            \showcolorbar [...]
showcolorcomponents                     \showcolorcomponents [...]
showcolorset                            \showcolorset [...]
showcolorstruts                         \showcolorstruts
showcounter                             \showcounter [...]
showdirectives                          \showdirectives
showdirsinmargin                        \showdirsinmargin
showedebuginfo                          \showedebuginfo
showexperiments                         \showexperiments
showfont                                \showfont [...] [...]
showfontdata                            \showfontdata
showfontexpansion                       \showfontexpansion
showfontitalics                         \showfontitalics
showfontkerns                           \showfontkerns
showfontparameters                      \showfontparameters
showfontstrip                           \showfontstrip [...]
showfontstyle                           \showfontstyle [...] [...] [...] [...]
showglyphdata                           \showglyphdata
showglyphs                              \showglyphs
showgridsnapping                        \showgridsnapping
showhelp                                \showhelp {...} [...]
showhyphenationtrace                    \showhyphenationtrace [...] [...]
showhyphens                             \showhyphens {...}
showinjector                            \showinjector [...]
showjustification                       \showjustification
showkerning                             \showkerning {...}
showlayoutcomponents                    \showlayoutcomponents
showligature                            \showligature {...}
showligatures                           \showligatures [...]
showlogcategories                       \showlogcategories
showluatables                           \showluatables
showmargins                             \showmargins
showmessage                             \showmessage {...} {...} {...}
showminimalbaseline                     \showminimalbaseline
shownextbox                             \shownextbox   \...    {...}
showotfcomposition                      \showotfcomposition {...} {...} {...}
showpageprogress                        \showpageprogress [...]
showparentchain                         \showparentchain   \... {...}
showparwrapperstate                     \showparwrapperstate {...}
showrivers                              \showrivers [..=..]
showsetupsdefinition                    \showsetupsdefinition [...]
showtimer                               \showtimer {...}
showtokens                              \showtokens [...]
showtrackers                            \showtrackers
showvalue                               \showvalue {...}
showvariable                            \showvariable {...} {...}
showwarning                             \showwarning {...} {...} {...}
signalcharacteralign                    \signalcharacteralign {...} {...}
signalrightpage                         \signalrightpage
simbolo                                 \simbolo [...] [...]
simbolo:direct                          \simbolo {...}
similartokens                           \similartokens {...} {...}
simplealignedbox                        \simplealignedbox {...} {...}   {...}
simplealignedboxplus                    \simplealignedboxplus {...} {...} {...}   {...}
simplealignedspreadbox                  \simplealignedspreadbox {...} {...}   {...}
simplegroupedcommand                    \simplegroupedcommand {...} {...}
simplegroupedcommandcs                  \simplegroupedcommandcs   \...   \...
simplereversealignedbox                 \simplereversealignedbox {...} {...}   {...}
simplereversealignedboxplus             \simplereversealignedboxplus {...} {...} {...}   {...}
sincronizza:instance                    \SYNCHRONIZE [..=..]   {...}   {...}
sincronizza:instance:paralleltext       \paralleltext [..=..]   {...}   {...}
```

```
singlebond                              \singlebond
sinistra                                \sinistra ...
sixthofsixarguments                     \sixthofsixarguments {...} {...} {...} {...} {...} {...}
skiphere                                \skiphere [...]
slantedface                             \slantedface
slashed                                 \slashed [...]    {...}
slicepages                              \slicepages [...] [..=..] [..=..]
slovenianNumerals                       \slovenianNumerals {...}
sloveniannumerals                       \sloveniannumerals {...}
smallcappedcharacters                   \smallcappedcharacters {...}
smallcappedromannumerals                \smallcappedromannumerals {...}
smaller                                 \smaller
smallskip                               \smallskip
smash                                   \smash [...]    {...}
smashbox                                \smashbox ...
smashboxed                              \smashboxed ...
smashedhbox                             \smashedhbox ...    {...}
smashedvbox                             \smashedvbox ...    {...}
snaptogrid                              \snaptogrid [...]    \...    {...}
snaptogrid:list                         \snaptogrid [...]    \...    {...}
someheadnumber                          \someheadnumber [...] [...]
somekindoftab                           \somekindoftab [..=..]
somelocalfloat                          \somelocalfloat
somenamedheadnumber                     \somenamedheadnumber {...} {...}
someplace                               \someplace {...} {...} {...} {...} {...} [...]
sorting:instance                        \SORTING [...]    {...}
sorting:instance:logo                   \logo [...]    {...}
sottopaginasuccessiva                   \sottopaginasuccessiva
spaceddigits                            \spaceddigits {...}
spaceddigitsmethod                      \spaceddigitsmethod
spaceddigitsseparator                   \spaceddigitsseparator
spaceddigitssymbol                      \spaceddigitssymbol
spaceorpar                              \spaceorpar
spanishNumerals                         \spanishNumerals {...}
spanishnumerals                         \spanishnumerals {...}
spazifissi                              \spazifissi
spazio                                  \spazio
spaziofisso                             \spaziofisso
spessoreriga                            \spessoreriga
spezzaoggettomobile                     \spezzaoggettomobile [..=..] {...}    {...}
splitatasterisk                         \splitatasterisk ...    \...    \...
splitatcolon                            \splitatcolon ...    \...    \...
splitatcolons                           \splitatcolons ...    \...    \...
splitatcomma                            \splitatcomma ...    \...    \...
splitatperiod                           \splitatperiod ...    \...    \...
splitfilename                           \splitfilename {...}
splitoffbase                            \splitoffbase
splitofffull                            \splitofffull
splitoffkind                            \splitoffkind
splitoffname                            \splitoffname
splitoffpath                            \splitoffpath
splitoffroot                            \splitoffroot
splitofftokens                          \splitofftokens ... \from ... \to    \...
splitofftype                            \splitofftype
splitstring                             \splitstring ... \at ... \to    \... \and    \...
spreadhbox                              \spreadhbox ...
stackcampi                              \stackcampi [...] [...] [..=..]
stacking                                \stacking [...]    {...}
stacking:example                        \STACKING [...]    {...}
stackrel                                \stackrel    {...}    {...}
stackscripts                            \stackscripts
startlinenote:instance                  \iniziaLINENOTE [...] {...}
startlinenote:instance:linenote         \inizialinenote [...] {...}
startregister                           \startregister [...] [...] [...] [...]    {..+...+..} ... \stopregister
startstop:example                       \STARTSTOP    {...}
startstop:example:argument              \STARTSTOP [..=..]    {...}
startstructurepageregister              \startstructurepageregister [...] [...] [..=..] [..=..] ... \stopstruct
stirato                                 \stirato [..=..] {...}
stoplinenote:instance                   \terminaLINENOTE [...]
stoplinenote:instance:linenote          \terminalinenote [...]
strictdoifelsenextoptional              \strictdoifelsenextoptional {...} {...}
strictdoifnextoptionalelse              \strictdoifnextoptionalelse {...} {...}
```

stripcharacter	`\stripcharacter ... \from ... \to   \...`
strippedcsname	`\strippedcsname   \...`
strippedcsname:string	`\strippedcsname ...`
stripspaces	`\stripspaces \from ... \to   \...`
structurelistuservariable	`\structurelistuservariable {...}`
structurenumber	`\structurenumber`
structuretitle	`\structuretitle`
structureuservariable	`\structureuservariable {...}`
structurevariable	`\structurevariable {...}`
strut	`\strut`
strutdp	`\strutdp`
strutgap	`\strutgap`
strutht	`\strutht`
struthtdp	`\struthtdp`
struttedbox	`\struttedbox   {...}`
strutwd	`\strutwd`
style	`\style [..=..] {...}`
styleinstance	`\styleinstance [...]`
style:argument	`\style [...] {...}`
style:instance	`\STYLE {...}`
subpagenumber	`\subpagenumber`
subsentence	`\subsentence   {...}`
substituteincommalist	`\substituteincommalist {...} {...}   \...`
subtractfeature	`\subtractfeature [...]`
subtractfeature:direct	`\subtractfeature {...}`
swapcounts	`\swapcounts   \...   \...`
swapdimens	`\swapdimens   \...   \...`
swapface	`\swapface`
swapmacros	`\swapmacros   \...   \...`
swaptypeface	`\swaptypeface`
switchstyleonly	`\switchstyleonly [...]`
switchstyleonly:command	`\switchstyleonly   \...`
switchtocolor	`\switchtocolor [...]`
switchtointerlinespace	`\switchtointerlinespace [...] [..=..]`
switchtointerlinespace:argument	`\switchtointerlinespace [...]`
switchtointerlinespace:name	`\switchtointerlinespace [...]`
symbolreference	`\symbolreference [...]`
synchronizeblank	`\synchronizeblank`
synchronizeindenting	`\synchronizeindenting`
synchronizemarking	`\synchronizemarking [...] [...] [...]`
synchronizeoutputstreams	`\synchronizeoutputstreams [...]`
synchronizestrut	`\synchronizestrut {...}`
synchronizewhitespace	`\synchronizewhitespace`
synctexblockfilename	`\synctexblockfilename {...}`
synctexresetfilename	`\synctexresetfilename`
synctexsetfilename	`\synctexsetfilename {...}`
synonym:instance	`\SYNONYM [...] [...] {...}   {...}`
synonym:instance:abbreviation	`\abbreviation [...] [...] {...}   {...}`
systemlog	`\systemlog {...} {...} {...}`
systemlogfirst	`\systemlogfirst {...} {...} {...}`
systemloglast	`\systemloglast {...} {...} {...}`
systemsetups	`\systemsetups {...}`
TABLE	`\TABLE`
TaBlE	`\TaBlE`
TEX	`\TEX`
TeX	`\TeX`
TheNormalizedFontSize	`\TheNormalizedFontSize`
TransparencyHack	`\TransparencyHack`
tabulateautoline	`\tabulateautoline`
tabulateautorule	`\tabulateautorule`
tabulateline	`\tabulateline`
tabulaterule	`\tabulaterule`
taggedctxcommand	`\taggedctxcommand {...}`
taggedlabeltexts	`\taggedlabeltexts {...} {...}   {...}`
tbox	`\tbox   {...}`
terminariga	`\terminariga [...]`
testandsplitstring	`\testandsplitstring ... \at ... \to   \... \and   \...`
testcolumn	`\testcolumn [...] [...]`
testfeature	`\testfeature {...}   {...}`
testfeatureonce	`\testfeatureonce {...}   {...}`
testoaiuto	`\testoaiuto [...] {...} {...}`
testoetichetta:instance	`\LABELtesto {...}`

```
testoetichetta:instance:btxlabel        \btxlabeltesto {...}
testoetichetta:instance:head            \headtesto {...}
testoetichetta:instance:label           \labeltesto {...}
testoetichetta:instance:mathlabel       \mathlabeltesto {...}
testoetichetta:instance:operator        \operatortesto {...}
testoetichetta:instance:prefix          \prefixtesto {...}
testoetichetta:instance:suffix          \suffixtesto {...}
testoetichetta:instance:taglabel        \taglabeltesto {...}
testoetichetta:instance:unit            \unittesto {...}
testoincorniciato:instance              \FRAMEDTEXT [..=..]   {...}
testoincorniciato:instance:framedtext   \framedtext [..=..]   {...}
testonotapdp                            \testonotapdp [...] {...}
testonotapdp:assignment                 \testonotapdp [..=..]
testoriempimento                        \testoriempimento [..=..] {...} {...}
testpage                                \testpage [...] [...]
testpageonly                            \testpageonly [...] [...]
testpagesync                            \testpagesync [...] [...]
testtokens                              \testtokens [...]
tex                                     \tex    {...}
texdefinition                           \texdefinition {...}
texsetup                                \texsetup {...}
textbackground:example                  \TEXTBACKGROUND    {...}
textcitation                            \textcitation [..=..] [...]
textcitation:alternative                \textcitation [...] [...]
textcitation:userdata                   \textcitation [..=..] [..=..]
textcite                                \textcite [..=..] [...]
textcite:alternative                    \textcite [...] [...]
textcite:userdata                       \textcite [..=..] [..=..]
textcontrolspace                        \textcontrolspace
textflowcollector                       \textflowcollector {...}
texthere                                \texthere [...]    {...}
textmath                                \textmath    {...}
textminus                               \textminus
textnote:example                        \textnote [..=..] {...}
textormathchar                          \textormathchar {...}
textormathchars                         \textormathchars {...}
textplus                                \textplus
textstacker                             \textstacker [...] {...} {...} {...}
textvisiblespace                        \textvisiblespace
thainumerals                            \thainumerals {...}
thedatavalue                            \thedatavalue {...}
thefirstcharacter                       \thefirstcharacter {...}
thenormalizedbodyfontsize               \thenormalizedbodyfontsize {...}
theorientation                          \theorientation {...}
theremainingcharacters                  \theremainingcharacters {...}
thickspace                              \thickspace
thinspace                               \thinspace
thirdoffivearguments                    \thirdoffivearguments {...} {...} {...} {...} {...}
thirdoffourarguments                    \thirdoffourarguments {...} {...} {...} {...}
thirdofsixarguments                     \thirdofsixarguments {...} {...} {...} {...} {...} {...}
thirdofthreearguments                   \thirdofthreearguments {...} {...} {...}
thirdofthreeunexpanded                  \thirdofthreeunexpanded {...} {...} {...}
threedigitrounding                      \threedigitrounding {...}
tibetannumerals                         \tibetannumerals {...}
tieniblocchi                            \tieniblocchi [...] [...]
tightfitboundary                        \tightfitboundary
tightfitcompensation                    \tightfitcompensation
tightlayer                              \tightlayer [...]
tinyfont                                \tinyfont
tlap                                    \tlap    {...}
tochar                                  \tochar {...}
tolinenote                              \tolinenote [...]
tooltip:instance                        \TOOLTIP [..=..] {...} {...}
tooltip:instance:argument               \TOOLTIP [...] {...} {...}
tooltip:instance:argument:tooltip       \tooltip [...] {...} {...}
tooltip:instance:tooltip                \tooltip [..=..] {...} {...}
topbox                                  \topbox    {...}
topleftbox                              \topleftbox    {...}
toplinebox                              \toplinebox    {...}
toprightbox                             \toprightbox    {...}
topskippedbox                           \topskippedbox    {...}
tracecatcodetables                      \tracecatcodetables
```

tracedfontname	\tracedfontname {...}
tracedpagestate	\tracedpagestate
traceoutputroutines	\traceoutputroutines
tracepositions	\tracepositions
traduci	\traduci [..=..]
transparencycomponents	\transparencycomponents {...}
transparent	\transparent [...] {...}
triggergroupedcommand	\triggergroupedcommand {...}
triggergroupedcommandcs	\triggergroupedcommandcs \...
triplebond	\triplebond
truefilename	\truefilename {...}
truefontname	\truefontname {...}
ttraggedright	\ttraggedright
twodigitrounding	\twodigitrounding {...}
tx	\tx
txx	\txx
typ	\typ [..=..] {...}
type	\type [..=..] {...}
typebuffer	\typebuffer [...] [..=..]
typebuffer:instance	*\typeBUFFER [..=..]*
typedefinedbuffer	\typedefinedbuffer [...] [..=..]
typeface	\typeface
typefile	\typefile [...] [..=..] {...}
typeinlinebuffer	\typeinlinebuffer [...] [..=..]
typescriptone	\typescriptone
typescriptprefix	\typescriptprefix {...}
typescriptthree	\typescriptthree
typescripttwo	\typescripttwo
typesetbuffer	\typesetbuffer [...] [..=..]
typesetbufferonly	\typesetbufferonly [...]
typesetfile	\typesetfile [...] [...] [..=..]
type:angles	\type [..=..] <<...>>
type:example	*\TYPE [..=..] {...}*
type:example:angles	*\TYPE [..=..] <<...>>*
typ:angles	\typ [..=..] <<...>>
uchexnumber	\uchexnumber {...}
uchexnumbers	\uchexnumbers {...}
uconvertnumber	\uconvertnumber {...} {...}
uedcatcodecommand	\uedcatcodecommand \... ... {...}
ultimasottopagina	\ultimasottopagina
undefinevalue	\undefinevalue {...}
undepthed	\undepthed {...}
underset	\underset {...} {...}
undoassign	\undoassign [...] [..=..]
unexpandeddocumentvariable	\unexpandeddocumentvariable {...}
unhhbox	\unhhbox ... \with {...}
unicodechar	\unicodechar {...}
unicodehexnumber	\unicodehexnumber {...}
unicodenumber	\unicodenumber {...}
unihex	\unihex {...}
uniqueMPgraphic	\uniqueMPgraphic {...} {..=..}
uniqueMPpagegraphic	\uniqueMPpagegraphic {...} {..=..}
unita:instance	*\UNIT {...}*
unita:instance:unit	*\unit {...}*
unknownchar	\unknownchar
unprotect	\unprotect ... \protect
unprotected	\unprotected ... \par
unregisterhyphenationpattern	\unregisterhyphenationpattern [...] [...]
unregisterparwrapper	\unregisterparwrapper {...}
unspaceafter	\unspaceafter \... {...}
unspaceargument	\unspaceargument ... \to \...
unspaced	\unspaced {...}
unspacestring	\unspacestring ... \to \...
unstackscripts	\unstackscripts
untexargument	\untexargument {...} \to \...
untexcommand	\untexcommand {...} \to \...
updateparagraphdemerits	\updateparagraphdemerits
updateparagraphpenalties	\updateparagraphpenalties
updateparagraphproperties	\updateparagraphproperties
updateparagraphshapes	\updateparagraphshapes
uppercased	\uppercased {...}
uppercasestring	\uppercasestring ... \to \...

```
uppercasing                        \uppercasing
upperleftdoublenineequote          \upperleftdoublenineequote
upperleftdoublesixquote            \upperleftdoublesixquote
upperleftsinglenineequote          \upperleftsinglenineequote
upperleftsinglesixquote            \upperleftsinglesixquote
upperrightdoublenineequote         \upperrightdoublenineequote
upperrightdoublesixquote           \upperrightdoublesixquote
upperrightsinglenineequote         \upperrightsinglenineequote
upperrightsinglesixquote           \upperrightsinglesixquote
url                                \url [...]
usablocco                          \usablocco [...] [...] [..=..]
usacartella                        \usacartella [...]
usadocumentoesterno                \usadocumentoesterno [...] [...] [...]
usafiguraesterna                   \usafiguraesterna [...] [...] [...] [..=..]
usaJSscripts                       \usaJSscripts [...] [...]
usamodulo                          \usamodulo [...] [...] [..=..]
usasimboli                         \usasimboli [...]
usaURL                             \usaURL [...] [...] [...] [...]
usaurl                             \usaurl [...] [...] [...] [...]
usealignparameter                  \usealignparameter    \...
useblankparameter                  \useblankparameter    \...
usebodyfont                        \usebodyfont [...]
usebodyfontparameter               \usebodyfontparameter    \...
usebtxdataset                      \usebtxdataset [...] [...] [..=..]
usebtxdefinitions                  \usebtxdefinitions [...]
usecitation                        \usecitation [...]
usecitation:direct                 \usecitation {...}
usecolors                          \usecolors [...]
usecomponent                       \usecomponent [...]
usedadaptivealternative            \usedadaptivealternative
usedadaptivebox                    \usedadaptivebox
usedadaptivecolor                  \usedadaptivecolor
usedadaptivedepth                  \usedadaptivedepth
usedadaptiveheight                 \usedadaptiveheight
usedadaptivehsize                  \usedadaptivehsize
usedadaptiveline                   \usedadaptiveline
usedadaptivetotal                  \usedadaptivetotal
usedadaptivewidth                  \usedadaptivewidth
usedummycolorparameter             \usedummycolorparameter {...}
usedummystyleandcolor              \usedummystyleandcolor {...} {...}
usedummystyleparameter             \usedummystyleparameter {...}
useenvironment                     \useenvironment [...]
useexternalrendering               \useexternalrendering [...] [...] [...] [...]
usefigurebase                      \usefigurebase [...]
usefile                            \usefile [...] [...] [...]
usefontpath                        \usefontpath [...]
usegridparameter                   \usegridparameter    \...
usehyphensparameter                \usehyphensparameter    \...
useindentingparameter              \useindentingparameter    \...
useindentnextparameter             \useindentnextparameter    \...
useinterlinespaceparameter         \useinterlinespaceparameter    \...
uselanguageparameter               \uselanguageparameter    \...
uselist                            \uselist [...] [...] [...]
useluamodule                       \useluamodule [...]
useluatable                        \useluatable    \...
useMPenvironmentbuffer             \useMPenvironmentbuffer [...]
useMPgraphic                       \useMPgraphic {...} {..=..}
useMPlibrary                       \useMPlibrary [...]
useMPrun                           \useMPrun {...} {...}
useMPvariables                     \useMPvariables [...] [...]
usemathstyleparameter              \usemathstyleparameter    \...
useproduct                         \useproduct [...]
useprofileparameter                \useprofileparameter    \...
useproject                         \useproject [...]
usereferenceparameter              \usereferenceparameter    \...
useregister                        \useregister [...] [...] [...] [...]
userpagenumber                     \userpagenumber
usesetupsparameter                 \usesetupsparameter    \...
usestaticMPfigure                  \usestaticMPfigure [..=..] [...]
usesubpath                         \usesubpath [...]
usetexmodule                       \usetexmodule [...] [...] [..=..]
usetypescript                      \usetypescript [...] [...] [...]
```

```
usetypescriptfile              \usetypescriptfile [...]
usezipfile                     \usezipfile [...] [...]
utfchar                        \utfchar {...}
utflower                       \utflower {...}
utfupper                       \utfupper {...}
utilityregisterlength          \utilityregisterlength
VerboseNumber                  \VerboseNumber {...}
vaia                           \vaia    {...} [...]
vaiabox                        \vaiabox    {...} [...]
vaiapagina                     \vaiapagina {...} [...]
vaigiu                         \vaigiu [...]
validassignment                \validassignment {...}
valorecolore                   \valorecolore {...}
vboxreference                  \vboxreference [...]    {...}
verbatim                       \verbatim    {...}
verbatimstring                 \verbatimstring    {...}
verbosenumber                  \verbosenumber {...}
versione                       \versione [...]
verticalgrowingbar             \verticalgrowingbar [..=..]
verticalpositionbar            \verticalpositionbar [..=..]
veryraggedcenter               \veryraggedcenter
veryraggedleft                 \veryraggedleft
veryraggedright                \veryraggedright
vglue                          \vglue ...
viewerlayer                    \viewerlayer [...]    {...}
vl                             \vl [...]
vpackbox                       \vpackbox
vpackedbox                     \vpackedbox
vphantom                       \vphantom    {...}
vpos                           \vpos {...}    {...}
vsmash                         \vsmash    {...}
vsmashbox                      \vsmashbox ...
vsmashed                       \vsmashed    {...}
vspace                         \vspace [...] [...]
vspacing                       \vspacing [...]
WidthSpanningText              \WidthSpanningText {...} {...} {...}
wdofstring                     \wdofstring {...}
widthofstring                  \widthofstring {...}
widthspanningtext              \widthspanningtext {...} {...} {...}
wipedtokens                    \wipedtokens {...} {...}
wipetokens                     \wipetokens {...} {...}
withoutpt                      \withoutpt {...}
words                          \words {...}
wordtonumber                   \wordtonumber {...} {...}
writedatatolist                \writedatatolist [...] [..=..] [..=..]
writestatus                    \writestatus {...} {...}
XETEX                          \XETEX
XeTeX                          \XeTeX
xdefconvertedargument          \xdefconvertedargument    \... {...}
xmladdindex                    \xmladdindex {...}
xmlafterdocumentsetup          \xmlafterdocumentsetup {...} {...} {...}
xmlaftersetup                  \xmlaftersetup {...} {...}
xmlall                         \xmlall {...} {...}
xmlappenddocumentsetup         \xmlappenddocumentsetup {...} {...}
xmlappendsetup                 \xmlappendsetup {...}
xmlapplyselectors              \xmlapplyselectors {...}
xmlatt                         \xmlatt {...} {...}
xmlattdef                      \xmlattdef {...} {...} {...}
xmlattribute                   \xmlattribute {...} {...} {...}
xmlattributedef                \xmlattributedef {...} {...} {...} {...}
xmlbadinclusions               \xmlbadinclusions {...}
xmlbeforedocumentsetup         \xmlbeforedocumentsetup {...} {...} {...}
xmlbeforesetup                 \xmlbeforesetup {...} {...}
xmlchainatt                    \xmlchainatt {...} {...}
xmlchainattdef                 \xmlchainattdef {...} {...} {...}
xmlchecknamespace              \xmlchecknamespace {...} {...} {...}
xmlcommand                     \xmlcommand {...} {...} {...}
xmlconcat                      \xmlconcat {...} {...} {...}
xmlconcatrange                 \xmlconcatrange {...} {...} {...} {...} {...}
xmlcontext                     \xmlcontext {...} {...}
xmlcount                       \xmlcount {...} {...}
xmldata                        \xmldata {...}
```

```
xmldefaulttotext              \xmldefaulttotext {...}
xmldelete                     \xmldelete {...} {...}
xmldepth                      \xmldepth {...}
xmldirect                     \xmldirect {...}
xmldirectives                 \xmldirectives {...}
xmldirectivesafter            \xmldirectivesafter {...}
xmldirectivesbefore           \xmldirectivesbefore {...}
xmldisplayverbatim            \xmldisplayverbatim {...}
xmldocument                   \xmldocument
xmldoif                       \xmldoif {...} {...} {...}
xmldoifatt                    \xmldoifatt {...} {...} {...} {...}
xmldoifelse                   \xmldoifelse {...} {...} {...} {...}
xmldoifelseatt                \xmldoifelseatt {...} {...} {...} {...} {...}
xmldoifelseempty              \xmldoifelseempty {...} {...} {...} {...}
xmldoifelseselfempty          \xmldoifelseselfempty {...} {...} {...}
xmldoifelsetext               \xmldoifelsetext {...} {...} {...} {...}
xmldoifelsevalue              \xmldoifelsevalue {...} {...} {...} {...}
xmldoifempty                  \xmldoifempty {...} {...} {...}
xmldoifemptyelse              \xmldoifemptyelse {...} {...} {...} {...}
xmldoifnot                    \xmldoifnot {...} {...} {...}
xmldoifnotatt                 \xmldoifnotatt {...} {...} {...} {...}
xmldoifnotempty               \xmldoifnotempty {...} {...} {...}
xmldoifnotselfempty           \xmldoifnotselfempty {...} {...}
xmldoifnottext                \xmldoifnottext {...} {...} {...}
xmldoifselfempty              \xmldoifselfempty {...} {...}
xmldoifselfemptyelse          \xmldoifselfemptyelse {...} {...} {...}
xmldoiftext                   \xmldoiftext {...} {...} {...}
xmldoiftextelse               \xmldoiftextelse {...} {...} {...} {...}
xmldoifvalueelse              \xmldoifvalueelse {...} {...} {...} {...}
xmlelement                    \xmlelement {...} {...}
xmlfileline                   \xmlfileline {...}
xmlfilename                   \xmlfilename {...}
xmlfilter                     \xmlfilter {...} {...}
xmlfirst                      \xmlfirst {...} {...}
xmlflush                      \xmlflush {...}
xmlflushcontext               \xmlflushcontext {...}
xmlflushdocumentsetups        \xmlflushdocumentsetups {...} {...}
xmlflushlinewise              \xmlflushlinewise {...}
xmlflushpure                  \xmlflushpure {...}
xmlflushsetups                \xmlflushsetups {...}
xmlflushspacewise             \xmlflushspacewise {...}
xmlflushtext                  \xmlflushtext {...}
xmlfunction                   \xmlfunction {...} {...}
xmlinclude                    \xmlinclude {...} {...} {...}
xmlincludeoptions             \xmlincludeoptions {...} {...} {...} {...}
xmlinclusion                  \xmlinclusion {...}
xmlinclusionbase              \xmlinclusionbase {...}
xmlinclusions                 \xmlinclusions {...}
xmlindex                      \xmlindex {...} {...} {...}
xmlinfo                       \xmlinfo {...}
xmlinjector                   \xmlinjector {...}
xmlinlineprettyprint          \xmlinlineprettyprint {...} {...}
xmlinlineprettyprinttext      \xmlinlineprettyprinttext {...} {...}
xmlinlineverbatim             \xmlinlineverbatim {...}
xmlinstalldirective           \xmlinstalldirective {...} {...}
xmllast                       \xmllast {...} {...}
xmllastatt                    \xmllastatt
xmllastmatch                  \xmllastmatch
xmllastpar                    \xmllastpar
xmlload                       \xmlload {...} {...}
xmlloadbuffer                 \xmlloadbuffer {...} {...}
xmlloaddata                   \xmlloaddata {...} {...}
xmlloaddirectives             \xmlloaddirectives {...}
xmlloadfile                   \xmlloadfile {...} {...}
xmlloadonly                   \xmlloadonly {...} {...} {...}
xmlmain                       \xmlmain {...}
xmlmapval                     \xmlmapval {...} {...} {...}
xmlmapvalue                   \xmlmapvalue {...} {...} {...}
xmlmatch                      \xmlmatch {...}
xmlname                       \xmlname {...}
xmlnamespace                  \xmlnamespace {...}
xmlnonspace                   \xmlnonspace {...} {...}
```

xmlpar	`\xmlpar {...} {...}`
xmlparam	`\xmlparam {...} {...} {...}`
xmlpath	`\xmlpath {...}`
xmlpos	`\xmlpos {...}`
xmlposition	`\xmlposition {...} {...} {...}`
xmlprependdocumentsetup	`\xmlprependdocumentsetup {...} {...}`
xmlprependsetup	`\xmlprependsetup {...}`
xmlprettyprint	`\xmlprettyprint {...} {...}`
xmlprettyprinttext	`\xmlprettyprinttext {...} {...}`
xmlprocess	`\xmlprocess {...} {...} {...}`
xmlprocessbuffer	`\xmlprocessbuffer {...} {...} {...}`
xmlprocessdata	`\xmlprocessdata {...} {...} {...}`
xmlprocessfile	`\xmlprocessfile {...} {...} {...}`
xmlpure	`\xmlpure {...} {...}`
xmlpushmatch	`\xmlpushmatch ... \xmlpopmatch`
xmlraw	`\xmlraw {...}`
xmlrefatt	`\xmlrefatt {...} {...}`
xmlregisterdocumentsetup	`\xmlregisterdocumentsetup {...} {...}`
xmlregistereddocumentsetups	`\xmlregistereddocumentsetups {...} {...}`
xmlregisteredsetups	`\xmlregisteredsetups`
xmlregisterns	`\xmlregisterns {...} {...}`
xmlregistersetup	`\xmlregistersetup {...}`
xmlremapname	`\xmlremapname {...} {...} {...} {...}`
xmlremapnamespace	`\xmlremapnamespace {...} {...} {...}`
xmlremovedocumentsetup	`\xmlremovedocumentsetup {...} {...}`
xmlremovesetup	`\xmlremovesetup {...}`
xmlresetdocumentsetups	`\xmlresetdocumentsetups {...}`
xmlresetinjectors	`\xmlresetinjectors`
xmlresetsetups	`\xmlresetsetups`
xmls	`\xmls {...} {...}`
xmlsave	`\xmlsave {...} {...}`
xmlsetatt	`\xmlsetatt {...} {...} {...}`
xmlsetattribute	`\xmlsetattribute {...} {...} {...} {...}`
xmlsetentity	`\xmlsetentity {...} {...}`
xmlsetfunction	`\xmlsetfunction {...} {...} {...}`
xmlsetinjectors	`\xmlsetinjectors [...]`
xmlsetpar	`\xmlsetpar {...} {...} {...}`
xmlsetparam	`\xmlsetparam {...} {...} {...} {...}`
xmlsetsetup	`\xmlsetsetup {...} {...} {...}`
xmlsetup	`\xmlsetup {...} {...}`
xmlshow	`\xmlshow {...}`
xmlsnippet	`\xmlsnippet {...} {...}`
xmlstartraw	`\xmlstartraw ... \xmlstopraw`
xmlstarttiming	`\xmlstarttiming ... \xmlstoptiming`
xmlstrip	`\xmlstrip {...} {...}`
xmlstripanywhere	`\xmlstripanywhere {...} {...}`
xmlstripeverything	`\xmlstripeverything {...} {...}`
xmlstripnolines	`\xmlstripnolines {...} {...}`
xmlstripped	`\xmlstripped {...} {...}`
xmlstrippednolines	`\xmlstrippednolines {...} {...}`
xmltag	`\xmltag {...}`
xmltexatt	`\xmltexatt {...} {...}`
xmltexentity	`\xmltexentity {...} {...}`
xmltext	`\xmltext {...} {...}`
xmltobuffer	`\xmltobuffer {...} {...} {...}`
xmltobuffertextonly	`\xmltobuffertextonly {...} {...} {...}`
xmltobufferverbose	`\xmltobufferverbose {...} {...} {...}`
xmltofile	`\xmltofile {...} {...} {...}`
xmltoparameters	`\xmltoparameters {...}`
xmlval	`\xmlval {...} {...} {...}`
xmlvalue	`\xmlvalue {...} {...} {...}`
xmlverbatim	`\xmlverbatim {...}`
xmlw	`\xmlw {...} {...}`
xsplitstring	`\xsplitstring \... {...}`
xypos	`\xypos {...}`
yiddishnumerals	`\yiddishnumerals {...}`
zeronumberconversion	`\zeronumberconversion {...}`