



DEBIX TD050A



DEBIX Industrial Computer

DEBIX TD050A TFT LCD Monitor

Overview:


DEBIX TD050A LCD monitor comes with a 800 x 480 display which has the size of 5.0". With LVDS display interface and USB touch interface, it is composed of a color TFT-LCD panel, driver IC, FPC and a backlight unit. The driver element is a-Si TFT active matrix.

Main Features:

- 5.0" 800*480 display size
- IPS with Normally Black display mode
- LVDS Interface
- RGB-stripe colour arrangement

Compatibility:

- Compatible with all DEBIX series



Certificates:



Specification:

DEBIX TD050A

LCD Size	5 inch (Diagonal)
Driver Element	a-Si TFT active matrix
Resolution	800 x 480
Display Mode	IPS with Normally Black
Active Area	108.00mm x 64.80mm
Outline Dimension	120.80mm x 75.95mm x 2.80mm
Colour Arrangement	RGB-stripe
LVDS Interface	1 x LVDS with 20Pin header connector
Touch Interface	1 x USB with 4Pin header connector
Luminance	300 cd/m ² (Typ.)
Operating Temp.	-20°C to 70°C
Storage Temp.	-30°C to 80°C
Input Voltage	DC 5V
Net Weight	96g (± 0.5 g)
Gross Weight	228g (± 0.5 g)

Contact Us:

Headquarters: DEBIX Technology Inc., 8345 Gold River Ct., Las Vegas, NV 89113, USA

Factory: 5-6/F., East Zone, Shunheda A2 Building, Liuxiandong Industrial Park, Xili, Nanshan Dist., Shenzhen, China

Email: info@debix.io

Website: www.debix.io

Community: <https://discord.com/invite/adaHHAkH2>

