

DEBIX TD101H



DEBIX TD101H

Overview:

DEBIX TD101H is a 10.1-inch touch screen HDMI™ LCD monitor with 1280 x 800 resolution. The LCD monitor supports VGA and HDMI™ video signal input, power amplifier speaker and headphone output, touch operation, and remote control function.

Main Features:


- 10.1" 1280*800 display size
- VGA and HDMI™ video signal input
- Touch operation
- Power Amplifier speaker and headphone output
- Remote control function
- No-signal automatic power off function

Compatibility:

- Compatible with DEBIX series computers with HDMI™ ports



Front View of the DEBIX TD101H




Back View of the DEBIX TD101H

Specification:

DEBIX TD101H	
LCD Size	10.1 inches (Diagonal)
Resolution	1280 x 800
Active Area	135.36mm x 216.58mm
Outline Dimension (DEBIX TD101H)	230.00mm x 148.00mm
Outline Dimension (DEBIX TD101H-C)	252.00mm x 160.00mm x 17.00mm
Touch Interface	1 x Micro USB
Optional Function	(1) Power amplifier speaker (2) Remote control function
Operating Temp.	-10℃~60℃
Storage Temp.	-20℃~70℃
Operating Humidity	90%RH (no condensation)
Input Voltage	DC 5V
Net Weight (DEBIX TD101H)	365g (±0.5g)
Net Weight (DEBIX TD101H-C)	841g (±0.5g)
Gross Weight (DEBIX TD101H-C)	1215g (±0.5g)




DEBIX TD101H




DEBIX TD101H-C (with Al alloy enclosure)

Notice: The aluminum alloy enclosure is optional.

Connectors and Dimensions:



DEBIX TD101H



DEBIX TD101H-C (with AI alloy enclosure)

Contact Us:

Headquarters: DEBIX Technology Inc., 8345 Gold River Ct., Las Vegas, NV 89113, USA

Factory: 5-6/F., East Zone, Shunheda A2 Building, Liuxiandong Industrial Park, Xili, Nanshan Dist., Shenzhen, China

Email: info@debix.io

Website: www.debix.io

Community: <https://discord.com/invite/adaHHaDkH2>

Follow DEBIX:

GitHub: <https://github.com/debix-tech>

YouTube: <https://youtube.com/@debix-io>

LinkedIn: <https://linkedin.com/company/debix-io>

Facebook: <https://facebook.com/debix.io>

Instagram: <https://instagram.com/debix.io>

X: https://x.com/debix_io

