

Machine Learning-Based Healthcare Modelling for Heart Disease Prediction Using Clinical and Lifestyle Data

Abstract

Heart disease is one of the major causes of mortality across the world. If we try to predict early and start diagnosis that can reduce the risk of severe cardiovascular problems and improve the survival rates of patient. In this study, we try to build a machine learning-based healthcare prediction framework using a heart disease dataset containing demographic, physiological, and lifestyle-related attributes. Here we use a few algorithms including Logistic Regression, Decision Tree, Random Forest, Support Vector Machine, and K-Nearest Neighbour. This enables accurate prediction of heart disease.

The dataset was pre-processed using missing value handling, categorical encoding, and feature scaling techniques. After that we perform some evaluation such as accuracy, precision, recall, F1-score, and ROC-AUC score. Among all the implemented models, the Decision Tree classifier achieved the highest prediction accuracy, followed closely by the Random Forest classifier. The results shows us that the machine learning approaches can identify high-risk cardiac patients.

This proposed framework highlights the growing role of AI and data-driven systems in predictive healthcare analytics. The study

also discusses the practical implications, limitations, and future scope of intelligent healthcare modelling for cardiovascular disease prediction.

1. Introduction

Healthcare systems across the globe are rapidly adopting digital technologies for disease monitoring, diagnosis and treatment planning. The growing availability of medical records and clinical datasets has enabled the development of intelligent predictive systems that can assist physicians in their decision-making. Cardiovascular disease is among the most dangerous and life-threatening medical conditions among various chronic diseases.

Millions of people die each year from heart-related complications like coronary artery disease, heart attacks, arrhythmias and hypertensive heart failure, according to international health organizations. Many of these cases can be prevented by early diagnosis and timely intervention. However, traditional diagnostic tests can require large amounts of clinical testing and expert interpretation that may not be available in resource-limited healthcare settings. Machine learning has been recognized as a powerful computational approach that can

identify hidden patterns from medical datasets. Machine learning models can learn from historical patient data to predict disease occurrence with high accuracy and efficiency.

Machine learning's capacity to discover latent patterns from medical data sets has made it a powerful computational technique. By learning from historical patient data, machine learning models can predict disease incidence with high accuracy and efficiency. In recent years, healthcare researchers have turned increasingly to predictive analytics and artificial intelligence techniques to diagnose disease, stratify patient risk, and create clinical recommendation systems.

This research is based on the development of a heart disease prediction system using machine learning with clinical and lifestyle-related attributes. The major objectives of this study are:

1. To preprocess and analyze a heart disease dataset containing patient health records.
2. To implement multiple machine learning algorithms for disease prediction.
3. To compare the performance of various classifiers using standard evaluation metrics.
4. To identify the most efficient predictive model for healthcare applications.

5. To discuss the practical significance of machine learning in modern healthcare systems.

2. Literature Review

Several studies have been conducted in the field of healthcare analytics using machine learning and data mining techniques for heart disease prediction.

Amin et al. proposed a hybrid healthcare prediction system using decision trees and neural network-based methods for identifying cardiac abnormalities. Their study demonstrated that intelligent systems could significantly improve diagnostic efficiency compared to conventional statistical methods.

Dinesh Kumar and Arumugaraj developed a predictive framework using Naive Bayes and Support Vector Machine algorithms for cardiovascular disease detection. Their research showed that Support Vector Machines provided better classification accuracy for structured clinical datasets.

A study conducted by Mohan et al. implemented machine learning classifiers such as Logistic Regression, Random Forest, and K-Nearest Neighbour on cardiovascular datasets. Their findings indicated that ensemble learning methods provided better predictive stability and robustness.

Researchers have also explored deep learning techniques for medical diagnosis. Although deep neural networks often achieve high accuracy, they generally require

large datasets and higher computational resources. For smaller structured healthcare datasets, classical machine learning algorithms remain highly effective.

Existing literature indicates that machine learning has substantial potential in predictive healthcare systems. However, the performance of predictive models depends heavily on data quality, feature selection, preprocessing strategies, and algorithm optimization.

3. Dataset Description

The dataset used in this research contains 1000 patient records with 16 attributes representing demographic information, medical measurements, and lifestyle indicators associated with heart disease. It is basically a courtesy of [Kaggle](#) Website from where the data is imported.

3.1 Dataset Attributes

The dataset consists of the following features:

Attribute	Description
Age	Age of the patient
Gender	Gender of the patient
Cholesterol	Cholesterol level
Blood Pressure	Blood pressure measurement
Heart Rate	Patient heart rate
Smoking	Smoking habit

Alcohol Intake	Alcohol consumption level
Exercise Hours	Number of exercise hours
Family History	Family history of heart disease
Diabetes	Diabetes condition
Obesity	Obesity condition
Stress Level	Stress measurement
Blood Sugar	Blood glucose level
Exercise Induced Angina	Presence of exercise-induced chest pain
Chest Pain Type	Category of chest pain
Heart Disease	Target variable indicating disease presence

- The target variable contains binary values where:
- 1 indicates presence of heart disease
 - 0 indicates absence of heart disease

The dataset includes both numerical and categorical variables, making it suitable for supervised classification modelling.

4. Methodology

The methodology followed in this research consists of several stages including data preprocessing, feature engineering, machine learning model training, and performance evaluation.

4.1 Data Preprocessing

The dataset was cleaned and transformed before model training. Categorical variables

were encoded using Label Encoding techniques. Numerical features were standardized using Standard Scaler to normalize feature distributions.

The dataset was divided into training and testing sets using an 80:20 ratio.

5. Exploratory Data Analysis

Exploratory Data Analysis was performed to understand the distribution of variables and **identify** relationships among healthcare parameters.

5.1 Distribution of Target Variable

The target variable distribution was analyzed to observe the proportion of patients affected by heart disease.




Figure 1: Count Plot of Heart Disease Distribution

The visualization indicates the class distribution between healthy individuals and heart disease patients.

5.2 Correlation Analysis

Correlation analysis was performed to identify relationships between patient attributes and heart disease occurrence.




Figure 2: Correlation Heatmap of Dataset Features

The heatmap highlights positive and negative correlations among medical and lifestyle attributes.

5.3 Age Distribution Analysis

Age distribution analysis was conducted to examine how patient ages are distributed within the dataset.




Figure 3: Age Distribution Histogram

The histogram illustrates the frequency distribution of patient ages.

5.4 Cholesterol Distribution Analysis

Cholesterol level distribution was analyzed because cholesterol is one of the major cardiovascular risk factors.




Figure 4: Cholesterol Distribution Histogram

The graph demonstrates the variation of cholesterol levels among patients.

6. Machine Learning Models Used

Several supervised learning algorithms were implemented and evaluated.

6.1 Logistic Regression

Logistic Regression is a supervised machine learning algorithm used for classification problems. Unlike linear regression, which predicts continuous values it predicts the probability that an input belongs to a specific class.

- It is used for binary classification where the output can be one of two

possible categories such as Yes/No, True/False or 0/1.

- It uses sigmoid function to convert inputs into a probability value between 0 and 1.
-

6.2 Decision Tree Classifier

Decision Tree is a rule-based machine learning algorithm that recursively divides the dataset into smaller subsets based on feature importance.

6.3 Random Forest Classifier

A random forest is a meta estimator that fits a number of decision tree classifiers on various sub-samples of the dataset and uses averaging to improve the predictive accuracy and control over-fitting.

6.4 Support Vector Machine

Support Vector Machine (SVM) is a supervised machine learning algorithm used for classification and regression tasks. It tries to find the best boundary known as hyperplane that separates different classes in the data.

6.5 K-Nearest Neighbour

K-Nearest Neighbor (KNN) is a simple and widely used machine learning technique for classification and regression tasks. It works by identifying the K closest data points to a given input and making predictions based on the majority class or average value of those

neighbours.

7. Performance Evaluation Metrics

The models were evaluated using the following metrics:

- Accuracy
- Precision
- Recall
- F1-Score
- ROC-AUC Score

These metrics provide comprehensive evaluation of classification performance.

8. Experimental Results and Analysis

8.1 Logistic Regression Performance

The Logistic Regression model achieved stable classification performance for heart disease prediction.




Figure 5: Confusion Matrix for Logistic Regression




Figure 6: ROC Curve for Logistic Regression

8.2 Decision Tree Performance

The Decision Tree classifier produced highly accurate predictions by capturing nonlinear relationships between healthcare attributes.




Figure 7: Confusion Matrix for Decision Tree




Figure 8: ROC Curve for Decision Tree

8.3 Random Forest Performance

Random Forest demonstrated excellent predictive performance due to ensemble learning and variance reduction.




Figure 9: Confusion Matrix for Random Forest




Figure 10: ROC Curve for Random Forest

8.4 Support Vector Machine Performance

The Support Vector Machine classifier achieved strong classification capability for cardiovascular disease prediction.




Figure 11: Confusion Matrix for Support Vector Machine




Figure 12: ROC Curve for Support Vector Machine

8.5 K-Nearest Neighbour Performance

KNN achieved acceptable classification performance but was comparatively sensitive to feature scaling and data distribution.




Figure 13: Confusion Matrix for K-Nearest Neighbour




Figure 14: ROC Curve for K-Nearest Neighbour

9. Model Comparison

The performance of all machine learning models was compared using accuracy scores.




Figure 15: Accuracy Comparison of Machine Learning Models

The comparison indicates that ensemble learning methods achieved superior performance compared to traditional linear models.

10. Feature Importance Analysis

Feature importance analysis was conducted using the Random Forest classifier to identify the most influential healthcare attributes.




Figure 16: Feature Importance Analysis

The analysis revealed that cholesterol level, blood pressure, blood sugar, exercise-induced angina, smoking habits, and stress levels significantly contributed to heart

disease prediction.

11. Prediction System

A predictive healthcare system was developed to classify whether a patient is likely to suffer from heart disease based on medical and lifestyle parameters.

The trained machine learning model accepts patient details as input and generates prediction results indicating the probability of cardiovascular disease.




Figure 17: Sample Patient Prediction Output 1




Figure 18: Sample Patient Prediction Output 2




Figure 19: Sample Patient Prediction Output 3

The prediction framework can assist healthcare professionals in early-stage risk assessment and preventive diagnosis.

12. Applications in Healthcare

The proposed machine learning framework has several practical applications in healthcare systems:

- Early-stage disease detection
- Clinical decision support systems
- Remote patient monitoring
- Personalized healthcare analytics
- Preventive healthcare management

Machine learning-based predictive systems can significantly improve healthcare efficiency and patient outcomes.

13. Challenges and Limitations

Although the proposed system achieved high predictive performance, several limitations remain:

- The dataset size is relatively limited.
- Real-world clinical validation is required.
- Data quality and imbalance may affect prediction reliability.
- Healthcare privacy and ethical concerns must be addressed.

Future research should focus on improving generalization and model explainability.

14. Future Scope

Future work can extend this research through:

- Integration of deep learning models
- Real-time IoT healthcare monitoring
- Cloud-based healthcare analytics
- Explainable AI systems
- Multi-disease prediction frameworks

These advancements can improve the reliability and scalability of intelligent healthcare systems.

15. Conclusion

This study has proposed a comprehensive machine learning-based healthcare modeling framework for heart disease prediction using clinical and lifestyle data. We have implemented and evaluated a number of supervised learning algorithms and used standard performance metrics.

The results show that machine learning algorithms can predict heart disease accurately with high accuracy. Among all the implemented models, the Decision Tree and the Random Forest classifiers were the best in predictive performance.

The study confirms that intelligent healthcare systems hold great potential for

enhancing disease diagnosis, patient monitoring and preventive healthcare methods. With further advances in data quality, explainability and clinical integration, machine learning-based predictive systems can be useful components of future health care infrastructure.

The paper emphasizes the importance of integrating healthcare knowledge and artificial intelligence techniques to develop effective, scalable and reliable medical decision-support systems.

References

1. Amin, S. U., Agarwal, K., and Beg, R. (2013). Genetic neural network based data mining in prediction of heart disease using risk factors. *Journal of Medical Systems*.
 2. Dinesh Kumar, K. G., and Arumugaraj, K. (2018). Predictive analysis of heart disease using machine learning algorithms. *International Journal of Engineering and Technology*.
 3. Mohan, S., Thirumalai, C., and Srivastava, G. (2019). Effective heart disease prediction using hybrid machine learning techniques. *IEEE Access*.
 4. Rajkumar, A., and Reena, G. S. (2010). Diagnosis of heart disease using data mining algorithm. *Global Journal of Computer Science and Technology*.
 5. UCI Machine Learning Repository. Heart Disease Dataset.
 6. World Health Organization (WHO). Cardiovascular Diseases Report.
 7. Han, J., Kamber, M., and Pei, J. *Data Mining: Concepts and Techniques*. Morgan Kaufmann Publishers.
 8. Kotsiantis, S. B. *Supervised machine learning: A review of classification techniques*. Informatica.
 9. Breiman, L. Random Forests. *Machine Learning Journal*.
 10. Cortes, C., and Vapnik, V. Support-vector networks. *Machine Learning Journal*.
-