Mockingbird Graphics Engine

Cristian Spozio, Jonatan De Boni, Riccardo Biella 23 January 2019

0 Index

1.	1. Source code	
	1.1	Structure
		1.1.1 Mockingbird Engine 2 1.1.2 Gauntlet Client 2 1.1.3 Unit Testing 2
	1.2	Engine. $\{c,h\}$
	1.3	$Object.\{c,h\} \ \dots \\$
	1.4	Node. $\{c,h\}$
	1.5	Camera. $\{c,h\}$
	1.6	$Mesh.\{c,h\}$
		1.6.1 Vertex.{c,h} 1.6.2 Texture.{c,h} 1.6.3 Material.{c,h}
	1.7	Light.{c,h}
	1.8	$\operatorname{List.}\{c,\!h\} \ \dots $
	1.9	OvoReader. $\{c,h\}$
2. User manual		nanual
	2.1	Compiling on Linux
		Compiling on Windows
		Demo
	2.4	In-App command list
3. Engine logic		e logic
	3.1	Tree structure
		Rendering logic
		Inverse scene render
4. Client App logic		App logic
		Scene
		Camera management
		Finger movement
		Light movement
5.	Testing	
		Google Tests
	0.1	5.1.1 Dependencies
		5.1.2 Usage
6.	Depen	dencies
	_	Linux
		Windows
-		
	Concl	
8.	Biblio	graphy

1 Source code

1.1 Structure

The project is divided in 3 main components: Engine (Dynamic library), Client (Executable), Testing Unit.

1.1.1 Mockingbird Engine

The engine is implemented through a dynamic library,

1.1.2 Gauntlet Client

1.1.3 Unit Testing