

Framework v1 – Figma Maker Prompts

Prompts to create a live prototype using Figma Maker

Débora Souza · IADE — Universidade Europeia · 2025–2026

This file contains the complete set of Figma Maker build prompts used to generate Framework v1's interactive prototype of the dissertation A Governance-First Framework for GenAI-Assisted Thematic Analysis in UX Research (Débora Souza, IADE/UE, 2025–2026). Prompts are listed in the order they were used to build the prototype, each labelled with the screen or screen group it produced.

Link to Live Prototype: <https://liver-ravel-60923464.figma.site>

Batch 1

preciso de fazer um prototipo com navegação vou enviar os prompts por ecrã um a um com nome do ecrã e indicação dos links de navegação e condicionais

PROMPT — S0 · Setup Strategy Entry Screen

Screen name: S0 — Setup Strategy Entry

Layout: Full screen, white background. Fixed top navigation bar. Centred content panel.

Top navigation bar (fixed, all screens): Five tabs equally spaced — M1 · M2 · M3 · M4 · M5. All five in locked/inactive state. Grey label, no interaction. Small lock icon next to each label. Note: “Moments unlock after Setup is complete.”

Progress indicator below nav bar: Three blocks in horizontal row with connecting line — Study Context / Setup Risk Definition / Input Data Strategy. Study Context = active (filled circle, bold label). Other two = locked (empty circle, grey label).

Heading (large, left-aligned): Setup Strategy

Body text below heading: Before your first analytical moment, answer a few questions about your study, your data, and your AI tool. Your answers do three things: they tell the AI what your study is about, configure how much human review each moment requires, and set privacy protections for the entire session. This takes two to four minutes. You cannot change these settings mid-session. If your study context or tool changes, start a new session.

Small helper text below body: Fields marked Required must be completed. Optional fields improve AI relevance but do not block you from proceeding.

Primary button bottom right: Start Setup → navigates to S1

Batch2

PROMPT — GLOBAL STATE (include this at the start of your project before any screen)

Define the following shared state variables accessible across all screens:

SC1_topic: string — from S1 Q1.1

SC1_participants: string — from S1 Q1.2

SC1_objective: string | null — from S1 Q1.4, null if skipped

Q2_1_size: “small” | “medium” | “large” — from S2

Q2_2_origin: “raw” | “anonymised” | “secondary” | “synthetic” — from S2

Q3_sensitive: boolean — true if any category selected except “None of the above” in S3

Q4_1_declaration: string — pasted AI response from S4

Q4_2_training: “yes” | “no” | “not_explicit” — from S5

Q4_3_retention: “yes” | “no” | “not_explicit” — from S5

M2_Q1_sample: string — from M2-1

M2_Q2_focus: string — from M2-2

M2_Q3_approach: “inductive” | “deductive” | “mixed” — from M2-3

M2_Q3_codebook: string | null — from M2-3, null if approach = inductive

M2_Q4_outcome: “organise” | “meaning” | “painpoints” — from M2-4

Batch 3

PROMPT — S1 · Study Context

Screen name: S1 — Study Context

Layout:

Full screen, white background. Fixed top navigation bar showing M1 · M2 · M3 · M4 · M5 — all locked, grey, lock icon beside each label. Progress indicator below nav bar: three blocks in horizontal row — Study Context (active, filled circle, bold) / Setup Risk Definition (locked, empty circle, grey) / Input Data Strategy (locked, empty circle, grey). Left sidebar: Study Context = active, Setup Risk Definition = locked, Input Data Strategy = locked.

Heading: 1. Study Context

Subheading (grey, smaller): Describe your study so the AI knows what it is working with. These answers are injected into every analytical moment.

Fields & Behaviour:

Field Q1.1:

Label: Study topic (Required)

Type: Free text input

Placeholder: What is this study about? e.g. Onboarding experience in a mobile banking app

Behaviour: Stores value to SC1_topic on change. Field border turns green when filled.

Field Q1.2:

Label: Participants (Required)

Type: Free text input

Placeholder: Who took part in your study? e.g. First-time users aged 25–40, recruited via usability panel

Behaviour: Stores value to SC1_participants on change. Field border turns green when filled.

Field Q1.4:

Label: Study objective (Optional)

Type: Free text input

Placeholder: What do you want this analysis to help you achieve? e.g. Identify friction points to inform a redesign of the onboarding flow. If you skip this, AI will focus on your data without a specific outcome in mind.

Behaviour: Stores value to SC1_objective on change. If left empty, SC1_objective = null. No validation required.

Helper text below field (small, grey): If you skip this, AI will focus on your data without a specific outcome in mind.

Conditional Logic:

Next button is disabled (grey, non-interactive) until SC1_topic is not empty AND SC1_participants is not empty. When both are filled, Next button becomes active (primary colour).

Navigation:

Back button (bottom left, secondary) → navigates to S0

Next button (bottom right, primary) → navigates to S2. Active only when Q1.1 and Q1.2 are filled.

Batch 4

PROMPT — S2 · Setup Risk Definition — Dataset Description

Screen name: S2 — Setup Risk Definition

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (filled circle, green check), Setup Risk Definition = active (filled circle, bold), Input Data Strategy = locked. Left sidebar: Study Context = completed (green check), Setup Risk Definition = active, Input Data Strategy = locked.

Heading: 2. Setup Risk Definition

Subheading (grey, smaller): Your answers configure AI involvement defaults, privacy protections, and governance settings for the entire session.

Divider line below subheading.

Fields & Behaviour:

Section label (bold, small caps): DATASET SIZE

Question Q2.1: How large is your dataset?

Three radio button options displayed as cards, stacked vertically, each with label, description, and example:

Card A:

Radio label: Small

Description: Up to 30 open-ended responses or up to 5 interviews. You can review every AI output individually.

Behaviour: On select, stores Q2_1_size = “small”. Card background turns light yellow, border becomes bold.

Card B:

Radio label: Medium

Description: 31 to 150 responses or 6 to 20 interviews. You will review AI outputs selectively.

Behaviour: On select, stores Q2_1_size = “medium”. Same active state as Card A.

Card C:

Radio label: Large

Description: More than 150 responses or more than 20 interviews. AI involvement is higher and validation works by sampling.

Behaviour: On select, stores Q2_1_size = “large”. Same active state.

Divider line.

Section label (bold, small caps): DATASET ORIGIN

Question Q2.2: What type of data are you working with?

Four radio button options displayed as cards, stacked vertically:

Card A:

Radio label: Raw

Description: Interviews, surveys, usability sessions, diary studies, focus groups — original participant data collected directly from people, not anonymised.

Behaviour: On select, stores Q2_2_origin = “raw”. Active card state.

Card B:

Radio label: Anonymised

Description: Data originally from human participants, anonymised before this analysis.

Behaviour: On select, stores Q2_2_origin = “anonymised”. Active card state.

Card C:

Radio label: Secondary

Description: Published datasets, public reviews, open-access responses — no direct participant relationship.

Helper text below description (small, grey): Standard governance applies.

Sensitive data step will be skipped.

Behaviour: On select, stores Q2_2_origin = “secondary”. Active card state.

Card D:

Radio label: Synthetic

Description: Artificially generated — no real participants involved.

Helper text below description (small, grey): Standard governance applies.

Sensitive data step will be skipped.

Behaviour: On select, stores Q2_2_origin = “synthetic”. Active card state.

Conditional Logic:

Next button disabled until Q2_1_size is selected AND Q2_2_origin is selected.

SHOW IF Q2_2_origin = “secondary” OR “synthetic”: small inline notice appears below Q2.2 cards — “The sensitive data step will be skipped. You will proceed directly to AI Tool Declaration.” Notice styled in grey with an info icon.

Navigation:

Back button (bottom left, secondary) → navigates to S1

Next button (bottom right, primary, active only when both fields filled):

IF Q2_2_origin = “raw” OR “anonymised” → navigates to S3

IF Q2_2_origin = “secondary” OR “synthetic” → navigates to S4

Batch 5

PROMPT — S3 · Sensitive Data

Screen name: S3 — Sensitive Data

SHOW IF: Q2_2_origin = “raw” OR “anonymised”. This screen is skipped entirely for “secondary” and “synthetic”.

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk Definition = active (filled circle, bold), Input Data Strategy = locked. Left sidebar unchanged from S2.

Heading: 3. Sensitive Data

Subheading (grey, smaller): Does your dataset contain any of the following? Select all that apply.

Helper text below subheading (small, grey, info icon): Your selections activate specific privacy protections and checklist items later in this setup.

Fields & Behaviour:

Eight checkbox options displayed as cards, stacked vertically. Multiple selection allowed. Each card has a checkbox on the left and label text on the right. On select, card background turns light yellow, border becomes bold, stores selection to Q3_sensitive.

Checkbox A: Names, emails, or direct contact details

Checkbox B: Health or medical information

Checkbox C: Financial or payment information

Checkbox D: Company confidential or client data

Checkbox E: Data from participants with additional protection requirements — e.g. individuals under the age of majority in your jurisdiction, people with cognitive or communication impairments, or groups facing social marginalisation

Checkbox F: Responses about trauma, abuse, substance use, or illegal activity

Checkbox G: Other

SHOW IF G selected: text input field appears directly below Checkbox G, inline.
Placeholder: Please specify.

Checkbox H: None of the above

Behaviour: If H is selected, all other checkboxes deselect and become disabled. If any other checkbox is selected while H is active, H deselects automatically.

Conditional Logic:

IF any of A–G is selected → Q3_sensitive = true

IF only H is selected → Q3_sensitive = false

Next button disabled until at least one option is selected.

Navigation:

Back button (bottom left, secondary) → navigates to S2

Next button (bottom right, primary, active only when at least one option selected) → navigates to S4

batch 6

PROMPT — S4 · AI Tool Declaration

Screen name: S4 — AI Tool Declaration

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk Definition = active (filled circle, bold), Input Data Strategy = locked. Left sidebar unchanged.

Heading: 4. AI Tool Declaration

Subheading (grey, smaller): Before uploading any data, ask your AI tool to identify itself. This creates a verifiable record of the tool used in this session.

Fields & Behaviour:

Section label (bold, small caps): STEP 1 — COPY THIS PROMPT

Instruction text: Copy and paste the following into your AI tool:

Prompt box (light grey background, rounded border, monospace font, full width, read-only):

“Please answer in this exact format: Model: [your model name and version] / Platform: [platform name e.g. Claude.ai, ChatGPT, Gemini] / Tool type: [e.g. free tier, Pro, Enterprise, local] / Training on user data: [Yes / No] / Data retention: [Yes / No]”

Copy button top right of prompt box, labelled: Copy prompt

Behaviour: On click, copies prompt text to clipboard. Button label changes to “Copied ✓” for 2 seconds then reverts.

Divider line.

Section label (bold, small caps): STEP 2 — PASTE THE AI RESPONSE

Instruction text: Paste the full AI response below. If the AI did not respond in the format above, continue anyway — select Not explicit in the next step and highest-risk protections will be applied automatically.

Field Q4.1:

Label: AI response (Required)

Type: Large free text area, minimum 5 lines visible

Placeholder: Paste the AI response here. e.g. Model: Claude 3.5 Sonnet / Platform: Claude.ai / Tool type: Pro / Training on user data: No / Data retention: No

Behaviour: Stores full text to Q4_1_declaration on change. Field border turns green when filled.

Helper text below field (small, grey, warning icon): If the AI did not respond in the expected format, do not edit its response. Proceed and select Not explicit in the next step.

Conditional Logic:

Next button disabled until Q4_1_declaration is not empty.

Navigation:

Back button (bottom left, secondary):

IF Q2_2_origin = “raw” OR “anonymised” → navigates to S3

IF Q2_2_origin = “secondary” OR “synthetic” → navigates to S2

Next button (bottom right, primary, active only when Q4.1 filled) → navigates to S5

Batch 7

PROMPT — S5 · Training & Retention

Screen name: S5 — Training & Retention

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk Definition = active (filled circle, bold), Input Data Strategy = locked. Left sidebar unchanged.

Heading: 5. Training & Retention

Subheading (grey, smaller): Based on the AI response you just pasted, answer the two questions below. These answers configure which privacy protections apply to your session.

Helper text (small, grey, info icon): If the AI response was unclear or incomplete, select Not explicit — highest-risk protections will be applied automatically.

Fields & Behaviour:

Section label (bold, small caps): TOOL TRAINING

Question Q4.2: Does your AI tool train on user data?

Three radio button options displayed as cards, horizontal row:

Card A:

Radio label: Yes

Description: This tool trains on user data.

Behaviour: On select, stores Q4_2_training = “yes”. Active card state (light yellow background, bold border).

Card B:

Radio label: No

Description: This tool does not train on user data.

Behaviour: On select, stores Q4_2_training = “no”. Active card state.

Card C:

Radio label: Not explicit

Description: The AI response did not confirm training status.

Helper text below description (small, amber, warning icon): Treated as Yes — highest-risk protections will be applied.

Behaviour: On select, stores Q4_2_training = “not_explicit”. Active card state with amber border instead of yellow.

Divider line.

Section label (bold, small caps): DATA RETENTION

Question Q4.3: Does your AI tool retain or log session data?

Three radio button options displayed as cards, horizontal row, same structure as Q4.2:

Card A:

Radio label: Yes

Description: This tool retains or logs session data.

Behaviour: On select, stores Q4_3_retention = “yes”. Active card state.

Card B:

Radio label: No

Description: This tool does not retain session data.

Behaviour: On select, stores Q4_3_retention = “no”. Active card state.

Card C:

Radio label: Not explicit

Description: The AI response did not confirm retention status.

Helper text below description (small, amber, warning icon): Treated as Yes — highest-risk protections will be applied.

Behaviour: On select, stores Q4_3_retention = “not_explicit”. Active card state with amber border.

Conditional Logic:

Next button disabled until Q4_2_training is selected AND Q4_3_retention is selected.

Navigation:

Back button (bottom left, secondary) → navigates to S4

Next button (bottom right, primary, active only when both fields selected) → navigates to S6

Batch 8

PROMPT — S6 · Privacy Awareness Checklist

Screen name: S6 — Privacy Awareness Checklist

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk Definition = active (filled circle, bold), Input Data Strategy = locked. Left sidebar unchanged.

Heading: 5. Privacy Awareness Checklist

Subheading (grey, smaller): The items below were generated from your setup answers. Only items relevant to your session are shown. Review each one before proceeding.

Helper text (small, grey, info icon): Your responses are recorded in the audit log with a timestamp. Items marked Flag for later will appear as governance notes in your analytical moments.

Fields & Behaviour:

Each checklist item is displayed as a card, full width, stacked vertically. Only items whose SHOW IF conditions are met are rendered — all others are absent from the DOM entirely, not hidden.

Each active item card contains:

- Item title (bold)
- Item body text
- Action text (where applicable), prefixed with label “Action:” in bold
- Two buttons on the right: “Done” (green) and “Flag for later” (amber)
- On click of either button: card state updates (selected button fills with colour, unselected becomes outline), selection stored to audit log with timestamp

Batch 9

Item 0 — Synthetic (statement)

SHOW IF: Q2_2_origin = “synthetic”

Type: Statement — no Done/Flag buttons. Passive card with info icon, grey background.

Title: Synthetic dataset

Body: This dataset is synthetically generated. No participant privacy actions are required for this session.

Item 1 — Secondary (statement)

SHOW IF: Q2_2_origin = “secondary”

Type: Statement — no Done/Flag buttons. Passive card with info icon, grey background.

Title: Secondary dataset

Body: This dataset is from a public or external source. Ensure you have the right to use it for research purposes before proceeding.

Item 2 — Consent

SHOW IF: (Q2_2_origin = “anonymised” OR “raw”) AND NOT (Q3_sensitive = true AND (Q4_2_training = “yes” OR “not_explicit”))

Type: Active — Done / Flag for later

Title: Consent

Body: Confirm that participant consent covers tool-assisted or third-party analysis.

Action: Check your consent documentation. If not covered, flag for review before publishing findings.

Item 3 — ID Replacement

SHOW IF: Q2_2_origin = “raw”

Type: Active — Done / Flag for later

Title: ID Replacement

Body: Replace all participant names and direct identifiers with IDs (P1, P2...) before uploading any data.

Action: Do this before opening your first analytical moment. Record ID scheme in your audit log.

Item 4 — Training + Anonymised

SHOW IF: Q2_2_origin = “anonymised” AND (Q4_2_training = “yes” OR “not_explicit”)

Type: Active — Done / Flag for later

Title: Training risk — anonymised data

Body: Your tool trains on user data. Even anonymised data may contribute to model training.

Action: Confirm your organisation or ethics protocol permits use of this tool type with participant-derived data.

Item 5 — Retention + Sensitive

SHOW IF: (Q2_2_origin = “anonymised” OR “raw”) AND Q3_sensitive = true AND (Q4_3_retention = “yes” OR “not_explicit”) AND Q4_2_training = “no”

Type: Active — Done / Flag for later

Title: Retention risk — sensitive data

Body: Your tool retains or logs session data. Your dataset contains sensitive categories. Uploading sensitive content directly creates a risk of data exposure beyond this session.

Action: Do not upload sensitive data directly. Paraphrase or summarise sensitive content before input, or switch to an enterprise, academic, or local tool for this session.

Card border: amber. Warning icon in title.

Item 6 — Training + Sensitive

SHOW IF: (Q2_2_origin = “anonymised” OR “raw”) AND Q3_sensitive = true AND (Q4_2_training = “yes” OR “not_explicit”)

Type: Active — Done / Flag for later

Title: Training risk — sensitive data

Body: Your tool trains on user data and your dataset contains sensitive categories.

Action: Do not upload sensitive data directly. Paraphrase or summarise before input, or switch to an enterprise, academic, or local tool for this session.

Card border: red. Warning icon in title.

Item 7 — Training + Raw + No sensitive

SHOW IF: Q2_2_origin = “raw” AND Q3_sensitive = false AND (Q4_2_training = “yes” OR “not_explicit”)

Type: Active — Done / Flag for later

Title: Training risk — participant data

Body: Identifiers have been replaced. However, your tool trains on user data. Participant responses may still contribute to model training.

Action: Confirm your organisation or ethics protocol permits use of this tool type with participant-derived data. If not confirmed, switch to enterprise, academic, or local tool.

Item 8 — Ethics & Consent

SHOW IF: Q3_sensitive = true AND (Q4_2_training = “yes” OR “not_explicit”)

Type: Active — Done / Flag for later

Title: Ethics & Consent

Body: Your tool trains on user data and your dataset contains sensitive categories.

Action: Verify that participant consent and institutional ethics approval cover the use of this tool type with sensitive data. Flag if not confirmed.

Card border: red. Warning icon in title.

Conditional Logic:

Next button disabled until all active items of type Active have a decision (Done or Flag for later). Statement items (0 and 1) do not require a decision.

If only statement items are shown (Q2_2_origin = “synthetic” or “secondary” with no active items triggered): Next button is active immediately.

Navigation:

Back button (bottom left, secondary) → navigates to S5

Next button (bottom right, primary, active only when all active items have a decision) → navigates to S7

Batch10

PROMPT — S7 · Input Data Strategy — Instructions & Generated Prompt

Screen name: S7 — Input Data Strategy

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk Definition = complete (green check), Input Data Strategy = active (filled circle, bold). Left sidebar: Study Context = completed (green check), Setup Risk Definition = completed (green check), Input Data Strategy = active.

Heading: Input Data Strategy

Subheading (grey, smaller): Your privacy setup is complete. Before your first analytical moment, ask your AI tool how to work with your data most effectively.

Divider line.

Three-step instruction banner displayed as three connected cards in a horizontal row at the top of the content area, yellow background matching Setup screens:

Card 1:

Step label: STEP 1 — Get your input strategy

Body: The goal is to understand how to work with your data in this session — how to input it, how to track your analysis, and what to do if the AI loses context. Copy the prompt below and paste it into your AI tool.

Card 2:

Step label: STEP 2 — Record your setup

Body: Copy Block A from the AI response and paste it into the audit log field below.

Card 3:

Step label: STEP 3 — Prepare and start

Body: Read Block B and prepare your data accordingly. Then close this chat and open the moment you want to start with.

Divider line.

Section label (bold, small caps): **YOUR GENERATED PROMPT**

Instruction text: This prompt has been pre-filled with your dataset description. Copy it and paste it into your AI tool.

Prompt box (light grey background, rounded border, monospace font, full width, scrollable, read-only):

Dynamically generated text — construct as follows:

“I am about to begin a qualitative thematic analysis session. My dataset contains [SC1_topic] responses from [SC1_participants]. Please answer the following and structure your response in two blocks exactly as specified below.

BLOCK A — Session Record (plain text, for audit log):

1. Model: [your model name and version]
2. Context window: maximum text you can process in a single request — approximate words or number of responses
3. Response IDs: I will assign a unique ID to each response unit (R01, R02...) to track codes across segments — does this affect how you process or reference individual responses? Yes / No / Conditional + note
4. File upload: can I upload files directly (CSV, plain text, Word)? Yes / No
5. Recommended format: what format works best for qualitative text responses in this session?
6. Recommended strategy: should I input all data at once, in sequential segments, or as one file per participant?
7. Segment size: recommended maximum per input — number of responses or approximate words
8. Session continuity: do you retain context between my inputs in this session, or does each input start fresh? Retained / Not retained / Partial
9. Context saturation signals: at what point should I be concerned that your context is becoming saturated? Describe signals to watch for — repeated outputs, contradictions with earlier instructions, codes that no longer reference identifiable responses
10. Saturation action: what should I do when I notice these signals?

BLOCK B — Investigator Action Guide (plain language, for reading):

Based on your answers above, give me a short plain-language guide covering: how to prepare my data before the first moment, how to structure each input, what to do if context degrades, and when to save a Moment Summary.

Additionally, for this session please behave as follows: (a) When we reach the end of an analytical moment, before I close this chat, generate a Moment Summary using this structure: Moment completed / Sample analysed / Key outputs / Decisions made / Open questions. Offer the summary without being asked. (b) Monitor for the following signals of context degradation at all times: repeated outputs already generated earlier in this session, contradictions with instructions given at the start, and codes that do not reference a response ID. If any signal occurs, immediately issue [CONTEXT WARNING] followed by a one-line recommended action. Do not wait for me to notice. (c) If session continuity is not retained between inputs, remind me at the start of each new input to paste the session context block.”

Copy button top right of prompt box, labelled: Copy prompt

Behaviour: On click, copies full prompt text to clipboard. Button label changes to “Copied ✓” for 2 seconds then reverts.

Conditional Logic:

Next button disabled until Copy prompt button has been clicked at least once. After first copy, Next becomes active. Small helper text appears below prompt box after copy: “Prompt copied. Paste it into your AI tool, then come back and paste the response in the next step.”

Navigation:

Back button (bottom left, secondary) → navigates to S6

Next button (bottom right, primary, active only after prompt copied) → navigates to S8

Batch 11

PROMPT — S8 · Input Data Strategy — AI Response & Audit Log

Screen name: S8 — Input Data Strategy — Record

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 · M3 · M4 · M5 — all locked. Progress indicator: Study Context = complete (green check), Setup Risk

Definition = complete (green check), Input Data Strategy = active (filled circle, bold). Left sidebar unchanged from S7.

Heading: Record your setup

Subheading (grey, smaller): Paste the AI response below. Block A enters your audit log automatically. Read Block B before you close this screen.

Divider line.

Section label (bold, small caps): BLOCK A — SESSION RECORD

Instruction text: Copy Block A from the AI response and paste it here. This becomes your audit log entry for this session.

Field Q4.1_blockA:

Label: Block A — Audit Log Entry (Required)

Type: Large free text area, minimum 8 lines visible, scrollable

Placeholder: Paste Block A here — the plain text session record generated by the AI. It should include: Model / Platform / Tool type / Training on user data / Data retention / Context window / Response IDs / File upload / Recommended format / Recommended strategy / Segment size / Session continuity / Context saturation signals / Saturation action.

Behaviour: Stores value on change. Field border turns green when filled.

Helper text below field (small, grey, info icon): This record will be referenced in every analytical moment. If the AI did not generate Block A in the expected format, paste the full response anyway and note any missing fields.

Divider line.

Section label (bold, small caps): BLOCK B — INVESTIGATOR ACTION GUIDE

Instruction text: Read this before opening your first moment. Block B is not saved to the audit log — it is your preparation guide for this session.

Block B display area (light blue background, rounded border, full width, read-only, scrollable):

Label above area: Block B — paste the AI plain-language guide here to read it.

Field type: Free text area, minimum 6 lines visible

Placeholder: Paste Block B here — the plain-language guide generated by the AI. It covers: how to prepare your data, how to structure each input, what to do if context degrades, and when to save a Moment Summary.

Behaviour: Text entered here is not stored to audit log. For reading only. No validation required.

Divider line.

Section label (bold, small caps): **CONFIRM YOUR SETUP**

Instruction text: Before proceeding, confirm the following:

Three confirmation checkboxes, each required before Finish Setup becomes active:

Checkbox 1: I have assigned a unique ID to each response unit in my dataset (R01, R02...).

Checkbox 2: I have read Block B and know how to structure my inputs for this session.

Checkbox 3: I understand that if the AI issues [CONTEXT WARNING], I must stop and check my last outputs before continuing.

Conditional Logic:

Finish Setup button disabled until Q4.1_blockA is not empty AND all three confirmation checkboxes are checked.

Navigation:

Back button (bottom left, secondary) → navigates to S7

Finish Setup button (bottom right, primary, green, active only when all conditions met):

Label: Finish Setup — Go to Moments

Behaviour on click: marks Setup as complete, unlocks M1 · M2 · M5 in top navigation bar (M3 and M4 remain locked), navigates to Mx — Moments Overview

Batch 12

PROMPT — CORRECÇÃO S1 · Adicionar campo Q1.3

In screen S1, after the field labelled “Participants (Required)” and before the field labelled “Study objective (Optional)”, add the following field:

Label: Kind of data (Required)

Type: Single select displayed as radio button cards, stacked vertically, full width.
One selection allowed.

Options displayed as individual cards:

— Interviews

— Focus groups

— Survey open-ended responses

— Usability test notes

— Diary study entries

— Field notes

— Other

Behaviour: On select, card background turns light yellow, border becomes bold.
Stores selection to SC1_data_type on change.

SHOW IF Other is selected: a free text input field appears inline directly below the Other card. Placeholder: Please specify. Stores value to SC1_data_type, overriding the “other” default.

Update the Next button condition: button remains disabled until Q1.1, Q1.2, AND Q1.3 all have a value.

PROMPT — CORRECÇÃO S2 · Adicionar campos Q2_1_count e Q2_1_format

In screen S2, after the three Dataset Size radio cards (Small / Medium / Large) and before the Dataset Origin section label, add the following two fields:

Field 1:

Label: How many responses, sessions, or entries does your dataset include?
(Required)

Type: Numeric input, single line

Placeholder: e.g. 45

Behaviour: Stores value to Q2_1_count on change. Field border turns green when filled.

Field 2:

Label: What format is your data in? (Required)

Type: Free text input, single line

Placeholder: e.g. plain text / CSV / Word transcripts

Behaviour: Stores value to Q2_1_format on change. Field border turns green when filled.

Update the Next button condition: button remains disabled until Q2_1_size, Q2_1_count, Q2_1_format, AND Q2_2_origin all have a value.

PROMPT — CORRECÇÃO S7 · Atualizar linha do prompt gerado

In screen S7, inside the generated prompt box, replace the first line of the prompt with the following:

“I am about to begin a qualitative thematic analysis session. My dataset contains [Q2_1_count] [SC1_data_type] ([Q2_1_format]) from [SC1_participants]. The study topic is [SC1_topic].”

Immediately after that line, add the following conditional line:

SHOW IF SC1_objective is not null: append to the prompt — “The study objective is [SC1_objective].”

PROMPT — CORRECÇÃO GLOBAL STATE · Adicionar variável SC1_data_type

In the Global State definition, add the following variable:

SC1_data_type: string — stores the selected data type from S1 Q1.3. Possible values: “interviews” | “focus_groups” | “survey_open_ended” | “usability_test_notes” | “diary_study_entries” | “field_notes” | “other” or a custom string if Other was selected and specified.

Batch 13

PROMPT — CORRECÇÃO Mx · Moment cards com descrição em hover/expand

In screen Mx, update all three available moment cards (M1, M2, M5) as follows:

Default card state (collapsed):

Show only — status badge, icon, heading (e.g. M2 — Coding), B&C phase tag, and Open button. Description text is hidden.

On hover: card background shifts to light yellow. A small tooltip or expand indicator appears below the heading — label: “What is this moment?” with a chevron down icon.

On click of “What is this moment?”: card expands inline to reveal the description text. Chevron rotates to point up. Card height increases smoothly. A second click collapses back to default state.

Open button remains visible and clickable in both collapsed and expanded states. Clicking Open button navigates directly without requiring the description to be expanded first.

Locked cards M3 and M4 remain unchanged — no expand behaviour, no button.

PROMPT — M1 · Data Familiarisation — Static Card

Screen name: M1 — Data Familiarisation

Layout:

Full screen, white background. Fixed top nav bar: M1 (active, highlighted) · M2 · M3 (locked) · M4 (locked) · M5. Context strip below nav bar (same as Mx): Study: [SC1_topic] · Participants: [SC1_participants] · Data: [Q2_1_count] [SC1_data_type] · Privacy: [Q2_2_origin] / [Q2_1_size]

Left sidebar:

Single item — Data Familiarisation = active. No sub-steps shown (static card, no flow).

Heading: M1 — Data Familiarisation

Subheading (grey, smaller): B&C Phase F1 — Familiarising yourself with the data

Moment card (centred, large, light yellow background, rounded border):

Body text: Use this moment to get to know your data before coding begins. Working with AI, you build an overview of what is in your dataset — recurring topics, outliers, and signals worth noting. The output is a corpus summary that informs your analysis focus for the moments ahead.

Divider line inside card.

Compatibility note (small, grey): TA method compatibility — Universal. No method variation at this moment.

Divider line inside card.

Output note (small, grey): Output — AI corpus summary with investigator notes: what AI surfaced, what AI missed, analysis focus confirmed.

Footer note below card (small, grey, italic, centred): Full interactive flow to be built in a future iteration.

Navigation:

Back button (bottom left, secondary) → navigates to Mx

No Next button. This is a terminal static screen for M1.

Top nav bar remains active for M1, M2, M5.

PROMPT — CORRECÇÃO Mx · Remover locked state e adicionar orientação não-linear

In screen Mx, make the following changes:

Remove all locked states, lock icons, reduced opacity, and “Coming soon” badges from M3 and M4. All five moment cards are displayed at full opacity with equal visual weight.

Remove the distinction between available and locked cards entirely. Remove all status badges from all cards.

Add the following orientation text block directly below the heading and subheading, before the five cards:

Orientation block (light yellow background, rounded border, full width, info icon on the left):

Text: Open any moment based on what you need right now. You do not need to follow a fixed order — analytical work is recursive. Start with Data Familiarisation if this is your first session, or go directly to Coding if you already know your data. Return to any moment as many times as needed.

Update M3 card:

Heading: M3 — Structural Organisation

Body (in collapsed/hover state): Organise your codes into candidate themes.

Tag: B&C Phase F3

Footer note (small, grey, italic): Full interactive flow to be built in a future iteration.

Button: Open M3 → navigates to M3 static card

Update M4 card:

Heading: M4 — Theme Development & Review

Body (in collapsed/hover state): Develop, review, and refine your themes.

Tag: B&C Phase F4 + F5

Footer note (small, grey, italic): Full interactive flow to be built in a future iteration.

Button: Open M4 → navigates to M4 static card

All five cards now behave identically — collapsed by default, expand on click of “What is this moment?”, Open button always visible.

Also update top nav bar globally across all screens: M3 and M4 are no longer locked. All five tabs are active and clickable once Setup is complete.

Batch 14

PROMPT — CORRECÇÃO Mx · Remover tags B&C das cards

In screen Mx, remove the B&C phase tags from all five moment cards. Do not replace them with anything. Cards show only the heading, the expand/collapse behaviour for the description, and the Open button.

PROMPT — M2-0 · Coding — Entry Card

Screen name: M2-0 — Coding Entry

Layout:

Full screen, white background. Fixed top nav bar: M1 · M2 (active, highlighted) · M3 · M4 · M5. Context strip below nav bar: Study: [SC1_topic] · Participants: [SC1_participants] · Data: [Q2_1_count] [SC1_data_type] · Privacy: [Q2_2_origin] / [Q2_1_size]

Left sidebar showing M2 steps, stacked vertically:

— Entry (active)

— Sample (locked)

— Focus (locked)

— Approach (locked)

— Outcome (locked)

— Prompt (locked)

— Review & Validate (locked)

— Audit Log (locked)

Heading: M2 — Coding

Moment card (centred, large, light yellow background, rounded border):

Body text: Use this moment to generate new codes, extend an existing code list, or re-code with a different approach. Working with AI, you identify units of meaning anchored in direct evidence from your data.

Divider line inside card.

Three use cases displayed as small pills or inline tags below the body text:

— Generate codes for the first time

— Extend an existing code list

— Re-code with a different approach

Divider line inside card.

Output note (small, grey): Output — a reviewed code list, each code with name, definition, quote, and response ID, ready to carry into the next moment.

Transition text below card: Before generating codes, answer three quick questions. Your answers configure the AI prompt and are recorded in your audit log.

Navigation:

Back button (bottom left, secondary) → navigates to Mx

Next button (bottom right, primary) → navigates to M2-1. Updates left sidebar: Entry = completed, Sample = active.

Batch 15

PROMPT — M2-1 · Sample

Screen name: M2-1 — Sample

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: Entry = completed (green check), Sample = active, all others locked.

Heading: What are you analysing in this moment?

Subheading (grey, smaller): Your sample for this moment can differ from your full dataset. Define it clearly — it will be recorded in your audit log and injected into the AI prompt.

Fields & Behaviour:

Two radio button options displayed as cards, stacked vertically:

Card A:

Radio label: My full dataset

Description: All [Q2_1_count] [SC1_data_type] in this session.

Behaviour: On select, stores M2_Q1_sample = “full dataset — [Q2_1_count] [SC1_data_type]”. Active card state.

Card B:

Radio label: A specific subset

Description: A defined selection of responses from this session.

Behaviour: On select, active card state. SHOW IF Card B selected: free text input appears inline below. Label: Which responses and how many? Placeholder: e.g.

R01–R20, first 20 responses from usability sessions. Stores value to M2_Q1_sample on change. Input is required if Card B is selected.

Conditional Logic:

Next button disabled until M2_Q1_sample has a value. If Card B selected, Next also requires the subset text field to be filled.

Navigation:

Back button (bottom left, secondary) → navigates to M2-0. Sidebar: Sample = active, Entry = completed.

Next button (bottom right, primary) → navigates to M2-2. Sidebar: Sample = completed (green check), Focus = active.

Batch 16

PROMPT — M2-2 · Focus

Screen name: M2-2 — Focus

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: Entry = completed (green check), Sample = completed (green check), Focus = active, all others locked.

Heading: What question are you trying to answer with these codes?

Subheading (grey, smaller): This question filters what the AI flags as relevant. It can be your study research question or a more specific question for this moment.

Fields & Behaviour:

Field M2_Q2:

Label: Analysis focus (Required)

Type: Free text input, single line

Placeholder: e.g. What are the main barriers users report with password managers?

Behaviour: Stores value to M2_Q2_focus on change. Field border turns green when filled.

Helper text below field (small, grey, info icon): Be specific — a precise focus question produces more relevant codes than a broad one.

Conditional Logic:

Next button disabled until M2_Q2_focus is not empty.

Navigation:

Back button (bottom left, secondary) → navigates to M2-1. Sidebar: Focus = active, Sample = completed.

Next button (bottom right, primary) → navigates to M2-3. Sidebar: Focus = completed (green check), Approach = active.

Batch 17

PROMPT — M2-3 · Approach

Screen name: M2-3 — Approach

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: Entry = completed, Sample = completed, Focus = completed, Approach = active, all others locked.

Heading: How will you approach the data?

Subheading (grey, smaller): Your approach determines how the AI prompt is configured. You can change it if you re-enter this moment.

Fields & Behaviour:

Three radio button options displayed as cards, stacked vertically:

Card A:

Radio label: Let patterns emerge

Description: AI proposes codes freely from your data. No predefined categories needed.

Tag inside card (small, grey): Zero-shot prompting

Behaviour: On select, stores M2_Q3_approach = "inductive". M2_Q3_codebook = null. Active card state.

Card B:

Radio label: Apply existing categories

Description: AI applies your codebook and flags what does not fit.

Tag inside card (small, grey): Few-shot prompting

Behaviour: On select, stores M2_Q3_approach = "deductive". Active card state.

SHOW IF Card B selected: large text area appears inline below card. Label: Paste your codebook or category list here (Required). Placeholder: e.g. Category 1: Security concerns — responses about passwords, data breaches, login failures. Category 2: Usability — responses about ease of use, interface confusion, task completion. Stores value to M2_Q3_codebook on change. Required if Card B is selected.

Card C:

Radio label: Mixed

Description: AI proposes codes freely first, then maps findings against your existing categories.

Tag inside card (small, grey): Two-step prompting

Behaviour: On select, stores M2_Q3_approach = “mixed”. Active card state.

SHOW IF Card C selected: large text area appears inline below card. Label: Paste your existing categories here (Required). Placeholder: Same as Card B placeholder. Stores value to M2_Q3_codebook on change. Required if Card C is selected.

Conditional Logic:

Next button disabled until M2_Q3_approach has a value. If Card B or Card C selected, Next also requires M2_Q3_codebook to be filled.

Navigation:

Back button (bottom left, secondary) → navigates to M2-2. Sidebar: Approach = active, Focus = completed.

Next button (bottom right, primary) → navigates to M2-4. Sidebar: Approach = completed (green check), Outcome = active.

Batch 18

PROMPT — M2-4 · Outcome

Screen name: M2-4 — Outcome

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: Entry = completed, Sample = completed, Focus = completed, Approach = completed, Outcome = active, Prompt = locked, Review & Validate = locked, Audit Log = locked.

Heading: What do you want to produce from this moment?

Subheading (grey, smaller): Your outcome shapes how the AI structures its output. You can pursue more than one outcome by re-entering this moment with a different configuration.

Fields & Behaviour:

Three radio button options displayed as cards, stacked vertically:

Card A:

Radio label: Organise and summarise patterns

Description: Codes that capture what participants said — structured and ready to review.

Behaviour: On select, stores M2_Q4_outcome = “organise”. Active card state.

Card B:

Radio label: Build meaning and explanations

Description: Codes that capture what the data implies, not just what was said.

Works best with Let patterns emerge or Mixed.

Behaviour: On select, stores M2_Q4_outcome = “meaning”. Active card state.

SHOW IF Card B selected: inline helper note below card (amber background, warning icon): The AI will propose interpretive notes flagged for your validation. You must be able to defend each interpretation in your own words before accepting it.

Card C:

Radio label: Identify pain points and opportunities

Description: Codes framed for design decisions — barriers, needs, and opportunities.

Behaviour: On select, stores M2_Q4_outcome = “painpoints”. Active card state.

SHOW IF Card C selected: inline helper note below card (amber background, warning icon): The AI will frame codes in design language. Verify that each framing is traceable to what the participant actually said before accepting it.

Transition text below cards (grey, italic): Your session is configured. The prompt below has been generated from your answers — it includes your study context, analysis focus, and coding instructions. Open a new conversation. Copy it, paste it into your AI tool along with your data, and come back here with the output.

Conditional Logic:

Next button disabled until M2_Q4_outcome has a value.

Navigation:

Back button (bottom left, secondary) → navigates to M2-3. Sidebar: Outcome = active, Approach = completed.

Next button (bottom right, primary) → navigates to M2-5. Sidebar: Outcome = completed (green check), Prompt = active.

Batch19

PROMPT — M2-5 · Generated Prompt

Screen name: M2-5 — Coding Prompt

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: all previous steps completed (green check), Prompt = active, Review & Validate = locked, Audit Log = locked.

Heading: Your coding prompt is ready

Subheading (grey, smaller): Open a new conversation in your AI tool. Copy the prompt below, paste it along with your data, and come back here with the output.

Fields & Behaviour:

Instruction banner (light yellow background, rounded border, full width):

Text: This prompt has been generated from your setup and configuration answers. Do not edit it before pasting. Come back to this screen after the AI has processed your data.

Prompt box (light grey background, rounded border, monospace font, full width, scrollable, read-only):

Dynamically generated text — construct as follows, assembling all blocks in order:

BLOCK 1 — STUDY CONTEXT (always active):

“STUDY CONTEXT

You are supporting a qualitative thematic analysis session in UX research.

Study topic: [SC1_topic]

Participants: [SC1_participants]

Data: [Q2_1_count] [SC1_data_type] ([Q2_1_format])”

SHOW IF SC1_objective is not null — append:

“Study objective: [SC1_objective]”

BLOCK 2 — ANALYSIS FOCUS (always active):

“ANALYSIS FOCUS

The question guiding this coding session: [M2_Q2_focus]”

BLOCK 3 — YOUR ROLE (always active):

“YOUR ROLE

You are a coding assistant. Your job is to propose candidate codes with evidence. Every decision about what to accept, change, or reject belongs to the researcher. You do not make final analytical decisions.”

BLOCK 4 — RULES (always active):

“RULES — follow these at all times

- Every code must include a direct quote from the data. No quote, no code.
- Every quote must include the ID of the response it comes from (R01, R02, etc.). No ID, no quote.
- Do not merge, modify, or remove any participant response or quote. Present data exactly as written.
- Do not merge or eliminate codes without being asked.
- Do not move to the next analytical step without being asked.
- Process every response in the sample. Do not skip responses or stop early. If you reach your context limit before processing all responses, stop immediately and issue [CONTEXT WARNING] — do not continue coding.
- Before finalising your response, check your proposed codes for significant overlap. If two codes capture the same thing, flag it clearly: [POSSIBLE OVERLAP: Code A / Code B — reason].”

Batch 20

BLOCK 5 — CONTEXT WARNING PROTOCOL (always active):

“CONTEXT WARNING PROTOCOL

If you detect any of the following — repeating codes already proposed in this session, contradicting instructions given at the start, or proposing codes without a response ID — stop immediately and write: [CONTEXT WARNING] — one line describing what happened.

Then generate a Context Summary in this exact format:

Moment in progress: M2 — Coding

Sample being analysed: [M2_Q1_sample]

Codes generated so far: [n] — [list code names]

Decisions locked: [M2_Q2_focus] / [M2_Q3_approach] / [M2_Q4_outcome]

Rules active: confirmed

Where I stopped: [last response ID processed]

Open questions: [anything unresolved]

Then write: Copy this block and paste it at the start of your next chat to continue from this point.”

BLOCK 6 — APPROACH (conditional by M2_Q3_approach):

SHOW IF M2_Q3_approach = “inductive”:

“APPROACH

Propose codes freely from the data. Do not use any predefined categories. For each code you propose, ask yourself: is this genuinely distinct from the other codes I have already proposed? Only create a new code if the existing ones cannot capture this — aim for the smallest number of codes that covers what is analytically relevant. Each code must capture something that helps answer the analysis focus question.”

SHOW IF M2_Q3_approach = “deductive”:

“APPROACH

Apply the categories below to the data. For each response, identify which category fits and explain the match in this format: [quote from response] — this refers to

[category name] because [one sentence justification]. If a response does not fit any category, flag it as [NO FIT — R0X] and include the full response text.

Categories: [M2_Q3_codebook]”

SHOW IF M2_Q3_approach = “mixed”:

“APPROACH

First, propose codes freely from the data without using any predefined categories — follow the same parsimony principle as inductive coding. Then, for each code you proposed, check whether it aligns with the categories below and note:

[proposed code] — aligns with [category name] / no alignment found.

Categories: [M2_Q3_codebook]”

BLOCK 7 — OUTCOME (conditional by M2_Q4_outcome):

SHOW IF M2_Q4_outcome = “organise”:

“OUTCOME

Focus on what participants said explicitly. Each code should capture a clear, observable pattern that directly helps answer the analysis focus question. For each code: quote — response ID.”

SHOW IF M2_Q4_outcome = “meaning”:

“OUTCOME

Look beyond what participants said explicitly. For each code, include what the data implies or what underlies what was said. For each code: quote — response ID — what this implies (one sentence, flagged for your validation).”

SHOW IF M2_Q4_outcome = “painpoints”:

“OUTCOME

Frame each code in terms of user experience — friction, unmet need, or opportunity. Keep the framing close to the data. For each code: quote — response ID — expressed as: [friction / unmet need / opportunity].”

BLOCK 8 — OUTPUT FORMAT (always active, with conditionals):

“OUTPUT FORMAT

For each code:

Code name: short phrase, maximum 4 words

Definition: what this code captures, 1–2 sentences

Quote: exact words from the data

Response ID: the ID of the response this quote comes from”

SHOW IF M2_Q4_outcome = “meaning” — append:

“Implication: one sentence flagged for researcher validation”

SHOW IF M2_Q4_outcome = “painpoints” — append:

“Frame: [friction / unmet need / opportunity]”

Always append:

“At the end of your response write:

Total codes proposed: [n]

Responses processed: [n of [M2_Q1_sample] declared]

Possible overlaps flagged: [n] — [list if any]”

Batch21

BLOCK 9 — CHUNKING (conditional by Q2_1_size):

SHOW IF Q2_1_size = “large”:

“CHUNKING

You will receive this data in parts. Process each part completely before I send the next one. At the start of each part I will tell you which part it is — e.g. Part 1 of 3. If you notice a code in this part that is very similar to one you already proposed, note the similarity instead of creating a duplicate: [SIMILAR TO: existing code name — reason].”

BLOCK 10 — MOMENT CLOSE (always active):

“MOMENT CLOSE

When I tell you this moment is complete, generate the Moment Summary using this exact structure:

Moment: M2 — Coding

Session date: [date]

Sample analysed: [M2_Q1_sample]

Analysis focus: [M2_Q2_focus]

Approach: [M2_Q3_approach]

Outcome: [M2_Q4_outcome]

Responses processed: [n of n]

Codes proposed by AI: [n]

Accepted: [n]

Modified: [n] — for each: original AI code / what was changed / reason for change

Rejected: [n] — for each: code name / reason — no evidence / redundant with [code] / out of scope / granularity issue

Overlaps flagged by AI: [n] — resolved / unresolved

Context Warnings issued: [n]

Final accepted codes: [for each: code name / definition / response IDs covered]

Open questions for next moment: [free text]

Chat PDF: Export this chat as PDF before closing — File > Print > Save as PDF.

Then write: Copy this summary and paste it into your audit log before closing this chat.”

Copy button top right of prompt box, labelled: Copy prompt

Behaviour: On click, copies full assembled prompt to clipboard. Button label changes to “Copied ✓” for 2 seconds then reverts.

Helper text below prompt box (small, grey): After copying, open a new conversation in your AI tool, paste this prompt, and add your data below it. Come back here when you have the AI output.

Conditional Logic:

Next button disabled until Copy prompt button has been clicked at least once. After first copy, Next becomes active.

Navigation:

Back button (bottom left, secondary) → navigates to M2-4. Sidebar: Prompt = active, Outcome = completed.

Next button (bottom right, primary, active only after prompt copied) → navigates to M2-6. Sidebar: Prompt = completed (green check), Review & Validate = active.

Batch 22

PROMPT — M2-6 · Review & Validate

Screen name: M2-6 — Review & Validate

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: all previous steps completed (green check), Review & Validate = active, Audit Log = locked.

Heading: Review your codes

Subheading (grey, smaller): Paste the AI output below. Review each code one at a time — confirm the checklist items and mark your decision before moving to the next. You can only advance when all codes have a decision.

Fields & Behaviour:

AI Output field:

Label: Paste AI output here (Required)

Type: Large free text area, minimum 8 lines, scrollable

Placeholder: Paste the full AI response here — all proposed codes with names, definitions, quotes, and response IDs.

Behaviour: Stores value on change. Field border turns green when filled.

Divider line.

Section label (bold, small caps): CHECKLIST A — PER CODE REVIEW

Instruction text (grey): Use these items as governance reference while you review each code in your AI chat. Mark each item as you go. These are not gates — they orient your Accept, Modify, or Reject decisions.

Checklist A cards stacked vertically. Each card has the item text, action text, and two buttons: Mark done (green outline) and Flag for later (amber outline). Buttons toggle — only one active at a time per item.

Item 1 (always active):

Title: Quote and response ID present

Body: This code has a direct quote and a response ID.

Action: If absent — Reject. The AI may have fabricated or modified this quote.

Verify the quote in your original data before continuing. Tell the AI: “This quote does not exist in the data. Only propose codes with verbatim quotes from the responses I provided.”

Item 2 (always active):

Title: Single clear idea

Body: This code captures one clear idea — the definition does not describe multiple different things.

Action: If unclear — Modify or Reject. Rewrite the definition to capture one specific idea, or tell the AI: “This code is too ambiguous to be useful. Do not re-propose it.”

Item 3 (always active):

Title: Relevant to analysis focus

Body: This code contributes to answering the analysis focus question.

Action: If out of scope — Modify or Reject. Tell the AI: “This code is out of scope. Do not re-propose it.”

Item 4 — Interpretation agreement:

SHOW IF M2_Q4_outcome = “meaning”

Title: Interpretation agreed

Body: I agree with this interpretation and can explain it in my own words.

Action: If not — Modify or Reject. Rewrite the implication in your own words before accepting. Do not use the AI’s wording.

Item 4 — Framing agreement:

SHOW IF M2_Q4_outcome = “painpoints”

Title: Framing traceable to data

Body: I agree with this framing and can trace it back to what the participant said.

Action: If not — Modify or Reject. Remove the AI framing and rewrite staying close to the participant’s words.

Divider line.

Section label (bold, small caps): CODE DECISIONS

Instruction text (grey): For each code in the AI output, record your decision below.

Repeatable code decision block — user can add as many as needed via Add code button:

Field: Code name — short text input

Decision: three-button toggle — Accept (green) / Modify (amber) / Reject (red)

SHOW IF Modify selected: text field appears inline. Label: What did you change and why? Free text.

SHOW IF Reject selected: dropdown appears inline. Label: Reason. Options: No evidence / Redundant with another code / Out of scope / Granularity issue.

Add code button below last block: + Add code

Conditional Logic:

Next button disabled until AI output field is filled AND at least one code decision has been recorded AND all active Checklist A items have a state (Mark done or Flag for later).

Navigation:

Back button (bottom left, secondary) → navigates to M2-5. Sidebar: Review & Validate = active, Prompt = completed.

Next button (bottom right, primary) → navigates to M2-7. Sidebar: Review & Validate = completed (green check), Audit Log = active.

Batch23

PROMPT — M2-7 · Checklist B — Global Review

Screen name: M2-7 — Global Review

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: all previous steps completed (green check), Audit Log = active.

Heading: Review your code list as a whole

Subheading (grey, smaller): All codes have a decision. Before closing this moment, these questions apply to the full set — not individual codes.

Fields & Behaviour:

Checklist B cards stacked vertically. Same card structure as Checklist A — item text, action text, Mark done and Flag for later buttons.

Item 1 (always active):

Title: All responses processed

Body: All declared responses were processed — none were skipped.

Action: If incomplete — tell the AI: “You have only coded responses R01–R[n]. Continue from R[n+1] and process the remaining responses.”

Item 2 (always active):

Title: Codes are distinct

Body: Accepted codes are distinct — no two codes capture the same thing.

Action: If duplicates found — tell the AI: “Codes [A] and [B] capture the same thing. Propose one merged code with a definition that covers both.” If one is clearly weaker, reject it and keep the stronger.

Item 3 (always active):

Title: Granularity is right

Body: No accepted code is too broad to be useful, or too specific to appear in more than one or two responses.

Action: If too broad — tell the AI: “This code is too broad — split it into two more specific codes.” If too specific — tell the AI: “This code only appears in one response. Broaden it or merge it with [code name].”

Item 4 (always active):

Title: Overlaps resolved

Body: All AI-flagged overlaps have been resolved.

Action: If unresolved — decide for each flagged pair: merge, keep both with clearer definitions, or reject one.

Item 5:

SHOW IF M2_Q3_approach = “deductive” OR “mixed”

Title: No Fit responses have a decision

Body: All [NO FIT] responses have a decision — new code, flagged for review, or discarded.

Action: If new code needed — tell the AI: “Response [R0X] does not fit existing categories. Propose a new code for it.” If flagging — record in audit log. If discarding — record reason in audit log.

Item 6:

SHOW IF M2_Q3_approach = “mixed”

Title: Inductive codes add something new

Body: Codes proposed freely are genuinely distinct from existing categories — they add something new.

Action: If restatement found — reject and tell the AI: “This code restates [existing category]. Do not re-propose variations of existing categories.”

Conditional Logic:

Close this moment button disabled until all active Checklist B items have a state (Mark done or Flag for later).

Navigation:

Back button (bottom left, secondary) → navigates to M2-6. Sidebar: Review & Validate = completed, Audit Log = active.

Close this moment button (bottom right, primary) → navigates to M2-8. Sidebar: Checklist B = completed (green check), Audit Log = active.

Batch 24

PROMPT — M2-8 · Audit Log

Screen name: M2-8 — Audit Log

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: all steps completed (green check), Audit Log = active.

Heading: M2 — Coding — Audit Log

Subheading (grey, smaller): Ask your AI to generate the Moment Summary, copy it, and paste it here before saving.

Fields & Behaviour:

Instruction banner (light yellow background, rounded border, full width):

Text: In your AI chat, type: “This moment is complete — please generate the Moment Summary.” Copy the full summary the AI produces and paste it into the field below.

Audit log field:

Label: Moment Summary (Required)

Type: Large free text area, minimum 10 lines, scrollable

Placeholder: Paste the Moment Summary here — it should include: sample analysed, analysis focus, approach, outcome, responses processed, codes proposed, accepted, modified, rejected, overlaps flagged, context warnings issued, final accepted codes, and open questions for next moment.

Behaviour: Stores value on change. Field border turns green when filled.

Divider line.

Fixed reminder block (amber background, warning icon, full width):

Text: Export your chat as PDF before closing — File > Print > Save as PDF. This is your permanent record of this session.

Divider line.

Validation hint (small, grey, info icon):

Text: Before saving, check your Moment Summary against your chat — confirm that the final code list is complete and that accepted, modified, and rejected counts match your decisions.

Conditional Logic:

Save and close moment button disabled until audit log field is not empty.

Navigation:

Back button (bottom left, secondary) → navigates to M2-7.

Save and close moment button (bottom right, primary, green) → navigates to Mx.

Sidebar for M2 resets — all steps marked complete. M2 tab in top nav bar shows a

green check badge.

Batch 25

PROMPT — M2-8 · Audit Log

Screen name: M2-8 — Audit Log

Layout:

Full screen, white background. Fixed top nav bar: M2 active. Context strip unchanged. Left sidebar: all steps completed (green check), Audit Log = active.

Heading: M2 — Coding — Audit Log

Subheading (grey, smaller): Ask your AI to generate the Moment Summary, copy it, and paste it here before saving.

Fields & Behaviour:

Instruction banner (light yellow background, rounded border, full width):

Text: In your AI chat, type: “This moment is complete — please generate the Moment Summary.” Copy the full summary the AI produces and paste it into the field below.

Audit log field:

Label: Moment Summary (Required)

Type: Large free text area, minimum 10 lines, scrollable

Placeholder: Paste the Moment Summary here — it should include: sample analysed, analysis focus, approach, outcome, responses processed, codes proposed, accepted, modified, rejected, overlaps flagged, context warnings issued, final accepted codes, and open questions for next moment.

Behaviour: Stores value on change. Field border turns green when filled.

Divider line.

Fixed reminder block (amber background, warning icon, full width):

Text: Export your chat as PDF before closing — File > Print > Save as PDF. This is your permanent record of this session.

Divider line.

Validation hint (small, grey, info icon):

Text: Before saving, check your Moment Summary against your chat — confirm that the final code list is complete and that accepted, modified, and rejected counts match your decisions.

Conditional Logic:

Save and close moment button disabled until audit log field is not empty.

Navigation:

Back button (bottom left, secondary) → navigates to M2-7.

Save and close moment button (bottom right, primary, green) → navigates to Mx.

Sidebar for M2 resets — all steps marked complete. M2 tab in top nav bar shows a green check badge.

Batch 26

BLOCO 6 — Session Close

Block header (dark background, white text, full width):

Label: BLOCK 6 — Session Close

Purpose line (small, white, italic): Confirmation that the session was formally closed and the record is complete.

Content card (light grey background, full width):

Field — Moment Summary generated by AI: Yes

Field — Moment Summary pasted to audit log: Yes

Field — Final accepted code list: Password reuse across accounts / Memory as primary strategy / Password manager avoidance (modified) / Pattern-based construction / Written record kept / Delegation to browser (modified)

Field — Open questions carried forward: None — analysis focus question considered sufficiently addressed by the six accepted codes.

Field — Chat PDF exported: Yes — exported before closing AI chat.

Field — Session closed by researcher: Yes

Footer note inside card (small, grey, italic): This audit log was assembled automatically from researcher inputs across the session. The Moment Summary and chat PDF constitute the complete verifiable record of this session.

Navigation:

This screen is accessible from Mx via a button labelled: View session log (example)

Button position: below the three moment cards, centre-aligned, secondary style.

Close log button top right → navigates back to Mx.

Batch 27

PROMPT — CORRECÇÃO S7 · Substituir conteúdo do prompt box

In screen S7, replace the entire contents of the generated prompt box with the following exact text. The prompt is static — it is not dynamically assembled. Only the first line is dynamic, injecting Q2_1_count, SC1_data_type, and Q2_1_format from Global State.

Prompt box content:

“I am about to begin a qualitative thematic analysis session. My dataset contains [Q2_1_count] [SC1_data_type] in [Q2_1_format] format.

Please respond in two blocks:

BLOCK A — Session Record (plain text, for audit log):

1. Model and version:

2. Context window — approximate words or responses per single input:
3. File upload — CSV, plain text, Word: Yes / No
4. If file upload Yes — minimum file requirements and maximum recommended size per upload:
5. If file upload No — recommended number of responses per paste:
6. Recommended strategy — file upload or sequential segments pasted as plain text:
7. Session continuity — Retained / Not retained / Partial:
8. Early warning signals — what signals will you monitor for before context degrades:
9. Action when [CONTEXT WARNING] is issued:

Do not include operating rules or technical disclaimers in your response. Block B must be written in plain direct language as if speaking to the investigator. Choose the correct instruction based on what you declared in Block A and state it directly — no conditional language.

BLOCK B — Your action guide for this session. Cover exactly three points in 3–4 sentences each:

1. How to input your data in this session — based on your file upload and segment size declarations above, give one clear instruction for how to prepare and input the data.
2. How to track the analysis — when to save the Moment Summary and how to export this chat as PDF before closing.
3. If you see [CONTEXT WARNING] — step by step what to do, including how to re-open and re-inject context in the next chat.”

SHOW IF SC1_objective is not null — append after the first line, before “Please respond in two blocks:”: “The study objective is [SC1_objective].”

Remove the SHOW IF condition on the Next button that required the prompt to be copied first. Replace with: Next button becomes active after the AI response field in S8 Block A is filled. The copy button in S7 remains but is not a gate.

Batch 28

PROMPT — CORRECÇÃO Mx · Botão Session Audit Logs na nav bar

In screen Mx, add a second button in the top right corner of the nav bar, placed to the left of the existing + New Study button.

Button label: Session Audit Logs

Style: secondary, small, outlined.

Behaviour: On click → navigates to AL-List screen.

PROMPT — AL-List · Session Audit Logs — List View

Screen name: AL-List — Session Audit Logs

Layout: Full screen, white background. Fixed top nav bar with all moments accessible. Button top right: + New Study (same as Mx). Back button top left → navigates to Mx.

Heading: Session Audit Logs

Subheading (grey, smaller): Each entry corresponds to a completed analytical moment. Select any entry to view the full log.

Log entries displayed as a stacked list of cards, one per completed moment, ordered chronologically with most recent at top.

Each card shows:

— Moment badge (left, coloured pill): e.g. M2 — Coding

— Date: e.g. 28 April 2026

— Time closed: e.g. 16:10

— Study topic (from SC1_topic): e.g. Password management habits and strategies

— Summary line (one line, grey): e.g. 15 responses · 6 codes accepted · 2 modified
· 1 rejected

— Button right side of card: View log → navigates to AL screen for that entry

Empty state (shown when no moments have been closed yet):

Icon: document with clock

Text: No logs yet. Logs are created automatically when you close a moment.

PROMPT — CORRECÇÃO M2-8 · Audit Log screen — adicionar Session Summary antes de guardar

In screen M2-8, before the Save and close moment button, add the following section:

Section label (bold, small caps): **SESSION SUMMARY**

Instruction text (grey): Before saving, review the summary of this moment. This is the record that will appear in your Session Audit Logs.

Summary card (light yellow background, rounded border, full width, read-only):

Populated automatically from session data — display the following fields:

— Moment: M2 — Coding

— Date: [current date, auto-filled]

— Time: [current time, auto-filled]

— Study topic: [SC1_topic]

— Sample: [M2_Q1_sample]

— Analysis focus: [M2_Q2_focus]

— Approach: [M2_Q3_approach]

— Outcome: [M2_Q4_outcome]

— Responses processed: [derived from M2_Q1_sample]

— Codes proposed by AI: [count from code decision blocks in M2-6]

— Accepted: [count]

— Modified: [count]

— Rejected: [count]

— Overlaps flagged: [count from M2-7]

— Context warnings issued: [count — 0 if none]

— Governance checks completed: Checklist A — all items reviewed / Checklist B
— all items reviewed

— Chat PDF exported: [checkbox — user confirms: Yes / Not yet]

Below the summary card, small helper text (grey, italic): This summary is saved automatically when you click Save and close moment. The full Moment Summary you pasted above is also stored as part of this log entry.

Update Save and close moment behaviour: on click, saves the full log entry (summary card values + pasted Moment Summary from the audit log field) to AL-List as a new entry, then navigates to Mx.

Batch29

STUDY CONTEXT

You are supporting a qualitative thematic analysis session in UX research.

Study topic: a

Participants: a

Data: 2 interviews (a)

Study objective: a

ANALYSIS FOCUS

The question guiding this coding session: focus

YOUR ROLE

You are a coding assistant. Your job is to propose candidate codes with evidence. Every decision about what to accept, change, or reject belongs to the researcher. You do not make final analytical decisions.

RULES — follow these at all times

- Every code must include a direct quote from the data. No quote, no code.
- Every quote must include the ID of the response it comes from (R01, R02, etc.). No ID, no quote.
- Do not merge, modify, or remove any participant response or quote. Present data exactly as written.
- Do not merge or eliminate codes without being asked.
- Do not move to the next analytical step without being asked.
- Process every response in the sample. Do not skip responses or stop early. If you reach your context limit before processing all responses, stop immediately and issue [CONTEXT WARNING] — do not continue coding.
- Before finalising your response, check your proposed codes for significant overlap. If two codes capture the same thing, flag it clearly: [POSSIBLE OVERLAP: Code A / Code B — reason].

CONTEXT WARNING PROTOCOL

If you detect any of the following — repeating codes already proposed in this session, contradicting instructions given at the start, or proposing codes without a response ID — stop immediately and write: [CONTEXT WARNING] — one line describing what happened.

Then generate a Context Summary in this exact format:

Moment in progress: M2 — Coding

Sample being analysed: full dataset — 2 interviews

Codes generated so far: [n] — [list code names]

Decisions locked: focus / inductive / painpoints

Rules active: confirmed

Where I stopped: [last response ID processed]

Open questions: [anything unresolved]

Then write: Copy this block and paste it at the start of your next chat to continue from this point.

APPROACH

Propose codes freely from the data. Do not use any predefined categories. For each code you propose, ask yourself: is this genuinely distinct from the other codes I have already proposed? Only create a new code if the existing ones cannot capture this — aim for the smallest number of codes that covers what is analytically relevant. Each code must capture something that helps answer the analysis focus question.

OUTCOME

Frame each code in terms of user experience — friction, unmet need, or opportunity. Keep the framing close to the data. For each code: quote — response ID — expressed as: [friction / unmet need / opportunity].

OUTPUT FORMAT

For each code:

Code name: short phrase, maximum 4 words

Definition: what this code captures, 1–2 sentences

Quote: exact words from the data

Response ID: the ID of the response this quote comes from

Frame: [friction / unmet need / opportunity]

At the end of your response write:

Total codes proposed: [n]

Responses processed: [n of full dataset — 2 interviews declared]

Possible overlaps flagged: [n] — [list if any]

MOMENT CLOSE

When I tell you this moment is complete, generate the Moment Summary using this exact structure:

Moment: M2 — Coding

Session date: [date]

Sample analysed: full dataset — 2 interviews

Analysis focus: focus

Approach: inductive

Outcome: painpoints

Responses processed: [n of n]

Codes proposed by AI: [n]

Accepted: [n]

Modified: [n] — for each: original AI code / what was changed / reason for change

Rejected: [n] — for each: code name / reason — no evidence / redundant with [code] / out of scope / granularity issue

Overlaps flagged by AI: [n] — resolved / unresolved

Context Warnings issued: [n]

Final accepted codes: [for each: code name / definition / response IDs covered]

Open questions for next moment: [free text]

Chat PDF: Export this chat as PDF before closing — File > Print > Save as PDF.

Then write: Copy this summary and paste it into your audit log before closing this chat.