

Framework v1 — Screens

Prototype v1 — Full Screen Set

Débora Souza · IADE — Universidade Europeia · 2025–2026

This file contains the full screen set of Framework v1's interactive prototype of the dissertation A Governance-First Framework for GenAI-Assisted Thematic Analysis in UX Research (Débora Souza, IADE/UE, 2025–2026). Screens are grouped by Setup Strategy, Analytical Moments, and Audit Log, in the order the investigator encounters them in the prototype.

Only Moment 2 (Coding) is fully interactive in this prototype:

<https://liver-ravel-60923464.figma.site>

Setup Strategy

01. S0 — Entry

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Setup Strategy

Before your first analytical moment, answer a few questions about your study, your data, and your AI tool. Your answers do three things: they tell the AI what your study is about, configure how much human review each moment requires, and set privacy protections for the entire session. This takes two to four minutes. You cannot change these settings mid-session. If your study context or tool changes, start a new session.

Fields marked **Required** must be completed. Optional fields improve AI relevance but do not block you from proceeding.

Start Setup →

02. S1 — Study Context

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

1. Study Context

Describe your study so the AI knows what it is working with. These answers are injected into every analytical moment.

Study topic *

What is this study about? e.g. Onboarding experience in a mobile banking app

Participants *

Who took part in your study? e.g. First-time users aged 25–40, recruited via usability panel

Kind of data *

☐ Interviews

☐ Focus groups

☐ Survey open-ended responses

☐ Usability test notes

☐ Diary study entries

☐ Field notes

☐ Other

Study objective (Optional)

What do you want this analysis to help you achieve? e.g. Identify friction points to inform a redesign o

If you skip this, AI will focus on your data without a specific outcome in mind.

BackNext

03. S2 — Dataset Description

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

2. Setup Risk Definition

Your answers configure AI involvement defaults, privacy protections, and governance settings for the entire session.

DATASET SIZE

How large is your dataset?

Small

Up to 30 open-ended responses or up to 5 interviews. You can review every AI output individually.

Medium

31 to 150 responses or 6 to 20 interviews. You will review AI outputs selectively.

Large

More than 150 responses or more than 20 interviews. AI involvement is higher and validation works by sampling.

How many responses, sessions, or entries does your dataset include? *

e.g. 45

What format is your data in? *

e.g. plain text / CSV / Word transcripts

DATASET ORIGIN

What type of data are you working with?

Raw

Interviews, surveys, usability sessions, diary studies, focus groups — original participant data collected directly from people, not anonymised.

Anonymised

Data originally from human participants, anonymised before this analysis.

Secondary

Published datasets, public reviews, open-access responses — no direct participant relationship. Standard governance applies. Sensitive data step will be skipped.

Synthetic

Artificially generated — no real participants involved. Standard governance applies. Sensitive data step will be skipped.

Back

Next

04. S3 — Sensitive Data (conditional)

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

3. Sensitive Data

Does your dataset contain any of the following? Select all that apply.

① Your selections activate specific privacy protections and checklist items later in this setup.

☐ Names, emails, or direct contact details

☐ Health or medical information

☐ Financial or payment information

☐ Company confidential or client data

☐ Data from participants with additional protection requirements — e.g. individuals under the age of majority in your jurisdiction, people with cognitive or communication impairments, or groups facing social marginalisation

☐ Responses about trauma, abuse, substance use, or illegal activity

☐ Other

☐ None of the above

Back

Next

05. S4 — AI Tool Declaration

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

4. AI Tool Declaration

Before uploading any data, ask your AI tool to identify itself. This creates a verifiable record of the tool used in this session.

STEP 1 — COPY THIS PROMPT

Copy and paste the following into your AI tool:

Please answer in this exact format: Model: [your model name and version]
/ Platform: [platform name e.g. Claude.ai, ChatGPT, Gemini] / Tool type:
[e.g. free tier, Pro, Enterprise, local] / Training on user data: [Yes /
No] / Data retention: [Yes / No]

Copy prompt

STEP 2 — PASTE THE AI RESPONSE

Paste the full AI response below. If the AI did not respond in the format above, continue anyway — select **Not explicit** in the next step and highest-risk protections will be applied automatically.

AI response *

Paste the AI response here. e.g. Model: Claude 3.5 Sonnet / Platform: Claude.ai / Tool type: Pro /
Training on user data: No / Data retention: No

⚠ If the AI did not respond in the expected format, do not edit its response. Proceed and select **Not explicit** in the next step.

Back

Next

06. S5 — Training & Retention

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

5. Training & Retention

Based on the AI response you just pasted, answer the two questions below. These answers configure which privacy protections apply to your session.

If the AI response was unclear or incomplete, select **Not explicit** — highest-risk protections will be applied automatically.

TOOL TRAINING

Does your AI tool train on user data?

Yes

This tool trains on user data.

No

This tool does not train on user data.

Not explicit

The AI response did not confirm training status.

Treated as Yes — highest-risk protections will be applied.

DATA RETENTION

Does your AI tool retain or log session data?

Yes

This tool retains or logs session data.

No

This tool does not retain session data.

Not explicit

The AI response did not confirm retention status.

Treated as Yes — highest-risk protections will be applied.

Back

Next

07. S6 — Privacy Checklist

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

6. Privacy Awareness Checklist

The items below were generated from your setup answers. Only items relevant to your session are shown. Review each one before proceeding.

ⓘ Your responses are recorded in the audit log with a timestamp. Items marked **Flag for later** will appear as governance notes in your analytical moments.

ID Replacement

Replace all participant names and direct identifiers with IDs (P1, P2...) before uploading any data.

Action: Do this before opening your first analytical moment. Record ID scheme in your audit log.

DoneFlag for later

Training risk — sensitive data

Your tool trains on user data and your dataset contains sensitive categories.

Action: Do not upload sensitive data directly. Paraphrase or summarise before input, or switch to an enterprise, academic, or local tool for this session.

DoneFlag for later

Ethics & Consent

Your tool trains on user data and your dataset contains sensitive categories.

Action: Verify that participant consent and institutional ethics approval cover the use of this tool type with sensitive data. Flag if not confirmed.

DoneFlag for later

Back

Next

08. S7 — Generated Prompt

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

Input Data Strategy

STEP 1 — GET YOUR INPUT STRATEGY

The goal is to understand how to work with your data in this session — how to input it, how to track your analysis, and what to do if the AI loses context. Copy the prompt below and paste it into your AI tool.

STEP 2 — RECORD YOUR SETUP

Copy Block A from the AI response and paste it into the audit log field below.

STEP 3 — PREPARE AND START

Read Block B and prepare your data accordingly. Then close this chat and open the moment you want to start with.

YOUR GENERATED PROMPT

This prompt has been pre-filled with your dataset description. Copy it and paste it into your AI tool.

I am about to begin a qualitative thematic analysis session. My dataset contains 45 interviews in csv format.
The study objective is Objective.

Copy prompt

Please respond in two blocks:

BLOCK A – Session Record (plain text, for audit log):
1. Model and version:
2. Context window – approximate words or responses per single input:
3. File upload – CSV, plain text, Word: Yes / No
4. If file upload Yes – minimum file requirements and maximum recommended size per upload:
5. If file upload No – recommended number of responses per paste:
6. Recommended strategy – file upload or sequential segments pasted as plain text:
7. Session continuity – Retained / Not retained / Partial:
8. Early warning signals – what signals will you monitor for before context degrades:
9. Action when [CONTEXT WARNING] is issued:

Back

Next

09. S8 — AI Response & Confirm

M1M2M3M4M5

Moments unlock after Setup is complete.

Study Context

Setup Risk Definition

Input Data Strategy

Study Context

Setup Risk Definition

Input Data Strategy

Record your setup

Paste the AI response below. Block A enters your audit log automatically. Read Block B before you close this screen.

BLOCK A — SESSION RECORD

Copy Block A from the AI response and paste it here. This becomes your audit log entry for this session.

BLOCK A — Audit Log Entry

Paste Block A here — the plain text session record generated by the AI. It should include: Model / Platform / Tool type / Training on user data / Data retention / Context window / Response IDs / File upload / Recommended format / Recommended strategy / Segment size / Session continuity / Context saturation signals / Saturation action.

This record will be referenced in every analytical moment. If the AI did not generate Block A in the expected format, paste the full response anyway and note any missing fields.

BLOCK B — INVESTIGATOR ACTION GUIDE

Read this before opening your first moment. Block B is not saved to the audit log — it is your preparation guide for this session.

Block B — paste the AI plain-language guide here to read it.

Paste Block B here — the plain-language guide generated by the AI. It covers: how to prepare your data, how to structure each input, what to do if context degrades, and when to save a Moment Summary.

CONFIRM YOUR SETUP

Before proceeding, confirm the following:

☐ I have assigned a unique ID to each response unit in my dataset (R01, R02...).

☐ I have read Block B and know how to structure my inputs for this session.

☐ I understand that if the AI issues [CONTEXT WARNING], I must stop and check my last outputs before continuing.

Back

Finish Setup — Go to Moments

Analytical Moments

10. Moments Overview

M1M2M3M4M5

Session Audit LogsNew Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

Analytical Moments

Choose the moment you need for your current analytical task.

Open any moment based on what you need right now. You do not need to follow a fixed order — analytical work is recursive. Start with Data Familiarisation if this is your first session, or go directly to Coding if you already know your data. Return to any moment as many times as needed.

M1 — Data Familiarisation

What is this moment? ▾

Open M1

M2 — Coding

What is this moment? ▾

Open M2

M3 — Structural Organisation

What is this moment? ▾

Open M3

M4 — Theme Development & Review

What is this moment? ▾

Open M4

M5 — Synthesis and Reporting

What is this moment? ▾

Open M5

View session log (example)

11. M1 — Static Card — Data Familiarisation

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

Data Familiarisation

M1 — Data Familiarisation

Use this moment to get to know your data before coding begins. Working with AI, you build an overview of what is in your dataset — recurring topics, outliers, and signals worth noting. The output is a corpus summary that informs your analysis focus for the moments ahead.

Compatibility note: TA method compatibility — Universal. No method variation at this moment.

Output: AI corpus summary with investigator notes: what AI surfaced, what AI missed, analysis focus confirmed.

Full interactive flow to be built in a future iteration.

Back

12. M2-0 — Entry

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

Entry

Sample

Focus

Approach

Outcome

Prompt

Review & Validate

Audit Log

M2 — Coding

Use this moment to generate new codes, extend an existing code list, or re-code with a different approach. Working with AI, you identify units of meaning anchored in direct evidence from your data.

Generate codes for the first time

Extend an existing code list

Re-code with a different approach

Output: A reviewed code list, each code with name, definition, quote, and response ID, ready to carry into the next moment.

Before generating codes, answer three quick questions. Your answers configure the AI prompt and are recorded in your audit log.

Back

Next

13. M2-1 — Sample

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

Sample

Focus

Approach

Outcome

Prompt

Review & Validate

Audit Log

What are you analysing in this moment?

Your sample for this moment can differ from your full dataset. Define it clearly — it will be recorded in your audit log and injected into the AI prompt.

☐ My full dataset

All 45 interviews in this session.

☐ A specific subset

A defined selection of responses from this session.

Back

Next

14. M2-2 — Focus

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 Interviews · Privacy: raw / small

✓ Entry

✓ Sample

Focus

Approach

Outcome

Prompt

Review & Validate

Audit Log

What question are you trying to answer with these codes?

This question filters what the AI flags as relevant. It can be your study research question or a more specific question for this moment.

Analysis focus *

e.g. What are the main barriers users report with password managers?

Be specific — a precise focus question produces more relevant codes than a broad one.

Back

Next

15. M2-3 — Approach

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

Approach

Outcome

Prompt

Review & Validate

Audit Log

How will you approach the data?

Your approach determines how the AI prompt is configured. You can change it if you re-enter this moment.

Let patterns emerge

AI proposes codes freely from your data. No predefined categories needed.

Zero-shot prompting

Apply existing categories

AI applies your codebook and flags what does not fit.

Few-shot prompting

Mixed

AI proposes codes freely first, then maps findings against your existing categories.

Two-step prompting

Paste your existing categories here *

e.g. Category 1: Security concerns — responses about passwords, data breaches, login failures.

Category 2: Usability — responses about ease of use, interface confusion, task completion.

Back

Next

16. M2-4 — Outcome

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

✓ Approach

Outcome

📄 Prompt

📄 Review & Validate

📄 Audit Log

What do you want to produce from this moment?

Your outcome shapes how the AI structures its output. You can pursue more than one outcome by re-entering this moment with a different configuration.

☐ Organise and summarise patterns

Codes that capture what participants said — structured and ready to review.

☐ Build meaning and explanations

Codes that capture what the data implies, not just what was said. Works best with Let patterns emerge or Mixed.

☒ Identify pain points and opportunities

Codes framed for design decisions — barriers, needs, and opportunities.

⚠️

The AI will frame codes in design language. Verify that each framing is traceable to what the participant actually said before accepting it.

Your session is configured. The prompt below has been generated from your answers — it includes your study context, analysis focus, and coding instructions. Open a new conversation. Copy it, paste it into your AI tool along with your data, and come back here with the output.

Back

Next

17. M2-5 — Generated Prompt

M1M2M3M4M5

+ New Study

Study: Topic - Participants: Customers - Data: 45 interviews - Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

✓ Approach

✓ Outcome

Prompt

Review & Validate

Audit Log

Your coding prompt is ready

Open a new conversation in your AI tool. Copy the prompt below, paste it along with your data, and come back here with the output.

This prompt has been generated from your setup and configuration answers. Do not edit it before pasting. Come back to this screen after the AI has processed your data.

STUDY CONTEXT

You are supporting a qualitative thematic analysis session in UX research.

Study topic: Topic

Participants: Customers

Data: 45 interviews (csv)

Study objective: Objective

ANALYSIS FOCUS

The question guiding this coding session: RQ

YOUR ROLE

You are a coding assistant. Your job is to propose candidate codes with evidence. Every decision about what to accept, change, or reject belongs to the researcher. You do not make final analytical decisions.

RULES – follow these at all times

– Every code must include a direct quote from the data. No quote, no code.

– Every quote must include the ID of the response it comes from (R01, R02, etc.). No

After copying, open a new conversation in your AI tool, paste this prompt, and add your data below it. Come back here when you have the AI output.

BackNext

18. M2-6 — Review & Validate

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

✓ Approach

✓ Outcome

✓ Prompt

Review & Validate

Audit Log

Review your codes

Paste the AI output below. Review each code one at a time — confirm the checklist items and mark your decision before moving to the next. You can only advance when all codes have a decision.

Paste AI output here *

Paste the full AI response here — all proposed codes with names, definitions, quotes, and response IDs.

CHECKLIST A — PER CODE REVIEW

Use these items as governance reference while you review each code in your AI chat. Mark each item as you go. These are not gates — they orient your Accept, Modify, or Reject decisions.

Quote and response ID present

This code has a direct quote and a response ID.

Action: If absent — Reject. The AI may have fabricated or modified this quote. Verify the quote in your original data before continuing. Tell the AI: "This quote does not exist in the data. Only propose codes with verbatim quotes from the responses I provided."

Mark done

Flag for later

Single clear idea

This code captures one clear idea — the definition does not describe multiple different things.

Action: If unclear — Modify or Reject. Rewrite the definition to capture one specific idea, or tell the AI: "This code is too ambiguous to be useful. Do not re-propose it."

Mark done

Flag for later

Relevant to analysis focus

This code contributes to answering the analysis focus question.

Action: If out of scope — Modify or Reject. Tell the AI: "This code is out of scope. Do not re-propose it."

Mark done

Flag for later

Framing traceable to data

I agree with this framing and can trace it back to what the participant said.

Action: If not — Modify or Reject. Remove the AI framing and rewrite staying close to the participant's words.

Mark done

Flag for later

CODE DECISIONS

For each code in the AI output, record your decision below.

Code name

Decision

Accept

Modify

Reject

+ Add code

Back

Next

19. M2-7 — Checklist B

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

✓ Approach

✓ Outcome

✓ Prompt

✓ Review & Validate

Audit Log

Review your code list as a whole

All codes have a decision. Before closing this moment, these questions apply to the full set — not individual codes.

All responses processed

All declared responses were processed — none were skipped.

Action: If incomplete — tell the AI: "You have only coded responses R01–R[n]. Continue from R[n+1] and process the remaining responses."

Mark doneFlag for later

Codes are distinct

Accepted codes are distinct — no two codes capture the same thing.

Action: If duplicates found — tell the AI: "Codes [A] and [B] capture the same thing. Propose one merged code with a definition that covers both." If one is clearly weaker, reject it and keep the stronger.

Mark doneFlag for later

Granularity is right

No accepted code is too broad to be useful, or too specific to appear in more than one or two responses.

Action: If too broad — tell the AI: "This code is too broad — split it into two more specific codes." If too specific — tell the AI: "This code only appears in one response. Broaden it or merge it with [code name]."

Mark doneFlag for later

Overlaps resolved

All AI-flagged overlaps have been resolved.

Action: If unresolved — decide for each flagged pair: merge, keep both with clearer definitions, or reject one.

Mark doneFlag for later

No Fit responses have a decision

All [NO FIT] responses have a decision — new code, flagged for review, or discarded.

Action: If new code needed — tell the AI: "Response [R0X] does not fit existing categories. Propose a new code for it." If flagging — record in audit log. If discarding — record reason in audit log.

Mark doneFlag for later

Inductive codes add something new

Codes proposed freely are genuinely distinct from existing categories — they add something new.

Action: If restatement found — reject and tell the AI: "This code restates [existing category]. Do not re-propose variations of existing categories."

Mark doneFlag for later

Back

Close this moment

20. M2-8 — Audit Log Input

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

✓ Entry

✓ Sample

✓ Focus

✓ Approach

✓ Outcome

✓ Prompt

✓ Review & Validate

Audit Log

M2 — Coding — Audit Log

Ask your AI to generate the Moment Summary, copy it, and paste it here before saving.

In your AI chat, type: "This moment is complete — please generate the Moment Summary." Copy the full summary the AI produces and paste it into the field below.

Moment Summary *

Paste the Moment Summary here — it should include: sample analysed, analysis focus, approach, outcome, responses processed, codes proposed, accepted, modified, rejected, overlaps flagged, context warnings issued, final accepted codes, and open questions for next moment.

⚠ Export your chat as PDF before closing — File > Print > Save as PDF. This is your permanent record of this session.

ⓘ Before saving, check your Moment Summary against your chat — confirm that the final code list is complete and that accepted, modified, and rejected counts match your decisions.

SESSION SUMMARY

Before saving, review the summary of this moment. This is the record that will appear in your Session Audit Logs.

Moment:
M2 — Coding

Date:
16 September 2026

Time:
18:31

Study topic:
Topic

Sample:
full dataset — 45 interviews

Analysis focus:
RQ

Approach:
mixed

Outcome:
painpoints

Responses processed:
full dataset — 45 interviews

Codes proposed by AI:
-

Accepted:
-

Modified:
-

Rejected:
-

Overlaps flagged:
-

Context warnings issued:
0

Governance checks completed:
Checklist A — all items reviewed / Checklist B — all items reviewed

Chat PDF exported:
☐ Yes

This summary is saved automatically when you click Save and close moment. The full Moment Summary you pasted above is also stored as part of this log entry.

Back

Save and close moment

21. M2-Complete — Confirmation

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

Session Audit Log — Example

Export as PDFClose log

BLOCK 6 — Session Close

Confirmation that the session was formally closed and the record is complete.

Moment Summary generated by AI:

Yes

Moment Summary pasted to audit log:

Yes

Final accepted code list:

Password reuse across accounts / Memory as primary strategy / Password manager avoidance (modified) / Pattern-based construction / Written record kept / Delegation to browser (modified)

Open questions carried forward:

None — analysis focus question considered sufficiently addressed by the six accepted codes.

Chat PDF exported:


Yes — exported before closing AI chat.

Session closed by researcher:


Yes

This audit log was assembled automatically from researcher inputs across the session. The Moment Summary and chat PDF constitute the complete verifiable record of this session.


22. M3 — Static Card — Structural Organisation



23. M4 — Static Card — Theme Development and Review



24. M5 — Static Card — Synthesis and Reporting



Audit Log

25. AL-List — Session Logs List

M1M2M3M4M5

+ New Study

Study: Topic · Participants: Customers · Data: 45 interviews · Privacy: raw / small

← Back

Session Audit Logs

Each entry corresponds to a completed analytical moment. Select any entry to view the full log.

No logs yet. Logs are created automatically when you close a moment.