

Pinterest Video Pin Upload — API Guide

A step-by-step guide for uploading a video and creating a Pin using the Pinterest Sandbox API.

Prerequisites

- A Pinterest business account
- Active trial access
- A generated sandbox access token (Bearer token)

Step 1 — Register Upload Intent

Send a **POST** request to register the media upload and receive an upload URL.

```
POST https://api-sandbox.pinterest.com/v5/media
```

Headers:

```
Content-Type: application/json
Authorization: Bearer pina_AM.....
```

Body (JSON):

```
{
  "media_type": "video"
}
```

Response:

```
{
  "media_id": "5476926023295630708",
  "media_type": "video",
  "upload_url": "https://pinterest-media-upload.s3-accelerate.amazonaws.com/",
  "upload_parameters": {
    "x-amz-date": "...",
    "x-amz-signature": "...",
    "x-amz-security-token": "...",
    "x-amz-algorithm": "AWS4-HMAC-SHA256",
    "key": "...",
    "policy": "...",
    "x-amz-credential": "...",
    "Content-Type": "multipart/form-data"
  }
}
```

Keep the `media_id` and all `upload_parameters` values — they are needed in Step 2.

Step 2 — Upload the Video File to AWS

Send a POST request to the upload_url returned in Step 1, using a multipart/form-data body.

```
POST https://pinterest-media-upload.s3-accelerate.amazonaws.com/
```

Headers:

```
Accept: application/json
```

Body (multipart form-data):

Add every field from the upload_parameters object in Step 1's response as a form field (x-amz-date, x-amz-signature, x-amz-security-token, x-amz-algorithm, key, policy, x-amz-credential, Content-Type), and finally add the video file itself as a file field. (Note: success_action_status was only added while testing and is not actually required.)

In Postman, set the Body type to Multipart, add each parameter as a Text field, and add the video as a File field (see screenshot below).




Image: Postman multipart body for the S3 upload request.

Response:

204 No Content (success)

Step 3 — Check Upload Status

Send a GET request to confirm the video was received and processed successfully.

GET https://api-sandbox.pinterest.com/v5/media/{media_id}

Headers:

Accept: application/json
Authorization: Bearer pina_AMA3..... (same token)

Possible responses:

Success:

```
{
  "media_id": "5476839950345382609",
  "media_type": "video",
  "status": "succeeded"
}
```

Still processing:

```
{
  "media_id": "5476839950345382609",
  "media_type": "video",
  "status": "registered"
}
```

Failed:

```
{
  "media_id": "5476839950345382609",
  "media_type": "video",
  "status": "failed"
}
```

Note: Do not create the Pin immediately after uploading. Wait a short while and poll this endpoint until status is "succeeded".

Step 4 — Create the Pin

Once the media status is "succeeded", create the Pin.

POST <https://api-sandbox.pinterest.com/v5/pins>

Headers:

Accept: application/json
Authorization: Bearer pina_AMA3..... (same token)

Body (JSON):

```
{
  "board_id": "1147855092466911252",
  "media_source": {
    "cover_image_content_type": "image/jpeg",
    "cover_image_url": "https://example.com/cover-image.jpg",
    "media_id": "5476910994062125699",
    "source_type": "video_id"
  }
}
```

Response (example, trimmed):

```
{
  "id": "1147855023792291315",
  "creative_type": "VIDEO",
  "board_id": "1147855092466911252",
  "media": {
    "media_type": "video",
    "cover_image_url": "https://i.pinimg.com/...jpg",
    "images": { "150x150": {...}, "400x300": {...}, "600x": {...}, "1200x": {...} }
  },
  "board_owner": { "username": "sriraj0033" }
}
```

Error response — if the media_id / cover image was not accepted:

```
{
  "code": 1,
  "message": "The media_id you are trying to use has not been uploaded.",
  "details": { "method": 17, "param_name": "media_id" }
}
```

For additional optional fields when creating a Pin, refer to the official Pinterest documentation:

<https://developers.pinterest.com/docs/api/v5/pins-create>

Finding the Board ID

The board_id is not shown directly to normal users. To find it:

- Open the board in a browser, e.g. <https://in.pinterest.com/pin/1147855023792291315/>
- Open DevTools → Network tab → search for "id" in the requests
- Look for a response containing a "board" object with an "id" field — this is the board_id

Example of what to look for:

```
"board": {
  "node_id": "Qm9hcmQ6MTE0Nzg1NTA5MjQ2NjkxMTI1Mg==",
  "type": "board",
  "privacy": "public",
```

```
{
  "id": "1147855092466911252",
  "url": "/sriraj0033/hello/"
}
```

Alternative method — filter on the board page and check the request payload:

```
{
  "options": {
    "board_id": "1147855092466919081",
    "field_set_key": "boardEdit",
    "status_filters": "new,accepted,contact_request_not_approved",
    "sort": "viewer_first",
    "include_inactive": true
  },
  "context": {}
}
```




Image: DevTools Network tab showing the board_id inside the request payload.

Important Reminders

- Always wait some time after upload (Step 2/3) before attempting to create the Pin (Step 4).
- Board IDs are not visible in the normal Pinterest UI — use DevTools to retrieve them.
- If Pin creation fails with the 'media_id not uploaded' error, re-check the media status via Step 3 before retrying.

Automating This

This is an API-based approach — each step above is a plain HTTP request, so the same flow can be replicated in automation tools like n8n or Make (Integromat) using their HTTP Request nodes, chained in the same order: register upload → upload file to AWS → poll status → create pin.