

Persistent Login (12 Hours) – System Design Document

1. Overview

This document describes the new Persistent Login Mechanism (12 hours) for the B2B system involving:

- User
- UI (React Frontend)
- Backend (Node.js)
- Navitaire (External System)

The new approach removes forced logout after inactivity and enables seamless session continuation using background token refresh.


2. Participants

- User – End user interacting with UI
 - UI (React) – Frontend application
 - Backend (Node.js) – Authentication & API layer
 - Navitaire – External booking system
-

3. Current System Behavior (As-Is)

Key Points:


- Session timeout: 15 minutes inactivity
- Popup displayed at 14th minute
- User has 60 seconds to continue session
- If no action → forced logout



4. Proposed System Behavior (To-Be)


Key Changes:

- No forced logout after 15 minutes inactivity
- Popup still appears for awareness
- Redirect to home page instead of logout
- Silent/background token refresh
- Session persists up to 12 hours



5. Navitaire Seat Blocking Behavior

- Seat is NOT blocked during selection
- Seat is blocked only when user enters payment
- Seat blocking duration: 15 minutes
- On cancellation or timeout → seat automatically released




6. Session Lifecycle (12-Hour Logic)

- Maximum session duration: 12 hours
- Background token refresh enabled
- Idle timeout does not log out the user

Session ends when:

- User logout
 - Browser close
 - 12-hour expiry reached
-

7. Browser Close Handling



8. Seat Unblock Handling After Idle / Session Expiry

After the session becomes idle or expires, a redirection flow is triggered. During this process, the system must call the following API to release any previously selected seats:

API Endpoint: `/api/dcs/v1/seats/unblock`

Implementation Approach

1. Store Required Data

Persist the following details in browser storage (cookies or session storage):

- Selected seat numbers
- Flight details (flight number, segment, journey information)
- Passenger reference (if applicable)

2. Trigger API on Expiry/Redirect


When the session expires or user is redirected due to inactivity:

- Retrieve stored data
- Construct request payload
- Call the `/api/dcs/v1/seats/unblock` API

3. Post Cleanup

- Clear stored session/cookie data after successful API execution
- Prevent duplicate or unnecessary API calls

Sequence Diagram – Seat Unblock



Notes

- Ensure API is reliably triggered during timeout or redirect
 - Implement retry or logging in case of API failure
 - Avoid leaving seats blocked due to unexpected session termination
-

9. Benefits

- Improved user experience
 - No forced logout
 - Seamless background session handling
 - No impact to booking logic
-

10. Summary

The system now supports a 12-hour persistent session with automatic token refresh, no forced logout on inactivity, and proper seat release mechanisms to maintain booking consistency.

End of Document