

AEM Content Fragment JSON representation [provides structured content](#) (text, numbers, booleans) in a machine-readable format, typically exported via the [AEM JSON exporter](#). These fragments are based on defined models, featuring data types like `text/plain` or `text/html`, and can represent single or multiple entries. [🔗](#)

Typical JSON Structure for a Content Fragment

json



```
{
  "properties": {
    "title": "Sample Content Fragment",
    "description": "An example of a Content Fragment",
    "elements": {
      "textElement": {
        "title": "Main Content",
        "dataType": "string",
        "value": "This is sample text content",
        ":type": "text/plain"
      },
      "numberElement": {
        "title": "Item Count",
        "dataType": "number",
        "value": 10,
        ":type": "number"
      }
    }
  }
}
```

Key Details

- **Structure:** Elements of the fragment are mapped directly to JSON properties.
- **Components:** JSON exports allow using [AEM Core Components](#) to manage which elements to include.
- **Data Types:** Examples include string, boolean, date, and numbers.
- **JSON Object Type:** Complex, nested data can be included using the ['JSON OBJECT' data type](#). [🔗](#)

This video shows how to preview the JSON output for a content fragment in AEM:



CloudFoundation
YouTube • 1 Apr 2025

This video explains how to create a content fragment model and its data types:



TECH TALK WITH RITESH
YouTube • 22 Jan 2023

Common Structure for API Creation (Assets HTTP API) [🔗](#)

json

```
{  
  "properties": {
```

```
"cq:model": "/conf/project/settings/dam/cfm/models/model-name",  
"title": "Fragment Title",  
"elements": {  
  "elementName": "Element Value"  
}  
}  
}
```

[This structure is used for creating fragments through the Assets API.](#)