

How to connect to Node Container app via SSH?

Asked 2 years, 4 months ago Modified 2 years, 4 months ago Viewed 1k times

 Part of [Microsoft Azure](#) Collective



4



Using docker to run a node application i am unable to access it via SSH in the azure portal. I have added an ssh config file and am using apk add openssh. The app runs fine without adding the commands to add SSH. No clue how to get it to work correctly. Getting azure connection refused

```
FROM node:14-alpine as builder
WORKDIR /app/

COPY package.json yarn.lock /app/

RUN yarn

ADD . .

RUN yarn build

FROM node:14-alpine as runner
WORKDIR /app/
ENV NODE_ENV=production

COPY --from=builder /app/build /app/
COPY --from=builder /app/package.json /app/yarn.lock /app/
COPY src/database/prisma/schema.prisma /app/prisma/

RUN yarn

COPY docker/sshd_config /etc/ssh/
RUN mkdir /var/run/sshd
RUN apk add openssh && echo "root:MyP@ssword1" | chpasswd

#EXPOSE 8080
#CMD node web_server/index.js
EXPOSE 8080 2222
CMD /usr/sbin/sshd & node web_server/index.js
```



node.js

azure

docker

ssh

Share Follow

asked Feb 19, 2021 at 20:45



[Leonardo Wildt](#)

[Leonardo Wildt](#) 2,479 ● 5 ● 27 ● 56

did you try it locally? is that ok that you expose 2222 instead of ssh default port 22 ? – [boly38](#) Feb 19, 2021 at 21:01

Yes according to azure docs 2222 should work learn.microsoft.com/en-us/azure/app-service/...

– Leonardo Wildt Feb 19, 2021 at 21:11

What service is it running on? VM, ACI, something else? – mmking Feb 21, 2021 at 1:11

It's running in an azure app service – Leonardo Wildt Feb 21, 2021 at 13:53

1 Answer

Sorted by:

Highest score (default)



3



If your app runs fine, try to add the followings:

Add a `sshd_config` file to your repository, like the following example.

```
Port                2222
ListenAddress       0.0.0.0
LoginGraceTime      180
X11Forwarding       yes
Ciphers             aes128-cbc,3des-cbc,aes256-cbc,aes128-ctr,aes192-ctr,aes256-ctr
MACs                hmac-sha1,hmac-sha1-96
StrictModes         yes
SyslogFacility      DAEMON
PasswordAuthentication yes
PermitEmptyPasswords no
PermitRootLogin     yes
Subsystem           sftp internal-sftp
```

In your Dockerfile, try to add the following commands:

```
# ssh
COPY docker/sshd_config /etc/ssh/
RUN mkdir /var/run/ssh
RUN apk add openssh && echo "root:MyP@ssword1" | chpasswd

COPY sshd_config /etc/ssh/
COPY init.sh /usr/local/bin/

EXPOSE 8080 2222
CMD ["bash","init.sh"]
```

Add `init.sh` in the root folder of your project.

```
#!/bin/bash
set -e
echo "Starting SSH ..."
service ssh start
node web_server/index.js
```

Or, change your last code to `CMD ["/usr/sbin/sshd","-D", "node web_server/index.js"]`

For more references, see [here1](#) and [here2](#)

Share Follow

edited Feb 26, 2021 at 12:33

answered Feb 25, 2021 at 9:35



Nancy Xiong

26.6k ● 3 ● 16 ● 31

This worked but now I am getting SSH CONNECTION CLOSE - Error: All configured authentication methods failedError: when i try and ssh – [Leonardo Wildt](#) Mar 12, 2021 at 14:54

-
- 2 Ended up using this --> COPY docker/sshd_config /etc/ssh/ RUN mkdir /var/run/sshd RUN apk add openssh && echo "root:myPassword1" | chpasswd COPY init.sh /usr/local/bin/ EXPOSE 8080 2222 RUN /usr/bin/ssh-keygen -A CMD /usr/sbin/sshd & node web_server/index.js – [Leonardo Wildt](#) Mar 12, 2021 at 14:56 
-