

ZurichJS Conf 2026 · Fri 11 Sep · Auditorium



Bug Report In, Pull Request Out

Agentic CI with Playwright

Debbie O'Brien · debbie.codes

Hi, I'm

Debbie O'Brien

Independent Developer Educator



I live in **testing and agents** with Playwright



I build loops that hunt bugs **while I sleep**



I show the **honest** version. Gates, not magic.

`debbie.codes`

`github / debs-obrien`

`x / debs_obrien`

One real loop on `debbie.codes`. While I slept.

HUNT

Found candidates

Gates held. Nothing auto-filed.



ISSUE

Two Close menus

I elevated a minor bug for the talk.



FIX

PR with proof

Repro, patch, test, before and after.

Bug report in. **Pull request out.**

You still merge.

The loop

Same shape every time

Evidence in. Reviewable PR out.

01

Discover

crawl + a11y

02

Issue

only if gates pass

03

Reproduce

before any code

04

Fix

smallest change

05

Verify

before / after

06

PR

ship the proof

IF HONESTY FAILS

The loop **stops**. Candidate file, or no PR. Not a fake win.

Two skills

Hunt and fix are different jobs

Don't ask one prompt to do both.

SITE-BUG-HUNT

Find and classify



Crawl the important journeys



Capture evidence



Write candidate files



File issues only when gates pass

Looks. Doesn't change product code.

SITE-BUGFIX

Reproduce and ship



Reproduce first



Smallest honest fix



Add a regression test



Open a PR with proof

No repro? No PR.

Say what you found. Say how sure you are.

Finding bugs is easy. Being honest about uncertainty is the hard part.



Bug

Actually broken



Bad UX

Works, but shouldn't



Env / data

Setup, not product



Test gap

Missing coverage



Inconclusive

Couldn't confirm

Plus confidence:

High

Medium

Low

bug + high + major/blocker



auto-file issue



else: candidate only

gates working

Two Close menus. confidence: high.
Severity: minor → no auto-file.

Hunt wrote qa/bug-candidates/mobile-duplicate-close-menu.md and stopped. I elevated it for ZurichJS. The gates stayed honest.

classification: bug

confidence: high

severity: minor

issue: none (yet)



qa: production site-bug-hunt for ZurichJS talk prep #621

Open debs-obrien wants to merge 1 commit into main from cursor/site-bug-hunt-prod-49b2

Conversation 4 Commits 1 Checks 17 Files changed 7

+152 -16



debs-obrien commented 11 hours ago

Owner ...

Summary

Production **site-bug-hunt** against <https://debbie.codes> (interactive mode) for ZurichJS talk prep — “**Bug Report In, Pull Request Out**”.

- Priority journeys covered: home, blog (search/tags/year/post), videos (+ pagination), podcasts, courses, about, speaking, contact, now, color mode, mobile nav, 404.
- Tooling: playwright-cli + accessibility snapshots; gentle crawl (~20 navigations).
- **No product code/content mutations** in this PR.
- **No GitHub issues filed** — nothing new cleared honesty gates for classification=bug + confidence=high + severity major / blocker.

Candidates (this run)

File	Classification	Severity	Notes
qa/bug-candidates/mobile-duplicate-close-menu.md	bug	minor	Best talk demo — two “Close menu” buttons on mobile
qa/bug-candidates/videos-jamstack-conf-dead-youtube.md	bug	minor	Dead YT id H793eyVM_04 on /videos/page/6/
qa/bug-candidates/404-document-title-			

Reviewers

Copilot Lite

Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.
None yet

3 participants



Files

<

cursor/site-bug-hun...

Q

Q Go to file

> composables

> content

> pages

> plugins

> public

▼ qa

▼ bug-candidates

404-document-title-is-home...

README.md

blog-netlify-image-cdn-block...

hydration-mismatch-year-co...

mobile-duplicate-close-men...

nuxt-ambassador-badge-de...

videos-broken-youtube-thu...

videos-jamstack-conf-dead-y...

> prompts

> scripts

> selective-ci

README.md

> scripts

> server

> specs

> tests

debbie.codes / qa / bug-candidates / mobile-duplicate-close-menu.md

↑ Top

Preview Code Blame 47 lines (32 loc) · 1.47 KB

Raw Copy Download Menu

target	production
severity	minor
confidence	high
classification	bug
area	nav
fix_surface	app

Mobile menu exposes two “Close menu” buttons

Repro

1. Open <https://debbie.codes/> at a mobile viewport (e.g. 390×844).
2. Tap **Open menu**.
3. Inspect the accessibility tree / query `button[aria-label="Close menu"]`.

Expected

One clear control to dismiss the mobile menu.

Actual

Two visible buttons both labeled **Close menu**:

- Overlay control: `× ( aria-label="Close menu" , no aria-expanded )`
- Header hamburger toggle flipped to `X ( aria-label="Close menu" , aria-expanded="true" )`

Both work, but screen-reader users hear duplicate dismiss controls. Source: `components/TheTopBar.vue` (header toggle + teleported overlay close).



Mobile menu exposes two “Close menu” buttons #622

New issue



Open

#623

cursor bot opened 11h ago

Contributor

fingerprint: prod||mobile-duplicate-close-menu
url: <https://debbie.codes/>
target: production
severity: minor
confidence: high
classification: bug
area: nav
fix_surface: app

Mobile menu exposes two “Close menu” buttons

Elevated for ZurichJS talk prep (“Bug Report In, Pull Request Out” demo). Honesty gates correctly classify this as `severity:minor` / would not auto-file — Debbie elevated manually for the demo loop.

Repro

1. Open <https://debbie.codes/> at a mobile viewport (e.g. 390×844).
2. Tap **Open menu**.
3. Inspect the accessibility tree / query `button[aria-label="Close menu"]`.

Assignees

No one assigned

Labels

No labels

Projects

No projects

Milestone

No milestone

Relationships

None yet

Development

fix: single Close menu control on mobile drawer


debs-obrien/debbie.codes

Participants

No participants

Open in GitHub Copilot app

BEFORE · prod repro · 2 × Close menu



the rule I'd fight for

Reproduce the bug **before** you change any code.

site-bugfix confirmed `closeCount: 2` on production first. Only then did it touch
`TheTopBar.vue`.





fix: single Close menu control on mobile drawer #623



Open

debs-obrien wants to merge 1 commit into

main

from

agent/fix-issue-622



Conversation 2



Commits 1



Checks 17



Files changed 2

+27 -11



debs-obrien commented 11 hours ago · edited by cursor

Bot

Owner



Summary

Fixes duplicate mobile “Close menu” buttons (header toggle + overlay ✕) so screen-reader users get one dismiss control.

Elevated for ZurichJS “Bug Report In, Pull Request Out” demo prep (fingerprint `prod//mobile-duplicate-close-menu`). Honesty gates correctly mark this as `severity:minor`; Debbie elevated manually for the talk loop.

Repro (before any code change)

1. Open <https://debbie.codes/> at mobile viewport (390×844).
2. Tap **Open menu**.
3. Query `button[aria-label="Close menu"]` → **two** buttons (overlay ✕ + header ✕).

playwright-cli on production confirmed both controls in the a11y tree.

Fix

In `components/TheTopBar.vue`, hide the header hamburger while the drawer is open (`v-show="!isOpen"`). The teleported overlay ✕ remains the single “Close menu” control (header sits under the full-screen overlay anyway).

Verification

Reviewers



Copilot Lite



Assignees

No one assigned

Labels

None yet

Projects

None yet

Milestone

No milestone


Development

Successfully merging this pull request may close these issues.

🔄 **Mobile menu exposes two “Close menu” buttons**

3 participants

AFTER · single overlay Close menu



Files changed · TheTopBar.vue

Open

fix: single Close menu control on mobile drawer #623



Changes from all commits

File filter

Conversations



Filter changed files

components

TheTopBar.vue

tests

mobile-navigation.spec.ts

13 components/TheTopBar.vue

@@ -39,24 +39,21 @@ watch(() => route.fullPath, () => {

39 39 <TopBarSocial />

40 40 </div>

41 41

42 + <!-- Hide the header toggle while open so only the overlay x is

43 + exposed as "Close menu" (avoids duplicate ally dismiss controls). -->

44 44 <button

45 + v-show="!isOpen"

43 46 class="block lg:hidden"

44 - :aria-label="isOpen ? 'Close menu' : 'Open menu'"

47 + aria-label="Open menu"

45 48 :aria-expanded="isOpen"

Comment on lines 44 to 48



Copilot AI 30m ago

Medium



Hiding the currently-focused toggle button with `v-show="!isOpen"` can cause keyboard focus to be dropped (focused element becomes `display:none`) when the menu opens, which is a regression for keyboard/screen-reader users unless focus is explicitly moved into the opened drawer (e.g., to the overlay "Close menu" button or first nav link). Consider adding focus management on open (e.g., after `isOpen` becomes true, move focus to the overlay close button).



Copilot uses AI. Check for mistakes.

46 49 type="button"

47 50 @click="toggle"

48 51 >

49 - <ul v-if="isOpen" class="hamburger text-white">

52 + <ul class="hamburger text-white">

50 53 <li class="bg-white" />

51 54 <li class="bg-white" />

52 55 <li class="bg-white" />

53 56

54 - <span

55 - v-else

56 - class="text-white text-2xl"

57 - >

58 - x

59 -

Regression · mobile-navigation.spec.ts

Open

fix: single Close menu control on mobile drawer #623



Changes from all commits

File filter

Conversations



Filter changed files

components

TheTopBar.vue

tests

mobile-navigation.spec.ts

tests/mobile-navigation.spec.ts

```
26 - // hamburger also switches to close menu when open, so scope to the nav
27 - const overlayClose = page.getByRole('button', { name: 'Close menu' }).filter({ hasText: 'x' });
26 + // While open, only the overlay x is labeled "Close menu" (header toggle is hidden).
27 + const overlayClose = page.getByRole('button', { name: 'Close menu' });
28 28 await expect(async () => {
29 29   await hamburgerButton.click();
30 30   await expect(overlayClose).toBeVisible({ timeout: 2000 });
31 31   }).toPass({ timeout: 15000 });
32 32 });
33 33
34 34 await test.step('Close menu using the close button', async () => {
35 -   const closeButton = page.getByRole('button', { name: 'Close menu' }).filter({ hasText: 'x' });
35 +   const closeButton = page.getByRole('button', { name: 'Close menu' });
36 36   await closeButton.click();
37 37   await expect(page.getByRole('navigation')).not.toBeVisible();
38 38   await expect(hamburgerButton).toHaveAccessibleName('Open menu');
39 39 });
40 40 });
41 41
42 + test('Mobile Navigation - Only one Close menu control while open', async ({ page }) => {
43 +   const hamburgerButton = getHamburgerButton(page);
44 +   const closeButton = page.getByRole('button', { name: 'Close menu' });
45 +
46 +   await test.step('Open menu', async () => {
47 +     await expect(async () => {
48 +       await hamburgerButton.click();
49 +       await expect(closeButtons).toBeVisible({ timeout: 2000 });
50 +     }).toPass({ timeout: 15000 });
51 +   });
52 +
53 +   await test.step('Exactly one Close menu button in the a11y tree', async () => {
54 +     await expect(closeButtons).toHaveCount(1);
55 +     await expect(closeButtons).toHaveText('x');
56 +     // Header open toggle is hidden while the drawer is open
57 +     await expect(page.getByRole('button', { name: 'Open menu' })).toHaveCount(0);
58 +   });
59 + });
60 +
61 // Mobile navigation menu is not rendering the navigation element properly after clicking hamburger
62 test.fixme('Mobile Navigation - Menu reveals navigation links', async ({ page }) => {
63   await test.step('Open mobile menu', async () => {
```


Still a human gate

Agents prepare the PR. **You still merge.**

Check the repro, the before and after, the diff, the test. Trust the **loop**, not a black-box agent.

HUNT

Candidates + evidence

FIX

Reviewable PR body

HUMAN

Merge or bounce

Human review · a11y

☰

New Chat ▾

🦊 goose

✅ The fix is correct for the reported bug

The change (`components/TheTopBar.vue`): hide the header hamburger with `v-show="!isOpen"` while the drawer is open, leaving the teleported overlay's X as the single `aria-label="Close menu"` control.

Why it's sound:

- `v-show` applies `display: none`, which removes the button from the **a11y tree entirely** — not just visually. This is the right tool for the job.
- The header (`z=50`) sits under the full-screen overlay (`z=9999`, `fixed inset=0`) anyway, so hiding it has zero visual impact.
- Making `aria-label="Open menu"` static is safe — the button is only visible when the menu is closed. Keeping `:aria-expanded` bound is harmless.
- Removing the dead `<span>X</span>` branch is good cleanup.

Verified live on the deploy preview — after opening the menu: `Close menu` buttons: 1, `Open menu` buttons: 0 ✓

Tests: the new regression test (`toHaveCount(1)`) + asserts the header toggle is gone from the tree is well-written, and simplifying the existing test's `.filter({ hasText: 'x' })` is now valid. All CI checks pass (4× Playwright shards, Netlify preview, etc.).

⚠️ But it introduces a keyboard a11y regression

Copilot's review flagged this, and I confirmed it on the deploy preview:

- Before:** pressing Enter on the hamburger kept focus on the toggle (relabeled "Close menu") — keyboard users could immediately dismiss.
- Now:** the focused button becomes `display: none`, so **focus drops to `document.body`**. Since the overlay is teleported to the *end* of `<body>`, I tabbed 30 times and **never reached the X** — the user must tab through the entire page first.

Slightly ironic: an a11y fix that makes things worse for keyboard users — arguably worse than the original duplicate button.

Suggested fix (small):

```
watch(isOpen, async (open) => {
  await nextTick()
  if (open) closeBtnRef.value?.focus() // into the overlay x
  else hamburgerRef.value?.focus()    // restore on close
})
```

⌘↑/⌘↓ to navigate messages

🖼️ moonshotai/kimi-k3 📁 workspace

🗣️ 0.34 🔴 28k / 1M ⚙️ 7 ⚙️ 🗑️ 📄 📌 ⬆️

Review · PR fix still needs eyes

fix: single Close menu control on mobile drawer debbie.codes

> _ [] ⊕ ⋮

Review: [PR #623 — fix: single Close menu control on mobile drawer](#)

The core idea is right — hiding the header hamburger while the drawer is open is a reasonable way to leave a single “Close menu” control — but the implementation introduces two real regressions and one piece of dead code:

- Focus loss on open (correctness, confirmed):** [TheTopBar.vue:45](#) hides the button a keyboard user just activated via `v-show`, and nothing moves focus into the drawer — so keyboard/screen-reader users lose their focus position every time they open the menu. Pre-PR, the same physical button stayed in place, so this is a new regression, and arguably worse than the bug being fixed.
- Duplicate controls reappear during close (correctness, confirmed):** the header button's `v-show` toggles back instantly, but the overlay's close button is wrapped in a 250ms `<Transition>` and stays mounted/interactive the whole time — so for that window, two menu controls exist simultaneously, reproducing the class of bug this PR claims to eliminate, just on the closing edge instead of the open state. The new test doesn't cover this window.
- Dead `aria-expanded` binding (confirmed):** now that the button is only ever visible when closed, `aria-expanded` can never be observed as `true` by assistive tech — worth removing or documenting as intentionally moot.
- Altitude concern:** the header toggle and overlay close button are two separate elements kept mutually exclusive by hand (`v-show` vs `v-if + Transition`) rather than one coordinated control — which is exactly how #2 above slips in, and makes it easy for a future edit to reintroduce the original bug.

I also checked a “weakened test assertion” theory (that the now-static `aria-label` makes `toHaveAccessibleName('Open menu')` a no-op check) but that was refuted — the `v-show` binding keeps the locator behaviorally coupled to `isOpen`, so the test still catches a real failure to close.

Recommend adding a `nextTick + .focus()` (or a small focus-trap) to move focus into the drawer on open and back to the hamburger on close, and either removing the leave-transition delay mismatch or gating the header button's reappearance on the overlay's `@after-leave` hook instead of `isOpen` directly.

Tip: For a deeper cloud-based review, try /ultrareview next time — 3 free reviews left.

▼

add a regression test for the overflow fix ↻

Auto + 🔍 ▼

Sonnet 5 High 🔄

Four things to steal

01

Split hunt from fix

Two skills. Two jobs. Compose them.

02

Gate on honesty

Classify. Add confidence. Minor stays a candidate.

03

Reproduce before code

Honest before shots. No repro, no PR.

04

Trust the loop

You merge. Leave a regression test.

Thank you.

Bug report in. Pull request out.

Reproduce before you fix. Let honesty gates say no.

Debbie O'Brien

Independent Developer Educator · debbie.codes

debbie.codes

[blog post](#)

[github / debs-obrien](#)

github.com/debs-obrien/decks · ZurichJS deck source