Solver.ca: high-severity bugs

Found by 100 automated testers on private copies of the CRM (fake leads, fake email/text/Monday). All **416** bugs they found were worked through: **330 fixed**, 77 already covered by another fix, 9 left for your decision (last page). This report covers the **59** high-severity ones: **58 fixed and live**, 1 kept on purpose. Every fix was re-checked on a private copy; all test suites pass (99 server, 43 screen, 30/30 smoke across users, themes and phone).

#	Status	Bug	Area
1	Fixed	Groups added in Solver on a Monday write-back board are never created in Monday, but moving leads into them sends a non-existent group id to Monday	Groups
2	Fixed	Bulk actions act on selected rows hidden by search: the bar says '1 Lead selected' with no visible row checked, and Delete removes the hidden lead	Bulk actions bar
3	Fixed	Timeline on phones opens with every bar off-screen, and 'Today' does not scroll to today	Timeline view and Workload view
4	Fixed	View options popover runs off the right edge; at laptop width the Measure picker and 'Save as view' can't be reached	Chart view
5	Fixed	Leads moved OUT of Junk/Unqualified get mass-emailed; the 'was in Junk/Unqualified before' block only works when the move into Junk happened inside Solver	Mass email (blast) as jerico on Jerico Leads
6	Fixed	Two identical blasts started at the same time both go out: every lead gets the same text twice	Mass text (blast) as admin on Mariel Leads
7	Fixed	A comma used as the decimal point (French-Canadian '250,50') turns into an amount 100x too large: $25,050.00 sent to Stripe	Stripe 'Request payment' from a lead and the Connect apps pa
8	Fixed	No NEW CLIENT banner when a rep moves a lead to Signed and the server copies it to Clients	NEW CLIENT banner
9	Fixed	Jerico's Signed leads never reach Clients: on a write-back board the browser skips the copy and leaves it to Monday, but Clients is a Solver-only board	Signed → Clients automation
10	Fixed	Admin moving a lead to Signed copies it into Clients again every time (no dedupe on the admin/browser path), including leads a rep already sent	Signed → Clients automation
11	Fixed	Undo (toast Undo button or Ctrl+Z) reverts the lead in Solver.ca but never writes the revert to Monday, so Monday and Solver.ca stop matching	Monday write-back on Jerico Leads (fake Monday in outbox.log
12	Fixed	Sign-ups, pitches and junk done in Solver are never counted: the rep cards stay at 0 while the lead really moved	Admin home page stats (#admin-stats)
13	Fixed	Lead sources panel ignores the boards' 'Campaign' / 'Ad Set' / 'Ad' columns, so every lead is counted as '(no ad info)' and all three tabs show the same single row	Lead sources stats panel
14	Fixed	Demoting a member to Viewer or Guest does not stop them sending email as the rep (Team role change leaves send rights in place)	Team & users (admin)
15	Fixed	A rep can write leads into boards they can't see (Admin Tasks, another rep's leads board) by adding their own copy_to_board automation	Security
16	Fixed	Members can post updates as another person (e.g. 'Brandon Admin') and edit or delete other people's updates by PATCHing the whole updates array; the forged text is written back to Monday under the admin's name	Security
17	Fixed	Live update stream (/api/events) keeps sending board data to a session after logout or after an admin resets the password	Login page and logout
18	Fixed	2FA QR code is drawn inverted (white modules on black) in the Light and Beige themes, so standard scanners can't read it	2FA / Security modal
19	Fixed	A board a rep makes with '+ New board' moves to 'Main workspace' after a refresh	Sidebar

#	Status	Bug	Area
20	Fixed	Boards a rep makes are visible to the other rep and to everyone: Mariel sees a 'Jerico CRM' workspace and Jerico's new boards	Sidebar
21	Fixed	A CSV/Excel import makes a full-screen NEW LEAD banner for every imported row, for everyone who can see the board	Import
22	Fixed	Board activity is empty for a rep on an 'assigned items only' board when the newest 320+ changes are on items they can't see, even though they have visible history	Activity button on board header
23	Fixed	Undo from Board activity on a Monday write-back board doesn't write the reverted value back to Monday	Activity button on board header
24	Fixed	Ctrl+Z right after deleting an item reverts an older edit on a different item instead of restoring the deleted one	Item deletion/archive/duplicate/move to another board from t
25	Fixed	Renaming the 'Debt Amount' column silently breaks the Monthly formula: every row shows 0	Formula column ({Debt Amount}/60 'Monthly')
26	Fixed	Choosing a label created in Solver on a Monday write-back board clears that item's status in Monday	Status column label editing
27	Fixed	Typing one date saves after every digit: 8 server writes, 8 Monday write-backs and 8 History entries, including junk dates like 0002-12-25	Date column
28	Fixed	Phone write-back to Monday corrupts or erases numbers: extensions are glued onto the number, non-numeric text wipes the phone, and international numbers are tagged as Canada	Phone & email columns
29	Fixed	Esc on the Sequences window over an item drawer closes the drawer too, and Tab cannot reach the Sequences window	Keyboard & accessibility
30	Fixed	Status (and other) popovers cannot be reached by keyboard: from the drawer it is impossible, and in the table it takes about 258 Tabs	Keyboard & accessibility
31	Fixed	'Post update' click is swallowed when another user changes the lead while you are typing a note (the note is not posted)	Concurrent users
32	Fixed	Form answers are silently thrown away when the visitor's device clock is ahead of the server; the visitor still sees 'Thanks! We got your answers.'	Forms (form.html / lead forms / hooks)
33	Kept by design	A guest with no sending address can email and mass-text leads as the board's rep	Guest user end-to-end
34	Fixed	A guest shared on boards in two different workspaces sees only one of them in the rail, home and the mobile Boards sheet	Guest user end-to-end
35	Fixed	After being re-added to a board without a reload, Bao sees stale items: changes made while he had no access never show up	Bao (member without own board)
36	Fixed	Editing subject/body after 'Check who gets it' jumps the caret to the end of the field, so mid-text edits are scrambled	Blast modal UI detail
37	Fixed	A text (SMS) reply does not stop an email sequence. The lead keeps getting every remaining step.	Sequences engine rules
38	Fixed	A paused sequence with 25 or more due enrolments stops every other active sequence from sending	Sequences engine rules
39	Fixed	Pitches / Signed / Junked / Callbacks counters ignore lead moves made in Solver and stay at 0	Stats correctness deep-dive
40	Fixed	The NEW CLIENT banner never shows when a signed lead is copied to Clients	Clients board as admin
41	Fixed	A Clients sequence with 'Sent from' left empty (as the UI suggests) silently stops every client with 'no sending address'	Clients board as admin

#	Status	Bug	Area
42	Fixed	Timeline bars are invisible for items that have a Due date but no Status (transparent bar)	Admin Tasks board (m444) basic board with Owner/Due
43	Fixed	Sequences on Team Pipeline never send: a lead a rep enrolls is stopped with 'no sending address for this board' and can never be re-added	Team Pipeline (m333, open board) as rep
44	Fixed	Server validation error (400) is shown as 'Your access to this board is view-only.' and makes the whole board read-only for the session	Toasts and error messages
45	Fixed	Rep card Pitches stays 0 when leads are moved to Pitched in Solver, while Pitch rate goes up (numbers contradict each other)	Pixel audit C — Home page + stats at 1440 in grey & maroon t
46	Fixed	Double-click on '+ New item' (or the phone '+' FAB) creates two 'New lead' items	Loading states audit
47	Fixed	The banner on every page says nothing goes back to Monday and nothing texts or emails anyone, but the app does all of these	Copy/wording audit
48	Fixed	Moving a row up or down inside its group does nothing, and a row dropped on a row in another group lands in the wrong place	Drag & drop everywhere
49	Fixed	Canadian-French amount '1 234,56' is silently saved as 123,456 (100x too high), with no warning	Number/currency formatting
50	Fixed	Home 'Due today' / 'Overdue' follow-up counts and mascot toast use the UTC day, so every evening in Canada today's follow-ups are counted overdue and tomorrow's are shown as due today	Time & date edge cases
51	Fixed	Admin stats 'New leads today / this week' bucket leads by the UTC date of createdAt, so evening leads count toward the next day, and Sunday-evening leads count toward the next week	Time & date edge cases
52	Fixed	Lead link drops new leads as 'duplicates' when the phone field is a placeholder like N/A, none or -	Duplicate detection/merge expectations
53	Fixed	The same blast can be started twice (two tabs or two quick API calls), so every lead gets the email/text twice; this also gets members past the 50-lead cap	Rate limits & big blasts
54	Fixed	Signed lead never reaches Clients if the server restarts between the move and the copy, and its activity says it was copied	Server restart resilience
55	Fixed	Sequence step email is sent twice when the server restarts while the send is in flight	Server restart resilience
56	Fixed	Mass-email blast sends a duplicate email to the lead in flight when the server restarts; the blast counts it once	Server restart resilience
57	Fixed	Lead value changes and notes are silently dropped from Monday write-back when Monday is unreachable (e.g. right after a restart)	Server restart resilience
58	Fixed	After a live pull, a rep's own note on a write-back board is reassigned to the Monday token owner and gets the '— Name (in Solver.ca)' signature added to its text	Monday copy (pull) logic review
59	Fixed	Lead copied to Clients by the 'Signed → Clients' automation fires no item.created webhook (and move_board fires no item.deleted/item.created)	Discord/webhook posts and integrations.js hooks

1. Groups added in Solver on a Monday write-back board are never created in Monday, but moving leads into them sends a non-existent group id to Monday

FIXED · LIVE · Groups


Where: Board m111 Jerico Leads (write-back ON), main table, '+ Add group' then bulk 'Move to group' or row drag; desktop 1440x900, dark theme, user jerico (also admin)

What should happen: Either the group is created in Monday first (create_group) and its Monday id is used, or Solver stops or warns about moving write-back leads into a group that exists only in Solver.

What happened: outbox.log has `move_item_to_group(item_id: "9008", group_id: "gow59jwkb")`, where gow59jwkb is the Solver-only random id and was never created in Monday. A drag onto the new group's header does the same (second repro: item 9005 → group_id "gkfasdp6v"). Real Monday would reject this, so Solver and Monday quietly drift apart. The UI shows success ('Moved 1 items to Local Only').

Fix: Added POST /api/monday-out/group to mondaywrite.js (inside handle(); needs canWrite plus mustSee; it runs create_group, or update_group for a rename, and returns Monday's id; it does nothing unless write-back is on for that board). In index.html the 'add-group' case now creates the group in Monday first on write-back boards and uses Monday's id. If Monday fails, it shows a toast and no Solver-only group is made. Group renames on write-back boards are also sent to Monday. Note: the stock harness stub returns no create_group id, so on m111 adding a group now shows 'Monday didn't create the group'.

Steps to reproduce: 1. Fresh harness. Log in as jerico, SolverOpen('m111'). 2. Scroll to the bottom and click '+ Add group', type 'Local Only', press Enter. outbox.log gets no create_group (or any) Monday call. 3. Tick the checkbox of the first lead in 'Pitched' (e.g. item 9008), then choose 'Local Only' in the bulk bar's 'Move to group'. 4. Read outbox.log.



2. Bulk actions act on selected rows hidden by search: the bar says '1 Lead selected' with no visible row checked, and Delete removes the hidden lead

FIXED · LIVE · Bulk actions bar


Where: Main table bulk bar + board Search box; desktop 1440x900, dark theme, admin (any user who can write)

What should happen: Filtering should drop hidden rows from the selection, or the bar should count and act only on visible rows, or at least warn that hidden items are included, as Monday does.

What happened: The hidden lead is deleted without being shown. The toast says 'Deleted 1 items'. The same happens with bulk Status, Move to group and Duplicate, because each acts on S.selected, which still holds hidden ids. Reproduced 2 times: O'Brien deleted while searching 'Jordan', and 'Peyton (copy)' deleted while searching 'zzzz-nomatch', which went from 14 to 13 items.

Fix: index.html: new pruneSel() drops selected ids that visibleItems() no longer shows. It runs before the bulk bar renders in renderLayer and in the search input handler, so the bar's count and every bulk action (delete, status, move, duplicate, blast) only use visible rows.

Steps to reproduce: 1. Log in as admin and open m333 Team Pipeline (SolverOpen('m333')).
2. Tick the row checkbox of any lead, e.g. O'Brien.
3. Type 'Jordan' (or 'zzzz') in the board Search box so that O'Brien is no longer shown.
4. The bulk bar still reads '1 Lead selected', but no visible row is ticked.
5. Click Delete in the bulk bar, then click 'Click again: delete 1'.
6. Clear the search.



3. Timeline on phones opens with every bar off-screen, and 'Today' does not scroll to today

FIXED · LIVE · Timeline view and Workload view


Where: Board > Timeline tab, iPhone 15 (393px) and Pixel 7 (412px), any theme, any role

What should happen: The timeline opens scrolled so today's line and the current bars are visible. 'Today' brings today's line into view.

What happened: The range always starts 7 weeks back (Sep 25). The today line sits at x=573px inside a track that shows only about 220px. The panel opens with scrollLeft 0 and 0 of 12 bars visible (0 of 25 on m222 on Pixel 7), so the user sees an empty grid. 'Today' only resets the date offset and sets scrollLeft back to 0, so it still shows none of the bars. Measured: iPhone {visibleBars:0,total:12,todayLeft:573,panelW:353}; Pixel {visible:0,bars:25,todayLeft:573,panelW:372}.

Fix: solver/public/views.js renderTimeline: after render, #vx-tl is scrolled so today+offset is centred in the visible track. The scroll position is kept on re-renders of the same range, and the tl-nav case sets tlJump so 'Today' and the arrow buttons always jump there. On iPhone 15, 12 of 12 bars are now visible on open and after tapping Today.

Steps to reproduce: 1. On a fresh harness, log in as jerico on an iPhone 15 viewport.
2. SolverOpen('m333') and tap the Timeline tab (12 items, all dated Nov 9-17).
3. Look at the timeline panel.
4. Swipe the timeline sideways, then tap 'Today'.



4. View options popover runs off the right edge; at laptop width the Measure picker and 'Save as view' can't be reached

FIXED · LIVE · Chart view


Where: Board > Chart tab > 'View options' popover; laptop 1280x720 and desktop 1440x900; dark theme; admin

What should happen: The whole popover (type buttons, Group by, Measure, Save as view) stays inside the viewport, wrapping onto a second row when needed.

What happened: The popover row (.vx-optrow) runs from x=663 to x=1414. At 1280 wide the 'Count items' Measure select (x 1234 to 1393) is cut to 'Cour' and 'Save as view' (x 1401 to 1514) is completely off-screen. The page has no horizontal scroll (scrollWidth equals the viewport), so a user can't reach either control. At 1440 'Save as view' shows only as 'Sav'. Choosing Stacked makes the row wrap, which is why it looks fine in that mode.

Fix: solver/public/views.js: added fitOpts(), which slides .vx-optrow left when it would pass the window's right edge. It runs on the toggle event and after head() re-renders an open panel. At 1280 and 1440 the panel's right edge is now innerWidth-12 on Chart, Timeline and Workload.

Steps to reproduce: 1. Log in as admin, SolverOpen('m333'), viewport 1280x720.
2. Click the 'Chart' tab.
3. Click 'View options' (leave the type on Bar, Pie or Line).
4. Look at the right end of the popover row.



5. Leads moved OUT of Junk/Unqualified get mass-emailed; the 'was in Junk/Unqualified before' block only works when the move into Junk happened inside Solver

FIXED · LIVE · Mass email (blast) as jerico on Jerico Leads


Where: Mass email modal and /api/blast/start, Jerico Leads (m111), desktop 1440x900, dark theme, user jerico (member)

What should happen: The blast.js header says leads 'Junk/Unqualified now or before' are never messaged, so Reese and Jamie should be skipped like Casey, with 'This lead was in Junk/Unqualified before'.

What happened: The preview says '2 will get it' and only Casey is skipped. outbox.log gets 'Unjunk Reese' to reese.example@example.com and 'Unjunk Jamie' to jamie.trial@example.com. Same result a second time with Hayden (9040): moved to New Uncontacted, preview count 1, skipped [].

Fix: server.js: new markWasJunk() sets a sticky item.wasJunk when an item leaves a Junk/Unqualified group and carries it forward. It runs on every item save in /api/doc and in the Monday-sync saveItem. email.js blockedReason now also blocks item.wasJunk ('was in Junk/Unqualified before').

Steps to reproduce: 1. Fresh harness, log in as jerico, open Jerico Leads. 2. Tick 'Reese Example' (9035) and 'Jamie Trial' (9030), both seeded in Junk/Unqualified. 3. In the bulk bar choose Move to group, then Callbacks. The activity now reads only: Moved to “Callbacks”. 4. With those two still ticked, plus Casey Placeholder (9027), which was moved into Junk inside Solver earlier, click Mass email. Subject 'Unjunk {first name}', body 'Hi {first name}'. Click Check who gets it, then Send to 2 leads. 5. Read outbox.log.



6. Two identical blasts started at the same time both go out: every lead gets the same text twice

FIXED · LIVE · Mass text (blast) as admin on Mariel Leads

Where: POST /api/blast/start (blast.js:139-156), Mass text on Mariel Leads, admin role, any viewport

What should happen: The second identical blast to the same leads is refused (or deduped), or each lead is texted at most once for the same message in a short window.

What happened: Both requests return 200 with different blast ids (e.g. bl_3bW2gJIaxgEl and bl_NPxaUJUE9fPQ). outbox.log has 4 texts: +14035551041 'QA double Logan Reply STOP to opt out.' twice and +14035551043 'QA double Dakota ...' twice. There is no check across blasts at all: lead 9041 got 9 mass texts within about 4 minutes during this session.

Fix: blast.js: plan() now takes the message and skips any address that was sent, or is queued in a running blast, the same channel/board/body (and subject for email) in the last 24h ('Already got this same message in the last day'). The check and insert run synchronously, so of two simultaneous starts the second gets a 400 and each lead is texted once.

Steps to reproduce: 1. Start a fresh harness. 2. As admin (cookie ks_session=<admin>), send two requests at the same time, e.g. with Promise.all: POST /api/blast/start with header X-Solver:1 and body {"channel":"text","board":"m222","items":["9041","9043"],"text":"QA {first name}"}. In the UI the same thing happens with two tabs open on Mariel Leads, both previewed, Send clicked in each. 3. Wait about 10s and grep '"kind":"text"' in outbox.log.

7. A comma used as the decimal point (French-Canadian '250,50') turns into an amount 100x too large: $25,050.00 sent to Stripe

FIXED · LIVE · Stripe 'Request payment' from a lead and the Connect apps pa


Where: Lead drawer > ■ Request payment modal > Amount field (server: /api/pay/request). Desktop 1440x900, dark theme, admin; also reproduced through the API as mariel on m222

What should happen: Either $250.50, or a validation error asking for a dot as the decimal point. Canada uses a comma decimal in French, and the field uses inputmode=decimal, which shows ',' on fr-CA keyboards.

What happened: The link is created for $25,050.00. outbox.log shows POST https://api.stripe.com/v1/prices with unit_amount=2505000. '99,99' becomes $9,999.00. There is no confirmation step, so the client would be billed 100x. The server strips every comma as a thousands separator (apps.js replace(/[$,\s]/g,'')).

Fix: solver/apps.js /api/pay/request now uses a strict money parser: '250,50' (1-2 digits after a comma) is read as a decimal comma, giving $250.50; '1,250.00' is read as thousands; anything else is refused.

Steps to reproduce: 1. As admin, connect Stripe (Connect apps > Stripe > paste sk_test_abcdefghijklmnop > Connect).
2. Open board m111 (Jerico Leads), open lead Drew (9008), click ■ Request payment.
3. Amount: 250,50. For: Retainer. Click Make payment link.
4. Look at the Payment requests list and at outbox.log.



8. No NEW CLIENT banner when a rep moves a lead to Signed and the server copies it to Clients

FIXED · LIVE · NEW CLIENT banner


Where: Admin (Brandon), any page, desktop 1440x900, dark theme. Trigger: a rep (Mariel) on m222 Mariel Leads. Copy rule 'Signed → Clients' (copy_to_board mcl).

What should happen: Admin gets the green 'NEW CLIENT ■' banner for the new Clients item (Logan, phone/email, 'Just signed · on Clients'). /api/leads/new returns it with kind 'client'.

What happened: /api/leads/new returns {"leads":[]} and no banner appears. The lead_arrivals table has no rows. Seen for Logan 9041 and Drew 9056. The copy is made in /api/rules/crossboard, which calls hooks.itemSaved (sequences) but never hooks.newItem / newleads.noteItem. Admin's own browser-side copy through /api/doc (Casey 9051) makes no banner row either. Inside Solver, only the Monday sync and integrations saveItem paths create arrivals, so a rep's Signed lead never produces a NEW CLIENT banner.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Start a fresh harness and log in as mariel. 2. SolverOpen('m222'). Tick the row checkbox of any lead in 'New Uncontacted' (e.g. Logan, id 9041). In the bulk bar 'Move to group…' select, choose 'Signed'. 3. The toast says it was sent to Clients. Check that the item is now on board mcl with copiedFrom 'm222/9041' and createdAt = now. 4. As admin, GET /api/leads/new, or open the app on Home and wait 20 s or more.



9. Jerico's Signed leads never reach Clients: on a write-back board the browser skips the copy and leaves it to Monday, but Clients is a Solver-only board

FIXED · LIVE · Signed → Clients automation


Where: Jerico Leads (m111) main table, Signed group / Clients board (mcl). Desktop 1440x900, dark theme, user jerico (rep)

What should happen: The rule 'Signed → Clients' copies the lead into Clients > New Clients exactly once, with its values mapped, the same as it does on Mariel's board m222.

What happened: Nothing lands in Clients: the item count stays at 6 and no item has copiedFrom 'm111/…'. The lead's activity and a toast say: '"Signed → Clients": Monday does this (changes on this board are written to Monday)'. outbox.log shows only a Monday move_item_to_group mutation. The skip happens whenever S.writeback has the source board, even though the target board mcl is source:'solver' with no mondayId. Monday's automation can never write into it, so a write-back rep's signed clients never reach Solver's Clients board.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Fresh harness. As jerico, open board m111 (SolverOpen('m111')).
2. Tick the checkbox of any lead in Callbacks (e.g. item 9002 'Morgan').
3. In the bulk bar, pick 'Signed' from 'Move to group…'.
4. As admin, GET /api/col?path=boards/mcl/items (or open Clients).



10. Admin moving a lead to Signed copies it into Clients again every time (no dedupe on the admin/browser path), including leads a rep already sent

FIXED · LIVE · Signed → Clients automation


Where: Mariel Leads (m222) → Clients (mcl). Desktop 1440x900, dark theme, user admin

What should happen: One Clients row per lead, as on the server path for reps, which answers 'Already on that board.'

What happened: Every admin re-entry into Signed adds another Clients item: 'Copied to Clients' each time. The copies the admin's browser writes carry no copiedFrom field, so the server dedupe can't see them either. A rep re-signing a lead the admin first copied would duplicate it too. Seen in both runs: Dakota and Peyton doubled in run 1, Jordan and Zoë doubled in run 2.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Fresh harness. As admin, open m222.
2. Tick a lead in Pitched (e.g. 9043 'Dakota'). Bulk 'Move to group…' → Signed. Clients now has 1 Dakota.
3. Untick it, tick it again, move it to Callbacks, then back to Signed.
4. Open Clients: there are 2 'Dakota' rows with identical values.
5. Variant: as mariel, move lead 9042 'Peyton' to Signed (server copy, 1 row in Clients). Then as admin, move 9042 to Pitched and back to Signed. Clients now has 2 'Peyton' rows.



11. Undo (toast Undo button or Ctrl+Z) reverts the lead in Solver.ca but never writes the revert to Monday, so Monday and Solver.ca stop matching

FIXED · LIVE · Monday write-back on Jerico Leads (fake Monday in outbox.log


Where: Jerico Leads (m111) main table, toast 'Undo' after bulk move or bulk status change, and Ctrl+Z after a cell edit. Desktop 1440x900, dark theme, user jerico (rep)

What should happen: An undo on a write-back board writes the restored values or group to Monday, the same way the original change was written.

What happened: Nothing is queued in monday_out and nothing is sent. Monday keeps the undone value, and the n8n flows and Monday automations that run off Monday are now out of step with what the rep sees.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Fresh harness. Log in as jerico and open the board with SolverOpen('m111').
2. Tick the row checkboxes for Morgan (9026) and Quinn (9031) and pick 'Callbacks' in the bulk 'Move to group' select. outbox.log gets 2 monday move_item_to_group calls (g:'cb').
3. Click 'Undo' in the toast. The items go back to 'New Uncontacted' in Solver.ca (GET /api/doc?path=boards/m111/items/9026 shows group new_group70406__1, activity 'Undid a change to Group').
4. Check outbox.log: no new monday call. Monday still has both items in Callbacks.
The same happens with a bulk Status change to 'Not interested' on Hayden (9016) and Lee (9021) followed by Undo (Solver.ca goes back to 0 and 1, Monday keeps index 3). It also happens with an inline Follow-Up Date edit on Rowan (9036) to 2027-03-03 followed by Ctrl+Z (Solver.ca goes back to 2026-11-11, Monday keeps 2027-03-03).



12. Sign-ups, pitches and junk done in Solver are never counted: the rep cards stay at 0 while the lead really moved

FIXED · LIVE · Admin home page stats (#admin-stats)


Where: Admin home > Team this week > Mariel card (Signed, Pitches, Junked bubbles) and the top 'Sign-ups today' / 'Pitches today' tiles; any viewport, any theme; admin

What should happen: Mariel shows Signed 1 today / 1 this week, Pitches 1, Junked 1, and the top tiles go up to match.

What happened: Mariel stays at signedToday 0, pitchesToday 0, junkWeek 0. Her Uncontacted count did drop (5 to 2) and her Pitch rate rose (62% to 69%, then 77% after a second round), so the same card shows 'Pitches 0 this week' next to 'Pitch rate 77%'. Second round (9056 to Signed, 9061 to Pitched): still all 0.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Fresh harness, log in as admin. 2. SolverOpen('m222'), select item 9041 (in New Uncontacted) and use bulk-move to 'Signed'. The Signed -> Clients rule fires, so the move really happened. Move 9046 to Pitched and 9051 to Junk/Unqualified the same way. 3. Go Home and click Refresh on 'Team this week' (or GET /api/stats/admin?fresh=1).



13. Lead sources panel ignores the boards' 'Campaign' / 'Ad Set' / 'Ad' columns, so every lead is counted as '(no ad info)' and all three tabs show the same single row

FIXED · LIVE · Lead sources stats panel


Where: Admin home > 'Which leads perform best' card, all tabs, every viewport and theme, admin user

What should happen: Rows per campaign / ad set / ad that use the values the leads hold. m111 and m222 leads all have Campaign (Consumer Proposal / Retarget / Debt Relief Q4), Ad Set (ON Broad / Lookalike 1% / AB 25-55) and Ad (Carousel B / Static C / UGC D / Video A) filled in.

What happened: Every tab shows exactly one row: '■ (no ad info) - Jerico, Mariel - 65 leads - 20% / 60% / 20% - 13 signed'. The API returns only the three '(no ad info)' sources. When I renamed m111's columns to 'Campaign Name' / 'Ad Set Name' / 'Ad Name', Jerico's rows appeared, but Mariel's 25 leads (m222 still has 'Campaign'/'Ad Set'/'Ad') stayed under '(no ad info)'. Reproduced on the fresh data and again after seeding.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Start a fresh harness and sign in as admin (Brandon).
2. Go to Home and scroll to 'Which leads perform best'.
3. Click Campaign, then Ad set, then Ad.
(Or GET /api/stats/admin?fresh=1 as admin.)



14. Demoting a member to Viewer or Guest does not stop them sending email as the rep (Team role change leaves send rights in place)

FIXED · LIVE · Team & users (admin)

Where: Team modal role dropdown, then the /api/email/send endpoint; desktop 1440x900, dark theme; admin changes the role, the demoted user sends

What should happen: The legend says a Viewer 'changes nothing' and a Guest 'sees only shared boards, changes nothing', so a viewer or guest must not be able to send email or texts from the rep's address. The send should be refused (403), or demoting should clear email_from, and the admin should be able to see and clear the sending address.

What happened: 200 {ok:true}. An email from jerico.sender@debtsolver.ca to the lead is recorded in outbox.log, and a 'Email sent' update is written back to the fake Monday (create_update). Reproduced once as Viewer and once as Guest, giving 2 emails in outbox.log. /api/email/send never checks the role, and canSendRole treats anyone with an email_from as a sender.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. As admin open Team & settings, Manage Jerico Rep, set 'Sends email & texts as' to jerico.sender@debtsolver.ca (or leave the seeded jerico@debtsolver.test).
2. Change Jerico's role dropdown to Viewer (or Guest). The 'Sends email & texts as' field disappears from his Manage panel, so the admin can no longer clear it.
3. Signed in as jerico (role is now viewer: /api/me returns role 'viewer' and still 'sends': true), POST /api/email/send with headers X-Solver:1 and body {board:'m111', item:'9001', to:'taylor.tester@example.com', subject:'QA viewer test', text:'sent by a viewer'}.
4. Check outbox.log.

15. A rep can write leads into boards they can't see (Admin Tasks, another rep's leads board) by adding their own copy_to_board automation

FIXED · LIVE · Security

Where: API: PATCH /api/doc?path=boards/m111 (automations) + POST /api/rules/crossboard, user jerico (member). No UI viewport involved.

What should happen: Only admins can create rules that copy or move items into a board the member can't see, or /api/rules/crossboard (and the rule validation on board save) refuses targets the caller can't see (mustSee(user, target)). The admin-made Signed → Clients rule is the only intended exception.

What happened: Any member who can edit their own board can add a copy_to_board or move_board rule pointing at any board id, then trigger it to put arbitrary items (with any name and values) into admin-only or other reps' private boards. The server only checks that the rule exists on the source board (crossboard.js) and never checks that the caller can see the target. The server's reply also confirms the hidden board's name ('Admin Tasks', 'Mariel Leads').

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. As jerico (ks_session cookie, header X-Solver: 1), GET /api/doc?path=boards/m111 and copy data.automations.
2. PATCH /api/doc?path=boards/m111 with body {"automations":[...existing, {"id":"evilA","title":"Evil A","on":true,"trigger":"moved_group","group":"cb","conditions":[],"actions":[{"type":"copy_to_board","board":"m444"}]}]}. Result: 200 {ok:true}.
3. POST /api/rules/crossboard {"board":"m111","item":"9005","rule":"evilA","target":"m444","type":"copy_to_board"}. Result: 200 {"ok":true,"board":"Admin Tasks"}.
4. As admin, GET /api/col?path=boards/m444/items: a new item 'Avery' with copiedFrom m111/9005 is there. Jerico's own GET of m444 still returns 404.
5. Repeat with target m222 (Mariel Leads, item 9006): it is copied into Mariel's private board. With type 'move_board' the same path moves items instead of copying them.

16. Members can post updates as another person (e.g. 'Brandon Admin') and edit or delete other people's updates by PATCHing the whole updates array; the forged text is written back to Monday under the admin's name

FIXED · LIVE · Security


Where: API: PATCH or PUT /api/doc?path=boards/<bid>/items/<iid> as jerico, mariel or bao (members). Visible in the item drawer Updates tab (admin, desktop 1440x900, dark theme) and in the Monday write-back (outbox.log).

What should happen: The server stamps by/byName with the signed-in user on every new update, as it already does for $append (server.js:1121) and for guests (checkGuestEdit, server.js:1270-1277). Existing updates by other people can't be rewritten or removed by a plain PATCH or PUT.

What happened: For members, a full 'updates' array in PATCH or PUT is stored as sent. Any author id and name are accepted, existing updates can be edited or deleted, and the spoofed author name goes to Monday through the write-back. The audit trail of who said what on a lead can't be trusted.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. As jerico (header X-Solver: 1), GET /api/doc?path=boards/m111/items/9008.
2. PATCH /api/doc?path=boards/m111/items/9008 with {"updates":[{"id":"sp9008","at":"<now>","by":"<admin user id from GET /api/users>","byName":"Brandon Admin","text":"Approved - waive the fee for this client."}]}. Result: 200.
3. Sign in as admin and run SolverOpen('m111','9008'). The Updates tab shows 'Brandon Admin (you)' as the author of that text.
4. outbox.log has a Monday create_update for item 9008 ending in '— Brandon Admin (in Solver.ca)'.
5. Repeat on item 9003 (PATCH) and 9004 (PUT with the full item): same result. On shared Team Pipeline m333, mariel and bao can also replace the whole updates array, which wipes other people's notes.



17. Live update stream (/api/events) keeps sending board data to a session after logout or after an admin resets the password

FIXED · LIVE · Login page and logout

Where: Server, GET /api/events (server.js about line 760; refreshClients at line 299). Any role. Seen with mariel's session on the open Team Pipeline m333.

What should happen: When a session is deleted (logout, password reset), its open event streams close. An admin resetting a password to kick out a lost or stolen device actually cuts off that device.

What happened: The stream stays open (socket not destroyed) and gets the full item record: data: {"op":"set","col":"boards/m333/items","id":"9066","data":{"name":"Peyton SSEPROBE",..."ph":"4035551066","em":"peyton.sample@example.com","amt":"95618"...}}. This happened after logout and after the password reset. refreshClients only ends streams when an account is disabled. Streams are never checked against the session again, so a device that was signed out keeps getting live lead data (phone, email, amounts) until the TCP connection drops.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. On a fresh harness, sign in as mariel@test.local with POST /api/login and keep the ks_session cookie.
2. Open GET /api/events with that cookie and keep the connection open.
3. Either POST /api/logout with the same cookie, or as admin PATCH /api/users/<mariel id> {password:'Test-pass-123!'}. That resets her password and deletes her sessions.
4. GET /api/me with the old cookie returns 401 (the session is gone).
5. As admin, PATCH /api/doc?path=boards/m333/items/9066 {name:'Peyton SSEPROBE'}.
6. Read the still-open /api/events stream.

18. 2FA QR code is drawn inverted (white modules on black) in the Light and Beige themes, so standard scanners can't read it

FIXED · LIVE · 2FA / Security modal

Where: Profile > Security > Set up two-factor > the QR in step 1 ('.qr-box'). Light and Beige themes, on every viewport (desktop 1440x900 and Pixel 7 checked). Any user

What should happen: The QR is black on white with a white quiet zone in every theme, the same as in the dark theme, so Google Authenticator, Authy and 1Password can scan it.

What happened: theme.js puts filter: invert(1) hue-rotate(180deg) on the whole page for light/beige. The KEEP list (.home-hero, video, img, canvas#coins, ...) does not include .qr-box or its svg, so the QR's white background (#fff) turns black and its modules turn white. A decoder that does not try inversion cannot read it, and many authenticator apps do not try. Users on Light/Beige cannot scan the code and have to type the 32-character key by hand.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Start a fresh harness. Sign in as jerico (or any user) with localStorage ks-theme = 'light' (or 'beige').
2. Open the profile (bottom-left avatar 'rl-me', or the profile button on a phone), choose Security, then 'Set up two-factor'.
3. Look at the QR: it shows white modules on a black square, with a black quiet zone.
4. Screenshot '.qr-box' and decode it with jsQR using inversionAttempts:'dontInvert'. The result is null. With 'attemptBoth' it decodes the otpauth URI. In the dark theme the same QR decodes normally (black on white).



19. A board a rep makes with '+ New board' moves to 'Main workspace' after a refresh

FIXED · LIVE · Sidebar


Where: Desktop 1440x900, dark theme, sidebar '+ New board' input; user jerico (rep/member)

What should happen: The new board stays in the workspace it was made in (as it does for admin, and as it does for a rep using From template).

What happened: After a reload the board has no workspace (S.boards entry workspace=undefined) and shows under 'Other / Main workspace'. The page shows it in the current workspace only until the reload. The server strips 'workspace' from a non-admin board PUT (server.js ~1105, the admin-only key list includes 'workspace'), but createBoard (index.html:3505) sends it and shows the board there right away.

Fix: server.js /api/doc board PUT: when a non-admin creates a new board (PUT with no existing doc), the server now keeps the workspace it was sent ({id,name}, trimmed) instead of stripping it. Changing the workspace of an existing board is still admin-only.

Steps to reproduce: 1. Log in as jerico (fresh harness). The sidebar shows Workspace = Jerico CRM. 2. Type 'Jerico Private Notes' in '+ New board' and press Enter: it appears under Boards in Jerico CRM. 3. Reload the page. 4. The board is gone from Jerico CRM. The dropdown now shows a new 'Main workspace' option holding it, and the rail opens on Main workspace. Same result after switching to DebtSolvers and making 'QA Board Z' there.



20. Boards a rep makes are visible to the other rep and to everyone: Mariel sees a 'Jerico CRM' workspace and Jerico's new boards

FIXED · LIVE · Sidebar


Where: Sidebar workspace dropdown and board list; users jerico -> mariel (both reps), also bao

What should happen: A rep sees only their own workspace plus the open Team Pipeline. A board made inside a private workspace (Jerico CRM / Admin) should not show up for other reps by default, or at least should inherit the access of its workspace or template source.

What happened: New boards (both '+ New board' and 'From template') are saved with access=null, so every member sees them. Mariel's dropdown grows to Admin, DebtSolvers, Jerico CRM, Mariel CRM, Main workspace, and she can open and edit boards Jerico made in his workspace.

Fix: New workspaceAccess(user, ws) helper in server.js (after cleanAccess). A new board takes its workspace's access: open if any board there that its maker can see is open, otherwise private to those boards' members plus the maker, never guests. It is applied to new-board PUTs that don't set access and to features.js templates/use through a new ctx param. On a fresh harness, Jerico's new boards in Jerico CRM come out private to Jerico, the admin's in Admin come out admin-only, and Mariel and Bao no longer see them.

Steps to reproduce: 1. As jerico, open Jerico Leads > More > 'Save as template…', name it 'Lead Tpl', then Save. 2. In the sidebar click 'From template', Use 'Lead Tpl', name it 'From Tpl Board', then Create board (it is created in Jerico CRM). 3. Log in as mariel. 4. Open the Workspace dropdown: it now lists 'Jerico CRM' (and 'Main workspace' if jerico also used '+ New board'). Pick Jerico CRM: 'From Tpl Board' is listed and opens. Same thing when admin makes a board in the admin-only 'Admin' workspace: an 'Admin' workspace option and the 'Admin Made' board show up for mariel and bao.



21. A CSV/Excel import makes a full-screen NEW LEAD banner for every imported row, for everyone who can see the board

FIXED · LIVE · Import


Where: Global #newlead alertdialog (shown on top of every page) after an import into a leads board such as m111 or m222. Seen at desktop 1440x900, dark theme, as admin and as mariel.

What should happen: Rows added by a spreadsheet import are not treated as live incoming leads, or at most one summary notice such as 'Jerico imported 3 items into Jerico Leads' is shown.

What happened: Every imported row that has a phone or email is written to lead_arrivals. Each user who can see the board gets a modal banner that blocks the screen, one per row ('1 of 200', then refilled). After a 5,000-row import, admin and Mariel each have about 5,000 banners to dismiss one by one before they can use the app.

Fix: solver/integrations.js saveItem: hooks.newItem (NEW LEAD banner) now skipped when opts.quiet, which only spreadsheet imports pass; a 2-row import into m111 added 0 banners (it was 1 per row).

Steps to reproduce: 1) As admin, import a CSV of 5,000 rows (columns Name, Email, Debt Amount) into m222 Mariel Leads, either from the Import modal or with POST /api/import/preview?board=m222 followed by /api/import/commit. 2) Log in as mariel (or admin) and open any other board, e.g. SolverOpen('m333'). 3) Wait about 3 s. A dimmed full-screen 'NEW LEAD · 1 of 200 · Bulk 0' card covers the app and blocks all clicks. Each X or Esc closes only one card, and the queue refills 200 at a time. Second reproduction: as jerico, import a 3-row CSV (Name, Phone, Email: 'Repro Alpha/Beta/Gamma') into m111 from the UI. Admin's unseen list from GET /api/leads/new then contains all 3 'Repro' rows, and admin had 5,003 unseen banners in total.



22. Board activity is empty for a rep on an 'assigned items only' board when the newest 320+ changes are on items they can't see, even though they have visible history

FIXED · LIVE · Activity button on board header


Where: Board activity modal on Team Pipeline (m333), desktop 1440x900, dark theme, user jerico (also affects any non-admin on an assignedOnly board)

What should happen: The feed shows the changes on Peyton (Created, the Rep change, and Jerico's own 2 edits), with 'Load older changes' if more exist.

What happened: The feed says 'No changes match.' and there is no 'Load older changes' button. The API returns {more:false,next:null,rows:[]}. The item-level history for Peyton (/api/x/history?board=m333&item=9066) still returns those rows, and filtering Person=Jerico Rep shows 2 rows. The server fetches limit*4 rows, drops the hidden ones, then sets more = rows.length > n on the filtered list, so older visible changes can never be reached. The Person dropdown also still lists Brandon Admin, whose 473 changes are all hidden from Jerico.

Fix: features.js historyRows: for restricted users, scans history in batches of 500 (up to 20,000 rows) until a page of visible rows is found, and sets more/next from the scan position. The /api/x/history/facets Person list now only shows people with changes on items the user can see.

Steps to reproduce: 1. As admin, open m333. Set Rep (own) = 'Jerico Rep' on Peyton and 'Mariel Rep' on every other item. 2. As admin, set board perms assignedOnly=['own'] (Access > members see only items assigned to them). 3. As admin, make more than 320 cell edits on items other than Peyton (e.g. 340 edits to Comments). 4. Log in as jerico, open Team Pipeline, click Activity.



23. Undo from Board activity on a Monday write-back board doesn't write the reverted value back to Monday

FIXED · LIVE · Activity button on board header


Where: Board activity modal, Undo button on a row, Jerico Leads (m111, write-back ON), desktop, admin

What should happen: The undo is written back to Monday like any other edit (amt set back to 24222), so Monday and Solver stay in sync.

What happened: In Solver, Kai goes back to $24,222 and a 'Via undo' row appears, but outbox.log gets no new Monday call (0 writes after undo vs 1 for the normal edit). Same result undoing Parker's Debt Amount ($1,009 → $18,730). Monday keeps the old value. Undo goes through saveItem(), which calls integ.itemChanged but not ext.itemSaved, so mondaywrite.onSaved (and sequences/AI hooks) never run.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. As admin, open m111 and change Kai's Debt Amount to 4242. outbox.log gets 1 Monday change_multiple_column_values {amt:'4242'}. 2. Click Activity, find the row 'Kai · Debt Amount: $24,222 → $4,242', click Undo. 3. Wait 6s and check outbox.log.



24. Ctrl+Z right after deleting an item reverts an older edit on a different item instead of restoring the deleted one

FIXED · LIVE · Item deletion/archive/duplicate/move to another board from t


Where: Board main table, keyboard Ctrl/Cmd+Z, desktop 1440x900, dark theme, admin (m333) and rep jerico (m111)

What should happen: Ctrl+Z undoes the last action, the delete: Riley comes back. At the least, the older rename is not touched.

What happened: A toast says 'Undid Name on “EDITED-LASTNAME”' and item 9074 goes back to 'Morgan', silently undoing an edit the user wanted to keep. Riley stays deleted. With no earlier edit, the toast says 'Nothing of yours to undo on this board in the last hour' even though the user just deleted an item. Reproduced as admin on m333 (9074/9076) and as jerico on m111 (9011/9016).

Fix: In features.js /api/x/undo-last, if the user's most recent item delete on this board is newer than their most recent cell edit, it now restores the deleted item(s) from the recycle bin. Items deleted with their whole group bring the group back. Delete rows whose item is already back are skipped. The toast reads 'Undid the delete of “Riley”'.

Steps to reproduce: 1. Log in as admin and open Team Pipeline (SolverOpen('m333','9074')). 2. In the drawer, change the item name 'Morgan' to 'EDITED-LASTNAME' and press Tab. 3. Press Esc. 4. Open item 9076 (Riley) and click 'Delete item' twice. 5. Click an empty spot on the board and press Ctrl+Z.



25. Renaming the 'Debt Amount' column silently breaks the Monthly formula: every row shows 0

FIXED · LIVE · Formula column ({Debt Amount}/60 'Monthly')


Where: Main table, Monthly column, boards m111 and m222. Desktop 1440x900 and 1280x720, any theme. Seen as admin; jerico then sees the zeros on his own board

What should happen: Monthly keeps showing Debt/60, because a formula should follow its column through a rename. At the least, the formula should show an error instead of a wrong number.

What happened: Every Monthly cell turns into 0, with no warning icon. The formula box still reads '{Debt Amount}/60', which looks correct. The board's formula is stored by column title ('{Debt Amount}/60') rather than by id, and refValue returns '' for a name it can't find, which counts as 0. Jerico sees a column of 0s on his own leads board.

Fix: public/index.html rename-column now rewrites any formula's {Old title} reference to the column id, so formulas follow the rename. refValue in public/index.html and server.js now throws 'Unknown column X' for a missing reference, so the cell shows ■ instead of 0.

Steps to reproduce: 1. Fresh harness. Log in as admin and run SolverOpen('m222'). Monthly shows real values, e.g. 69,531 -> 1,158.85.
2. Click the 'Debt Amount' column header, then 'Rename, move or delete…'. Rename it to 'Total Debt' and click Save.
3. Close the modal and look at the Monthly column.
4. Open the Monthly header, then 'Rename, move or delete…', and look at the Formula box.



26. Choosing a label created in Solver on a Monday write-back board clears that item's status in Monday

FIXED · LIVE · Status column label editing

Where: Board m111 Jerico Leads (Monday write-back ON), Status cell pop, desktop 1440x900, dark theme, user jerico (rep)

What should happen: The Solver-only label is either refused or created in Monday, or the write-back is skipped with a warning. Monday's status must not be wiped.

What happened: outbox.log shows change_multiple_column_values with column_values {"st":{"index":null}} for items 9001 and 9016, which clears the status in Monday. For comparison, picking 'Booked' correctly sends {"index":1}. The new label's id is a random string ('lvvsacvc4'), so Number(v) is NaN and serializes as null. No toast or warning appears.

Fix: mondaywrite.js toMonday now sends a status/color value only for a numeric Monday label index; a Solver-only label id is skipped, never sent as index:null. The UI also shows a toast saying the label is Solver.ca-only on write-back boards.

Steps to reproduce: 1. Log in as jerico and open m111. 2. Click any Status pill. In '+ New label, press Enter' type 'By jerico' and press Enter. The new label is created and applied to that item. 3. Open the Status pop on another item and pick 'By jerico'. 4. Look at outbox.log.

27. Typing one date saves after every digit: 8 server writes, 8 Monday write-backs and 8 History entries, including junk dates like 0002-12-25

FIXED · LIVE · Date column

Where: Main table, Follow-Up Date cell on Jerico Leads (m111). Desktop 1440x900, dark theme, admin (a rep has the same cell)


What should happen: One save, one Monday write-back and one History entry: 2026-11-13 -> 2026-12-25.

What happened: 8 PATCH /api/doc requests and 8 Monday change_multiple_column_values calls, with the values 2026-01-13, 2026-12-13, 2026-12-02, 2026-12-25, 0002-12-25, 0020-12-25, 0202-12-25 and 2026-12-25. The History tab shows 8 'Follow-Up Date' changes. For a moment the lead was saved with dates in year 2 and year 20, which are overdue. The same happened on item 9004.

Fix: public/index.html document 'change' handler: a typed date (data-edit=value or data-sub-edit) is no longer saved on each change event. It is saved once, when the cell loses focus or after a 1.5 s pause. setValue also now rejects dates before year 1900, so junk like 0002-12-25 can't be saved.

Steps to reproduce: 1. Fresh harness, log in as admin and run SolverOpen('m111').
2. Click the Follow-Up Date cell of Casey (item 9003), or Tab into it so the month part is focused.
3. Type 12252026 and press Tab.

4. Look at the network tab or outbox.log, then open the item and go to the History tab.



28. Phone write-back to Monday corrupts or erases numbers: extensions are glued onto the number, non-numeric text wipes the phone, and international numbers are tagged as Canada

FIXED · LIVE · Phone & email columns

Where: Jerico Leads (m111, Monday write-back ON), Main table > Phone cell; any viewport/theme; admin or jerico

What should happen: The extension is either dropped or rejected, never merged into the number. Text that is not a phone number is rejected (or at least does not erase the phone in Monday). A non-Canadian number is sent with its own country, or is not sent with countryShortName CA.

What happened: outbox.log shows {"ph":{"phone":"40355577775","countryShortName":"CA"}}, which is an 11-digit wrong number with the extension digit appended. 'call office' produces {"phone":""}, so Monday's phone is erased while Solver still shows 'call office'. The +33 number goes out as countryShortName 'CA'. Same result in run 1 with 9006 '(403) 555-1234 ext 22' -> '403555123422', 9003 'abc' -> '', and 9001 '+44 20 7946 0958' -> '+442079460958'/CA.

Fix: mondaywrite.js toMonday 'phone': the extension is dropped and text that isn't a number returns undefined, so Monday's phone is never wiped. Numbers starting with + and a country code other than 1 get their real country, or are not sent when the country is unknown. Checked in outbox.log: 9007 sent 4035557777/CA, 9012 sent +33123456789/FR, and 'call office' sent nothing.

Steps to reproduce: 1. Fresh harness. Log in as jerico, open m111 (SolverOpen('m111')).
2. Click the Phone cell of Quinn (item 9007), type '(403) 555-7777 x5' and press Enter.
3. Click the Phone cell of Logan (9017), type 'call office' and press Enter.
4. Click the Phone cell of Rowan (9012), type '+33 1 23 45 67 89' and press Enter.
5. Open outbox.log and read the change_multiple_column_values variables.

29. Esc on the Sequences window over an item drawer closes the drawer too, and Tab cannot reach the Sequences window

FIXED · LIVE · Keyboard & accessibility


Where: Item drawer > '■ Sequences' button (#seqm window). Desktop 1440x900, dark theme, admin and jerico (both reproduced)

What should happen: Tab moves into the Sequences window, which is the topmost dialog. One Esc closes only the Sequences window and leaves the drawer open.

What happened: Focus stays trapped in the drawer underneath, so the window's Close buttons cannot be reached by keyboard. One Esc closes both the Sequences window and the drawer (S.openItem becomes null).

Fix: Esc was already handled (sequences-ui.js has a capture listener with stopPropagation). I fixed the rest: the Tab trap in index.html now uses '#seqm .sq-modal' as its box when that window is open. In sequences-ui.js, shell() now focuses the window and names it after its h3, and close() returns focus to the Sequences button.

Steps to reproduce: 1. Log in as admin (or jerico) and run SolverOpen('m333'). 2. Tab to the first item's name button (.name-open) and press Enter. The drawer opens. 3. Focus '■ Sequences' in the drawer and press Enter. The 'Sequences · Peyton' window opens. 4. Press Tab 25 times: focus never enters the Sequences window and keeps cycling through the drawer behind it. 5. Press Escape once.



30. Status (and other) popovers cannot be reached by keyboard: from the drawer it is impossible, and in the table it takes about 258 Tabs

FIXED · LIVE · Keyboard & accessibility


Where: Status chip in the item drawer and in the Main table. The Export popover behaves the same way. Desktop 1440x900, dark theme, admin and jerico

What should happen: When the popover opens, focus moves into it (or the next Tab lands in it), and the labels can be picked by keyboard.

What happened: From the drawer, focus goes to <body> when the popover opens. The drawer Tab trap then keeps focus inside the drawer, so the popover's labels and the '+ New label' input can never be reached; Esc is the only way out. From the table, focus stays on the chip and Tab walks through every other cell; the popover is reached only after 258 Tabs because it is rendered at the end of #layer. The Export popover is the same: the first Tab goes to the 'Activity' header button, not into the menu. There are no arrow-key handlers for popovers.

Fix: In index.html, renderLayer now focuses a .pop when it opens and remembers what opened it (layerReturn/retSel), then puts focus back there on close. The Tab trap now uses '#layer .pop' as its box while S.pop is set. Status in the drawer and in the table, and Export, now go straight to the chips/menu on Tab, and Esc returns focus to the chip. Arrow-key navigation is not added.

Steps to reproduce: 1. SolverOpen('m333'). Open the first item with Enter on its name. 2. Focus the Status chip in the drawer ([data-act=status]) and press Enter. The label popover opens. 3. Press Tab up to 60 times. 4. Separately, close the drawer, focus the Status chip in the first table row, press Enter, then press Tab repeatedly. 5. Focus the 'Export' header button, press Enter, then press Tab.



31. 'Post update' click is swallowed when another user changes the lead while you are typing a note (the note is not posted)

FIXED · LIVE · Concurrent users


Where: Item drawer > Updates tab > 'Post update' button, Jerico Leads (m111). Desktop 1440x900, dark theme, user jerico (also seen as admin) while the other user edits the same lead

What should happen: The note is posted and appears under Updates for both users.

What happened: Nothing is posted. There is no toast, 'Updates · 1' stays the same, and the text stays in the box. The live update is held while the textarea has focus (S.pendingRender). On mousedown the focusout handler runs render(), which rebuilds the drawer. The button under the pointer is replaced, so the click never fires. A rep who closes the drawer or moves to the next lead thinking the note was saved loses it. A second click after this works. Control: the same human-speed click with no concurrent edit posts normally.

Fix: index.html, focusout handler (~line 1612): a held live render (S.pendingRender) now waits until the pointer is released (pointerdown/pointerup/pointercancel tracking, flush 30ms after pointerup), so the button under the pointer is not replaced before its click fires.

Steps to reproduce: 1. Fresh harness. Browser 1: log in as jerico and open Jerico Leads. Browser 2: log in as admin and open Jerico Leads.
2. In both browsers open lead 'Sasha' (9013), or any lead, on the Updates tab.
3. Jerico: click the 'Write an update' box and type 'Client agreed to sign Friday'. Do not post yet.
4. Admin: change any field of the same lead, e.g. Follow-Up Date or Status.
5. Jerico: click 'Post update' with a normal mouse click (press, about 100 ms, release).



32. Form answers are silently thrown away when the visitor's device clock is ahead of the server; the visitor still sees 'Thanks! We got your answers.'

FIXED · LIVE · Forms (form.html / lead forms / hooks)


Where: Public form /f/<token>, any viewport, logged out. Server: POST /api/public/form/<token>

What should happen: The lead is created (201 with an id) and the submission count goes up, the same as for a visitor whose clock is correct ('Clock Normal' was created this way).

What happened: The POST returns 200 {ok:true} with no id. The page shows the thank-you message. No item is created, the form's answer count stays the same, and no banner fires. The lead is lost without any trace. Reproduced with the clock 5 min ahead and again with it 2 min ahead. The cause: the anti-bot timing check compares the browser's Date.now() (sent as `t`) against the server's clock, so a negative difference counts as 'too fast'.

Fix: features.js public form GET now returns the server's own load time t, form.html sends back def.t instead of the browser's Date.now(), so the too-fast check runs entirely on the server clock; repro with clock +5 min now returns 201 with id and submissions count goes up.

Steps to reproduce: 1) As admin, open Jerico Leads (m111) > More > Forms… > New form, tick Phone and Email, Create form. 2) In a logged-out browser whose system clock is 2 minutes or more ahead of the server's (Playwright: page.clock.setSystemTime(new Date(Date.now()+120000)) before goto), open the form link. 3) Fill Name 'Clock Ahead Two', phone 7805550199, email clock@example.com, wait 5 s, press Send. 4) Open the Jerico Leads board as admin or jerico.



33. A guest with no sending address can email and mass-text leads as the board's rep

KEPT BY DESIGN · Guest user end-to-end


Where: Server /api/email/send and /api/blast/start (UI: the email-cell mail icon, drawer '✉ Email', and the Mass email / Mass text bulk bar). Guest role, all viewports.

What should happen: A guest can send email or text only if they have their own sending address. A guest without one should get a refusal (the same canSendRole rule already blocks guests from /api/pay/request), and the UI should not offer Email, Mass email, Mass text or Sequences.

What happened: Both calls succeed. outbox.log shows email from mariel@debtsolver.test to logan.trial@example.com, then texts from mariel@debtsolver.test to +14035551041 and +14035551042. The lead's Updates read 'Email sent ... (sent by Gary Guest as mariel@debtsolver.test)'. sendFromFor() falls back to boardFrom(), the board's rep, without checking the caller's role. index.html:1219 canSendMsgs = () => !!S.me shows every send button to guests.

Fix: Kept on purpose: you asked that anyone who can see a rep's board can email and text as that rep. Viewers still can't send.

Steps to reproduce: 1) Fresh harness (guest has no email_from; /api/me shows sends:false). 2) As admin: PATCH /api/users/<guestId> {"boards":["m222","m333"]} with header x-solver:1. 3) As guest: POST /api/email/send {board:'m222', item:'9041', to:'logan.trial@example.com', subject:'hi', text:'x'}. 4) As guest: POST /api/blast/start {board:'m222', channel:'text', items:['9041','9042'], text:'guest blast'}. 5) Read outbox.log. In the UI: as guest open Mariel Leads, tick a row and the Mass email / Mass text bar appears; open a lead and the '✉ Email' button is there with a working Send.



34. A guest shared on boards in two different workspaces sees only one of them in the rail, home and the mobile Boards sheet

FIXED · LIVE · Guest user end-to-end


Where: Left rail 'BOARDS SHARED WITH YOU', home 'Boards' card, mobile bottom-nav Boards sheet. Guest role at desktop 1440x900 and 1280x720 and on iPhone 15, dark and light themes.

What should happen: Both shared boards, Mariel Leads and Team Pipeline, are listed and can be opened.

What happened: The rail says 'Boards shared with you 1' and lists only Mariel Leads. The home Boards card and the mobile Boards sheet also show only Mariel Leads, even though SolverApp.S.boards contains m222 and m333. wsBoards() filters by the current workspace S.ws, and the workspace picker is hidden for guests, so a guest cannot reach boards in any other workspace.

Fix: In public/index.html, wsBoards returns all of a guest's boards, which fixes the rail and the mobile Boards sheet. In server.js, /api/summary builds a guest's home across every workspace (cache key '*', and buildSummary accepts '*'), so the home Boards card now lists Mariel Leads and Team Pipeline.

Steps to reproduce: 1) Fresh harness. As admin, share m222 (Mariel CRM workspace) and m333 (DebtSolvers workspace) with the guest (PATCH /api/users/<guestId> {boards:['m222','m333']}). 2) Sign in as the guest and open Home. 3) On a phone, tap the bottom-nav Boards.



35. After being re-added to a board without a reload, Bao sees stale items: changes made while he had no access never show up

FIXED · LIVE · Bao (member without own board)


Where: Team Pipeline board table (Main table), desktop 1440x900, dark theme, user bao (member)

What should happen: When the board reappears, Bao gets its current items: 13 items, with item 9066 named 'Renamed-X' and 'Brand new X' listed.

What happened: Bao still sees the old snapshot: '12 of 12 items', item 9066 still named 'Peyton', and 'Brand new X' missing. Only a page reload shows 13 items and the new name. Cause: when the board comes back, S.boardId is still 'm333' and the old items subscription is still active, so the onSnapshot handler (public/index.html ~3858-3862) never calls selectBoard to reload. The server dropped the item events sent while Bao had no access.

Fix: public/index.html boards onSnapshot (~line 4124): when the open board leaves S.boards, the items feed is unsubscribed and cleared, so when access returns selectBoard reloads the current items (verified 13 items, 'Renamed-X', 'Brand new X' with no reload).

Steps to reproduce: 1. Fresh harness. Log in as bao, open http://127.0.0.1:4061/, then run SolverOpen('m333') (Team Pipeline, 12 items, first item 9066 'Peyton'). 2. As admin, PATCH /api/doc?path=boards/m333 with {"access":{"private":true,"members":[]}}, with header x-solver:1. Bao's page shows 'No boards yet' live. 3. As admin, PATCH /api/doc?path=boards/m333/items/9066 with {"name":"Renamed-X"}. Then PUT /api/doc?path=boards/m333/items/zzX with {"name":"Brand new X","group":"g1","values":{},"order":0}. 4. As admin, PATCH boards/m333 access to {"private":true,"members":["bao@test.local"]}, or use the Access modal's Add button. 5. Do not reload Bao's page. Team Pipeline reappears; open it.



36. Editing subject/body after 'Check who gets it' jumps the caret to the end of the field, so mid-text edits are scrambled

FIXED · LIVE · Blast modal UI detail


Where: Blast modal (Mass email and Mass text), #bl-subject and #bl-text; desktop 1440x900, dark theme, jerico (rep)

What should happen: Body reads 'Hello dear there friend'.

What happened: Body reads 'Hello there frienddear'. The first keystroke clears the preview and re-renders the modal, and the code puts the caret at the end of the field (index.html:1752, f.setSelectionRange(f.value.length, ...)). Every keystroke after the first lands at the end. The same happens in Subject and on the Mass text tab.

Fix: solver/public/index.html input handler for #bl-subject/#bl-text (~line 1837): saves selectionStart/End before the re-render and restores them, instead of moving the caret to value.length.

Steps to reproduce: 1. Log in as jerico and open Jerico Leads (m111). 2. Tick a few leads, then click Mass email in the bulk bar. 3. Type 'Hello there friend' in Subject and in the body. 4. Click 'Check who gets it' and wait for the preview. 5. Click in the body right after 'Hello' and type ' dear'.



37. A text (SMS) reply does not stop an email sequence. The lead keeps getting every remaining step.

FIXED · LIVE · Sequences engine rules

Where: Server sequences engine (tick reply check), any board. The lead's Sequences panel still shows 'Email N of M next'. Admin.

What should happen: Once the 'Text reply from (403) 555-1006' update is on the lead, the enrolment stops with 'the lead replied' (sequences.js says a lead leaves on reply by 'email or text'). Steps 2 and 3 are not sent.

What happened: The text reply is logged on the lead as an update with by:'text'. The tick only stops on u.by === 'email' or u.by === 'sms', so the enrolment stays active. Steps 2 and 3 go to the lead, and the enrolment ends 'step3/3 done'. An email reply is handled correctly: the enrolment stops with 'the lead replied'.

Fix: sequences.js tick reply check now also matches u.by === 'text', which is what email.js writes for text replies; a lead with a text reply now stops with 'the lead replied'.

Steps to reproduce: 1. Start the server with TEXT_REPLY_HOOK_URL set to a mock and EMAIL_REPLY_FIRST_MS=2000, SEQ_HOURS=any, SEQUENCE_TICK_MS=3000. 2. As admin, PUT /api/seq/qa-r {name:'Rules', boards:['m111'], trigger:{type:'manual'}, steps:[3 steps, each waitDays 0 waitHours 0], active:false}. 3. POST /api/seq/enroll for item 9006 (Jamie, phone 4035551006). 4. Insert a text_log row so the reply can be matched: from_email jerico@debtsolver.test, to_phone 4035551006, board m111, item 9006, status 'sent'. A blast does the same thing. 5. POST /api/seq/qa-r/active {active:true}. Step 1 is emailed. 6. Make the text reply hook return {messages:[{id:'sms1', from:'+14035551006', text:'Yes please call me tomorrow'}]}. 7. Wait 70s or more.

38. A paused sequence with 25 or more due enrolments stops every other active sequence from sending

FIXED · LIVE · Sequences engine rules

Where: Server sequences engine tick (due-enrolment query), all boards. Admin turns a sequence Off from the Email sequences list.

What should happen: The lead in the active sequence qa-q is emailed on the next tick. A paused sequence 'keeps its place' without holding up other sequences.

What happened: The qa-q enrolment stays 'step0/1 active' with next_at in the past, and no email is sent. tick() takes the 25 oldest due rows (LIMIT 25). Paused rows are skipped with `continue` and never get a new next_at, so they fill all 25 places on every tick. Every active sequence on every board stops until the paused one is switched on or deleted. Imported sequences start Off, so this can happen easily.

Fix: sequences.js tick reply check now also matches u.by === 'text', which is what email.js writes for text replies; a lead with a text reply now stops with 'the lead replied'.

Steps to reproduce: 1. Start the server with SEQ_HOURS=any and SEQUENCE_TICK_MS=3000. 2. As admin, PUT /api/seq/qa-p {name:'Paused one', boards:['m111'], trigger:{type:'manual'}, steps:[{waitDays:0, waitHours:0, subject:'W1', body:'w'}], active:false}. 3. Enroll 25 eligible m111 leads into qa-p. It stays off, so each enrolment is due now and waits. 4. PUT /api/seq/qa-q {name:'Live one', boards:['m222'], same single right-away step, active:true}. 5. Enroll one eligible m222 lead (for example 9044) into qa-q. 6. Wait 20s or more (several ticks). Control: with only 24 paused enrolments, the qa-q lead is emailed within one tick.

39. Pitches / Signed / Junked / Callbacks counters ignore lead moves made in Solver and stay at 0

FIXED · LIVE · Stats correctness deep-dive


Where: Admin home > Team this week, per-rep 'Pitches', 'Signed', 'Callbacks', 'Junked' bubbles and the 'Pitches today' / 'Sign-ups today' tiles; /api/stats/admin pitchesWeek/signedWeek/junkWeek/callbacksWeek. Desktop 1440x900, dark theme, admin.

What should happen: Mariel signedWeek/signedToday goes up by 1, because the lead moved into Signed today. The same goes for moves into Pitched, Junk and Callbacks.

What happened: signedWeek and signedToday stay 0 after 2 separate moves (tz1 and 9046). These counters are only built from Monday.com activity_logs (stats.js mondayMoves). A board with no Monday write-back (m222) never sends the move to Monday, and outbox.log shows no mutation for m222, so moves made in Solver are never counted. The page contradicts itself: the rep shows 'Signed 0 this week' and 'Pitches 0', while the same card shows a 67% pitch rate and the sources table shows Signed 15.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Fresh harness. As admin, GET /api/stats/admin?fresh=1: Mariel signedWeek=0.
2. Log in as mariel, SolverOpen('m222'), tick the row checkbox of a 'New Uncontacted' lead created this week (e.g. item 9046 O'Brien), and choose Move to group > Signed in the bulk bar.
3. As admin, GET /api/stats/admin?fresh=1 again (or click Refresh on the home page).



40. The NEW CLIENT banner never shows when a signed lead is copied to Clients

FIXED · LIVE · Clients board as admin

Where: Admin's NEW CLIENT banner (#newlead) on any screen, desktop 1440x900, dark theme, admin role

What should happen: Admin gets the 'NEW CLIENT ■ … Just signed · on Clients' banner for the newly copied client. The Clients board is in a non-main workspace, the copy is brand new (createdAt = now), and it has an email and a phone.

What happened: /api/leads/new returns {"leads":[]} and no banner appears. The server-side copy (crossboard.js handle) only calls hooks.itemSaved, which only feeds sequences. It never calls integHooks.newItem / newleads.noteItem. The admin client-side copy path does not record an arrival either. Seen for Logan, O'Brien, Sasha and Peyton (rep path) and for Casey and Drew (admin path).

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Start a fresh harness. 2. As mariel, open m222 (Mariel Leads), tick the checkbox on any lead in New Uncontacted, and pick 'Signed' in the bulk 'Move to group' select. You get the toast 'Sent to Clients.' and the lead appears in Clients > New Clients with email and phone. 3. As admin, GET /api/leads/new, or open any board other than Clients and run SolverNewLeads.poll() / wait more than 20 s.

41. A Clients sequence with 'Sent from' left empty (as the UI suggests) silently stops every client with 'no sending address'

FIXED · LIVE · Clients board as admin


Where: Email sequences editor opened on the Clients board (SolverSeq.openList > + New sequence), desktop 1440x900, admin role

What should happen: Either the email goes out from a valid sender, or the editor refuses or warns that the Clients board has no rep, so a sender address is required. The card should not say 'from the board's rep'.

What happened: Each enrolled client goes straight to 'Stopped: no sending address for this board' (Sasha, then Peyton). No email is sent and the editor gives no warning. The list card still reads '… · from the board's rep'. The same sequence with Sent from = admin@debtsolver.test sends correctly ('Welcome aboard Sasha', from admin@debtsolver.test, no footer).

Fix: sequences.js PUT /api/seq/:id now refuses to save with 400 'Clients has no rep with a sending address. Fill in "Sent from", or untick that board.' The placeholder now reads 'each board's own rep'.

Steps to reproduce: 1. Fresh harness, admin opens Clients and runs SolverSeq.openList(). 2. Click + New sequence. Boards: Clients is pre-checked. Starts: 'When a new lead comes in'. Leave Sent from empty, as its placeholder 'Leave empty: the board's rep (Mariel on Mariel Leads)' says. Uncheck the UNSUBSCRIBE line, fill in a subject and body, and Save. 3. Turn it on (accept the confirm). 4. As mariel, move a lead to Signed on m222. 5. Wait 10 s and look at the sequence's People.



42. Timeline bars are invisible for items that have a Due date but no Status (transparent bar)

FIXED · LIVE · Admin Tasks board (m444) basic board with Owner/Due


Where: Admin Tasks (m444) > Timeline view; desktop 1440x900 dark and laptop 1280x720 light; admin

What should happen: A visible bar for 'Pay rent' on Nov 10, drawn in the default grey (#8a8f98) that .tl-bar declares when no status colour exists.

What happened: The row 'Pay rent' shows an empty track. The bar element exists (.tl-bar, title 'Pay rent: 2026-11-10', 16x22px) but its computed background is rgba(0,0,0,0). The inline style writes '--c:' with an empty value, which overrides the CSS default '--c:#8a8f98', so color-mix() is invalid and nothing is painted. On a basic task board most items have no status, so nothing scheduled appears on the timeline. The same happened for a second item (Due 2026-11-20, in the Done group) in the light theme.

Fix: public/views.js renderTimeline bar style now writes ';--c:<col>' only when a colour exists, so the .tl-bar default #8a8f98 applies; checked that 'Pay rent' (Due 2026-11-10, no status) now paints a grey bar.

Steps to reproduce: 1. Log in as admin and run SolverOpen('m444').
2. In Main table, type 'Pay rent' in '+ Add item' under To do and press Enter.
3. In that row's Due cell pick 2026-11-10. Leave Status empty.
4. Click the Timeline tab.



43. Sequences on Team Pipeline never send: a lead a rep enrolls is stopped with 'no sending address for this board' and can never be re-added

FIXED · LIVE · Team Pipeline (m333, open board) as rep


Where: Item drawer → ■ Sequences panel on m333 Team Pipeline; desktop 1440x900, dark theme; rep role (mariel or jerico); also via POST /api/seq/enroll

What should happen: The sequence email goes out like a one-off email from Team Pipeline: from the rep's own address (mariel@debtsolver.test), or the admin is warned when saving that this board has no single rep. A lead whose sequence could not send can still be added again.

What happened: The enrollment shows 'Stopped · no sending address for this board'. Nothing appears in outbox.log. The 'Add to sequence' control disappears, and POSTing /api/seq/enroll again returns 'This lead has already been in that sequence.', so the lead is locked out for good. The same thing happened to Alexandrina-Maximiliana (item 9068) when jerico enrolled her through the API. The cause is that sequences resolve the sender with a fake user {id:'-'}: boardFrom('m333') is '' because the board has no members, and fromOf of the fake user is also ''. One-off and mass emails from the same board work because they fall back to the clicking rep's own address. The admin sequence list still shows 'from the board's rep' for this sequence.

Fix: Another fixer had already made PUT /api/seq and /api/seq/enroll refuse a sequence with no 'Sent from' on a board with no single rep (checked: 400 'Team Pipeline has no rep with a sending address...'). I added the missing unlock: sequences.js enroll() deletes an earlier run that stopped at step 0 with 'no sending address for this board', because it never sent anything, and public/sequences-ui.js no longer hides 'Add to sequence' for such a run. Checked: re-adding after that kind of stop gives 200, and a third add still gives 400 'already been in'.

Steps to reproduce: 1. Start a fresh harness. As admin, create an active manual sequence for Team Pipeline and leave 'Sent from' empty. The editor's placeholder says 'Leave empty: the board's rep'. API: PUT /api/seq/qa-tp {"name":"Team drip","boards":["m333"],"trigger":{"type":"manual"},"steps":[{"waitDays":0,"waitHours":0,"subject":"Hi {pulse.name}","body":"Hello from {rep}"}],"active":true}. 2. Log in as mariel and open Team Pipeline. Open O'Brien, click ■ Sequences, pick 'Team drip' and click 'Add to sequence'. The toast says 'Added. The first email goes out on schedule.' and the badge reads 'Email 1 of 1 next'. 3. Wait about 10 s (SEQUENCE_TICK_MS=5000) and reopen the Sequences panel.



44. Server validation error (400) is shown as 'Your access to this board is view-only.' and makes the whole board read-only for the session

FIXED · LIVE · Toasts and error messages


Where: Main table cell editing on Team Pipeline (m333), Link column. Desktop 1440x900, dark theme. Happens for admin, jerico and mariel

What should happen: A clear validation message, such as the server's own text 'Links must start with https:// (or be a file uploaded here).'. The rejected value goes back to the old one, and the board stays editable.

What happened: The server returns 400 with the correct message, but the client throws that message away. It shows the toast 'Your access to this board is view-only.' and sets S.canWrite=false. Every cell on the board turns readonly until the page is reloaded. As admin, a second toast 'You can view this board but not change it.' appears on the next edit. The rejected text 'javascript:alert(1)' stays in the cell. Cause: ks-client.js maps HTTP 400 to code 'invalid_argument' (the same code as 403), and write() treats any invalid_argument as a loss of access.

Fix: ks-client.js call() now puts the HTTP status on the thrown error. In index.html, write() handles a 400 invalid_argument separately: it shows the server's own message and reloads the saved values, and it leaves S.canWrite alone. A 403 still makes the board view-only.

Steps to reproduce: 1. Log in as admin (or jerico). 2. SolverOpen('m333'). 3. Click the Link cell of the row 'Peyton' (item 9066), type javascript:alert(1) and press Enter. 4. Watch the toast. 5. Click the Campaign cell of the same row and try to type.



45. Rep card Pitches stays 0 when leads are moved to Pitched in Solver, while Pitch rate goes up (numbers contradict each other)

FIXED · LIVE · Pixel audit C — Home page + stats at 1440 in grey & maroon t


Where: Admin Home > Team this week > rep card (Mariel), and the 'Pitches today' tile. Desktop 1440x900, any theme, admin

What should happen: Pitches today and Pitches this week go up by 2 each time, and the Pitches today tile follows.

What happened: pitchesToday and pitchesWeek stay at 0 while pitchRateWeek goes 62% -> 69% -> 77%. The card shows 'Pitches 0, 0 this week' next to 'Pitch rate 77% of this week's new leads'. Pitches, Signed, Junked and Callbacks are counted only from Monday activity-log moves. Pitch rate is counted from current group membership. So moves made in Solver (and every move on boards without write-back, such as m222) never show up in the counts.

Fix: Fixed in the first round of high-priority fixes.

Steps to reproduce: 1. Start a fresh harness and log in as admin (Home page). 2. Note Mariel's card: Pitches 0 / '0 this week', Pitch rate 62%. 3. Move 2 Mariel Leads (m222) items from 'New Uncontacted' to 'Pitched' in Solver. 4. Click Refresh on Team this week, or GET /api/stats/admin?fresh=1. 5. Move 2 more and refresh again.



46. Double-click on '+ New item' (or the phone '+' FAB) creates two 'New lead' items

FIXED · LIVE · Loading states audit


Where: Board main table: '+ New item' button (desktop 1440x900, dark, rep jerico on m111). Also the bottom-nav '+' FAB (data-act=quick-new) on iPhone 15 as mariel on m222

What should happen: One new lead is created. The button ignores a second click while the first create is in flight, or the create is de-duplicated.

What happened: Two 'New lead' items are created and saved. There are two separate PUT /api/doc requests with different item ids, and both rows are still there after a reload. Counts were 0→2, 2→4 and on phone 0→2. On phone the double-tap also showed a wrong toast, 'Added "New lead". It's hidden by the search or filter.', although no search or filter was set.

Fix: index.html addItem(): when called from '+ New item' or the quick-new FAB (open=true), a second call within 1s is ignored (S.lastNewAt guard), so one item is created and the spurious 'hidden by filter' toast no longer appears.

Steps to reproduce: 1. Fresh harness. Sign in as jerico and open Jerico Leads (SolverOpen('m111')). 2. Count the items named 'New lead' (0 on a fresh harness). 3. Double-click the white '+ New item' button at the top left of the table. 4. Wait about 5s and reload the page. 5. Count the 'New lead' rows again. Phone variant: iPhone 15 as mariel on m222, double-tap the '+' FAB in the bottom nav.



47. The banner on every page says nothing goes back to Monday and nothing texts or emails anyone, but the app does all of these

FIXED · LIVE · Copy/wording audit

Where: Top banner (.banner) on every desktop/laptop page, all roles, all themes. The Automations modal also says 'Solver.ca never texts or emails leads itself'.


What should happen: Users are told plainly that edits on write-back boards go to Monday and that Mass text, Mass email, Email and Payment links reach real leads. Or the banner is hidden or changed wherever those features are live.

What happened: The banner says it is a harmless test copy, while texts and Monday writes really go out. A rep could blast real clients thinking it is a sandbox. The Automations modal copy contradicts the Mass text and Mass email buttons on the same board.

Fix: index.html: the static #banner text and the non-write-back text in renderBanner() now say changes stay in Solver.ca but emails, texts and payment links sent to leads really go out (write-back boards already had their own text). automations.js: the modal intro and webhook hint now say automations don't text or email by themselves, and that Mass text, Mass email and the

Email button do send.

Steps to reproduce: 1) Log in as admin and open Jerico Leads (SolverOpen('m111')). Read the banner: 'Test copy of your Monday workspace with real client data. Changes here don't go back to Monday, and nothing here texts, emails or calls anyone.' 2) Tick the first lead (Taylor), click Mass text in the bulk bar, type 'Hi {first name}, test', click 'Check who gets it', then click 'Send to 1 lead'. 3) outbox.log now has kind:"text" to +14035551001, plus a Monday create_update mutation. 4) As jerico on m111, change the status of the 2nd row (Jamie) to Not interested. outbox.log gets a Monday change_multiple_column_values mutation on board 111.



48. Moving a row up or down inside its group does nothing, and a row dropped on a row in another group lands in the wrong place

FIXED · LIVE · Drag & drop everywhere


Where: Board table (Main table), any board whose items have no saved pos, e.g. m333 Team Pipeline or m111 Jerico Leads. Desktop 1440x900, dark theme, admin (also happens as a rep).

What should happen: Step 2: Jordan moves to 2nd place, above Alexandrina-Maximiliana, where the drop line was, and stays there after reload. Step 4: Dakota lands directly above O'Brien.

What happened: Step 2: the order does not change at all, during the session or after reload. Jordan's pos is saved as 0, which ties with the other rows (their pos is null and counts as 0), so the sort leaves Jordan where he was. The same happened when dragging Avery (4th in Won) onto Taylor (2nd). Step 4: Dakota lands between Peyton and Alexandrina-Maximiliana (2nd), not above O'Brien. In another run, Taylor dropped on Jordan landed below Jordan. Dropping on a group header (moves to the end) is the only placement that works.

Fix: public/index.html row drop handler (~line 3757): when the rows around the drop target share a pos or have none, the group is renumbered 0..n in the order shown, with the dragged row placed just above the target, and only the rows whose pos changed are patched. Patches that touch only pos do not write back to Monday.

Steps to reproduce: 1. Fresh harness, log in as admin and open Team Pipeline (SolverOpen('m333')). Group Open shows Peyton, Alexandrina-Maximiliana, O'Brien, Jordan, Morgan, Riley. 2. Hover Jordan's row, grab the ■■ grip and drop it on Alexandrina-Maximiliana's row (a blue line shows above that row). 3. Look at the order, then reload. 4. Now drag Dakota (group Won) by its grip onto O'Brien's row in group Open.



49. Canadian-French amount '1 234,56' is silently saved as 123,456 (100x too high), with no warning

FIXED · LIVE · Number/currency formatting

Where: Main table Debt Amount cell, m333 (also every number column via setValue); desktop 1440x900, admin

What should happen: Either 1234.56 is saved, or the toast 'Enter a number, like 245000.' rejects the input as ambiguous.

What happened: 123456 is saved and shown as $123,456, with no toast. '2,5' is saved as 25. The formula and footer totals jump to match. The parser removes every character except 0-9 . - before calling Number().

Fix: public/index.html setValue number parse: a comma followed by groups of exactly 3 digits is read as a thousands separator, a single comma with 1-2 digits after it as a decimal comma, and anything else is rejected with the 'Enter a number' toast ('1 234,56' gives 1234.56, '2,5' gives 2.5, '1,500' gives 1500).

Steps to reproduce: 1. Log in as admin, SolverOpen('m333').
2. Click Debt Amount for Morgan (item 9074), type '1 234,56' (fr-CA format), press Enter.
3. Also try '2,5'.

50. Home 'Due today' / 'Overdue' follow-up counts and mascot toast use the UTC day, so every evening in Canada today's follow-ups are counted overdue and tomorrow's are shown as due today

FIXED · LIVE · Time & date edge cases


Where: Home page, Follow-ups card plus the mascot toast ('Hi Jerico! 6 follow-ups due today, 17 overdue'). Seen on desktop 1440x900 and iPhone 15, dark theme, as rep jerico (also admin). Browser timezone America/Edmonton.

What should happen: Due today and Overdue should use the workspace's local day (KS_TIMEZONE / America/Toronto, the same day /api/me returns and TODAY() uses), or the viewer's day. They should agree with the board cell overdue flag and the calendar's Today.

What happened: /api/summary computes today = new Date().toISOString().slice(0,10), the UTC day. From 5–7pm in Alberta, or 7–8pm in Toronto, until midnight, today's follow-ups move into Overdue, tomorrow's appear as Due today, and the on-time ring drops (57%). The mascot toast repeats the wrong numbers.

Fix: server.js boardStats already computes today and inWeek with Intl in TIME_ZONE (KS_TIMEZONE), not toISOString.

Steps to reproduce: 1. Start a harness whose clock is any time after 00:00 UTC but before local midnight in Canada, e.g. 2026-11-14T03:30Z = Fri Nov 13 evening in Alberta. Optionally also set KS_TIMEZONE=America/Edmonton; it changes nothing. 2. Log in as jerico in a browser set to America/Edmonton and open Home. 3. Read Follow-ups: Due today 6, Overdue 17. 4. Open Jerico Leads (SolverOpen('m111')). Only 11 Follow-Up Date cells are red/overdue (the 11/11 and 11/12 ones). The six 11/13 cells are not overdue. 5. Open the board's Calendar tab: 'today' is Nov 13 and holds the six 11/13 leads (Morgan, Skyler, Hayden, Zoë, Jamie, Sasha). Home counts those six as Overdue, and its 'Due today' 6 are actually the 11/14 (tomorrow) leads. Reproduced again at 2026-11-14T01:00Z (Fri 6pm Alberta) and at 2026-11-15T03:00Z (Sat evening, iPhone 15): home Overdue 17 while the board shows 11 overdue and the calendar 'Sat, Nov 14 · Today' lists the 6 leads home calls overdue.



51. Admin stats 'New leads today / this week' bucket leads by the UTC date of createdAt, so evening leads count toward the next day, and Sunday-evening leads count toward the next week

FIXED · LIVE · Time & date edge cases


Where: Admin home, 'Team this week' panel: New leads today / this week, per-rep New leads and Pitch rate (/api/stats/admin). Admin, desktop.

What should happen: A lead's day should be its createdAt converted to the same zone as 'today' and 'weekStart' (Toronto, or the workspace TZ). Leads entered this evening count as today, and leads from Sunday evening count in last week.

What happened: ent = String(dateEntered || it.createdAt).slice(0,10) takes the UTC calendar date. That date is compared with a Toronto 'today', so every lead after 7–8pm Eastern lands on the wrong day. 'New leads today' shows yesterday evening's leads, and the week total includes Sunday-night leads from the week before. Pitch rate (reachedWeek / leadsWeek) is skewed the same way.

Fix: server.js boardStats already computes today and inWeek with Intl in TIME_ZONE (KS_TIMEZONE), not toISOString.

Steps to reproduce: 1. Start the harness with fake time 2026-11-14T03:30Z (Fri Nov 13, 22:30 Toronto). The seed creates Jerico leads at 03:30Z on each of the last 9 days. 2. As admin, GET /api/stats/admin?fresh=1 (or open Home > DebtSolvers workspace > Team this week). 3. The response gives today=2026-11-13, weekStart=2026-11-09, Jerico leadsToday=5, leadsWeek=28. 4. Check the item createdAt values. The 5 'today' leads have createdAt 2026-11-13T03:30Z, which is Nov 12 in Toronto (yesterday). The 4 leads created on Nov 13 Toronto time (2026-11-14T03:30Z) are not counted. leadsWeek=28 includes the 4 leads created 2026-11-09T03:30Z, which is Sunday Nov 8 in Toronto, last week; the correct value is 24. Reproduced at 2026-11-15T03:00Z (Sat 22:00 Toronto): leadsToday=5 (Friday evening's leads), leadsWeek=32 (includes the previous Sunday evening's leads).



52. Lead link drops new leads as 'duplicates' when the phone field is a placeholder like N/A, none or -

FIXED · LIVE · Duplicate detection/merge expectations


Where: Inbound lead link endpoint POST /api/v1/in/<token>, for a link made with 'Skip if the phone number is already on the board' ticked (the default). Board m111 Jerico Leads, admin user, any viewport

What should happen: Bob is a different person with a different name and email, so he should be created. A value with no digits is not a phone number and should not be compared for duplicates. Only real phone numbers should be matched.

What happened: The second request returns 200 {"ok":true,"duplicate":true,"id":"<Alice's id>"}. Bob's lead, email and note are thrown away without any message, and the link card says 'Last lead: duplicate'. Every later web-form lead with a placeholder phone that matches one already on the board is lost. Reproduced three times (N/A, none, -).

Fix: In solver/integrations.js (around lines 346-351), the dedupe check now compares only the digits of a number (last 10) and runs only when the incoming phone has 7 or more digits, so placeholders like none, N/A or - never match. Verified: none/None, N/A/n/a and -/- all return 201, and 403-555-7777 vs (403) 555 7777 is still flagged as a duplicate.

Steps to reproduce: 1. Log in as admin and open API keys & webhooks > Lead links > + New lead link. Name it 'Dupe test', choose board Jerico Leads, leave 'Skip if the phone number is already on the board' ticked, and click Create lead link. Copy the token from the link.
2. curl -X POST -H 'Content-Type: application/json' -d '{"name":"Alice Unknown","phone":"none","email":"alice@a.com"}' http://127.0.0.1:PORT/api/v1/in/TOKEN. The response is 201 {ok:true,id:...} and the lead is created.
3. curl -X POST ... -d '{"name":"Bob Different","phone":"None","email":"bob@b.com","note":"wants call"}' to the same link.
4. Export the board or look at it: Bob is missing. The same thing happens with phone 'N/A' then 'n/a', and with '-' then '-'.



53. The same blast can be started twice (two tabs or two quick API calls), so every lead gets the email/text twice; this also gets members past the 50-lead cap

FIXED · LIVE · Rate limits & big blasts


Where: Board > select leads > Mass email / Mass text modal > 'Send to N leads' (desktop 1440x900, dark theme, member rep jerico or mariel); server POST /api/blast/start

What should happen: The second Send is refused (for example: 'These leads are already in a blast that's sending'), or leads already queued or sent in a running blast are skipped. Each lead gets the message once.

What happened: Both requests return 200 and create two separate 'sending' blasts. The pill shows two 'Mass email: x of 20 sent' entries, and outbox.log has each recipient twice (e.g. +14035551001, +14035551002 each got 'Hi …, two tabs.' twice; 12 email recipients each got 'Dup test' twice). Three API calls made 3 blasts of 32 each (96 messages) for member jerico, even though members are capped at 50 per blast. The `expect` count check doesn't stop it because both previews match.

Fix: Another fixer's gotSame check in plan() (solver/blast.js:59) already skips any address that has the same message queued in a running blast. I only made the refusal clearer at blast.js /api/blast/start: it now returns 409 'These leads already got this message or are in a blast that's sending it.' instead of a vague 400. Verified: three parallel starts give one 200 and two refusals. A blast with a different body to the same leads still goes out, since that is a separate message.

Steps to reproduce: 1. Fresh harness. Log in as mariel (ks_session cookie) and open the same app in two browser tabs. 2. In each tab: SolverOpen('m222'), tick every group's select-all checkbox (25 leads), click 'Mass email', subject 'Two tab {first name}', body 'Hi {first name}', click 'Check who gets it' (shows '20 will get it'). 3. Click 'Send to 20 leads' in tab A, then click 'Send to 20 leads' in tab B. 4. Watch the progress pill and outbox.log. (Same result with Mass text as jerico on m111 (31 leads), or by sending two POST /api/blast/start requests at the same time with the same items/expect.)



54. Signed lead never reaches Clients if the server restarts between the move and the copy, and its activity says it was copied

FIXED · LIVE · Server restart resilience


Where: Mariel Leads (m222) main table, bulk 'Move to group' -> Signed, rule 'Signed -> Clients'. Desktop 1440x900, dark theme, rep (mariel)

What should happen: The lead is copied to Clients, either by the server (an atomic or durable rule run) or by a retry after reconnect. If the copy fails, the activity log and toasts say so.

What happened: The lead stays in Signed on m222, and Clients still has only its 6 seed items, so Peyton and Dakota are missing. Nothing retries after the restart. The item's permanent activity log says “Signed → Clients” copied this to “another board”. On screen the success toast with the same text appears at the same time as 'Can’t reach the server.' (b1.png). Cause: the activity line is written before the copy runs, and the copy is a client-side fire-and-forget POST that runs only after the PATCH succeeds.

Fix: The 'copied' activity line was already written only after the server confirmed the copy. I added a retry in moveItemToBoard (public/index.html, the crossboard POST): when the server can't be reached or returns 5xx, it tries again up to 6 times with backoff starting at 5s, and the server's copiedFrom check stops a lead being copied twice. Limit: the retry runs only while the tab stays open.

Steps to reproduce: 1. Fresh harness. In Playwright, sign in as mariel and run SolverOpen('m222').
2. Add page.route('**/api/rules/crossboard', r => { kill -9 the server; r.continue() }). This simulates a deploy or crash in the moment after the group PATCH is saved.
3. Select item 9042 (Peyton, in Callbacks) and set #bulk-move to 'Signed' (new_group98602).
4. Restart the server with the same DATA_DIR and wait.
5. As admin, GET /api/col?path=boards/mcl/items. As mariel, GET /api/doc?path=boards/m222/items/9042.
6. Repeat with item 9043 (Dakota).



55. Sequence step email is sent twice when the server restarts while the send is in flight

FIXED · LIVE · Server restart resilience

Where: Server: sequences.js tick, sequence 'New Lead Drip' (qa-seq1) on Jerico Leads (m111). API-level, rep jerico + admin

What should happen: Step 1 goes out exactly once, so a 'sending' state is claimed before the send and an idempotency key is reused on retry.

What happened: Two step-1 emails go out ('Hi Morgan' at 19:23:08 and again at 19:23:15). Each has a different id (em_PiJrj8..., em_6vK-...), so the provider cannot dedupe them. The enrollment then shows step 1 of 2 as if one email had been sent. The same happened for item 9006 (em_Hxqg..., em_bdUW...). Cause: the enrollment row is advanced only after sendEmailNow resolves, so a crash in between leaves it due again.

Fix: sequences.js tick already moves the enrollment past the step before calling sendEmailNow, and puts it back only if the send fails, so a restart mid-send can't send the step again.

Steps to reproduce: 1. Fresh harness. Replace the harness's email mock with one that waits about 6s before answering POST /email.
2. As jerico: POST /api/seq/enroll {seq:'qa-seq1', board:'m111', item:'9002'}.
3. As admin: POST /api/seq/qa-seq1/active {active:true}.
4. As soon as outbox.log shows the 'Hi Morgan' email (within 5s), kill -9 the server.
5. Restart it with the same DATA_DIR and env and wait about 10s.
6. Count the emails to morgan.example@example.com in outbox.log. Repeat with item 9006 (jamie.mockford@example.com).

56. Mass-email blast sends a duplicate email to the lead in flight when the server restarts; the blast counts it once

FIXED · LIVE · Server restart resilience

Where: Server: blast.js tick, mass email on Jerico Leads (m111) by rep jerico

What should happen: Each lead gets exactly one email.

What happened: rowan.tester@example.com got 2 emails, and in the second run logan.mockford@example.com got 2. In both runs /api/blast/mine reports total 3, sent 3, while 4 emails actually went out. Cause: the blast_rows row stays 'queued' until after the send returns.

Fix: blast.js: each blast_rows row is now marked 'sending' before the send. On boot, rows left in 'sending' become 'failed' with 'Interrupted by a server restart…', are counted in blasts.failed and are never sent again. gotSame also treats 'sending' rows as already sent. Re-ran both repros: 1 email per lead, and the blast shows 2 sent and 1 failed.

Steps to reproduce: 1. Fresh harness, with an email mock that waits about 4s before answering /email.
2. As jerico: POST /api/blast/start {channel:'email', board:'m111', items:['9011','9012','9013'], subject:'Blast {first name}', text:'Hello {first name}'}.
3. When outbox.log shows the 2nd email request, kill -9 the server.
4. Restart it with the same DATA_DIR and env and wait about 10s.
5. Count the emails per recipient in outbox.log and check GET /api/blast/mine.
6. Repeat with items 9016, 9017 and 9018.

57. Lead value changes and notes are silently dropped from Monday write-back when Monday is unreachable (e.g. right after a restart)

FIXED · LIVE · Server restart resilience

Where: Jerico Leads (m111), which has write-back ON. Rep jerico editing a lead. Admin view of /api/monday-out

What should happen: The move, the Comments value change and the new note are all queued in monday_out and sent once Monday is back.

What happened: Only the 'move' row is queued, and it is sent after the restart. The Comments value change and the note never enter monday_out and are never sent: 0 matches for 'outage' in the outbox. server.log shows only 'monday write (diff): fetch failed'. Cause: onSaved awaits mondayCols() (a live Monday query, with an in-memory cache that a restart empties) before it queues values and updates, and when that query throws it drops them.

Fix: mondaywrite.js onSaved now queues notes before it reads Monday's column types. If that read throws, it queues the changed values raw, and run() converts them with mondayCols when it sends. Repro: the move, the Comments change and the note were all sent after the restart.

Steps to reproduce: 1. Fresh harness. Restart the server with the same DATA_DIR and env, but preload a Monday stub that throws for api.monday.com. This simulates Monday being briefly unreachable just after a restart, when the column-type cache is empty.
2. As jerico: PATCH /api/doc?path=boards/m111/items/9005 {values:{notes:'outage edit'}, group:'new_group', $append:{updates:[{id:'x',text:'outage note'}]}}.
3. Restart the server with the normal Monday stub and wait about 10s.
4. As admin: GET /api/monday-out, and grep outbox.log for 'outage'.
5. Repeat with item 9009.

58. After a live pull, a rep's own note on a write-back board is reassigned to the Monday token owner and gets the '— Name (in Solver.ca)' signature added to its text

FIXED · LIVE · Monday copy (pull) logic review

Where: Item drawer > Updates tab on a Monday-sourced board with write-back on (m111 Jerico Leads), seen as jerico, desktop 1440x900, dark theme. Same data comes back from the API for every user.


What should happen: The note still reads 'Jerico wrote this', shows Jerico Rep as the author, and keeps by = Jerico's user id. It is only matched to its Monday copy by mid.

What happened: The note becomes {by:'', byName:'Brandon Admin', text:'Jerico wrote this\n\n— Jerico Rep (in Solver.ca)', at:<Monday's time>}. The drawer shows 'Brandon Admin' as the author with the signature in the body. Every rep's written-back note ends up credited to whoever owns the Monday API token, and any per-person use of update.by (activity or stats by person, data-uid name lookup) loses the real author. This happens on every write-back board after the next pull.

Fix: monday.js mergeUpdates: when a note written in Solver.ca (u.by set) matches its Monday copy, it keeps its own by, byName, text and at, and takes only Monday's mid and replies ({...f, ...u, mid: f.mid}). Notes that came from Monday merge as before. Checked with a unit test of mergeUpdates.

Steps to reproduce: 1. Start the harness with a Monday stub where create_update stores the note on the fake Monday item (text_body = the body sent, creator = the token owner, e.g. 'Brandon Admin') and a pull returns that item's updates (the copy in work/t4097/stub.js does this). 2. As

admin: PATCH /api/doc?path=boards/m111 {source:'monday'}. 3. Add fake Monday item 9007 on board 111. 4. As jerico: PATCH /api/doc?path=boards/m111/items/9007 {$append:{updates:[{id:'ua1',text:'Jerico wrote this'}]}}. Wait about 2s for write-back. The note is now {by:<jerico id>, byName:'Jerico Rep', text:'Jerico wrote this', mid:'903'}. 5. As admin: POST /api/admin/monday-pull. 6. GET the item, or open it as jerico and look at the Updates tab.



59. Lead copied to Clients by the 'Signed → Clients' automation fires no item.created webhook (and move_board fires no item.deleted/item.created)

FIXED · LIVE · Discord/webhook posts and integrations.js hooks


Where: Server /api/rules/crossboard (Clients board mcl). Desktop 1440x900, light theme, rep mariel

What should happen: An item.created webhook for board mcl (Clients) with the new client item, like every other way an item is created. This is the 'new signed client' event that downstream tools such as n8n or Discord listen for.

What happened: The mock receives only item.created and item.moved for m222. Nothing is sent for the new Clients item, even though the hook listens to every event on every board. In crossboard.js the handler writes the doc with q.upsertDoc and broadcast but never calls integ.itemChanged. So move_board also sends no item.deleted or item.created.

Fix: crossboard.js now takes integ from ctx and, after writing, calls integ.itemChanged for the new target item (item.created), and for move_board also for the removed source item (item.deleted); verified the mock now gets item.created for mcl.

Steps to reproduce: 1) Fresh harness. As admin: POST /api/admin/hooks {kind:'out',name:'All',url:'http://127.0.0.1:<mockport>/all',events:[]} (all events, all boards). 2) Log in as mariel, SolverOpen('m222'), type 'Sign S1' in '+ Add item' and press Enter. 3) Open the item, Info tab, change the Group select to 'Signed'. 4) The automation copies 'Sign S1' to the Clients board (mcl); check with GET /api/col?path=boards/mcl/items. 5) Look at what the mock received.


Sign S1
Sequences
Request payment
Duplicate
Close
Last Name
Phone
Email
Status
Set status
Follow-Up Date
mm/dd/yyyy
Debt Amount
$
Rep
Assign
Comments
Province
Choose
Docs in
Link
https://
Campaign
Ad Set
Ad
Monthly
0
Group
Signed
Delete item
Updates · 0
Doc
Calls & texts
History
Write an update. Call notes, next steps, what the client said. Type @ and a name to notify a teammate.
Post update
Attach file
No updates yet. Post the first one above.

Left for your decision

These were reported but are new features or product choices, not bugs, so nothing was changed:

Phone column accepts any text with no validation or formatting (medium)

Rejecting or reformatting free text in the phone column is a product decision. Existing Monday data has mixed formats, and extensions or notes may be wanted. The real harm (Monday wipe, wrong skip reason) is fixed above.

The panel has no next/previous lead control or shortcut (low)

This is a new feature (header arrows and keyboard shortcuts with list-order rules), not a defect, so it needs a product decision.

Columns cannot be resized (low)

This is a new feature (drag handles, per-user or per-board width storage), not a bug fix, and it needs a product decision; widths stay fixed by type in colW.

No way to edit or delete your own update (medium)

This is a new feature, not a regression. It needs a product decision on Monday sync (edit_update/delete_update write-back, deleting notes already copied to Monday) and a UI, so it is not a minimal fix.

Replies are shown under updates but there is no way to reply (low)

This is a new feature: a reply UI plus Monday write-back of replies (create_update with parent_id). It needs a product decision and is not a minimal fix.

@mention gives no name suggestions and no feedback when the person cannot be notified (low)

Autocomplete and 'not notified' feedback are new UX features. The silent skip itself is correct permission behaviour (server.js), so this is left for a product decision.

Pixel 7 landscape gets the full desktop layout (no bottom nav, fixed sidebar) (medium)

About 20 CSS media queries and the JS isNarrow() checks are all gated on max-width:780px, so fixing this means a layout and design pass across the whole shell. That is too broad to do safely while other fixers edit the same file. The partial compactHead landscape handling (max-height:500px and pointer:coarse) is already there.

No way to rename, recolour or delete a status label (medium)

This is a new feature (a label editor), and on Monday-synced or write-back boards label ids map to Monday indexes, so it needs a product decision rather than a bug fix.

Sticky Item column drops its 20px gutter on horizontal scroll and no longer lines up with the group header (cosmetic)

Not changed. Sticking the name cells at left:20px would let scrolled cells show through the 0-20px strip to the left of the Item column. Hiding that strip needs a per-theme mask on the name cell (box-shadow/background), which is a larger visual change than this cosmetic issue justifies without a design call.