Solver.ca: every bug found and how it was fixed

100 automated testers checked every screen, role, theme and phone size on private copies of the CRM (fake leads; fake email, text, Monday and Stripe). They reported **427** bugs: 59 high, 156 medium, 169 low, 43 cosmetic.

417 fixed (340 with their own fix, 77 covered by a related fix) · **9 left for your decision** (new features, not bugs) · 1 kept on purpose. All fixes are live. A second pass of 15 testers re-ran every fix that had not been individually re-tested (all confirmed) and hunted for anything the fixes broke (see the last section).

Main table view on Jerico Leads as admin, desktop 1440 · 4

Severity	Bug	Result	What was done
MEDIUM	Sorting by the formula column (Monthly) does nothing	Fixed	In solver/public/index.html, the visibleItems sort key now has a formula case that sorts on formulaResult(). Errors and blanks sort last.
MEDIUM	'(blank)' status chip label is unreadable in every theme; 'No answer' low contrast	Fixed	Added a CSS rule after .chip[style*="--c"]::before in solver/public/index.html that gives dark text (#1f1f1f, no shadow) to chips with light Monday label colours (#c4c4c4, #fdab3d, #ffcb00, #9cd326 and similar). theme.js now adds .chip[style*="--c"] to its KEEP list, so in light and beige themes the chips are turned back to their real colours.
LOW	Numeric formula column gets no footer total	Fixed	summaryCell in solver/public/index.html has a new formula branch. It adds up the numeric formulaResult values and shows the total through KSFormula.format, e.g. 4,053.4 for New Uncontacted.
LOW	Link cell with a bare domain shows no open-link button	Fixed	linkParts in solver/public/index.html now accepts a bare domain or www host (with an optional path) and adds https:// in front. Values containing @ are left alone.

Main table inline editing · 5

Severity	Bug	Result	What was done
MEDIUM	Esc does not cancel an inline cell edit; typed text is saved on blur	Fixed	The keydown Escape handler in solver/public/index.html now checks first for an edited cell-input (data-edit) or subitem input. If its value differs from defaultValue, it puts the old value back and blurs, so no change event fires and nothing is saved.
MEDIUM	Number cell silently saves 0 for non-numeric input	Fixed	setValue in solver/public/index.html now strips only $, % and whitespace. Text that is not a number becomes NaN, and the existing 'Enter a number' toast rejects it (the guard is now !isFinite). The same coercion and toast were applied to subitem number cells in setSub.
MEDIUM	Light theme: status chips and picker have black text on dark inverted colours	Fixed	Same fix as tester 0's chip bug. theme.js KEEP now includes .chip[style*="--c"], so chips in the table and in the picker show their real colours with white or dark text in light and beige themes.
LOW	Number cell turns scientific notation into a wrong number (1e5 -> 15)	Fixed	With the setValue coercion change in solver/public/index.html, the 'e' is no longer stripped, so 1e5 is saved as 100000. $245,000 still parses to 245000.
LOW	Date cell accepts and saves a 5-digit year	Fixed	setValue in solver/public/index.html now rejects date values that are not YYYY-MM-DD and shows an 'Enter a real date' toast. The table date input also gets min=1900-01-01 and max=9999-12-31.

Groups · 5

Severity	Bug	Result	What was done
HIGH	Groups added in Solver on a Monday write-back board are never created in Monday, but moving leads into them sends a non-existent group id to Monday	Fixed	Added POST /api/monday-out/group to mondaywrite.js (inside handle(); needs canWrite plus mustSee; it runs create_group, or update_group for a rename, and returns Monday's id; it does nothing unless write-back is on for that board). In index.html the 'add-group' case now creates the group in Monday first on write-back boards and uses Monday's id. If Monday fails, it shows a toast and no Solver-only group is made. Group renames on write-back boards are also sent to Monday. Note: the stock harness stub returns no create_group id, so on m111 adding a group now shows 'Monday didn't create the group'.
MEDIUM	Clearing a group name leaves the group header blank (name disappears) until something re-renders	Fixed	index.html change handler for ed === 'group-name': an empty or whitespace name now puts the old name back in the input, and an unchanged name is not saved.
LOW	Escape does not cancel a group rename: the typed text is saved when focus leaves	Fixed	index.html Escape keydown branch: Escape in an editable input.group-name puts back defaultValue and blurs, so nothing is saved.
COSMETIC	Long group names are cut off mid-word on phones with no ellipsis	Fixed	index.html .group-name CSS gets text-overflow: ellipsis, and the group-name input has a title with the full name.
COSMETIC	Bulk move toast says 'Moved 1 items' for a single lead	Fixed	index.html bulk move-to-group toast is now singular for one item ('Moved 1 item to X').

Bulk actions bar · 8

Severity	Bug	Result	What was done
HIGH	Bulk actions act on selected rows hidden by search: the bar says '1 Lead selected' with no visible row checked, and Delete removes the hidden lead	Fixed	index.html: new pruneSel() drops selected ids that visibleItems() no longer shows. It runs before the bulk bar renders in renderLayer and in the search input handler, so the bar's count and every bulk action (delete, status, move, duplicate, blast) only use visible rows.
MEDIUM	Bulk-action toast sits on top of the bulk bar and covers the Mass email, Mass text and Status buttons	Fixed	index.html CSS: body:has(.bulkbar) .toasts moves toasts above the bar (96px on desktop, 164px on phones). Measured toast bottom 804 vs bar top 817 on desktop, and 688 vs 701 on iPhone.
LOW	Selection carries into Kanban: the bar shows '1 Lead selected' but no card is marked	Fixed	index.html 'view' and 'saved-view' cases clear S.selected when switching to any view other than the table, which is the only view that shows checkboxes.
LOW	On phones the bulk bar hides Duplicate, Delete and the close (X) button off-screen, with no scroll cue	Fixed	index.html phone media rule: .bulkbar .bb-close is position:sticky; right:0 with an opaque background and a fade shadow. The X is always visible and the fade shows that the bar scrolls sideways.
LOW	Group 'select all' checkbox has no indeterminate state	Fixed	index.html: new selGroupMarks() sets checked and indeterminate on group header checkboxes. It is called from selChanged, after the table renders (queueMicrotask in tvTable when the group is partly selected) and in tvPatch.
LOW	Bulk Duplicate puts copies at the bottom of the group instead of under their originals	Fixed	index.html duplicateItem: the copy's pos is now halfway to the next item's pos in the group (it was pos+0.01), and the copy is spliced into S.items right after the original. Verified with positioned items (Monday imports have integer pos): copies land right under the original, also after a reload. Seed items with no pos at all still tie, so a copy of one of those still goes to the end of its group.
LOW	No way to export only the selected items; Export ignores the selection	Fixed	index.html 'export' case: with items selected it exports only those, and the Export menu note says 'Only the N selected item(s) (clear the selection to download the whole view)'.
COSMETIC	Bulk toasts say '1 items', and the bar says 'Leads selected' on the Clients board	Fixed	index.html: the Duplicated, Deleted and Updated toasts are singular for one item. The bulk-bar label says Lead(s) only on boards whose name contains 'lead' and Item(s) on other boards.

Column management · 5

Severity	Bug	Result	What was done
MEDIUM	'Move left/right' does nothing visible with a personal column order but reorders the shared board	Fixed	index.html move-col case: when S.colOrder is set, the move now happens in the personal order (myOrder, skips hidden columns, saveColOrder + render + 'Only you see this order' toast) and b.columns is left alone; without a personal order it still moves the board order.
LOW	Deleting a column leaves its filter and sort active	Fixed	index.html delete-column case now deletes S.filters[id] and clears S.sort when it points at the deleted column (mcl went back from 1 of 6 to 6 of 6 and the Filtered chip went away).
LOW	Add column -> Connect boards/Mirror throws away the typed name	Fixed	index.html save-column board_relation/mirror branch fills the typed title into #fx-rel-title (or #fx-mir-title when a connect column exists), and the mirror toast now says to add a connect column first when the board has none.
LOW	Enter does not submit Rename (#c-rename) or Add column Name (#c-title)	Fixed	index.html keydown Enter handler: added a branch for #c-rename/#c-title that clicks the rename-column / save-column button.
LOW	Columns cannot be resized	Your decision	This is a new feature (drag handles, per-user or per-board width storage), not a bug fix, and it needs a product decision; widths stay fixed by type in colW.

Sorting and filtering · 10

Severity	Bug	Result	What was done
MEDIUM	Header item count ignores the search box	Fixed	index.html search input handler now refreshes #item-count from visibleItems() after renderContent (o'brien gives 1 of 40, xyzzy 0 of 40, empty 40 of 40).
MEDIUM	Sorting by a Formula column does nothing	Fixed (by a related fix)	The sort key in visibleItems already uses formulaResult for formula columns (another fixer's change).
MEDIUM	Search does not find a number typed without $ or commas	Fixed	index.html visibleItems: when the query looks like a number, it is also compared with the raw number column value after removing $, commas and spaces (6373 and $6,373 both find the lead).
LOW	Name sort puts accented names after Z	Fixed	index.html visibleItems sort comparator uses localeCompare(sensitivity base, numeric) for string keys.
LOW	'Filtered · N' chip ignores the Person filter and does not clear it	Fixed	index.html filterCount now counts S.person, and clear-filters also resets S.person.
LOW	Checkbox column: descending gives the same order as ascending	Fixed	index.html sort key maps checkbox columns to 1 (checked) or 0 (unchecked) and never null (asc nnnnYYYY, desc YYYYnnnn).
LOW	Status sort descending puts (blank) status at the top	Fixed	index.html sort key treats a status label that is empty or '(blank)' (or not found) as null, so it sorts last in both directions.
LOW	Search does not match a curly apostrophe or accents (O'Brien, zoe/Zoë)	Fixed	index.html visibleItems folds the query and the compared text (NFD with accents removed, curly quotes turned into ', lowercased).
LOW	Phone search button stays 'Done' while a search is active and tapping it wipes the search	Fixed	index.html search input handler updates the m-search-close button text to Clear or Done without redrawing the header, so the label matches what tapping it does.
COSMETIC	Person filter list is case-sensitive	Fixed	index.html person names list now sorts with localeCompare(sensitivity base) instead of plain sort().

Kanban view · 3

Severity	Bug	Result	What was done
LOW	Pipeline Kanban lane counts don't add up to the item count in the header (Junk leads hidden without saying so)	Fixed	public/index.html renderPipeline: counts the visible items whose group isn't in any lane and adds a note under the lanes, e.g. '8 items in Flopped, Junk or other groups are left off the pipeline...'.

Severity	Bug	Result	What was done
LOW	Kanban cards show only the first name, so leads with the same first name look identical	Fixed	public/index.html: new cardName(b,i) helper next to usePipeline adds the board's 'Last Name' column value to the card title, unless the name already contains it. Used in both renderPipeline and renderKanban.
LOW	Space key does nothing on a focused Kanban card (role=button)	Fixed	public/index.html keydown handler: just before the `if (e.key !== 'Enter') return;` line, Space on a .card[role=button] now opens the drawer the same way Enter does (with preventDefault).

Calendar view · 4

Severity	Bug	Result	What was done
MEDIUM	Calendar never marks overdue follow-ups: past-due chips look the same as future ones	Fixed	public/index.html renderCalendar: on follow/due/next/callback columns, past-dated chips get an 'overdue' class and an 'Overdue' tooltip, and past agenda days get an 'overdue' class plus a '· Overdue' label. Added CSS for .cal-chip.overdue and .ag-day.overdue in the base and glass style blocks (shows red).
MEDIUM	Junk/Unqualified leads show on the follow-up calendar and are counted in 'due today / overdue'	Fixed	public/index.html renderCalendar skips items in groups named junk/unqualif*. server.js boardStats builds a junkGroups set and leaves those items out of the overdue/dueToday/upcoming counts (the item counts are unchanged). The mascot now says 14 overdue instead of 17.
LOW	Phone calendar prev/next month buttons are only 32px wide (below the 40px tap-target minimum)	Fixed	public/index.html CSS: `.cal-nav .btn` now has min-width 40px and centred content. Measured 40px on iPhone 15.
COSMETIC	Phone empty-month message says 'Follow-Up Date date'	Fixed	public/index.html phone agenda empty state: ' date' is only added when the column title doesn't already end in 'date'. It now reads 'on their Follow-Up Date.'

Timeline view and Workload view · 5

Severity	Bug	Result	What was done
HIGH	Timeline on phones opens with every bar off-screen, and 'Today' does not scroll to today	Fixed	solver/public/views.js renderTimeline: after render, #vx-tl is scrolled so today+offset is centred in the visible track. The scroll position is kept on re-renders of the same range, and the tl-nav case sets tlJump so 'Today' and the arrow buttons always jump there. On iPhone 15, 12 of 12 bars are now visible on open and after tapping Today.
MEDIUM	View options panel runs off the right edge of the screen on Timeline and Workload; some controls can't be reached	Fixed	Same fitOpts() fix in solver/public/views.js. Clicking Months at 1280 no longer shifts the main pane.
MEDIUM	Timeline and Workload summary text is cut off on phones	Fixed	solver/public/views.js CSS: changed '.vx-note { white-space:nowrap }' to '.vx-optrow .vx-note { ... }' so only the Capacity label in the options stays on one line. Summary notes now wrap: right edge 373 on a 393px screen.
LOW	Timeline header month labels overlap: 'Sep 2026Oct'	Fixed	solver/public/views.js header tick loop: the first month only gets its label at the range start when there are at least 100px before the next month's label. The year now goes on the first label shown (`!top`). The header reads 'Oct 2026 / Nov / Dec'.
LOW	Single-day timeline bars are drawn twice too long (about a week long in Months zoom)	Fixed	solver/public/views.js: .tl-bar now uses box-sizing:border-box, and bars 36px or narrower (no text) get padding:0 inline. A 1-day bar in Weeks zoom is 9px wide, down from 18. The 8px minimum stays in Months zoom so bars remain visible.

Chart view · 6

Severity	Bug	Result	What was done
HIGH	View options popover runs off the right edge; at laptop width the Measure picker and 'Save as view' can't be reached	Fixed	solver/public/views.js: added fitOpts(), which slides .vx-optrow left when it would pass the window's right edge. It runs on the toggle event and after head() re-renders an open panel. At 1280 and 1440 the panel's right edge is now innerWidth-12 on Chart, Timeline and Workload.
MEDIUM	Phone: View options panel is clipped by the 260px header, hiding 'Save as view' and scrolling the 'View options' toggle out of sight	Fixed	solver/public/views.js CSS: added '.main:not(.head-up) .head.compact:has(.vx-opts[open]) { max-height:none }' for widths up to 780px. The panel shows in full and the header still hides on scroll. 'Save as view' can now be tapped on iPhone 15 (elementFromPoint returns the button).
LOW	Y-axis labels for currency sums spill outside the chart card on the left	Fixed	solver/public/views.js chartSvg: the left padding is now max(44, width of the largest axis label), computed from f(top). Labels start inside the card at 1440 (285 vs card 256) and on Pixel 7 (49 vs 20).
LOW	Phone: chart summary line is cut off at the right edge with no wrap or ellipsis	Fixed	Same .vx-note nowrap change in solver/public/views.js. The chart summary wraps on Pixel 7 (right edge 392 of 412).
LOW	Month buckets are labelled 'Nov 26', which reads as the date November 26	Fixed	solver/public/views.js date bucket for month: the label is now MON + full year ('Nov 2026').
COSMETIC	Line chart cuts x-axis category labels to 10 characters even with plenty of room	Fixed	solver/public/views.js chartSvg x-axis labels: the truncation length comes from the available width per label (bw*every/6.6), with at least 10 characters.

Map view and Files view · 6

Severity	Bug	Result	What was done
MEDIUM	Map view ignores the board's Province column (dropdown type)	Fixed	views.js locCols now also accepts dropdown/status columns titled city/province/region/town, so Province (BC/ON/AB) places items and shows in the Place selector.
MEDIUM	Map clusters are 7-9px on phones: far too small to tap	Fixed	views.js renderMap measures the rendered SVG's units-per-pixel after drawing (mapUpp, re-render once if it changed) so markers, counts and labels have a fixed on-screen size, and each cluster has a transparent 44px hit circle (circle.hit); resize now re-renders the map too.
LOW	Map side panel summary line is clipped and the panel scrolls sideways	Fixed	views.js CSS: added .vx-side .vx-note { white-space:normal } so the summary wraps (side scrollWidth == clientWidth now).
LOW	Zooming the map to Alberta shrinks markers and count text	Fixed	Same measured-scale change in renderMap: marker sizes stay the same on screen in every region (32px in both All of Canada and Alberta).
LOW	Selecting a map cluster with the keyboard drops focus to body	Fixed	views.js map-clu click handler: when triggered from the keyboard (detail 0), focus moves back to the cluster with the same data-k after the re-render.
COSMETIC	Files view cards cut off the upload date	Fixed	views.js CSS: .vx-fmeta .vx-note + .vx-note { white-space:normal } so the 'Update by X · date' line wraps; the item-name line keeps its ellipsis.

Item · 4

Severity	Bug	Result	What was done
MEDIUM	Esc in the panel saves the half-typed edit and writes it back to Monday	Fixed	index.html Escape handler: field inputs (cell-input) were already reverted on Esc; I added input.drawer-title[data-edit] to that selector so a half-typed title is thrown away too. Retested 'Reese oops' and phone '...77': nothing saved and nothing in outbox.log.
LOW	Email field in the panel only fills part of its box	Fixed	index.html .email-cell now has flex:1 1 auto; width:100% (wrapper 332px of a 334px box).
LOW	Long lead names don't wrap in the panel title; cut with no ellipsis or tooltip	Fixed	index.html .drawer-title gets text-overflow:ellipsis, and the title input gets title="name" so the full name shows on hover (the input stays one line, no markup change).

Severity	Bug	Result	What was done
LOW	The panel has no next/previous lead control or shortcut	Your decision	This is a new feature (header arrows and keyboard shortcuts with list-order rules), not a defect, so it needs a product decision.

Item panel Updates/notes · 6

Severity	Bug	Result	What was done
MEDIUM	Updates posted in Solver never get their Monday id saved, so the guard against copying them twice never runs	Fixed	public/index.html post-update now gives each new update an id (rid('u')). server.js $append also assigns newId('u') to any appended update that has neither an id nor a mid, so stampMid can save the Monday mid. Verified: the update on 9001 has id and mid 901.
MEDIUM	Update text goes to Monday as raw text, not HTML: line breaks are lost and typed HTML tags are sent as live markup	Fixed	mondaywrite.js: new toHtml() HTML-escapes the text and turns newlines into . It is applied to the create_update body. Import still reads text_body, so the round trip is unchanged. outbox now shows 'Line one Line two x — Jerico Rep (in Solver.ca)'.
MEDIUM	Pressing Esc or switching tabs throws away a half-typed update with no warning	Fixed	public/index.html renderLayer keeps a per-item draft (S.updDrafts) and restores it when the panel or the Updates tab opens again, and a posted update clears it. In the Escape handler, the first Esc in a composer that has text only blurs the box; a second Esc closes the panel. Verified with Esc, close and reopen, and History/Updates tab switches.
MEDIUM	No way to edit or delete your own update	Your decision	This is a new feature, not a regression. It needs a product decision on Monday sync (edit_update/delete_update write-back, deleting notes already copied to Monday) and a UI, so it is not a minimal fix.
LOW	Replies are shown under updates but there is no way to reply	Your decision	This is a new feature: a reply UI plus Monday write-back of replies (create_update with parent_id). It needs a product decision and is not a minimal fix.
LOW	@mention gives no name suggestions and no feedback when the person cannot be notified	Your decision	Autocomplete and 'not notified' feedback are new UX features. The silent skip itself is correct permission behaviour (server.js), so this is left for a product decision.

Item panel Activity log tab and item history · 3

Severity	Bug	Result	What was done
MEDIUM	Group move made from the item panel never shows in the History change list until the page is reloaded	Fixed	public/features.js loadItemHistory: when it refreshes after a change made in the page, it fetches again at 1.5s and 4s, so the stale result cached under the new signature gets replaced. Verified: 'Group: Open→Won' appears on item 9072 without a reload.
MEDIUM	Activity log entries show 'Someone:' instead of the person's name after any change in the open panel	Fixed	public/index.html: fillNames now keeps the names it resolves in S.nameOf. The Activity log render uses that cache, and your own name for your own entries, instead of the hard-coded 'Someone'. Verified: 'Brandon Admin (you): Moved to “Won”' shows right after a move.
COSMETIC	'Won!' celebration shows the item name with a stray digit (the update count), e.g. 'Taylor1'	Fixed	public/motion.js lines 91 and 108 now read the name from '.name-open .nm' (falling back to .name-open), so the update-count badge is left out. Verified: the banner reads 'Won!Zoë'.

Single email from a lead · 3

Severity	Bug	Result	What was done
MEDIUM	Esc or a stray backdrop click throws away a typed email without asking	Fixed	public/index.html: added EMAIL_DRAFTS (next to fitTitle). The email input handler saves subject/body per board/item, compose-email puts the draft back into S.modal when the window is reopened, and a successful email-send deletes the draft. Esc or a backdrop click now keeps the draft instead of losing it.

Severity	Bug	Result	What was done
LOW	Validation hint stays on screen after the missing field is filled in	Fixed	public/index.html email input handler: once the missing field is filled, it clears 'Add a subject.' / 'Write a message.' (or moves on to the other missing field) and updates or removes the .em-warn element in place, so focus is kept.
LOW	A lead with a badly formed email is told it has 'no email address'	Fixed	public/index.html email modal: when the server returns no valid address but the lead's Email column contains an '@', the modal now says '"foo@bar" isn't a valid email address. Fix the Email field on this lead.' and To shows 'foo@bar (not valid)'.

Single text · 3

Severity	Bug	Result	What was done
MEDIUM	SMS character counter stays at 0/600 (or a stale number) while typing	Fixed	public/index.html: the counter span now has id bl-count, and the document input handler updates it on every keystroke in #bl-text without re-rendering.
LOW	After texting a lead, 'Calls & texts' tab says 'No calls or texts recorded yet' and 'Solver.ca never calls or texts anyone'	Fixed	comms.js /api/comms now also returns the item's sent text_log rows as outbound Text events (source Solver.ca). extras.js:70 now reads 'Texts sent from Solver.ca show here too; calls are read-only.'
LOW	No way to text one lead from the lead; a single text must go through 'Mass text' and is logged as 'Mass text sent'	Fixed	public/index.html: the drawer has a new '■ Text' button (compose-text) for leads with a 10-digit phone. It opens the existing text compose for that one lead, titled 'Text <name>', and the toast now reads 'Sending now' for a single lead. blast.js passes blastId only when bl.total > 1, so a single send is logged and written back to Monday as 'Text sent' / 'Email sent'. All existing opt-out and Junk checks still apply.

Mass email · 2

Severity	Bug	Result	What was done
HIGH	Leads moved OUT of Junk/Unqualified get mass-emailed	Fixed	server.js: new markWasJunk() sets a sticky item.wasJunk when an item leaves a Junk/Unqualified group and carries it forward. It runs on every item save in /api/doc and in the Monday-sync saveItem. email.js blockedReason now also blocks item.wasJunk ('was in Junk/Unqualified before').
MEDIUM	{pulse.name} merge field not replaced and not flagged	Fixed	blast.js fill() now treats {pulse.name} like {name}. The preview returns 'unknown' placeholders, and index.html shows a warning in the Mass email/text preview that they won't be filled in.

Mass text · 4

Severity	Bug	Result	What was done
HIGH	Two identical blasts started at the same time both go out	Fixed	blast.js: plan() now takes the message and skips any address that was sent, or is queued in a running blast, the same channel/board/body (and subject for email) in the last 24h ('Already got this same message in the last day'). The check and insert run synchronously, so of two simultaneous starts the second gets a 400 and each lead is texted once.
LOW	Character counter in Mass text modal stays at 0/600	Fixed (by a related fix)	index.html already has an input handler (around line 1773) that updates #bl-count on every keystroke. Confirmed it shows 20/600 after typing 'Hi {first name} test'.
LOW	Opt-out footer runs into message without ending punctuation	Fixed	blast.js withFooter() adds a '.' before ' Reply STOP to opt out.' when the text doesn't end in . ! ? … or). outbox now shows 'QA Logan. Reply STOP to opt out.'
COSMETIC	Blast progress pill on phones squeezes into narrow column	Fixed	index.html .blast-pill mobile media rule: added width: max-content (still capped by max-width calc(100vw - 24px)), so the pill no longer shrinks to about half the viewport. At 393px it renders on one line (248x50).

Email sequences · 4

Severity	Bug	Result	What was done
MEDIUM	Esc on the Sequences popup also closes the lead drawer	Fixed	solver/public/sequences-ui.js: the Escape listener now runs in the capture phase and calls preventDefault and stopPropagation, so only #seqm closes and the drawer stays open.
MEDIUM	Sequence on a board with no rep sender saves and accepts enrollments that are then silently stopped	Fixed	solver/sequences.js: PUT /api/seq/:id refuses a save when 'Sent from' is empty and a chosen board has no rep sender (mail.boardFrom), naming the board. /api/seq/enroll also rejects such a sequence, which covers sequences saved before this fix.
LOW	Wait over 23 hours silently saved as 23 h	Fixed	solver/sequences.js clean() and readForm() in sequences-ui.js now carry extra hours into days (48 h is stored as 2 days 0 h) instead of capping at 23.
LOW	Backdrop click or Esc throws away unsaved sequence edits	Fixed	solver/public/sequences-ui.js: a new askClose() compares the form to a snapshot taken when the editor opens and asks 'Discard your unsaved changes?' before Esc or a backdrop click closes a changed editor.

Stripe 'Request payment' from a lead and the Connect apps page · 5

Severity	Bug	Result	What was done
HIGH	Comma decimal '250,50' becomes $25,050.00 sent to Stripe	Fixed	solver/apps.js /api/pay/request now uses a strict money parser: '250,50' (1-2 digits after a comma) is read as a decimal comma, giving $250.50; '1,250.00' is read as thousands; anything else is refused.
MEDIUM	Amount parser accepts 1e3, 0x10, 1.000,50, 12.345, [7]	Fixed	Same parser in solver/apps.js: only strings or numbers that match plain money formats with at most 2 decimals pass; 1e3, 0x10, 1.000,50, 12.345, 1.005, [7] and -5 now return 400 'Enter an amount like 150.00.'
LOW	Long unbroken description overflows the payment-request row	Fixed	solver/public/index.html .pay-row CSS now has min-width:0 and overflow-wrap:anywhere, so the row's scrollWidth equals its clientWidth.
LOW	Cancel button shown on others' payment requests but always 403	Fixed	solver/apps.js /api/pay/list rows now include canCancel (the requester or an admin), and index.html shows Cancel only when canCancel is not false.
LOW	Enter in Amount/For does not submit the payment form	Fixed	solver/public/index.html global keydown Enter handler: in #pay-amt or #pay-desc, Enter clicks the enabled 'Make payment link' button.

NEW LEAD banner · 3

Severity	Bug	Result	What was done
MEDIUM	One Escape press both dismisses the banner and closes the lead drawer underneath	Fixed	public/newlead.js:52-53: the Escape handler now listens on window in the capture phase and calls preventDefault and stopImmediatePropagation, so one Escape closes only the banner and the drawer stays open.
MEDIUM	Banner card is clipped at top and bottom in phone landscape, and the overlay can't be scrolled	Fixed	public/index.html (#newlead CSS, after the max-width:600px rule): the overlay now has overflow-y:auto, and the card uses margin:auto with flex-shrink:0, so a tall card scrolls instead of being clipped. A max-height:500px media query compacts the card, which now sits at 33..310px in a 343px viewport with X and 'Open lead' fully visible.
MEDIUM	No NEW CLIENT banner when the app's Signed -> Clients rule copies a lead to Clients	Fixed (by a related fix)	crossboard.js:58 already calls hooks.newItem for copy_to_board, and ext.js wires that to newleads.noteItem. On the harness, a crossboard copy produced a 'client' entry on mcl in admin's /api/leads/new.

NEW CLIENT banner · 2

Severity	Bug	Result	What was done
HIGH	No NEW CLIENT banner when a rep moves a lead to Signed and the server copies it to Clients	Fixed	Server copies made by Signed → Clients now raise the NEW CLIENT banner for admins (crossboard.js, server.js).
MEDIUM	One Escape press closes the stacked NEW CLIENT banner and the item drawer under it	Fixed	This is the same fix as the tester 20 Escape bug: public/newlead.js now handles Escape in the capture phase and stops it, so the client drawer stays open.

Signed → Clients automation · 3

Severity	Bug	Result	What was done
HIGH	Jerico's Signed leads never reach Clients: on a write-back board the browser skips the copy and leaves it to Monday, but Clients is a Solver-only board	Fixed	Jerico's board only leaves the copy to Monday when the target board is itself a Monday board; Solver-only targets are copied by the server.
HIGH	Admin moving a lead to Signed copies it into Clients again every time (no dedupe on the admin/browser path), including leads a rep already sent	Fixed	Every rule copy carries copiedFrom; the server refuses a second copy of the same lead.
LOW	Re-sign logs 'copied this to another board' even when the server copied nothing	Fixed	crossboard.js: the 'already' reply now includes board: tb.name. public/index.html runRule copy/move case: for a board the user can't see, the activity line is no longer written before the server call. moveItemToBoard now writes it after the server replies, as either 'copied this to "Clients"' or 'already on "Clients", nothing copied'. The toast now reads 'Already on Clients.'

Monday write-back on Jerico Leads · 4

Severity	Bug	Result	What was done
HIGH	Undo (toast Undo button or Ctrl+Z) reverts the lead in Solver.ca but never writes the revert to Monday, so Monday and Solver.ca stop matching	Fixed	Undo and restore now run the same save hooks as a normal edit, so the revert is written to Monday.
MEDIUM	Banner on Jerico Leads says changes don't go back to Monday, but that board writes back	Fixed	public/index.html: gave the banner id="banner" and added renderBanner(), which render() and loadWriteback() call. On a board in S.writeback the banner now says changes are written back to Monday and emails and texts really go out. Other boards keep the old text.
LOW	Phone with extension written to Monday with extension digits glued on	Fixed	mondaywrite.js toMonday 'phone' case: a trailing ext/extension/x/# plus digits is stripped before non-digits are removed. Verified in outbox.log: 4035551234 and 4035557777.
LOW	'Updated N items / Undo' toast covers bulk bar buttons	Fixed (by a related fix)	public/index.html already has CSS 'body:has(.bulkbar) .toasts' that lifts toasts above the bulk bar. On the harness, elementFromPoint finds every bulk button uncovered after a bulk Status change.

Automations editor · 2

Severity	Bug	Result	What was done
MEDIUM	Checkbox 'changes to unchecked' trigger can't be picked and never fires	Fixed	public/automations.js valueControl: 'unchecked' now has value 'false' instead of '' (so it no longer clashes with 'anything'); onField keeps '' as 'anything'; valText shows 'unchecked'. The browser rule matcher (public/index.html:1421) and the server one (integrations.js runRules) now compare a true/false rule with whether the box is ticked, instead of comparing String(false) with ''.

Severity	Bug	Result	What was done
LOW	'a button is pressed' trigger on a board with no button column reads 'a deleted button'	Fixed	public/automations.js sentence(): when no button column was ever picked (no r.col), the preview now reads 'When a button is pressed (this board has no button column — add one first)'. 'a deleted button' is now used only for a column that really was deleted.

Admin home page stats · 6

Severity	Bug	Result	What was done
HIGH	Sign-ups, pitches and junk done in Solver are never counted: the rep cards stay at 0 while the lead really moved	Fixed	Stats count moves made in Solver from its own history for boards that are not run through Monday.
MEDIUM	'Which leads perform best' ignores Campaign / Ad Set / Ad columns	Fixed (by a related fix)	stats.js already finds columns titled Campaign, Ad Set and Ad (verified: one row per campaign, ad set and ad). I also made public/stats-ui.js stop giving the star to a '(no ad info)' row.
MEDIUM	On iPhone the rep cards stick out past the 'Team this week' card	Fixed	public/index.html phone media query: .st-reps now uses minmax(0,1fr), .st-rep-card and .st-bub get min-width:0, and bubble labels may wrap. Measured: the cards end at 350 inside 370 on iPhone 15 and at 369 inside 389 on Pixel 7, with no page scroll.
LOW	'Dials today' tile shows 0 while every rep card says phone stats off	Fixed	public/stats-ui.js: the tile now shows numbers only when dialsOn is true and at least one rep has non-null dials; otherwise it shows '—' and 'phone stats off', matching the rep cards.
LOW	'updated N min ago' stays at 0 until a repaint	Fixed	public/stats-ui.js: the age text is now in a [data-st-ago] span, and the existing 30 s interval updates its text (with Date.now moved forward 7 min it read 'updated 7 min ago').
LOW	Two different 'this week' new-lead counts (24 in Team stats vs +32 on Boards list)	Fixed	Labels now say which window each number uses. public/index.html: the home Boards list and hero (a rolling 7 days, server.js) now read 'last 7 days'. The stats card already says 'Since Monday <date>'.

Lead sources stats panel · 6

Severity	Bug	Result	What was done
HIGH	Lead sources panel ignores the boards' 'Campaign' / 'Ad Set' / 'Ad' columns, so every lead is counted as '(no ad info)' and all three tabs show the same single row	Fixed	Lead sources match columns titled Campaign / Ad Set / Ad (with or without “Name”).
MEDIUM	Long unbroken source names spill over Leads/Cost/Junk columns	Fixed	public/index.html .st-src .st-name now has overflow-wrap:anywhere;word-break:break-word, so long ad set names and URLs wrap inside the cell (scrollWidth equals cell width at 1440 and on phone).
MEDIUM	Rate bars stop growing at about 55%	Fixed	public/stats-ui.js bar(): the width is now in px scaled to the 60px track (v*0.6px) instead of a % of the ~110px .st-bar, so 75% measures 45px and 55.6% measures 33px.
LOW	Star given to the '(no ad info)' catch-all row	Fixed	stats.js sources sort now puts '(no ad info)' after the real sources, so the k===0 star lands on a real source; the UI already skipped the star for the catch-all (checked with injected data).
LOW	On phones the rate columns are off-screen, with only the empty Cost/lead column showing	Fixed	public/index.html, new @media (max-width:780px) rules: the 760px min-width is dropped, the always-empty Cost/lead column is hidden when spend is off (new st-nospend class from stats-ui.js), bars and padding are compacted and headers wrap. The table is now about 345px in a 311px box, so every rate column shows with only a little scroll.
LOW	Campaign/Ad set/Ad tab buttons are too small to tap on phones	Fixed	public/index.html: .st-seg button gets min-height:44px and padding 10px 16px at max-width 780px (measured 44px).

Home page as a rep · 5

Severity	Bug	Result	What was done
MEDIUM	On short laptop screens Penny covers the Follow-ups heading	Fixed	public/index.html: the desk now hides only at max-height 560px (was 680), so at 1366x650 Penny stays docked in the sidebar. Below 560px on computers, an undocked Penny is hidden instead of sitting over the page.
MEDIUM	Guest 'New lead' opens a fake drawer and leaves a ghost row	Fixed	public/index.html: addItem() and case 'quick-new' now stop with a toast ('Guests can't add leads.') when !S.canWrite. renderHome hides the New lead quick action for users who can't write, and .quick drops to 2 columns. No drawer and no ghost row on desktop or iPhone.
LOW	Guest with no shared boards gets a blank Home with wrong 'New board' instructions	Fixed	public/index.html renderContent empty state: guests now see 'Hi <name>! Nothing has been shared with you yet. Ask your admin to share a board with you.' Viewers who can't write see 'Ask an admin to share a board with you.' instead of the New board hint. The iPhone Calendar button with no boards was not changed.
LOW	Penny heads-up dismiss (x) is about 18x17px on phones	Fixed	public/fun.css, new @media (max-width:780px),(pointer:coarse) rule: .pn-x is now at least 44x44 at the bubble's top-right corner, and the bubble gets 40px right padding so the text doesn't sit under it.
LOW	Penny's hello bubble covers the Follow-ups numbers and quick actions	Fixed	public/index.html: html.pet-docked .pet-news{max-width:196px}, so on computers the bubble stays inside the 236px sidebar (measured x 22-218 at 1440x900 and 1366x650). On phones the bubble above Penny still briefly covers content, but it auto-dismisses after 6.5s and now has a 44px close button.

Global search · 5

Severity	Bug	Result	What was done
MEDIUM	Searching a lead's full name (first + last) finds nothing	Fixed	solver/features.js search(): when the query has 2+ words, each word of 3+ characters is also matched on its own (ANDed) in the search_tri trigram index, so a name and Last Name kept in separate fields now match; 'Taylor Tester', 'taylor T' and 'Logan Trial' all return the lead.
MEDIUM	Tabbing into results and then pressing an arrow key drops focus to the page, and Enter no longer opens anything	Fixed	solver/public/features.js paintResults now puts focus back on the highlighted result when focus was in the list, and the arrow keys start from the focused result (SR.sel = its data-k); Enter then opens it with the native button click.
LOW	Focus is not trapped in the search dialog (aria-modal): Tab moves into the page behind it	Fixed	solver/public/features.js search keydown handler: Tab and Shift+Tab now wrap around the dialog's input and buttons, and focus that is outside the dialog is pulled back to the first control.
LOW	Result subtitle shows the placeholder label '(blank)' as a status, but only when the result's board is the open one	Fixed	solver/public/features.js resMeta skips the '(blank)' status label, matching what the server already does.
LOW	Results are capped at 8 per board ('8 OF 27') with no way to see the rest	Fixed	The board header now has a 'Show all' button (public/features.js resultsHtml, new showAll and a res-all click case). It calls /api/x/search?all=<board>, and search() in features.js then returns up to 200 matches for that board.

Notifications · 2

Severity	Bug	Result	What was done
MEDIUM	A long URL in a notification overflows its card and gets cut off (badly on phones)	Fixed	solver/public/index.html .notif-open now has min-width:0 and overflow-wrap:anywhere. On an iPhone viewport the modal no longer scrolls sideways (scrollWidth 359 = clientWidth 359) and the text stays inside the card.
LOW	Marking notifications read on one device leaves the unread badge on the user's other open sessions	Fixed	server.js /api/notifications/read now sends a 'notifs-read' event (with ids/all and the unread count) to that user's own sessions only; ks-client.js passes it on and index.html updates S.notifs and repaints the rail, nav and modal. Tested: the phone session went from 1 to 0 with no badge left.

Dashboards · 5

Severity	Bug	Result	What was done
MEDIUM	Dashboard shows stale numbers after editing a board and coming back	Fixed	public/views.js go-dash handler now also resets D.cache = {} so widgets refetch board data when Dashboards is opened.
LOW	Widget editor: Tab moves focus through the page behind the modal	Fixed	public/views.js renderModal now moves focus into the dialog (and keeps the focused field focused across re-renders), and the keydown handler traps Tab/Shift+Tab inside #vx-layer .modal.
LOW	Widget editor on phone: permission note cut off, modal scrolls sideways	Fixed (by a related fix)	On the current code the note computes white-space:normal and the modal scrollWidth equals clientWidth (359/359) at 393px.
LOW	Widget move/Edit/Remove buttons too small to tap on phone	Fixed	public/views.js CSS: added @media (pointer:coarse) .vx-wh .icon-btn min 40x40px; measured 40x40 on iPhone viewport.
COSMETIC	Clearing the dashboard name leaves the box empty	Fixed	public/views.js data-vx-dname change handler now restores the old name and toasts 'A dashboard needs a name.' when the value is blank.

Team & users · 5

Severity	Bug	Result	What was done
HIGH	Demoting a member to Viewer or Guest does not stop them sending email as the rep (Team role change leaves send rights in place)	Fixed	Viewers can never send; the Sends-as field is shown for every role so an admin can clear it.
MEDIUM	Add person accepts malformed emails	Fixed	server.js POST /api/users now applies the same strict email regex as PATCH ('That isn't an email address.'); createUser itself is unchanged so the ADMIN_EMAIL boot path is unaffected.
MEDIUM	No name length limit on Add person; long name overflows modal	Fixed	server.js POST /api/users rejects names over 80 chars; index.html #np-name gets maxlength=80; CSS adds overflow-wrap:anywhere to .tm-who b, .modal p b and min-width:0 on .tm-danger > div.
LOW	Stale confirmation message after role change / turning account off	Fixed	index.html toggle-person and the role-select change handler now set S.modal.msg ('X was turned off…', 'X is now a Viewer.') before loadTeam.
LOW	Pressing Enter in the Add person form does nothing	Fixed	index.html global keydown: Enter in #np-name/#np-email/#np-pw clicks the Add button.

Board access/privacy · 2

Severity	Bug	Result	What was done
LOW	Pressing Enter in the Access dialog's 'Add by email' field does nothing	Fixed	In solver/public/index.html, the keydown Enter handler now has a branch for #acc-email that clicks the access-add button, so Enter adds the person the same way the Add button does.
LOW	Read-only date cells show raw ISO dates and no overdue highlight	Fixed	In solver/public/index.html (case 'date' in the cell renderer), read-only date cells now show the local date format (11/13/2026) and get the same data-overdue flag as editable cells.

Security · 2

Severity	Bug	Result	What was done
HIGH	A rep can write leads into boards they can't see (Admin Tasks, another rep's leads board) by adding their own copy_to_board automation	Fixed	Members cannot add copy/move rules targeting a board they cannot see.

Severity	Bug	Result	What was done
HIGH	Members can post updates as another person (e.g. 'Brandon Admin') and edit or delete other people's updates by PATCHing the whole updates array; the forged text is written back to Monday under the admin's name	Fixed	The server signs every new update with the real author and keeps other people's notes unchanged.

Login page and logout · 4

Severity	Bug	Result	What was done
HIGH	Live update stream (/api/events) keeps sending board data to a session after logout or after an admin resets the password	Fixed	Logout and password reset close that session's live-update streams; dead sessions are dropped every 25 s.
MEDIUM	A successful sign-in resets the address's failed-try counter, which gets around the IP limit	Fixed	In solver/server.js, POST /api/login now clears only the account's counter (acctKey) when a sign-in succeeds. It no longer deletes ipKey, so the 10-tries-per-15-minutes address limit still counts every failure.
MEDIUM	An admin who turns on 'Require two-factor' without having it set up gets locked out	Fixed	In solver/server.js, PUT /api/admin/security now returns 400 'Set up two-factor for yourself first (your menu > Security), then turn this on.' when the new settings would put the admin's own session into required setup. That covers an admin with no TOTP who did not sign in with Google, or whose Google sign-in doesn't count as two-factor. The settings are not changed in that case.
LOW	Opening /login while already signed in shows the sign-in form	Fixed	In solver/server.js, the /login route now sends a valid session to / with a 302. It still serves login.html when nobody is signed in, when the user still has to set up two-factor, or when the URL has ?setup.

2FA / Security modal · 4

Severity	Bug	Result	What was done
HIGH	2FA QR code is drawn inverted (white modules on black) in the Light and Beige themes, so standard scanners can't read it	Fixed	The QR code is excluded from the light/beige colour inversion.
MEDIUM	Backup codes lost on Esc/backdrop click on the one-time codes screen	Fixed	public/index.html: in the Escape handler and in the 'close-modal' backdrop case, if the Security modal is showing codes (S.modal.codes), the modal stays open and shows a 'Save your backup codes, then click I saved them' message. Only 'I saved them' leaves the screen.
LOW	Enter in Security modal code field does nothing	Fixed	public/index.html keydown Enter handler: on #tf-code, Enter clicks tf-enable on the setup step, or tf-codes when 2FA is on. Turning 2FA off still needs an explicit click. A new tfRefocus() puts focus back in the field after a wrong code.
COSMETIC	'Two-factor is off.' shown twice after turning 2FA off	Fixed	public/index.html tf-off success: S.modal.msg is now set to '' instead of 'Two-factor is off.', so only the status box shows it.

Profile sheet · 4

Severity	Bug	Result	What was done
MEDIUM	'Connect my Gmail' in Connect apps goes to a raw JSON 404	Fixed	public/index.html: the Gmail tile shows the button only when S.gmail.available. The 'gmail' action also shows a toast instead of going to /api/gmail/connect when available === false.
MEDIUM	Light/Beige themes invert status label colours	Fixed (by a related fix)	theme.js KEEP already counter-inverts .chip[style*="--c"] (the computed filter is restored on status chips). I also added .pill[style*="--c"] so status pills on cards and subitems keep their real colours too.

Severity	Bug	Result	What was done
LOW	Theme swatches show wrong colours in non-Dark themes	Fixed (by a related fix)	theme.js swatch() already pre-compensates each swatch for the invert filter and the screen tint (the TINT/flip logic), so swatches render their real colour. I did not re-check this in the browser because the profile sheet was not opened in my run.
LOW	RingCentral tile lists hardcoded senders	Fixed	apps.js:79: the RingCentral detail is built from users with email_from, the same list as the Gmail tile (now shows 'Through n8n: Brandon, Jerico, Mariel'), and says 'Not set up yet.' when there is no text hook.

Theme sweep · 3

Severity	Bug	Result	What was done
MEDIUM	Theme picker swatches show the wrong colours in Light, Beige, Grey, Maroon and Blue themes	Fixed	In public/theme.js, the new swatch() function now paints each swatch in the colour that comes out as its real colour after the page-wide invert and screen tint; the swatches are recoloured whenever the theme changes. Light and Beige now render exactly (Dark=11,11,13, Light=244,244,246). In Grey, Maroon and Blue, a swatch darker than the tint cannot be shown darker, so it stays the tint colour (for example Dark in the Blue theme).
MEDIUM	Status pill text is unreadable on light-coloured labels	Fixed (by a related fix)	Already fixed by another change: index.html:985-988 now gives light label colours (#c4c4c4, #fdab3d and others) dark text, and theme.js KEEP lists .chip[style*=--c]. I checked the pills in the Light theme on m333 and they are readable.
LOW	Emoji icons are colour-inverted in Light and Beige themes	Fixed	In the item panel header (index.html drawer-actions), the emoji on Sequences, Request payment and Text are wrapped in span.emo. In theme.js, .emo is added to KEEP, and .btn .emo gets a 5px margin. Other emoji in the app (Home tiles, toasts) are still inverted, because no CSS selector can exclude emoji text in general.

Phone layout sweep iPhone 15 · 6

Severity	Bug	Result	What was done
MEDIUM	Item panel header on phone: action buttons stack into 3-4 rows and squeeze the item name	Fixed	index.html has a new @media (max-width:780px) block after the pointer:coarse block. On phones the item name now takes the full width (369px), and the action buttons sit in one row underneath that scrolls sideways, with Close first. The tabs now start at 111px instead of 207px.
LOW	Item panel Info tab: Status chip, email-compose icon and 'Docs in' checkbox below 40px tap size	Fixed	Added to the index.html @media (pointer:coarse) block: .f-value .chip gets min-height 40px, .drawer .mail-btn is 40x40, and the .drawer .cb label is at least 40x40 with a 22px checkbox. Measured on iPhone 15: chip 40px tall, mail button 40x40, checkbox 22px inside a 40px label.
LOW	View description line does not wrap on phone (Workload, Timeline)	Fixed (by a related fix)	With the current code, the .vx-note line in .vx-bar uses white-space:normal and ends at right=373px inside 393px on both Workload and Timeline. The page scrollWidth is 393, so nothing runs off the edge.
LOW	Penny's follow-up bubble covers rows and its dismiss x is only 20x18px	Fixed (by a related fix)	Already fixed: fun.css:95 makes the .pn-x close button 44x44px on phone and touch screens (I measured 44x44), and fun.js:109 hides the bubble on its own after 6.5s.
COSMETIC	Timeline view: month labels overlap in the header ('Sep 2026Oct')	Fixed (by a related fix)	Already fixed: views.js:412-416 labels the range's first month only when there is room for it. On iPhone 15 the header now shows Oct 2026, Nov, Dec and Jan 2027 with no overlap, and the view scrolls to today.
COSMETIC	Table group name is cut off on phone even though the header row has free space	Fixed	In the index.html phone media block, .group-head now wraps and .group-name is flex 0 1 auto with max-width 100%. On touch screens .group-name is at least 40px tall. 'New Uncontacted' now shows in full (width 145 for a scrollWidth of 143); Colour and Delete wrap onto a second line.

Android Pixel 7 + iPad Mini sweep · 3

Severity	Bug	Result	What was done
MEDIUM	Penny floats over the lead table on Pixel 7 landscape and blocks taps	Fixed	fun.js dock() now sets html.pet-nodesk on screens wider than 780px when the sidebar desk isn't showing (short screen or collapsed rail), and fun.css hides .pet under that class, so she no longer floats over the table. Checked on Pixel 7 landscape: the pet is display:none and the class is set.
MEDIUM	Pixel 7 landscape gets the full desktop layout (no bottom nav, fixed sidebar)	Your decision	About 20 CSS media queries and the JS isNarrow() checks are all gated on max-width:780px, so fixing this means a layout and design pass across the whole shell. That is too broad to do safely while other fixers edit the same file. The partial compactHead landscape handling (max-height:500px and pointer:coarse) is already there.
COSMETIC	Group name 'New Uncontacted' is clipped on Pixel 7 portrait	Fixed (by a related fix)	.group-name in index.html:98 now has field-sizing:content and text-overflow:ellipsis. A screenshot on Pixel 7 shows 'New Uncontact…' with an ellipsis, which meets the expected result.

Sidebar · 3

Severity	Bug	Result	What was done
HIGH	A board a rep makes with '+ New board' moves to 'Main workspace' after a refresh	Fixed	server.js /api/doc board PUT: when a non-admin creates a new board (PUT with no existing doc), the server now keeps the workspace it was sent ({id,name}, trimmed) instead of stripping it. Changing the workspace of an existing board is still admin-only.
HIGH	Boards a rep makes are visible to the other rep and to everyone	Fixed	New workspaceAccess(user, ws) helper in server.js (after cleanAccess). A new board takes its workspace's access: open if any board there that its maker can see is open, otherwise private to those boards' members plus the maker, never guests. It is applied to new-board PUTs that don't set access and to features.js templates/use through a new ctx param. On a fresh harness, Jerico's new boards in Jerico CRM come out private to Jerico, the admin's in Admin come out admin-only, and Mariel and Bao no longer see them.
MEDIUM	On phones, changing the workspace in the Boards sheet closes the sheet	Fixed	index.html ws-select handler (~line 3391) now saves the open 'boards' sheet before calling selectBoard() and puts it back afterwards, so the sheet stays open and lists the new workspace's boards.

Boards lifecycle · 4

Severity	Bug	Result	What was done
MEDIUM	Creating a board from Home does not open it	Fixed	public/index.html createBoard: sets S.page='board', S.view='table' and calls savePage() before selectBoard(id), so a board made from Home opens.
MEDIUM	Esc does not cancel a board rename	Fixed	public/index.html keydown Escape handler: on #board-title it puts back the board's current name, refits the box and blurs it, so clicking away afterwards saves nothing.
LOW	Clearing the board name and pressing Enter leaves the header blank	Fixed	public/index.html change handler for #board-title: an empty or unchanged name puts back b.name and refits the box (it also keeps the title tooltip current).
LOW	Long board names cut off mid-word with no ellipsis or tooltip	Fixed	public/index.html: .head .hd-title .board-title gets text-overflow:ellipsis and the input gets a title attribute with the full name. The 46vw cap is kept, so the header reads 'Quarterly Mortgage Refinance Pipeline for Wes...' and shows the full name on hover.

Import · 6

Severity	Bug	Result	What was done
HIGH	A CSV/Excel import makes a full-screen NEW LEAD banner for every imported row	Fixed	solver/integrations.js saveItem: hooks.newItem (NEW LEAD banner) now skipped when opts.quiet, which only spreadsheet imports pass; a 2-row import into m111 added 0 banners (it was 1 per row).
MEDIUM	Windows-1252 CSV imports with accented letters turned into the replacement character	Fixed	solver/server.js: new csvText(buf) used by /api/import/preview. It decodes UTF-8 strictly and falls back to Windows-1252 (UTF-16 with a BOM is handled too), so 'José García,crème brûlée' imports correctly.
MEDIUM	Import mapping: long sample value pushes 'Goes to' dropdowns out of view	Fixed	public/index.html .imp-map CSS: table-layout:fixed, overflow-wrap:anywhere, the sample note clamped to 2 lines and select min-width 0. The selects now sit inside the box (scrollWidth equals clientWidth).
MEDIUM	Excel date in a non-date column imported as raw serial number	Fixed	solver/sheets.js parseXlsx: reads cellXfs/numFmts from styles.xml, and number cells with a date style (built-in 14-22 and 45-47, or a custom format containing d/m/y/h/s) become 2026-01-02 or 2026-03-15 09:00 through a new excelSerialToText helper.
LOW	Uploading a file over 10 MB shows 'Can't reach the server.'	Fixed	solver/server.js readRaw: when the upload goes over the limit it rejects with 413 and keeps reading and dropping the rest, cutting the connection only past 4x the limit. An 11 MB upload now gets 413 'That file is too large (10 MB at most).'
LOW	Whole row dropped when one number or date cell is invalid	Fixed	solver/integrations.js toValues: in lenient (import) mode a bad number or date cell is left empty and flagged like an unknown status label (a warning with why, and the item activity and update text made generic), so the row is kept; the result shows 'Row 2: Debt Amount needs a number. Left empty.'

Activity button on board header · 4

Severity	Bug	Result	What was done
HIGH	Board activity empty for assigned-only rep when newest changes are on hidden items	Fixed	features.js historyRows: for restricted users, scans history in batches of 500 (up to 20,000 rows) until a page of visible rows is found, and sets more/next from the scan position. The /api/x/history/facets Person list now only shows people with changes on items the user can see.
HIGH	Undo from Board activity on write-back board doesn't write back to Monday	Fixed (by a related fix)	saveItem in features.js (~line 360) already calls ctx.ext.itemSaved. Checked: an undo on m111 added one Monday call to outbox.log.
MEDIUM	From/To date filters use UTC days instead of local day	Fixed	public/features.js loadActivity now sends From/To as ISO start and end of the user's local day; the server already compares these with the ISO 'at' values. Checked in Pacific/Auckland: today's rows now show.
MEDIUM	'Load older changes' jumps the activity list back to the top	Fixed	public/features.js loadActivity saves the .modal scrollTop before each renderModal and puts it back after the busy and done renders (scrollTop stayed at 4670 while rows went 80 to 160).

Item creation · 3

Severity	Bug	Result	What was done
MEDIUM	Inline 'Add item' row loses focus after Enter	Fixed	public/index.html add-item Enter handler no longer blurs. It calls addItem, then render(), then focuses the same group's add row again, so typing 'Task two' + Enter makes a second item.
LOW	Esc doesn't cancel add-row draft; draft left by Tab/click-away neither saved nor cleared	Fixed	public/index.html: Esc in the add-item row now clears the draft and blurs, and a new focusout listener saves a non-empty draft as an item, as Monday does.
LOW	Item name has no length limit	Fixed	public/index.html addItem now cuts names to 255 characters and shows a toast. server.js /api/doc PUT/PATCH cuts item body.name to 500 characters, matching the subitem cap (checked: 3000 chars became 255 in the UI and 2000 became 500 over the API).

Item deletion/archive/duplicate/move to another board from the item me · 4

Severity	Bug	Result	What was done
HIGH	Ctrl+Z right after deleting an item reverts an older edit on a different item instead of restoring the deleted one	Fixed	In features.js /api/x/undo-last, if the user's most recent item delete on this board is newer than their most recent cell edit, it now restores the deleted item(s) from the recycle bin. Items deleted with their whole group bring the group back. Delete rows whose item is already back are skipped. The toast reads 'Undid the delete of “Riley”'.
MEDIUM	Restoring a 'moved to …' bin entry duplicates the lead; re-move shows success toast then 409	Fixed	restoreEntry in features.js now refuses with a 409 when the same item id is live on another board: 'This item is on “Admin Tasks” now. Move it back from there instead.' moveItemToBoard in public/index.html now shows the 'Moved to …' toast only after the server confirms the move.
LOW	Undo button in the 'Lead deleted' toast is too small to tap on phones	Fixed	Added a phone/coarse-pointer rule for .fx-toast button in the CSS block in public/features.js (min 44px tall, 64px wide). On iPhone 15 it now measures 68x44.
LOW	On phones the bulk bar hides Move to board, Duplicate and Delete off-screen	Fixed	In the max-width:780px .bulkbar block in public/index.html, the bar now wraps: the count and X sit on top and the actions form a grid below. Labels wrap instead of being cut off, and toasts are raised above the taller bar. On iPhone 15 all 7 actions are inside the 367px bar, with no horizontal scroll.

Subitems · 4

Severity	Bug	Result	What was done
MEDIUM	Subitem toggle '■ 0' does nothing	Fixed	In tvRow in public/index.html, a row now opens when it is in S.expanded and either has subitems or (user can write and the board has subColumns). Clicking '■ 0' now shows the empty sub-table with '+ Add subitem'.
MEDIUM	Non-numeric text in a subitem Number column saves 0 / NaN	Fixed (by a related fix)	setSub in public/index.html already turns non-numbers into NaN, rejects them with the toast 'Enter a number, like 245000.' and re-renders. Another fixer changed it before I got to it.
LOW	Clearing a subitem name leaves the field blank while the saved name stays	Fixed	setSub in public/index.html now refuses an empty name: it shows the toast 'A subitem needs a name.', puts the old name back in the input and re-renders.
LOW	Delete-subitem 'x' button too small to tap on phones	Fixed	Added .icon-btn[data-act="sub-del"] to the (pointer: coarse) block next to .sub-toggle in public/index.html: min 40x40 with a 6px gap from the name. It measures 40x40 both inline and in the drawer on iPhone 15.

Formula column · 7

Severity	Bug	Result	What was done
HIGH	Renaming the 'Debt Amount' column silently breaks the Monthly formula: every row shows 0	Fixed	public/index.html rename-column now rewrites any formula's {Old title} reference to the column id, so formulas follow the rename. refValue in public/index.html and server.js now throws 'Unknown column X' for a missing reference, so the cell shows ■ instead of 0.
MEDIUM	Saving a formula with a misspelled column name says 'Formula saved' and shows 0 on every row	Fixed	public/index.html save-formula refuses an unknown {ref} and shows the toast 'Unknown column {Debt Amt}. Check the column name.'
MEDIUM	A formula with a syntax error is saved without any check	Fixed	public/index.html save-formula runs KSFormula.parse before patchBoard and shows 'Formula problem: Unexpected end' without saving.
LOW	Formula errors are just a bare '■' on phones	Fixed	public/index.html: an error formula cell now has data-act="fx-err", and the new 'fx-err' click case shows the 'Formula problem: …' text as a toast on tap.

Severity	Bug	Result	What was done
LOW	Monthly payment amounts use inconsistent decimals and no $ sign	Fixed	public/index.html: a new fxText() helper, used for cells and the footer, shows numbers as $x,xxx.xx when the formula only references currency columns and does not divide by one. Other formulas keep KSFormula.format.
LOW	The group summary row shows no total under the Monthly formula column	Fixed (by a related fix)	summaryCell already sums numeric formula columns (it now uses the $ format); the footer shows e.g. $6,251.92.
COSMETIC	Saving an empty formula does nothing and gives no feedback	Fixed	public/index.html save-formula now shows the toast 'Write the formula, like {Amount} * 0.01' when the field is empty.

Status column label editing · 7

Severity	Bug	Result	What was done
HIGH	Choosing a label created in Solver on a Monday write-back board clears that item's status in Monday	Fixed	mondaywrite.js toMonday now sends a status/color value only for a numeric Monday label index; a Solver-only label id is skipped, never sent as index:null. The UI also shows a toast saying the label is Solver.ca-only on write-back boards.
MEDIUM	Light and Beige themes show status pills as dark, wrongly coloured blocks	Fixed (by a related fix)	public/theme.js KEEP already includes .chip[style*="--c"], so pills are inverted back to their real colours.
MEDIUM	White pill text on light label colours is unreadable	Fixed (by a related fix)	public/index.html already has a CSS rule that gives dark text to light Monday label colours (#c4c4c4, #fdab3d, etc.), and the PALETTE used for new labels has only dark colours.
MEDIUM	No way to rename, recolour or delete a status label	Your decision	This is a new feature (a label editor), and on Monday-synced or write-back boards label ids map to Monday indexes, so it needs a product decision rather than a bug fix.
MEDIUM	'+ New label' accepts an existing label name, creating duplicate labels	Fixed	public/index.html new-label handler: a name matching an existing label (case-insensitive) now picks that label instead of adding a duplicate.
LOW	Long status label is cut off at both ends with no ellipsis or tooltip	Fixed	public/index.html: status pill labels in the cell and the pop are wrapped in a span.chip-t with a text-overflow ellipsis, and the title falls back to the label name.
LOW	Status filter shows two '(blank)' entries with different counts	Fixed	public/index.html Show-only filter: the truly-empty entry is named 'No status' when the board already has a real '(blank)' label.

Date column · 3

Severity	Bug	Result	What was done
HIGH	Typing one date saves after every digit: 8 server writes, 8 Monday write-backs and 8 History entries	Fixed	public/index.html document 'change' handler: a typed date (data-edit=value or data-sub-edit) is no longer saved on each change event. It is saved once, when the cell loses focus or after a 1.5 s pause. setValue also now rejects dates before year 1900, so junk like 0002-12-25 can't be saved.
MEDIUM	A 6-digit year (e.g. 252026-11-11) is accepted and saved	Fixed (by a related fix)	Already fixed in the current code: the date input has min=1900-01-01 and max=9999-12-31, and setValue requires the value to match ^\d{4}-\d\d-\d\d. I added a year >= 1900 check to that same line.
MEDIUM	Evening 'due today'/'overdue' counts use the UTC date	Fixed	server.js boardStats: 'today' and 'inWeek' now use the TIME_ZONE date (Intl en-CA) instead of toISOString. Checked that 2026-11-14T02:30Z gives 2026-11-13 in Toronto, and /api/summary still returns correct counts.

Phone & email columns · 6

Severity	Bug	Result	What was done
HIGH	Phone write-back to Monday corrupts or erases numbers	Fixed	mondaywrite.js toMonday 'phone': the extension is dropped and text that isn't a number returns undefined, so Monday's phone is never wiped. Numbers starting with + and a country code other than 1 get their real country, or are not sent when the country is unknown. Checked in outbox.log: 9007 sent 4035557777/CA, 9012 sent +33123456789/FR, and 'call office' sent nothing.
MEDIUM	Mass text skips leads that have a phone, reason 'No phone number'	Fixed	email.js phone10 now removes an extension before checking the digits, so '(403) 555-7777 x5' gets the text. blast.js plan now gives accurate skip reasons: 'Not a Canadian/US mobile number', 'Phone number isn't valid', or 'Email address isn't valid' when there is a value. Checked with /api/blast/preview.
MEDIUM	Board search does not find phone typed with dashes/brackets; counter doesn't change	Fixed	public/index.html visibleItems: a search that looks like a phone number (7 or more digits) is compared on digits only against phone columns, with a leading 1 removed. '403-555-1002' and '+1 (403) 555 1002' now find Morgan and the counter shows '1 of 40 items'. The counter itself was already updated by another fix.
MEDIUM	No click-to-call or click-to-text on phone numbers	Fixed	public/index.html renderCell 'phone' now adds a tel: call button next to valid numbers in the table, reusing the .mail-btn style with a new IC_PHONE icon. sms: links and the drawer/kanban are not changed.
MEDIUM	Phone column accepts any text with no validation or formatting	Your decision	Rejecting or reformatting free text in the phone column is a product decision. Existing Monday data has mixed formats, and extensions or notes may be wanted. The real harm (Monday wipe, wrong skip reason) is fixed above.
LOW	Email cell shows mail button for invalid addresses such as 'a@b'	Fixed	public/index.html renderCell 'email': the envelope button now shows only when the value contains an address that passes the same check the server uses (EMAIL regex), not just any '@'.

Person column · 5

Severity	Bug	Result	What was done
MEDIUM	'Person: everyone' dropdown does not list a newly assigned person until the page is reloaded	Fixed	setValue in index.html now calls renderHead() after a person-column change, so #person-filter lists new names (for example 'Qa One') straight away.
MEDIUM	Unassigning the filtered person leaves the filter on a person nobody has, and the picker floats over an empty table	Fixed	In setValue, if no item on the board still has S.person, the filter is reset to everyone and the header and content are re-rendered. In the ptoggle handler, the picker now closes if its row has left the filtered list. Result: 12 of 12 items, and 'Qa One' is gone from the dropdown.
MEDIUM	Person picker treats a case variant of an existing person as a new person, and splits a name with a comma into two people	Fixed	The Enter handler for #person-q in index.html now matches team or board names without regard to case and uses the existing spelling. It skips names the cell already has (any case) and refuses names with a comma, with a toast. 'jerico rep' no longer adds a duplicate, and 'Doe, Jane' is refused.
MEDIUM	On phones, an active person filter has no indicator once the board sheet is closed	Fixed (by a related fix)	filterChips() in the compact phone header already counts S.person. On a 393x659 phone, after picking a person in the sheet and closing it, the header shows 'Filtered · 1 ✕', which clears the filter.
LOW	In the item drawer, the Rep field's names spill outside the 37px pill when 4 or more people are assigned	Fixed	.pnames in the index.html CSS now has white-space:nowrap, overflow:hidden, text-overflow:ellipsis and min-width:0. With 5 names it shows one 16px line inside the pill, cut off with an ellipsis.

Keyboard & accessibility · 7

Severity	Bug	Result	What was done
HIGH	Esc on the Sequences window over an item drawer closes the drawer too, and Tab cannot reach the Sequences window	Fixed	Esc was already handled (sequences-ui.js has a capture listener with stopPropagation). I fixed the rest: the Tab trap in index.html now uses '#seqm .sq-modal' as its box when that window is open. In sequences-ui.js, shell() now focuses the window and names it after its h3, and close() returns focus to the Sequences button.

Severity	Bug	Result	What was done
HIGH	Status (and other) popovers cannot be reached by keyboard: from the drawer it is impossible, and in the table it takes about 258 Tabs	Fixed	In index.html, renderLayer now focuses a .pop when it opens and remembers what opened it (layerReturn/retSel), then puts focus back there on close. The Tab trap now uses '#layer .pop' as its box while S.pop is set. Status in the drawer and in the table, and Export, now go straight to the chips/menu on Tab, and Esc returns focus to the chip. Arrow-key navigation is not added.
MEDIUM	Pressing Esc in the update composer silently throws away the half-typed update	Fixed (by a related fix)	The current Escape handler only blurs #update-text when it has text, and renderLayer keeps drafts per item in S.updDrafts.
MEDIUM	Closing a modal with Esc drops focus to <body> instead of the button that opened it, and opening a modal does not move focus into it	Fixed	In index.html renderLayer, a new #layer .modal gets tabindex=-1 and is focused on open, and again whenever a re-render leaves focus on body. On close, focus goes back to the opener (the element itself, or a data-act/id selector if it was re-rendered). Checked for Automations, Import, Access and Notifications.
LOW	Enter in the Add-column 'Name' field does not add the column	Fixed (by a related fix)	The keydown handler already maps Enter in #c-title to save-column. Checked: typing 'KbdCol' and pressing Enter adds the column and closes the modal.
LOW	Dialogs have no accessible name	Fixed	renderLayer now sets aria-label on #layer .modal from its h3/h2 (for example 'Add a column', 'Automations on Team Pipeline'), and sequences-ui.js does the same for .sq-modal.
LOW	Focus on a table cell input is nearly invisible (outline removed, 16% white border)	Fixed	Added '.cell-input:focus-visible { outline: 2px solid var(--accent); outline-offset: -2px; }' after the dark .cell-input:focus rule in the index.html CSS. A focused cell now shows a solid 2px outline. Also, .modal:focus and .pop:focus have no outline, like .drawer:focus.

Performance & robustness · 4

Severity	Bug	Result	What was done
MEDIUM	Item count stays 'N of N items' while search narrows table	Fixed (by a related fix)	The search input handler now updates #item-count after renderContent (index.html, near the 'search' input handler); tested: 'perf5' shows '11 of 412 items'.
MEDIUM	Edit that fails to save offline keeps showing the unsaved value	Fixed	index.html write(): after the generic 'That change did not save' toast, the code now reloads the document's collection with KS.reload so the saved values come back. If it is still offline, it reloads again on the next 'online' event. Tested: OFFX1 goes back to Sample once the connection returns.
MEDIUM	'Show 50 more' freezes the page on a 1,200-item board	Fixed	index.html case 'more': instead of calling renderContent for the whole board, it now adds only the next 50 rows to that group's table with tvRow, using the table's current column ranges. It then updates or removes the button and calls selGroupMarks. Each click now takes about 15-25ms on a 412-item board. No 'show all' button was added.
COSMETIC	offline.html 'Try again' button font declaration invalid	Fixed	offline.html: replaced 'font:600 15px/1 inherit' with 'font:inherit;font-size:15px;font-weight:600;line-height:1'. I also bumped the sw.js cache name so the cached copy refreshes; another fixer has since bumped it to v4.

Refresh/persistence · 5

Severity	Bug	Result	What was done
MEDIUM	Selected saved view forgotten on reload	Fixed	index.html: new saveSv()/svType helpers next to saveColOrder save the open saved view in localStorage 'ks-viewid' as boardId plus view id. It is saved by saved-view and do-save-view and cleared by view, delete-view and selectBoard. On first load, the boards snapshot pick branch reopens that view. Tested: the view is still selected after a reload.
MEDIUM	Column 'Move left/right' invisible with a personal order but reorders for everyone	Fixed (by a related fix)	case 'move-col' already moves within the personal S.colOrder when one exists (only this user sees it) and only changes board.columns when there is no personal order.

Severity	Bug	Result	What was done
LOW	Collapsed groups expand again after reload	Fixed	index.html: case 'collapse' now saves S.collapsed to localStorage 'ks-collapsed-'+boardId, and selectBoard loads it back. Tested: g1 stays collapsed after a reload.
LOW	Enter in 'Save as view' name field does nothing	Fixed	index.html keydown handler: Enter in #sv-name now clicks the modal's do-save-view button. Tested: the view is saved on Enter.
LOW	Text typed into a cell lost on reload without warning	Fixed	index.html: added a beforeunload listener, just before the keydown handler. It warns when the focused editable cell input or textarea ([data-edit]/[data-sub-edit]) has a value different from its saved defaultValue. Tested: reloading with 'zzz' typed in Last Name brings up the browser's leave-page dialog, and there were no page errors.

Concurrent users · 2

Severity	Bug	Result	What was done
HIGH	'Post update' click is swallowed when another user changes the lead while you are typing	Fixed	index.html, focusout handler (~line 1612): a held live render (S.pendingRender) now waits until the pointer is released (pointerdown/pointerup/pointercancel tracking, flush 30ms after pointerup), so the button under the pointer is not replaced before its click fires.
MEDIUM	Lead deleted while rep is typing: drawer stays open, note silently discarded on Post update	Fixed	index.html flushLive: if the open item was deleted, a toast appears right away ('Someone just deleted this item. Copy anything you were typing…'). In the post-update handler, when the item is gone the note is copied to the clipboard and a toast says the update wasn't posted, so it is no longer dropped silently.

Penny mascot / fun & motion effects · 4

Severity	Bug	Result	What was done
MEDIUM	Penny sits on top of board rows and takes clicks/taps meant for them	Fixed	The desktop short-screen case was already fixed (Penny now docks at 1280x650). For phones on a board page, fun.js dock() now sets html.pet-thru (also re-checked after each click), and fun.css makes .pet pointer-events:none there while .pet-news stays tappable. Taps now reach the cell under her.
MEDIUM	Flair dialog does not take keyboard focus; Tab escapes into Profile sheet	Fixed	fun.js openFlair(): when the dialog opens, focus moves to the selected theme swatch (or the first button), and Tab and Shift+Tab wrap inside the dialog. Focus that leaves is pulled back in, and closing it (Done, backdrop, Esc) returns focus to the Flair button.
LOW	Dismiss (x) on Penny's heads-up bubble is only 20x18 px on phones	Fixed (by a related fix)	fun.css already has a rule for max-width 780px or coarse pointers that gives .pet-news .pn-x a min-width and min-height of 44px.
LOW	Switching Motion to Off does not stop the gold dust animation on Home	Fixed	motion-fx.js dust() tick loop now calls stop() as soon as full() is false (Motion set to Calm or Off, or reduce-motion turned on), which removes the canvas.

Forms · 6

Severity	Bug	Result	What was done
HIGH	Form answers silently dropped when visitor clock is ahead of server	Fixed	features.js public form GET now returns the server's own load time t, form.html sends back def.t instead of the browser's Date.now(), so the too-fast check runs entirely on the server clock; repro with clock +5 min now returns 201 with id and submissions count goes up.
LOW	Phone with '#2' extension passes browser check but server rejects; error not shown at field	Fixed	public/form.html check() now applies the same allowed-character rule as the server (features.js formAnswers), so the Phone field itself turns red with a message explaining to use x for an extension; server rule unchanged so stored phones stay SMS-safe.

Severity	Bug	Result	What was done
LOW	Anti-bot timing check skipped when POST omits t or sends an old one	Fixed	features.js public form POST: missing/non-numeric t is treated as too fast (silent 200, nothing created); t older than 7 days returns a visible 400 'reload the page' instead of creating an item.
LOW	Long link in form intro overflows card on 320px phone	Fixed	public/form.html .desc gets overflow-wrap:anywhere; scrollWidth is now 320 on a 320 viewport.
COSMETIC	'Open' text in Forms list sits higher than other actions on phones	Fixed	public/features.js Forms list: the Open <a class=icon-btn> gets display:inline-flex;align-items:center so its text centres in the 40px phone min-height like the buttons.
COSMETIC	Checkbox question's 'Yes' pill stretches full width	Fixed	public/form.html adds .q > .choice { align-self:flex-start }; the pill is now about 77px wide on iPhone SE.

Developers page · 6

Severity	Bug	Result	What was done
MEDIUM	API reference tables hide columns off-screen on phones	Fixed	public/developers.html adds a max-width:600px rule that stacks .tw table rows (header row hidden, empty cells hidden, endpoint code wraps); both tables now fit 355/355 on iPhone 15 with no sideways scroll.
MEDIUM	Docs say API runs automations as in app, but Signed→Clients copy is skipped and log contradicts itself	Fixed	Running cross-board copy/move server-side would be a new feature, so the POST and PATCH rows in developers.html now say these actions are skipped for API changes, and integrations.js no longer writes the '... ran' activity line when every action of the rule was skipped, so only the 'skipped' line is shown.
LOW	Revoke key / Delete webhook act on one click with no confirmation	Fixed	public/index.html int-revoke and int-del now use the app's existing two-click pattern: the first click changes the label to 'Click again to revoke/delete' and only the second click calls DELETE.
LOW	Docs say webhooks retry up to 3 times; server retries 2	Fixed	developers.html section 3 now says the server retries up to 2 more times (after about 5 and 15 s) on no answer or a 5xx. The retry code was left as it is so n8n receives no extra calls.
LOW	Negative/non-numeric ?limit= / ?offset= silently return wrong items	Fixed	integrations.js GET /api/v1/boards/{board}/items now returns 400 when limit is not a whole number 1-500 or offset is not a whole number >= 0 (limits above 500 are still clamped to 500).
LOW	Pressing Enter in 'What will use it' does not create the key	Fixed	public/index.html global keydown handler: Enter in #ik-name now clicks the Create key button; tested and it creates the key.

PWA install & service worker · 6

Severity	Bug	Result	What was done
MEDIUM	Theme picker swatches show inverted colours in Light and Beige themes	Fixed (by a related fix)	theme.js now pre-compensates each swatch colour with swatch()/flip() for the page-wide invert. Swatches render correctly in Light, and adding them to KEEP would double-invert, so I made no change.
MEDIUM	Offline page sometimes stays stuck after the connection returns	Fixed	public/offline.html now checks /healthz (which skips the service worker) when the 'online' event fires and every 4s, and goes to / only once the server answers. I bumped the CACHE in public/sw.js to solver-shell-v4 so service workers already installed pick up the new offline.html.
LOW	'Install app' comes back after the app has been installed	Fixed	public/install.js now sets an 'installed' flag on appinstalled, and addButtons() returns early when it is set. A new beforeinstallprompt clears it. After appinstalled the reopened Profile sheet shows 0 install buttons.
LOW	Android gets desktop install instructions	Fixed	public/install.js howTo() has a new Android branch: tap the ■ menu > 'Add to Home screen' / 'Install app'. Checked under Pixel 7 emulation.
COSMETIC	Offline page 'Try again' button ignores its styling (invalid font shorthand)	Fixed (by a related fix)	offline.html already uses font:inherit;font-size:15px;font-weight:600. The computed font is 600 15px system-ui.

Severity	Bug	Result	What was done
COSMETIC	Offline page ignores the user's theme	Fixed	public/offline.html has a small inline script that reads ks-theme and sets meta theme-color, the page background, text and button colours for each theme. Checked in Light: theme-color #f4f4f6, background rgb(244,244,246).

Guest user end-to-end · 3

Severity	Bug	Result	What was done
HIGH	A guest with no sending address can email and mass-text leads as the board's rep	Kept on purpose	Kept on purpose: anyone who can see a rep's board can email and text as that rep (your rule). Viewers can't send.
HIGH	A guest shared on boards in two different workspaces sees only one of them in the rail, home and the mobile Boards sheet	Fixed	In public/index.html, wsBoards returns all of a guest's boards, which fixes the rail and the mobile Boards sheet. In server.js, /api/summary builds a guest's home across every workspace (cache key '*', and buildSummary accepts '*'), so the home Boards card now lists Mariel Leads and Team Pipeline.
MEDIUM	'New lead' (home tile and mobile + FAB) is shown to guests and opens an unsaveable phantom lead	Fixed	The home tile was already gated on S.canWrite. In public/index.html, renderNav now leaves out the + quick-new button when !S.canWrite and switches the bottom nav to 4 columns. Checked: no + for guests, still there for admin.

Bao · 4

Severity	Bug	Result	What was done
HIGH	After being re-added to a board without a reload, Bao sees stale items	Fixed	public/index.html boards onSnapshot (~line 4124): when the open board leaves S.boards, the items feed is unsubscribed and cleared, so when access returns selectBoard reloads the current items (verified 13 items, 'Renamed-X', 'Brand new X' with no reload).
LOW	Phone empty state says to use '+ New board on the left'	Fixed	public/index.html empty state (~line 2083): on narrow screens it now says to ask an admin to share a board or use a computer to make one; on desktop it also mentions asking an admin.
LOW	Pressing Enter in Access modal 'Add by email' does nothing	Fixed (by a related fix)	The global Enter handler already has a #acc-email branch that clicks the Add button (public/index.html ~line 3651).
COSMETIC	Workspace dropdown shows blank when member has no boards	Fixed	public/index.html rail (~line 1698) and phone Boards sheet (~line 2865): the workspace select is hidden when S.boards is empty.

Mariel end-to-end day · 3

Severity	Bug	Result	What was done
MEDIUM	Calls & texts tab doesn't show texts/emails Solver.ca sent	Fixed	Texts from text_log and the corrected note were already in place. comms.js now also adds 'sent' rows from email_log for the item as outbound email events, and extras.js now reads 'Texts and emails sent from Solver.ca show here too'.
LOW	Lead name cut off in drawer header on phones	Fixed (by a related fix)	The phone media rules (public/index.html ~742-746) already give the title the full width and put the actions in one 40px row. On iPhone 15 and Pixel 7 the full name fits (scrollWidth equals clientWidth).
LOW	Follow-up greeting counts Signed and Junk leads as overdue	Fixed	Junk was already excluded. In server.js boardStats, the regex for excluded groups now also matches signed, funded, closed, lost and dead groups, so those leads don't count toward overdue, due today or upcoming.

Jerico end-to-end day on iPhone 15 · 3

Severity	Bug	Result	What was done
MEDIUM	Item drawer header stacks action buttons into a 3-row column on phones	Fixed (by a related fix)	The current index.html phone media query (~line 740) already gives the title the full width and puts the actions in one swipeable row with Close first. Measured the header at 111px on iPhone 15 with the title 369px wide.
LOW	Group names cut off in table group headers on phone	Fixed (by a related fix)	The phone media query already wraps .group-head and lets .group-name keep its size. On iPhone 15, 'New Uncontacted' and 'Junk/Unqualified' now show in full (clientWidth equals scrollWidth).
COSMETIC	Timeline month labels overlap ('Sep 2026Oct')	Fixed (by a related fix)	views.js renderTimeline already labels the first, partial month only when there is at least 100px before the next month. On iPhone 15 the measured labels do not overlap.

Admin sending as the board's rep · 4

Severity	Bug	Result	What was done
MEDIUM	Email modal says 'Sends from your own Gmail' when admin is sending as the board rep	Fixed	email.js /api/email/check now returns asRep and boardRep. When asRep is set, the index.html rail-note in the email modal says it sends from the rep's Gmail on your behalf and is logged as sent by you as that rep.
LOW	'Sent by' note names the rep's email address, not the rep	Fixed	In email.js:56, asNote now uses nameForFrom(from) || from. The outbox now shows '(sent by Brandon Admin as Jerico Rep)'.
LOW	Team Pipeline: member with no sending address told 'board has no rep with a sending address'	Fixed	In the index.html email modal, when the board has no single rep (boardRep false) the message now says emails go out from your own address and you have no 'Sends email as' address yet. The mail buttons stay visible because hiding them would be a product change.
COSMETIC	Mass text footer glued onto message with no punctuation	Fixed (by a related fix)	blast.js:50 withFooter already adds a '.' before ' Reply STOP to opt out.' when the message has no ending punctuation.

Email modal UI detail · 4

Severity	Bug	Result	What was done
MEDIUM	Typed email draft is silently thrown away on Esc, backdrop tap or Cancel	Fixed (by a related fix)	index.html already keeps EMAIL_DRAFTS per board/item (saved on input, restored by compose-email, cleared on send), so the draft is back when the window reopens.
MEDIUM	Email body over 20,000 characters is silently cut off while the UI says 'Email sent'	Fixed	index.html #em-text now has maxlength=20000, and solver/email.js /api/email/send returns 400 'That email is too long…' instead of slicing to 20,000 characters.
LOW	Long 'To' address overflows the email modal on phones and is clipped mid-address	Fixed	index.html CSS: added '.em-row > b { min-width: 0; overflow-wrap: anywhere; }'. On a 393px screen the To address now ends at x=354, inside the 377px modal.
COSMETIC	Validation and blocked warnings in the email modal show as faint muted text	Fixed	index.html: the selector is now '.em-warn, .modal p.em-warn' so it beats '.modal p { color: var(--muted) }'. The computed colour is now rgb(255,210,122); light themes get it through the invert filter.

Blast modal UI detail · 8

Severity	Bug	Result	What was done
HIGH	Editing subject/body after 'Check who gets it' jumps the caret to the end of the field	Fixed	solver/public/index.html input handler for #bl-subject/#bl-text (~line 1837): saves selectionStart/End before the re-render and restores them, instead of moving the caret to value.length.
MEDIUM	Blast progress pill covers the bulk-action bar while a blast is sending	Fixed	index.html CSS after .blast-pill: with body:has(.bulkbar) the pill sits at bottom 84px on desktop (above the bar), and on phones it moves to top 104px because the selected-items sheet is tall.

Severity	Bug	Result	What was done
MEDIUM	No final summary when a blast finishes: the progress pill just disappears	Fixed	index.html pollBlasts tracks the blasts it saw sending (blastSeen). When one ends it shows a toast such as 'Mass email done: N sent, N failed, N skipped.' ('stopped' if it was stopped).
MEDIUM	Text-tab character counter does not update while typing (shows 0/600)	Fixed (by a related fix)	The input handler already updates #bl-count on each keystroke. Verified it shows 18/600 after typing.
MEDIUM	The same leads can be mass-texted the identical message again minutes later with no warning	Fixed (by a related fix)	blast.js plan() already has a gotSame() check that skips 'Already got this same message in the last day'. In testing, a repeat send went to 28 instead of 32 leads.
LOW	Mass text preview shows the rep's email address as the sender, not a phone line	Fixed	blast.js preview now also returns fromName, and the index.html preview line on the text tab reads 'from <rep>'s RingCentral line'. The email tab still shows the address. Solver has no phone number for the line; the n8n hook picks it.
COSMETIC	Toast says 'Sending to 1 leads' for a single-lead blast	Fixed (by a related fix)	The blast-start handler already shows 'Sending now. It shows on the lead's Updates.' when r.total === 1.
COSMETIC	Skipped-group label reads 'This lead is in "Junk/Unqualified" (8)'	Fixed	In blast.js plan(), skip reasons now drop the 'This lead…' wording, giving 'In "Junk/Unqualified"', 'Was referred', 'Opted out (…)' and '"(copy)" item'. The preview now shows 'In "Junk/Unqualified" (8): …'.

Sequences editor UI detail · 6

Severity	Bug	Result	What was done
MEDIUM	Invalid 'Sent from' address silently thrown away on Save	Fixed	sequences.js clean() now returns 400 '"Sent from" must be an email address…' when the field has text that isn't an email. The editor shows it in #sq-msg.
MEDIUM	Wait hours above 23 and negative waits silently clamped	Fixed	Rolling 48 h into days was already fixed in readForm and clean(). Negative waits are now refused instead of silently set to 0: the client check is in the sequences-ui.js save handler and the server check is a 400 in sequences.js clean().
MEDIUM	Backdrop click or Esc discards an unsaved sequence with no warning	Fixed (by a related fix)	sequences-ui.js already sends Esc and backdrop clicks through askClose(), which asks 'Discard your unsaved changes…' when the editor is dirty.
LOW	Esc on the lead's Sequences window also closes the lead drawer	Fixed (by a related fix)	sequences-ui.js already handles keydown in the capture phase with preventDefault and stopPropagation, so only the popup closes.
LOW	'+ Add an email' and 'Remove' jump the editor back to the top	Fixed	sequences-ui.js adds redrawKeepScroll(), which keeps the scrollTop of .sq-wrap and .sq-modal across drawEdit(). Add-step also scrolls the new email into view and focuses its subject (tested: 562 -> 682 after add, 562 after remove).
COSMETIC	'Sent from' placeholder always names Mariel	Fixed	The placeholder in sequences-ui.js drawEdit is now the generic 'Leave empty: each board's own rep', which is also shorter on phones.

Sequences engine rules · 3

Severity	Bug	Result	What was done
HIGH	A text (SMS) reply does not stop an email sequence	Fixed	sequences.js tick reply check now also matches u.by === 'text', which is what email.js writes for text replies; a lead with a text reply now stops with 'the lead replied'.
HIGH	A paused sequence with 25+ due enrolments stops every other active sequence from sending	Fixed	sequences.js tick due-query now excludes enrolments of sequences that are off (AND seq NOT IN (SELECT id FROM sequences WHERE active = 0)), so paused rows keep their place without filling the LIMIT 25. Tested with 30 paused rows: all 20 live m222 leads were emailed.

Severity	Bug	Result	What was done
MEDIUM	Restarting the server mid-send sends that step again	Fixed	sequences.js tick now moves the enrolment past the step before calling sendEmailNow. If the send fails, it moves the step back (only if nobody stopped it in the meantime), then the old retry/3-strikes logic runs, so a restart mid-send can't resend that step.

Stats correctness deep-dive · 6

Severity	Bug	Result	What was done
HIGH	Pitches / Signed / Junked / Callbacks counters ignore lead moves made in Solver and stay at 0	Fixed (by a related fix)	stats.js already merges solverMoves() (item_history __group moves) into the counts for every lead board, keyed by Monday id so a move is counted once.
MEDIUM	New leads today / this week use the UTC date, so evening leads land on the wrong day	Fixed	stats.js:84-85 now turns a full ISO timestamp (createdAt or a date-with-time value) into its Toronto day with ymd() and only slices plain YYYY-MM-DD values. The tester's tz1/tz2 repro now gives leadsToday 4, leadsWeek 14 and pitch rate 57%.
LOW	'updated 0 min ago' label hides stale cached stats	Fixed	public/stats-ui.js:9-10: the 'updated N min ago' label now uses the server's data.at build time, and falls back to the fetch time only when data.at is missing.
LOW	Lead-source table puts every lead under '(no ad info)'	Fixed (by a related fix)	stats.js colBy already matches columns titled 'Campaign', 'Ad Set' and 'Ad' (e.g. /^campaign(name)?$/i).
LOW	Rep stat cards overflow the 'Team this week' card on iPhone	Fixed (by a related fix)	index.html already has a max-width:600px rule that makes .st-reps one minmax(0,1fr) column. On iPhone 15 the outer card spans 20-373 and the rep cards 41-352, so they fit inside.
COSMETIC	'Dials today' tile shows 0 while every rep shows '— phone stats off'	Fixed (by a related fix)	stats-ui.js already sets dOn to require at least one rep with dials data, so the tile shows '—' / 'phone stats off' when no rep matched.

Clients board as admin · 6

Severity	Bug	Result	What was done
HIGH	The NEW CLIENT banner never shows when a signed lead is copied to Clients	Fixed (by a related fix)	crossboard.js now calls hooks.newItem after a copy. After the copies, /api/leads/new returns the Casey and Logan Clients arrivals with kind 'client'.
HIGH	A Clients sequence with 'Sent from' left empty silently stops every client	Fixed (by a related fix)	sequences.js PUT /api/seq/:id now refuses to save with 400 'Clients has no rep with a sending address. Fill in “Sent from”, or untick that board.' The placeholder now reads 'each board’s own rep'.
MEDIUM	Admin signing a lead creates a duplicate client on every re-sign	Fixed	public/index.html moveItemToBoard already set copiedFrom on rule copies but only checked for an existing copy when the target board was the open board. Now, when the target isn't loaded, it first reads /api/col for that board and says 'Already on Clients.' if a copy with the same copiedFrom exists (new 'checked' parameter at the end of the signature). Signed→Pitched→Signed now leaves one Casey on Clients.
MEDIUM	A malformed 'Sent from' address is silently thrown away on save	Fixed (by a related fix)	sequences.js clean() now throws 400 '“Sent from” must be an email address…' for an invalid sender. Checked with 'Brandon <admin@debtsolver.test>'.
LOW	A rep re-signing an already-copied lead gets two toasts that contradict each other	Fixed	The rep path was already fixed (only 'Already on Clients.' shows), but the admin path still showed 'copied this to Clients' next to 'Already on Clients.'. In public/index.html, fireRules no longer adds the 'copied this to' line in advance for copy_to_board. moveItemToBoard now writes the activity line once the outcome is known ('copied this to …' after the save, or 'already on …, nothing copied'), so only one matching toast shows.
COSMETIC	The 'Signed!' celebration shows the update count glued to the name	Fixed (by a related fix)	The name cell now wraps the name in span.nm, and motion.js reads '.name-open .nm' first, so the .upd-count badge is no longer included.

Admin Tasks board · 5

Severity	Bug	Result	What was done
HIGH	Timeline bars are invisible for items that have a Due date but no Status (transparent bar)	Fixed	public/views.js renderTimeline bar style now writes ';--c:<col>' only when a colour exists, so the .tl-bar default #8a8f98 applies; checked that 'Pay rent' (Due 2026-11-10, no status) now paints a grey bar.
MEDIUM	Lead-only actions 'Sequences' and 'Request payment' show on every Admin Tasks item	Fixed	public/index.html now has a contactBoard(b) helper (true when the board has an email or phone column) next to addItem, and the drawer shows the Sequences and Request payment buttons only when canSendMsgs() && contactBoard(b). m444 now shows only Duplicate/Close; m333 still shows all of them.
MEDIUM	'+ New item' on Admin Tasks creates 'New lead', and the title is not focused	Fixed	public/index.html: new-item and quick-new now use newItemName(b), which gives 'New item' on boards with no email or phone column and keeps 'New lead' on lead boards. addItem sets S.focusTitle and renderLayer focuses and selects the drawer title input for the new item. Checked: focus lands on the drawer-title with 'New item' selected, and typing renames it.
LOW	Pressing Esc in the Sequences dialog also closes the item drawer underneath	Fixed (by a related fix)	public/sequences-ui.js already uses a capture-phase keydown listener with stopPropagation. Checked: one Esc closes #seqm and the drawer stays open.
COSMETIC	Timeline month labels collide: 'Sep 2026Oct'	Fixed (by a related fix)	views.js renderTimeline already labels the range's first month only when there is room for it (the 'lead' check). Checked: labels are 'Oct 2026'@54px, 'Nov'@333px and so on, with no overlap.

Team Pipeline · 2

Severity	Bug	Result	What was done
HIGH	Sequences on Team Pipeline never send: a lead a rep enrolls is stopped with 'no sending address for this board' and can never be re-added	Fixed	Another fixer had already made PUT /api/seq and /api/seq/enroll refuse a sequence with no 'Sent from' on a board with no single rep (checked: 400 'Team Pipeline has no rep with a sending address...'). I added the missing unlock: sequences.js enroll() deletes an earlier run that stopped at step 0 with 'no sending address for this board', because it never sent anything, and public/sequences-ui.js no longer hides 'Add to sequence' for such a run. Checked: re-adding after that kind of stop gives 200, and a third add still gives 400 'already been in'.
LOW	Member with no sending address gets a misleading email modal on Team Pipeline and can type an email with no Send button	Fixed	The message was already corrected by someone else (it uses boardRep===false to explain that bao has no own address). I made public/index.html email modal disable #em-subject and #em-text when !c.canSend as well as when c.blocked. Checked as bao on m333: both fields are disabled and the correct warning shows.

Connect apps page full sweep · 6

Severity	Bug	Result	What was done
MEDIUM	'Connect my Gmail' on the Gmail tile opens a raw JSON 404 page when in-app Gmail isn't set up	Fixed (by a related fix)	The Gmail tile button in public/index.html is now also gated on S.gmail.available, so it does not render when Google OAuth is off. The harness showed 0 buttons.
LOW	Stripe 'Change key' mode has no Cancel, and Disconnect disappears until the modal is reopened	Fixed	public/index.html: Change-key mode on a connected Stripe tile now has a Cancel button. A new 'stripe-key-cancel' action clears stripeEdit, the typed key and the error, which brings back Change key and Disconnect.
LOW	Stripe key box is wiped after a failed Connect	Fixed	public/index.html: the save handler keeps the typed key in m.stripeKey, and the input renders it back as its value. The error now shows in m.stripeErr inside the Stripe tile, not at the top of the modal, and the input gets focus back.
LOW	Pressing Enter in the Stripe key box does nothing	Fixed	public/index.html: the global keydown handler now treats Enter in #stripe-key the same as clicking Connect (stripe-key-save), unless that button is disabled.

Severity	Bug	Result	What was done
LOW	RingCentral tile lists hard-coded reps who aren't on the team (Adrian, Carl, Cath)	Fixed (by a related fix)	In solver/apps.js the RingCentral detail is now built from the users who have an email_from, and says 'Not set up yet.' when it is off. The harness showed 'Through n8n: Brandon, Jerico, Mariel'.
COSMETIC	Stripe key placeholder is cut off on desktop and laptop	Fixed	public/index.html: the .app-key CSS now wraps, and the input is flex:1 1 190px. At 1440x900 the input is 233px wide, so the whole placeholder fits.

Gmail connect flow UI · 1

Severity	Bug	Result	What was done
MEDIUM	'Connect my Gmail' button on the Gmail app tile appears without Google OAuth set up and opens a raw JSON 404 page	Fixed (by a related fix)	Duplicate of tester 73's bug. The tile already checks S.gmail.available, so the button is hidden when /api/gmail/status says available:false.

Header area of board · 3

Severity	Bug	Result	What was done
MEDIUM	Rep (non-admin) can rename the shared Team Pipeline board for everyone from the header title	Fixed	server.js /api/doc board write: a non-admin PATCH that changes a board's name now gets a 403 unless they made the board (createdBy); a PUT keeps the old name; a new board PUT records createdBy; createdBy can't be forged. This matches features.js newBoard, which already sets createdBy. index.html:1815 makes #board-title readonly unless the user is an admin or made the board. Note: reps also can no longer rename their own Monday-copied boards (e.g. m111), since an admin made those.
LOW	Esc does not cancel a board-title edit; the typed text is saved on blur	Fixed (by a related fix)	The keydown handler (index.html ~3621) already puts back b.name on Escape. Checked: typing ' ZZZ', then Esc, then Tab leaves 'Team Pipeline' unchanged.
COSMETIC	Long board name is cut off mid-letter in the header, with no ellipsis or tooltip	Fixed (by a related fix)	The .board-title rule (index.html:764) already has text-overflow:ellipsis, and the input (index.html:1815) already has a title attribute plus fitTitle sizing. Left as is.

Views tab bar · 4

Severity	Bug	Result	What was done
MEDIUM	Selected saved view is forgotten on reload; the page reopens on a different view with all items	Fixed (by a related fix)	saveSv() stores ks-viewid and the board load (index.html ~4130) brings it back. Checked: after a reload the 'Booked only' tab is still active.
MEDIUM	Phone: first tap on 'Delete view' in the board sheet gives no feedback	Fixed	index.html delete-view case: the first tap now also calls renderLayer() when a modal is open, so the sheet shows 'Tap again to delete view'. The second tap now shows a 'View deleted' toast.
LOW	Desktop tab underline (fx-ink) sits under the wrong spot when the view tabs wrap onto two rows	Fixed	motion-fx.js ink() now places the underline from the active tab's offsetTop+offsetHeight instead of the bottom of the bar. Saved-view tabs in index.html viewTabs are capped at 220px with an ellipsis and a title tooltip, which makes wrapping less likely. Checked: the underline's top matches the tab's bottom (135 vs 136).
LOW	Pressing Enter in the 'Save as view' name box does nothing	Fixed (by a related fix)	The keydown handler at index.html ~3612 already clicks do-save-view on Enter in #sv-name.

Toasts and error messages · 4

Severity	Bug	Result	What was done
HIGH	Server validation error (400) is shown as 'Your access to this board is view-only.' and makes the whole board read-only for the session	Fixed	ks-client.js call() now puts the HTTP status on the thrown error. In index.html, write() handles a 400 invalid_argument separately: it shows the server's own message and reloads the saved values, and it leaves S.canWrite alone. A 403 still makes the board view-only.
MEDIUM	A failed save (server unreachable) leaves the unsaved value on screen and in app state; the only signal is a toast that lasts 2.6s	Fixed	The generic catch already called KS.reload, but that reload failed while the server was down. KS.reload in ks-client.js now falls back to re-sending the cached server values to listeners when the request fails, so the cell and S.items go back to 'Debt Relief Q4' straight away. Saving again once the server is back is unchanged.
MEDIUM	With the server down, opening another board stays on 'Loading <board>...' indefinitely	Fixed	In index.html, when a board's items fail to load and nothing has loaded yet, selectBoard's error callback now sets S.itemsError. renderContent then shows 'Can't reach the server', a note that the board loads by itself once the connection is back, and a 'Try again' button (new retry-items action that calls KS.reload). The flag is cleared on the next successful snapshot and on board change.
LOW	On phones, stacked toasts land on top of the mascot's follow-up speech bubble	Fixed	Added a phone-only CSS rule in index.html after the bulkbar toast rules, `@media (max-width:780px){ body:has(#toasts .toast) .pet {visibility:hidden;...} }`. Penny and her bubbles now hide while a toast shows and come back after it goes.

Docs / doc column and AI column · 2

Severity	Bug	Result	What was done
MEDIUM	Doc version-history preview is squeezed to 220px, greyed out, and its text overflows the box	Fixed	In extras.css, the `.doc-ed.ro` rule now cancels the table-cell `.ro` styles (max-width:none, white-space:normal, color:var(--fg), editor padding and font size). The preview fills the panel and wraps (526px, scrollWidth equals clientWidth).
LOW	Doc toolbar buttons are 32x30px on phones: the 40x40 touch-size rule is overridden by extras.css	Fixed	Added `@media (pointer: coarse) { .doc-tb button { min-width:40px; height:40px } }` in extras.css after its own .doc-tb button rule. Buttons now measure 40x40 on iPhone 15 emulation and stay 32x30 on desktop.

Address autocomplete and Province dropdown · 4

Severity	Bug	Result	What was done
MEDIUM	Esc with address suggestions open in the item drawer closes the whole drawer and saves the half-typed text	Fixed	solver/public/address.js:53: the Escape branch now calls preventDefault and stopPropagation, so the first Esc only closes the suggestion list. The field keeps focus and the drawer stays open. A second Esc throws the edit away as before.
MEDIUM	There is no way to add or edit options of an existing Dropdown column	Fixed	solver/public/index.html: the column settings modal (col-menu) now has an 'Options' input and a 'Save options' button for dropdown columns when the user can write. The new 'save-options' action dedupes the list and saves it with patchBoard/localBoard. Monday resync already keeps options added in Solver (monday.js:175).
LOW	Address suggestion popup runs off the right edge of the screen on iPhone	Fixed	solver/public/address.js:20-21: the popup width is capped at viewport-32 and its left edge is clamped to stay inside a 16px gutter. On iPhone 15 the popup now spans 97 to 377 of 393px.
COSMETIC	Add Column > Dropdown saves duplicate options	Fixed	solver/public/index.html save-column: the options are now deduped with [...new Set(...)]. The test input 'Purchase, Refinance, , Purchase, Equity' is stored as ['Purchase','Refinance','Equity'].

Pixel audit A · 4

Severity	Bug	Result	What was done
MEDIUM	Selected row's sticky name cell is see-through: scrolled columns overlap the item name	Fixed	solver/public/index.html (dark CSS block, former line 328): the tr.sel rule is split in two. The sticky td.name-cell now draws the 8% white tint as a gradient over the opaque var(--solid), so it stays opaque. Other selected cells keep the translucent tint.
MEDIUM	Keyboard focus lands on cells hidden behind the sticky Item column (Tab/Shift+Tab)	Fixed	solver/public/index.html: added a focusin listener before the beforeunload handler. When the focused cell in .content.tv sits under the sticky name cell, it scrolls the board so the cell clears that column by 8px. scroll-padding-left was tried and rejected: Chromium ignored it for Tab focus and it jumped the board to scrollLeft 0 when a name was clicked. Shift+Tab now lands cells at x=544, right of the column edge at 536.
COSMETIC	Header 'select all' checkbox sits 14px left of the row checkboxes	Fixed	solver/public/index.html group table header: padding-left:14px is replaced by padding-left:0 plus a hidden grip spacer (only when S.canWrite, to match the rows). The header and row checkboxes now both sit at x=297 for admin and member.
COSMETIC	Sticky Item column drops its 20px gutter on horizontal scroll and no longer lines up with the group header	Your decision	Not changed. Sticking the name cells at left:20px would let scrolled cells show through the 0-20px strip to the left of the Item column. Hiding that strip needs a per-theme mask on the name cell (box-shadow/background), which is a larger visual change than this cosmetic issue justifies without a design call.

Pixel audit B · 7

Severity	Bug	Result	What was done
MEDIUM	Esc on the Sequences dialog also closes the item drawer behind it	Fixed (by a related fix)	sequences-ui.js already has a capture-phase Escape handler that calls stopPropagation. Verified that one Esc closes only the dialog and the drawer stays open.
MEDIUM	Keyboard focus never enters the Sequences dialog	Fixed (by a related fix)	shell() in sequences-ui.js now focuses .sq-modal, and the Tab trap in index.html puts #seqm first. Verified that Tab cycles between the dialog's ✕ and Close buttons.
LOW	Email and Request payment modals open with focus on body	Fixed	index.html adds a focusModal() helper next to renderLayer. It runs after compose-email, pay-email, pay-open, the email-check re-render and loadPay, and focuses the first enabled field, or the dialog itself when there is none. Verified that Subject gets focus and that typing works.
LOW	Status pill unreadable in light theme (inverted colours)	Fixed (by a related fix)	theme.js KEEP already includes .chip[style*="--c"] and .pill[style*="--c"]. Verified the drawer status chip renders its real Monday colour rgb(253,171,61) in the light theme.
COSMETIC	Sequences dialog pinned to the top, wider than other modals, with two close controls	Fixed	index.html: #seqm .sq-modal gets margin:auto 0, so it is centred vertically and still scrolls when tall (now y=293 instead of 36). The 760px width is kept because the admin sequence editor needs it, and the ✕ plus Close pair is left as is.
COSMETIC	Drawer header buttons wrap into ragged rows with Close mid-row	Fixed	index.html: new rule @media (min-width:781px){.drawer-actions{justify-content:flex-end;margin-left:auto}}, so wrapped rows line up on the right and Close ends the last row. The phone scroll layout is unchanged.
COSMETIC	Small 23px buttons: Calls & texts Refresh, access modal Lock/Guests edit	Fixed	extras.js:69: the Calls & texts Refresh button changed from class icon-btn to btn, so it is the standard 33px button. Lock and Guests edit are the app's .toggle pills and were left compact on purpose.

Pixel audit C · 6

Severity	Bug	Result	What was done
HIGH	Rep card Pitches stays 0 when leads are moved to Pitched in Solver while Pitch rate rises	Fixed	solver/stats.js build(): solverMoves() now runs on every lead board, not only the Solver-only ones. Each move is keyed by the item's mondayId when it has one, so a move that also shows up in Monday's activity log is counted once by cnt().

Severity	Bug	Result	What was done
MEDIUM	Long rep name with no spaces overflows the rep card and crushes the avatar	Fixed	index.html .st-rep-h CSS: the name button gets min-width:0, text-align:left, overflow-wrap:anywhere and a 2-line clamp, and .st-av gets flex:none. Verified the name stays inside the card and the avatar stays 34x34.
LOW	Long rep name wraps centred, makes the avatar an oval and misaligns bubble rows	Fixed	Same index.html fix as above (left-aligned name, 2-line clamp, flex:none avatar), plus min-height:40px on .st-rep-h so cards with one-line and two-line names put their bubble rows at the same height.
LOW	Pet follow-ups speech bubble spills over the main column	Fixed (by a related fix)	index.html already has 'html.pet-docked .pet-news { max-width: 196px; }', which keeps the bubble inside the sidebar when Penny is docked on computers.
COSMETIC	Stat bubbles not the same size (3rd column wider, 3rd row shorter)	Fixed	index.html: .st-bubs now uses repeat(3,minmax(0,1fr)) with grid-auto-rows:1fr, .st-bub has min-width:0, and labels cut off with an ellipsis. stats-ui.js shows the full label as a title tooltip. Verified all 9 bubbles are the same size.
COSMETIC	Rep cards leave a third of the Team card empty with 2 reps	Fixed	index.html .st-reps changed from auto-fill to auto-fit, so 2 rep cards share the full width (299-831 and 845-1377). Their edges still don't match the 4 tiles above.

Pixel audit D · 4

Severity	Bug	Result	What was done
MEDIUM	Theme swatches inverted in Beige theme	Fixed (by a related fix)	public/theme.js swatch() now pre-flips/un-tints each swatch colour; screenshot in Beige shows Dark black, Light cream, Blue navy, Beige cream.
LOW	Notifications bell icon in profile sheet is a solid blob	Fixed	public/index.html profile row('notifs', ...) now passes IC.bell with fill=none stroke=currentColor attributes added, as the IC_MAIL rows do (computed fill none, stroke white).
LOW	Guest with no boards told to use '+ New board'	Fixed (by a related fix)	Guest now sees 'Nothing has been shared with you yet. Ask your admin to share a board with you.'
LOW	Focus not moved into / returned from Notifications modal	Fixed (by a related fix)	renderLayer now focuses the new .modal and returns focus to the opener; verified Enter focuses the modal and Esc returns focus to the sidebar Notifications button.

Pixel audit E · 3

Severity	Bug	Result	What was done
MEDIUM	Team 'Active' pill turns off sign-in on one tap with no confirmation	Fixed	In public/index.html, toggle-person now asks for a second tap before turning someone off: the button reads 'Tap again: turn off' and a message explains it (S.confirmDelete 'off:<id>', and toggle-person is added to the confirm-keep list). Turning someone back on still takes one tap, and on touch screens button.tm-status is now at least 40px tall.
LOW	Connect apps / API keys modals off-centre on phones	Fixed	public/index.html CSS widths changed to min(860px,94vw,100%) and min(720px,94vw,100%); on iPhone 15 both modals now span x=16..377.
LOW	Long Team / Connect apps modals have no close control in view on a phone	Fixed	Added a sticky close X (button.icon-round.pf-x.m-x, data-act close-modal-btn) at the top of the Team and Connect apps modals, plus .modal > .m-x CSS. After scrolling 900px on iPhone 15 it stays at y=53, and tapping it closes the window.

Text overflow audit · 4

Severity	Bug	Result	What was done
MEDIUM	A status label longer than its pill is cut off on both sides	Fixed (by a related fix)	Already fixed: the table cell and the picker both wrap the label in .chip-t, which has an ellipsis (index.html .chip-t rule and the status chip render). On the harness the label now ends in '…'.
MEDIUM	Kanban lane widens to 930px for an item name with no spaces	Fixed	public/index.html near line 144: .card-name now has overflow-wrap:anywhere and min-width:0, and .lane and .card have min-width:0. All lanes now measure 260px on desktop and 240px on phone, and the long name wraps inside its card.
LOW	Arabic (RTL) values show their end and hide their first words in table cells and calendar chips	Fixed	public/index.html: added dir="auto" to the item-name .nm span, to the lazy text cell span, to cellEditor's base input attrs, to both cal-chip buttons, to the kanban .card-name and to the dropdown pills. The Arabic name now computes as rtl and shows its first words, with the ellipsis at the logical end.
LOW	A long dropdown value wraps to three lines and spills out of the table row	Fixed	public/index.html: new rule '.dd-cell .pill' (nowrap, overflow hidden, ellipsis, max-width 100%), and the dropdown pill gets a title with the full value. The pill is now 18px tall on one line.

Empty states audit · 4

Severity	Bug	Result	What was done
MEDIUM	Guest with no shared boards is told to use '+ New board on the left'	Fixed (by a related fix)	Already fixed: the no-boards empty state checks S.canWrite && S.db, the same check the sidebar input uses. The guest Home now says 'Nothing has been shared with you yet. Ask your admin to share a board with you.'
LOW	Creating a board from Home leaves the user on Home	Fixed (by a related fix)	Already fixed: createBoard() now sets S.page='board' and S.view='table' and calls savePage(). I read the code but did not re-run this repro.
LOW	No 'Nothing matches' message in Kanban/Calendar/Timeline when the search removes every item	Fixed	public/index.html renderContent (just before el.innerHTML for the board views): a 'Nothing matches' empty state now shows in non-table views when a search or filter is set, the board has items, and visibleItems() is empty. Verified on desktop for Kanban, Calendar and Timeline.
COSMETIC	Timeline month labels run together and the last one is cut off	Fixed	public/views.js renderTimeline: another fixer's 100px check already stops the first label overlapping the next. I added a condition that drops a month label when less than 70px of the range is left, so the last label is no longer cut off. No label overlaps or runs past the track on the harness.

Loading states audit · 5

Severity	Bug	Result	What was done
HIGH	Double-click on '+ New item' (or the phone '+' FAB) creates two 'New lead' items	Fixed	index.html addItem(): when called from '+ New item' or the quick-new FAB (open=true), a second call within 1s is ignored (S.lastNewAt guard), so one item is created and the spurious 'hidden by filter' toast no longer appears.
MEDIUM	Double-click on 'Duplicate' in the item drawer creates two copies	Fixed	index.html case 'dup-item': ignores a second click within 1s (S.lastDupAt guard).
MEDIUM	Cancel/Esc while an email is 'Sending…' closes the modal but the email still goes out	Fixed	index.html email modal: while m.sending, Cancel is disabled (with a tooltip saying the email is on its way) and Subject/Body are disabled. Esc and close-modal (backdrop) do nothing while an email modal is sending, so the 'Email sent' toast now matches what the user sees.
MEDIUM	'+ New board' works while boards are still loading and creates a stray 'Main workspace'	Fixed	index.html renderRail: the rail shows 'Loading boards…' instead of 'No boards yet.' and #new-board is disabled until S.status==='ready'. createBoard() also refuses with a toast before boards load. The 'Member' account card during load was not changed.
MEDIUM	A new item whose save fails stays in the table as if saved	Fixed	index.html addItem(): when write() fails (saved===false), the optimistic item is removed from S.items, the drawer closes if open, and a toast says '"name" wasn't added. Try again.' The table redraws right away while keeping focus in the add row, which had been deferring the redraw.

Copy/wording audit · 9

Severity	Bug	Result	What was done
HIGH	Banner says nothing goes back to Monday and nothing texts or emails anyone, but the app does	Fixed	index.html: the static #banner text and the non-write-back text in renderBanner() now say changes stay in Solver.ca but emails, texts and payment links sent to leads really go out (write-back boards already had their own text). automations.js: the modal intro and webhook hint now say automations don't text or email by themselves, and that Mass text, Mass email and the Email button do send.
MEDIUM	'CRM · TEST BUILD' build label shows under the brand	Fixed	index.html rail brand block: brand-tag now reads 'CRM' instead of 'CRM · test build'.
MEDIUM	'+ New item' on a non-lead board creates an item named 'New lead'	Fixed (by a related fix)	Current code uses newItemName(b), which gives 'New item' on boards with no email or phone column. Verified on m444: the drawer title is 'New item'.
LOW	Deleting an item shows 'Lead deleted' on non-lead boards	Fixed	index.html case 'delete-item': the toast is 'Item deleted' unless contactBoard(b), in which case it stays 'Lead deleted'.
LOW	Bulk bar says 'Lead selected' and offers Mass email/text on non-lead boards	Fixed	The label was already fixed by someone else ('1 Item selected' on m444). Mass email and Mass text bulk buttons now also need contactBoard(b), so they are hidden on Admin Tasks (verified).
LOW	Plural bugs in toasts: 'Duplicated 1 items' and 'Sending to 1 leads'	Fixed (by a related fix)	The current code already uses item/items for bulk duplicate, delete, update and move, and has a single-recipient message for the blast send toast.
LOW	Guest empty state tells the user to use '+ New board'	Fixed (by a related fix)	The Home empty state now shows the '+ New board' hint only when S.canWrite, and otherwise 'Ask an admin to share a board with you.'
LOW	Group names cut off with no ellipsis on iPhone	Fixed (by a related fix)	.group-name already has field-sizing: content and text-overflow: ellipsis, plus a title tooltip with the full name (added by another fixer).
COSMETIC	Desktop follow-up bubble says 'Tap to see the calendar' and covers the Follow-ups card	Fixed	fun.js showNews(): on mouse/hover devices 'Tap to' becomes 'Click to'. The overlap was left alone: the bubble has a close button and hides itself after 6.5s.

Undo/Recycle and data safety · 3

Severity	Bug	Result	What was done
MEDIUM	Board-delete confirm stays armed after Esc or leaving the board	Fixed	public/features.js 'board-menu' case: opening More now clears S.confirmBoard and always shows plain 'Delete board', so deleting takes two fresh clicks; only the menu reopened by the first click shows 'Click again'.
LOW	Deleting a column gives no Undo	Fixed	Added columnDeleted(b, col) to public/features.js and exported it on window.SolverFeatures. It shows a 'Deleted column' toast with an Undo button that finds the user's matching column entry in the recycle bin and restores it, automations included. public/index.html delete-column now calls it through fx(). The bin description now mentions columns too.
LOW	Undo button on the delete toast is too small to tap on phones	Fixed (by a related fix)	public/features.js:46 already has a media rule (max-width 780px or coarse pointer) that gives the .fx-toast button a 44px minimum height and 64px minimum width. On iPhone 15 it measured about 65x42, which is 44px in CSS after the page's phone zoom.

Drag & drop everywhere · 3

Severity	Bug	Result	What was done
HIGH	Moving a row up or down inside its group does nothing; a cross-group drop lands in the wrong place	Fixed	public/index.html row drop handler (~line 3757): when the rows around the drop target share a pos or have none, the group is renumbered 0..n in the order shown, with the dragged row placed just above the target, and only the rows whose pos changed are patched. Patches that touch only pos do not write back to Monday.

Severity	Bug	Result	What was done
MEDIUM	Groups cannot be reordered on phones or tablets	Fixed	public/index.html tvGroupHead: added a 'Move up' button for every group except the first. It shows only at 780px and narrower (.icon-btn.g-up CSS near line 703). A new 'group-up' data-act handler swaps the group with the one above and saves through patchBoard/localBoard, the same path the drag grip uses.
LOW	Dashboard widget reorder arrows are tiny tap targets on phones	Fixed	public/views.js: on screens 760px and narrower the widget header buttons are now at least 44x44 with an 8px gap, and the arrows turn 90 degrees to point up and down. The first widget's back arrow and the last widget's forward arrow are disabled. aria-labels now say 'Move earlier' and 'Move later'. Measured 44x44 on iPhone 15, and moving a widget works.

Number/currency formatting · 5

Severity	Bug	Result	What was done
HIGH	Canadian-French amount '1 234,56' saved as 123,456	Fixed	public/index.html setValue number parse: a comma followed by groups of exactly 3 digits is read as a thousands separator, a single comma with 1-2 digits after it as a decimal comma, and anything else is rejected with the 'Enter a number' toast ('1 234,56' gives 1234.56, '2,5' gives 2.5, '1,500' gives 1500).
MEDIUM	Currency cells/totals/Kanban drop the cents	Fixed	public/index.html fmtMoney shows 2 decimals for non-integers (1,234.56, 0.40) in the cell, the input value, the footer total (now rounded to cents) and Kanban cards.
MEDIUM	'(500)', '1e6', '$5k' silently mangled	Fixed	public/index.html setValue: '(500)' gives -500, 1e6 is passed through to Number (gives 1,000,000), a k/m suffix multiplies by 1e3/1e6, and unparseable input such as '1.2.3' is rejected with the toast.
LOW	Negative currency shown as '$-2,501'	Fixed	public/index.html: new fmtCur helper ('-$2,500.75') used by describe(), the footer sum and both Kanban card amounts. The editable table input still shows '-2,500.75' after the CSS '$' prefix.
LOW	Formula money results use inconsistent decimals	Fixed	public/formula.js format(): non-integers now always show 2 decimals (-8.33, 0.01, 1,776.70). Only values below 0.005 keep 3 decimals so they don't show as 0.

Time & date edge cases · 5

Severity	Bug	Result	What was done
HIGH	Home Due today/Overdue use the UTC day	Fixed (by a related fix)	server.js boardStats already computes today and inWeek with Intl in TIME_ZONE (KS_TIMEZONE), not toISOString.
HIGH	Admin stats new leads today/week bucketed by UTC createdAt	Fixed (by a related fix)	stats.js already converts timestamp createdAt to its zone day with ymd(). The harness gave leadsToday 4 and leadsWeek 24, which match the tester's expected numbers.
MEDIUM	Stats week boundary hard-coded to America/Toronto	Fixed	stats.js: TZ now comes from KS_TIMEZONE (validated, Toronto fallback). A new midnightUtc() replaces the hard-coded 'T05:00:00Z' in the Monday activity_logs query and the dials hook 'since'.
LOW	'this week' means rolling 7 days on home vs since Monday in stats	Fixed (by a related fix)	public/index.html home hero and board list are already labelled 'last 7 days' rather than 'this week'.
LOW	Board export filename dated with the UTC day	Fixed	server.js export: the filename date now uses Intl.DateTimeFormat with TIME_ZONE instead of toISOString().slice(0,10).

Duplicate detection/merge expectations · 2

Severity	Bug	Result	What was done
HIGH	Lead link drops new leads as 'duplicates' when the phone field is a placeholder like N/A, none or -	Fixed	In solver/integrations.js (around lines 346-351), the dedupe check now compares only the digits of a number (last 10) and runs only when the incoming phone has 7 or more digits, so placeholders like none, N/A or - never match. Verified: none/None, N/A/n/a and -/- all return 201, and 403-555-7777 vs (403) 555 7777 is still flagged as a duplicate.
LOW	'Skip if the phone number is already on the board' shown ticked for boards with no phone column, then silently ignored	Fixed	solver/public/index.html: the lead-link card now says 'Skips phone numbers already on the board' or 'Doesn't skip repeat phone numbers', and creating a link with the box ticked on a board with no phone column now adds '<board> has no phone column, so repeat leads can't be skipped.' to the success message (the checkbox state is captured before the request). Checked that the page loads with no errors; I did not click through the form itself.

Rate limits & big blasts · 2

Severity	Bug	Result	What was done
HIGH	The same blast can be started twice (two tabs or two quick API calls), so every lead gets the email/text twice	Fixed (by a related fix)	Another fixer's gotSame check in plan() (solver/blast.js:59) already skips any address that has the same message queued in a running blast. I only made the refusal clearer at blast.js /api/blast/start: it now returns 409 'These leads already got this message or are in a blast that's sending it.' instead of a vague 400. Verified: three parallel starts give one 200 and two refusals. A blast with a different body to the same leads still goes out, since that is a separate message.
LOW	With two blasts running, the progress pill on phones shrinks; labels wrap to 4 lines	Fixed	solver/public/index.html, rule .blast-pill @media (max-width:780px): the pill is now a two-column grid (label plus its Stop button) with an 18px radius, so each running blast sits on one line. Verified on iPhone 15 with two blasts: each status reads on a single line. The mascot sits beside the pill, not on top of it, at the moment of the screenshot.

Server restart resilience · 6

Severity	Bug	Result	What was done
HIGH	Signed lead never reaches Clients if the server restarts between the move and the copy, and its activity says it was copied	Fixed	The 'copied' activity line was already written only after the server confirmed the copy. I added a retry in moveItemToBoard (public/index.html, the crossboard POST): when the server can't be reached or returns 5xx, it tries again up to 6 times with backoff starting at 5s, and the server's copiedFrom check stops a lead being copied twice. Limit: the retry runs only while the tab stays open.
HIGH	Sequence step email is sent twice when the server restarts while the send is in flight	Fixed (by a related fix)	sequences.js tick already moves the enrollment past the step before calling sendEmailNow, and puts it back only if the send fails, so a restart mid-send can't send the step again.
HIGH	Mass-email blast sends a duplicate email to the lead in flight when the server restarts; the blast counts it once	Fixed	blast.js: each blast_rows row is now marked 'sending' before the send. On boot, rows left in 'sending' become 'failed' with 'Interrupted by a server restart…', are counted in blasts.failed and are never sent again. gotSame also treats 'sending' rows as already sent. Re-ran both repros: 1 email per lead, and the blast shows 2 sent and 1 failed.
HIGH	Lead value changes and notes are silently dropped from Monday write-back when Monday is unreachable	Fixed	mondaywrite.js onSaved now queues notes before it reads Monday's column types. If that read throws, it queues the changed values raw, and run() converts them with mondayCols when it sends. Repro: the move, the Comments change and the note were all sent after the restart.
MEDIUM	Monday note is posted twice when the server restarts while the write-back call is in flight	Fixed	mondaywrite.js run() now marks the row 'sending' before the gql call. On boot, an interrupted 'update' row is marked failed ('may already be in Monday'), while interrupted move/values rows, which are safe to repeat, are queued again. Repro: crashnote count is 1 for both 9028 and 9032.

Severity	Bug	Result	What was done
LOW	Monday write-back gives up after about 9 seconds and failed rows are never retried, even after a restart	Fixed	mondaywrite.js now makes 5 tries with exponential backoff (3s, 6s, 12s, 24s), and on boot it queues again any row that failed in the last 24h. It skips interrupted notes and notes that timed out, since those may already be in Monday. The admin UI for /api/monday-out was not added. Repro: a row failed after 5 tries, then was done after the restart.

Monday copy · 2

Severity	Bug	Result	What was done
HIGH	After a live pull, a rep's own note on a write-back board is reassigned to the Monday token owner and gets the signature added	Fixed	monday.js mergeUpdates: when a note written in Solver.ca (u.by set) matches its Monday copy, it keeps its own by, byName, text and at, and takes only Monday's mid and replies ({...f, ...u, mid: f.mid}). Notes that came from Monday merge as before. Checked with a unit test of mergeUpdates.
MEDIUM	A note shows twice when a live pull runs before the write-back create_update returns its Monday id	Fixed	monday.js mergeUpdates: a Solver note with no mid is now matched to a new Monday update whose text starts with the note's text and ends with '(in Solver.ca)' (skipping Monday ids already stored), so the pull gives one note with the mid. stampMid then does nothing. Checked with a unit test.

Discord/webhook posts and integrations.js hooks · 3

Severity	Bug	Result	What was done
HIGH	Lead copied to Clients by the 'Signed → Clients' automation fires no item.created webhook (and move_board fires no item.deleted/item.created)	Fixed	crossboard.js now takes integ from ctx and, after writing, calls integ.itemChanged for the new target item (item.created), and for move_board also for the removed source item (item.deleted); verified the mock now gets item.created for mcl.
MEDIUM	Deleted or turned-off webhook keeps receiving retry deliveries	Fixed	integrations.js deliver(): on retries (attempt>1) the hook row is re-read and the retry is dropped unless it still exists, is 'out' and is active; verified a deleted 503 hook gets only the first try.
MEDIUM	On a phone, the one-time signing secret is shown off-screen after adding a webhook	Fixed	public/index.html int-out (and int-key, same one-time secret) handlers now scroll .int-msg into view after loadIntegrations() re-renders; on iPhone 15 the message is now at top 33-93px of a 659px viewport.

Final explorer · 2

Severity	Bug	Result	What was done
MEDIUM	Duplicate board 'With items' scrambles the item order inside every group	Fixed	features.js /api/x/board/duplicate copies items in the board's shown order (sorted by pos, stable) and gives each copy pos = 1..n so the copy keeps that order; verified on m333 and m222 that the per-group order matches.
COSMETIC	On iPhone the group name is cut off ('New Uncontacte') by the always-visible Colour/Delete actions	Fixed (by a related fix)	The current CSS already lets the phone group header wrap (.group-head flex-wrap, .group-name max-width 100%), and on iPhone 15 the full 'New Uncontacted' shows, with Delete on the next row.

Second pass

Re-checked: 57 fixes confirmed working (2 needed one more fix). New issues found while hunting for side effects: 21, of which 18 are fixed and 3 are small design choices left for you.

Severity	Item	Result	Detail
HIGH	Viewer could send emails by adding a lead to an email sequence	New, fixed	POST /api/seq/enroll had no role check, so viewer Bao added 6 Team Pipeline leads to an active sequence and 5 real emails showed up in outbox.log within a minute (the 6th lead was not checked). I added a viewer refusal (403) at the top of the enroll handler in /home/user/funded-deal-slides/solver/sequences.js; after the fix all 6 enroll attempts by the viewer return 403, members and guests still pass the check, and node --check passes.
MEDIUM	Light and Beige themes show status pills as dark, wrongly coloured blocks	New, fixed	In Light and Beige on m333 the pills and the status pop now keep their real colours (No answer orange with dark text, (blank) light grey). The Status footer summary bar was still inverted, though, showing dark brown and charcoal that did not match the pills. I added '.sumbar > span[style*="background:#"]' to KEEP in public/theme.js, re-ran the check and saw the bar in its true colours with no page errors.
MEDIUM	Clicking Search right after adding an item drops focus and loses the typed text	New, fixed	I reproduced this 2 of 2 times. After adding an item from the '+ Add item' row (Enter), I clicked Search and typed 'Pey', paused, then typed 'ton'. Only 'Pey' was kept. A redraw held back by the add row ran on pointerup (flushPending -> render -> renderHead) and rebuilt the Search box, so it lost focus. Fix in /home/user/funded-deal-slides/solver/public/index.html: render() now puts focus and the caret back on the new #search box when Search had focus before the redraw. After the fix, all 4 runs kept 'Peyton' and Search kept focus.
MEDIUM	Clearing only one part of a date cell erases the whole saved date	New, fixed	I reproduced this 2 of 2 times. With Follow-Up Date set to 2026-11-20, I cleared only the day part and pressed Enter (or clicked away). The browser reports value '' for a half-filled date, so setValue saved '' and the date was wiped with no warning. Fix in /home/user/funded-deal-slides/solver/public/index.html, in the change handler: a date input that is empty but has validity.badInput now shows 'Enter a real date' and puts the saved value back. Clearing every part still empties the date on purpose. Re-checked twice: the date is kept and the toast shows.
MEDIUM	Emails sent by a sequence showed "Someone" in the Activity log	New, fixed	Emails a sequence sent showed up in the item's Activity log as "Someone: Emailed ..." (seen twice, in the API data and in the UI). Fixed: email.js addUpdate now stores byName on the activity entry, and the activity log in public/index.html falls back to a.byName, so the line now reads ""New Lead Drip" step 1: Emailed ...".
MEDIUM	Single Text window lost the typed text on Esc	New, fixed	Unlike the email window, pressing Esc in the new single Text window threw the typed text away (reopened empty, twice). In public/index.html the text is now kept per board/item as you type, restored when compose-text reopens, and cleared after a successful send (checked: kept after Esc, empty after send, exactly one text in outbox.log).
MEDIUM	Sequence "Sent from" accepts any address, even one nobody sends from	New, fixed	Fixed after the pass: a sequence can only send from an address someone on the team sends from (sequences.js).
MEDIUM	Calendar marks Signed leads' follow-ups as overdue	New, fixed	Reproduced twice: Jerico's calendar showed 14 red overdue chips, 3 of them in Signed, while the server summary and the mascot said 11 overdue, because the server skips signed/funded/closed/lost/dead groups. In /home/user/funded-deal-slides/solver/public/index.html renderCalendar, I added a closedG set: leads in those groups still show on the calendar but are not marked red, on desktop or on the phone agenda. It now shows 11, the same as the server.
MEDIUM	Admin home stats counted an undo of a group move as a new move	New, fixed	Reproduced twice on Mariel Leads, with the same thing in Jerico's earlier count: moving a lead from Callbacks to Junk and then pressing Ctrl+Z added 1 to 'Callbacks this week', because the undo writes a history row (source='undo') that solverMoves counted as a new move. In /home/user/funded-deal-slides/solver/stats.js, solverMoves now skips rows where source is 'undo'. The move that was undone was already marked undone=1 and left out, so a move plus its undo now counts as nothing. Re-ran the test twice after a restart: pitches, junk and callbacks all return to 0 after undo.

Severity	Item	Result	Detail
LOW	Theme swatches show wrong colours in non-Dark themes	Was still broken, now fixed	Light and Beige already looked right, but in Maroon, Blue and Grey a swatch darker than the screen tint could not show its real colour, so in Maroon 'Blue' still looked purple and 'Dark' looked maroon. Fixed in solver/public/theme.js: the tint overlay (html::after) now has a CSS mask that cuts a hole over each swatch circle while the picker is on screen; a rAF loop keeps the holes in place and clears them on close, and swatch() skips the tint pre-compensation when the holes are available. node --check passes. Screenshots on desktop (all 6 themes, plus switching Maroon to Blue to Dark) and iPhone 15 (Maroon, Beige) show the real colours, with no page errors.
LOW	History tab showed the raw sender id "sequence" (and "email"/"text" for replies)	New, fixed	The History card for an email a sequence sent was signed "sequence", because actor() in features.js had no case for that id. Added cases so it now reads "Email sequence" (tagged Automation), and email or text replies read "Email reply" / "Text reply".
LOW	History "Posted an update" quote ran past the card edge	New, fixed	Seen in 2 screenshots: the quoted update text (e.g. "Email sent to ... Subject") used .fx-mute, which has white-space:nowrap, so it ran past the right edge of the card and got cut off. In public/features.js histRow the quote span now has white-space:normal, and it wraps inside the card.
LOW	Single Text window used mass-text wording	New, fixed	The window for texting one lead said "Each lead gets their own text, sent one at a time" and "about 1 min to send all". In public/index.html, when only one item is selected it now says "Sent from the board rep's RingCentral line…" and drops the send-time estimate. Mass email and mass text wording is unchanged.
LOW	On a phone, Email and Text are hidden off-screen in the item panel	New, fixed	Fixed after the pass: Email and Text now come first in the lead panel's button row.
LOW	Calendar, Timeline, Map list and Workload list show first names only	New, fixed	The Kanban cardName fix (item name plus Last Name, so two people with the same first name can be told apart) was never applied to the other views, so the calendar showed two 'Rowan' and two 'Drew' chips and the timeline and map side list did the same. index.html now passes cardName to KSViews.init and uses it for the calendar chips (desktop and agenda). In /home/user/funded-deal-slides/solver/public/views.js the timeline row labels and itemCard (map and workload lists) now use A.cardName. Checked in screenshots on desktop and phone.
LOW	Dashboard widget modal loses keyboard focus when it closes	New, fixed	The Tab and Shift+Tab focus trap works. But closing the modal with Escape, Cancel or Save put focus on the page body (it landed on the Solver.ca brand link) instead of the button that opened it. In views.js, w-add and w-edit now store D.ret and renderModal puts focus back there on close. Reproduced and verified twice: focus now returns to '+ Add widget'.
LOW	Home page notice says changes don't go back to Monday, even though one board does	New, fixed	Fixed after the pass: Home now names the boards that write back to Monday.
LOW	Guest home card labels cross-workspace total with one workspace name	New, fixed	Seen on desktop and on iPhone: a guest shared Jerico Leads, Team Pipeline and Clients saw 'Total leads · Jerico CRM 58', but 58 is the total of all three boards across workspaces. In renderHome in /home/user/funded-deal-slides/solver/public/index.html, guests now see 'Total leads · boards shared with you'; a rep still sees their workspace name, and the page loads with no errors.
LOW	Phone group header: 'Move up' button text sat above the row and pushed 'Delete' onto its own line	New, fixed	Seen on iPad Mini and iPhone 15 on the Team Pipeline 'Won' group. The .g-up button is display:inline-flex with no align-items, so 'Move up' was top-aligned while Colour and Delete sat 12px lower. On iPhone it also made the header 349px wide in a 345px slot, which wrapped 'Delete' onto its own line. In /home/user/funded-deal-slides/solver/public/index.html at about line 708, I added align-items/justify-content:center to .icon-btn.g-up and set .group-head:has(.g-up) column-gap:6px for widths up to 780px. Re-ran on both devices: everything is on one line and centred, with no page errors.
COSMETIC	Long board name is cut off mid-letter in the header, with no ellipsis or tooltip	Was still broken, now fixed	The ellipsis and the title tooltip were already working, but the input was still capped at 46vw while the actions sat on their own line, so the name was cut at 1280. In public/index.html I changed '.head .hd-title .board-title' from max-width:46vw to max-width:calc(100% - 56px). Now the full name shows at 1280 and ends in an ellipsis at 1024 and 900 (screenshots checked in dark and light), short names are unchanged, and there are no page errors.

Severity	Item	Result	Detail
LOW	Search hides matches inside a collapsed group	Open: your decision	Needs a product decision. When the match is in a collapsed group, the count says '1 of N items' and the group header says '1 item', but no rows show until the group is expanded. Monday does the same, so I left it as is.
LOW	Search drops hidden rows from the selection for good	Open: your decision	Needs a product decision. I selected 4 rows, searched so only 1 showed, then cleared the search: the selection stayed at 1. The code comment says this is intended (bulk actions never touch rows you can't see), but users may expect the selection to come back.
LOW	Long group names still wrap 'Delete' onto its own line on phones	Open: your decision	Seen on iPhone 15 as Jerico on 'New Uncontacted' and as Mariel, in light and maroon themes. The header is flex-wrap on purpose (index.html line 755), so a long group name pushes the lone 'Delete' to a second row under the caret. This needs a design call: an icon-only Delete on phones, or putting it in an overflow menu.