



INTRODUCTION TO BASIC SYNTAX

PHP tags · Echo · Comments

Prepared by yonn & moyy



```
cancel",b,e)}function l(a){if(a.cancelable){  
}}var e={passive:!0,capture:!0},b=["click",  
rfMetrics||{}];window.perfMetrics.config={  
  
type="text/javascript">  
( ) {  
rformanceObserver' in window && 'Performance  
w.__bufferedPerformance = [];  
b = new PerformanceObserver(function(e) {  
dow.__bufferedPerformance.push.apply(window  
serve({entryTypes:['paint']}));  
  
__bufferedErrors = [];  
onerror = function(message, url, line, col  
w.__bufferedErrors.push({  
sage: message,  
: url,  
e: line,  
umn: column,  
error
```

Introduction To PHP

Apakah PHP?

PHP ialah akronim untuk "PHP: Hypertext Preprocessor"

PHP ialah bahasa skrip sumber terbuka yang digunakan secara meluas

Skrip PHP dilaksanakan pada server

PHP adalah percuma untuk dimuat turun dan digunakan

Sintaks PHP Asas
Skrip PHP boleh diletakkan
di mana-mana dalam
dokumen

Skrip PHP bermula dengan
<?php dan berakhir dengan ?>

<?php **Kod PHP pergi ke sini** ?>

Fail PHP biasanya
mengandungi tag HTML, dan
beberapa kod skrip PHP.

Setiap fail PHP diakhiri dengan
".PHP "

Halaman seterusnya, kami mempunyai contoh fail PHP mudah, dengan
skrip PHP yang menggunakan fungsi PHP terbina dalam "ECHO" untuk
mengeluarkan teks "Hello World!" pada halaman web

```
class VideoController extends Controller
{
    /**
     * Create a new controller instance.
     *
     * @return void
     */
    public function __construct()
    {
        $this->middleware('auth');
    }

    /**
     * Show the application dashboard.
     *
     * @return \Illuminate\Http\Response
     */
    public function index()
    {
        return view('staff.upload');
    }

    /**
     * Validate, upload video and store data into database
     *
     * @param array $request
     * @return \Illuminate\Http\Response
     */
}
```

```
<!DOCTYPE html>
<html>
<body>

<h1>My first PHP page</h1>

<?php
echo "Hello World!";
?>

</body>
</html>
```

CODING



My first PHP page

Hello World!

OUTPUT

```
...replace(/...  
Event["show.bs.tab",  
], e), this.activate(h,  
prototype.activate=f,  
toggle="tab"]' ).attr("a  
...removeClass("fade")  
...find(  
transitionEnd", f).emu  
tab.noConflict=function(  
toggle="tab"]', e).on(  
...d=a(this), a=d.data  
extend({}, c.DEFAULTS  
data-api", a.proxy(  
...3.3.7", c.RESET  
...f=this.$element.o  
f.top)&&"bottom":1(e  
...getPinna...
```

Introduction To "ECHO"

In computing, echo is a command that outputs the strings that are passed to it as arguments. It is a command available in various operating system shells and typically used in shell scripts and batch files to output status text to the screen or a computer file, or as a source part of a pipeline.

The PHP echo Statement;

The echo statement can be used with or without parentheses: echo or echo().

Display Text


The following example shows how to output text with the echo command

```
<!DOCTYPE html>
<html>
<body>

<?php
echo "<h2>PHP is Fun!</h2>";
echo "Hello world!<br>";
echo "I'm about to learn PHP!<br>";
echo "This ", "string ", "was ", "made ", "with multiple parameters.";
?>

</body>
</html>
```

CODING



OUTPUT

PHP is Fun!

Hello world!

I'm about to learn PHP!

This string was made with multiple parameters.

Introduction To "Comment";

Comments in PHP

A comment in PHP code is a line that is not executed as a part of the program. Its only purpose is to be read by someone who is looking at the code.

Comments can be used to:

- Most programmers have experienced coming back to their own work a year or two later and having to re-figure out what they did.
- Comments can remind you of what you were thinking when you wrote the code

In computer programming, a comment is a programmer-readable explanation or annotation in the source code of a computer program. They are added with the purpose of making the source code easier for humans to understand, and are generally ignored by compilers and interpreters.

PHP supports several ways of commenting:

Comment example ;

```
<!DOCTYPE html>
<html>
<body>
  <h1>HELLO DUNIA</h1>
  <?php
  /*
  This is a multiple-lines comment block
  that spans over multiple
  lines
  */
  ?>

</body>
</html>
```

```
$tahun_graduat=$_POST['tahun_graduat'];
$status=$_POST['status'];

//alimin hensem

$query="update alumni set idstudent='$idstudent', student_name='$student_name'
alamat', tahun_graduat='$tahun_graduat', status='$status'";
```

```
$con = mysqli_connect($host, $user, $pass, $dbname);

# ahmad gantengg :3

if(!$con) {
    echo "not connected";
}
else {
    echo "";
}
?>
```

```
/** public static void main(String[] args){
    int[]angka = new int[100];

    int x = 1;
    for (int i = 0; i < angka.length; i++){
        angka[i] = x;
        x++;
    }
    int total = 0;
    for (int i = 0; i < angka.length; i++){
        total+=angka[i];
    }
    System.out.println(total); */
}
```

RUJUKAN ;

https://www.w3schools.com/php/php_syntax.asp

<https://www.google.com/search>

[https://en.wikipedia.org/wiki/Comment_\(computer_programming\)](https://en.wikipedia.org/wiki/Comment_(computer_programming))