

```

txrate_cfg.conf.txt
# File : txrate_cfg.conf

## Tx Rate Configuration command
txrate_cfg_get={
    CmdCode=0x00d6          # do NOT change this line
    Action:2=0              # 0 - GET
    Index:2=0               # do NOT change this line

    TxRateScope.TlvType:2=0x0153
    TxRateScope.TlvLength:2={
    }
}

txrate_cfg_set_bg={
    CmdCode=0x00d6          # do NOT change this line

    Action:2=1              # 1 - SET
    Index:2=0               # do NOT change this line

    TxRateScope.TlvType:2=0x0153
    TxRateScope.TlvLength:2={
        ##### TXRATE SCOPE #####

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        # Bit      Data rate
        # 0        1 Mbps
        # 1        2 Mbps
        # 2        5.5 Mbps
        # 3        11 Mbps
        # 4        Reserved
        HRDSSS.RateScope:2=0x0000

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        # Bit      Data rate
        # 0        6 Mbps
        # 1        9 Mbps
        # 2        12 Mbps
        # 3        18 Mbps
        # 4        24 Mbps
        # 5        36 Mbps
        # 6        48 Mbps
        # 7        54 Mbps
        OFDM.RateScope:2=0x0080

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        # Bit      Data rate
        # 0        MCS0
        # 1        MCS1
        # 2        MCS2
        # 3        MCS3

```

```

txrate_cfg.conf.txt
#         4         MCS4
#         5         MCS5
#         6         MCS6
#         7         MCS7
#        32        MCS32
HT.RateScopeDword0:4=0x00000000
HT.RateScopeDword1:4=0x00000000
HT.RateScopeDword2:4=0x00000000
HT.RateScopeDword3:4=0x00000000
}

TxRateDrop.TlvType:2=0x0151
TxRateDrop.TlvLength:2={
    RateDrop.Mode:4=0x00000001
}

}

txrate_cfg_set_bgn={
    CmdCode=0x00d6          # do NOT change this line

    Action:2=1              # 1 - SET
    Index:2=0                # do NOT change this line

    TxRateScope.TlvType:2=0x0153
    TxRateScope.TlvLength:2={
        ##### TXRATE SCOPE #####

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        #      Bit      Data rate
        #      0        1 Mbps
        #      1        2 Mbps
        #      2        5.5 Mbps
        #      3        11 Mbps
        #      4        Reserved
        HRDSSS.RateScope:2=0x0000

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        #      Bit      Data rate
        #      0        6 Mbps
        #      1        9 Mbps
        #      2        12 Mbps
        #      3        18 Mbps
        #      4        24 Mbps
        #      5        36 Mbps
        #      6        48 Mbps
        #      7        54 Mbps
        OFDM.RateScope:2=0x0000

        # The following table shows the bitmap of the
rates:
        # (bit 0 is the least significant bit)
        #      Bit      Data rate

```

```

txrate_cfg.conf.txt
#      0      MCS0
#      1      MCS1
#      2      MCS2
#      3      MCS3
#      4      MCS4
#      5      MCS5
#      6      MCS6
#      7      MCS7
#     32      MCS32
HT.RateScopeDword0:4=0x00000080
HT.RateScopeDword1:4=0x00000000
HT.RateScopeDword2:4=0x00000000
HT.RateScopeDword3:4=0x00000000
}

TxRateDrop.TlvType:2=0x0151
TxRateDrop.TlvLength:2={
    RateDrop.Mode:4=0x00000001
}
}

```