

```

                                txpwrlimit_cfg.conf.txt
#      File : txpwrlimit_cfg.conf

## Get CFG data for Tx power limitation
txpwrlimit_cfg_get={
    CmdCode=0x00fb          # do NOT change this line
    Action:2=0              # 0 - GET
    RSVD:2=0                # do NOT change this line
}

## Set CFG data for Tx power limitation
##
## TLVStartFreq: Starting Frequency of the band for this channel
##                2407, 2414 or 2400 for 2.4 GHz
##                5000
##                4000
## TLVChanWidth: Channel Width
##                20
## TLVChanNum   : Channel Number
## TLVPwr[]     : ModulationGroup
##                0: CCK (1, 2, 5.5, 11 Mbps)
##                1: OFDM (6, 9, 12, 18 Mbps), HT20 (0, 1, 2)
##                2: OFDM (24, 36 Mbps), HT20 (3, 4)
##                3: OFDM (48, 54 Mbps), HT20 (5, 6, 7)
##                4: HT20 (0, 1, 2)
##                5: HT20 (3, 4)
##                6: HT20 (5, 6, 7)
##                Power Limit in dBm

## 2G Tx power limit CFG
txpwrlimit_2g_cfg_set={
    CmdCode=0x00fb          # do NOT change this line
    Action:2=1              # 1 - SET
    RSVD:2=0                # do NOT change this line

    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=2407
        TLVChanWidth:1=20
        TLVChanNum:1=1
        TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=2407
        TLVChanWidth:1=20
        TLVChanNum:1=2
        TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=2407
        TLVChanWidth:1=20
        TLVChanNum:1=3
        TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189

```

```

ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=4
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=5
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=6
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=7
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=8
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=9
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=10
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=11
    TLVPwr:14='0, 18, 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189

```

```

txpwrlimit_cfg.conf.txt
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=12
    TLVPwr:14=' 0, 16, 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2407
    TLVChanWidth:1=20
    TLVChanNum:1=13
    TLVPwr:14=' 0, 16, 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=2414
    TLVChanWidth:1=20
    TLVChanNum:1=14
    TLVPwr:14=' 0, 12, 1, 12, 2, 12, 3, 12, 4, 12, 5, 12, 6, 12'
}
}

## 5G Tx power limit CFG
txpwrlimit_5g_cfg_set={
    CmdCode=0x00fb          # do NOT change this line
    Action:2=1              # 1 - SET
    RSVD:2=0                # do NOT change this line

    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=5000
        TLVChanWidth:1=20
        TLVChanNum:1=36
        TLVPwr:14=' 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=5000
        TLVChanWidth:1=20
        TLVChanNum:1=40
        TLVPwr:14=' 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=5000
        TLVChanWidth:1=20
        TLVChanNum:1=44
        TLVPwr:14=' 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
    }
    ChanTRPC.TlvType:2=0x0189
    ChanTRPC.TlvLength:2={
        TLVStartFreq:2=5000
        TLVChanWidth:1=20
        TLVChanNum:1=48
        TLVPwr:14=' 1, 16, 2, 16, 3, 14, 4, 16, 5, 16, 6, 14'
    }
}

```

```

txpwrlimit_cfg.conf.txt
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=52
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=56
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=60
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=64
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=100
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=104
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=108
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=112
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}

```

```

txpwrlimit_cfg.conf.txt
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=116
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=120
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=124
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=128
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=132
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=136
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=140
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=149
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}

```

txpwrlimit\_cfg.conf.txt

```
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=153
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=157
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=161
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=165
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}

ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=183
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=184
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=185
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC. TlvType:2=0x0189
ChanTRPC. TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=187
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
```

```

}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=188
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=189
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=192
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=196
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=7
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=8
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=11
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=12
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'

```

```

txpwrlimit_cfg.conf.txt
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=16
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
ChanTRPC.TlvType:2=0x0189
ChanTRPC.TlvLength:2={
    TLVStartFreq:2=5000
    TLVChanWidth:1=20
    TLVChanNum:1=34
    TLVPwr:14=' 1, 18, 2, 16, 3, 14, 4, 18, 5, 16, 6, 14'
}
}

```