Kandal Joinery Ltd

Company Health & Safety Policy

August 2026

Contents

Introduction.....1

Statement of intent......2

Responsibilities by position......4

1.0 Managing Director / Owner.....5

2.0 Directors.....6

3.0 Supervisors.....7

4.0 Employees & Self-employed......8

5.0 Appointed health & safety manager.....9

Practical arrangements for Health & Safety.....10

1.0 Health and Safety Management & Risk Assessment.....11

2.0 Young Persons.....13

3.0 Lone Working.....14

4.0 Housekeeping and Tidiness.....15

5.0 Welfare Facilities.....16

6.0 Contractors used for Premises management......17

7.0 Language and communication.....18

8.0 Drugs and Alcohol.....19

9.0 Display screen equipment.....23

10.0 Fire.....24

11.0 Health and Safety Audits / Inspections......27

12.0 First aid.....28

13.0 Hazardous Substances.....30

14.0 Accident Investigation and Reporting.....31

15.0 Training.....32

16.0 Company Vehicle and Mobile Phones.....33

17.0 Protection of the Public.....34

18.0 Asbestos.....36

19.0 Manual Handling.....38

20.0 Work Equipment.....40

21.0 Working at Height.....41

22.0 Personal Protective Equipment.....46

23.0 Electricity.....48

24.0 Construction Design and Management.....50

25.0 Occupational Health.....57

26.0 Expectant Mothers.....59

References.....60

Employee Receipt of Health and Safety Policy.....61

Introduction

This Health and Safety Policy has been developed to enable the Business to comply with its duties as employers in the Health & Safety at Work etc. Act 1974.

The Policy is in three distinct parts:

PART 1: THE STATEMENT OF INTENT

Part one of the Health and Safety Policy sets out how we as a business intend to comply with our duties specified in Health and Safety Legislation.

PART 2: RESPONSIBILITIES BY POSITION

Part two of the Health and Safety Policy sets out responsibility for health & safety aspects of the Directors and all levels of staff employed by our business to enable the requirements of 'The Statement of Intent' to be achieved.

PART 3: PRACTICAL ARRANGEMENTS

Part Three of the Health and Safety Policy contains the Company Policy on how to comply with the duties imposed by Parts 1 and 2.

Kandal Joinery Ltd will implement the arrangements for the company to the standards set out in the latest version of the CITB GE 700 Construction Health and Safety and HSG 65 Health and Safety Management.

Copyright

This safety policy has been developed by The Safety document store. It is provided on condition that it is not used for commercial gain by any other business other than the one named. Reproduction in any form for use by a third party must only occur with the express written permission of the copyright holders.

Statement of intent.

Kandal Joinery Ltd

The Business shall ensure that, as far as is reasonably practicable, it will provide for:

a. The Health, Safety and Welfare of its employees at work.
b. The Health and Safety of anyone who may be affected by its work operations.

To achieve this it will, as far as is reasonably practicable, provide:

a. Well maintained equipment and systems of work.
b. Suitable well-maintained plant.
c. Suitable arrangements for the use, handling, storage and transport of articles and substances.
d. Adequate information, instruction, training and supervision.
e. Safe premises and work places, including access to and egress from them.
f. Safe working environments with adequate welfare facilities.
g. Communication and advisory facilities as required.
h. Effective monitoring of safety standards.

All employees shall be aware of, and must comply with, their individual and collective responsibilities.

This Statement is issued on behalf of the Company and signed by the Director who is responsible for the overall Health, Safety and Environment of the Company.

Name: ……

Position: ……

Date: ……

Responsibilities by

1.0 Managing Director / Owner

INDIVIDUAL RESPONSIBILITIES IN HEALTH, SAFETY AND WELFARE MATTERS

(The responsibilities in this section will be allocated in the staff contracts of employment)

Main responsibilities are to:

- Ensure the Company Health and Safety Policy is fully implemented.
- To make yourself aware of legislation, codes of practice, guidance notes and safe working practices relevant to your workplace and take advice from the Safety Advisor where necessary.
- Ensure the company has access to competent Health and Safety advice.
- Ensure the Company disciplinary procedures are enforced for breaches of health and safety Policy, procedures and practice.
- Allocate adequate resources for legal requirements to be complied with.
- Delegate responsibility for Health and Safety to individuals for implementation and management of areas within their control.
- Take over responsibility for Health and Safety throughout the company in line with the Health and Safety at Work Act 1974.
- Appoint competent person with the necessary skills, knowledge and experience to manage health and safety. This could be yourself. Please see duties of the Health and Safety Manager.
- Read, understand and implement the Company Health and Policy, organisation and arrangements.
- Keep up to date on current, legislation, codes of practice or guidance notes and safe working practices. Take advice where necessary.
- Ensure Contractors are competent and work to the standards set out in their Company Health and Policies.
- Ensure actions are taken following health and safety inspections and audits.
- Ensure all incidents and accidents are reported immediately in line with company reporting procedure.
- Ensure good working practices are developed and implemented
- Ensure adequate welfare facilities are provided.
- Set a good personal example.

2.0 Directors

INIVIDUAL RESPONSIBILITIES IN HEALTH, SAFETY AND WELFARE MATTERS

Main responsibilities are to:

- Read, understand and implement the Company Health and Policy and arrangements.
- Ensure the company has access to competent Health and Safety advice.
- Make yourself aware of legislation, codes of practice, guidance notes and safe working practices relevant to your workplace and take advice from the Safety Advisor where necessary.
- Act promptly upon any breach of safety matters brought to your attention.
- Identify any specific training requirements for your workplace and to have it arranged. When arranged, to release those who require training.
- Ensure that plant and equipment supplied is adequate for the job in hand and that sufficient information is provided with it to safely use that plant.
- Keep the company training records up to date for all company employees.
- Ensure all employees have access to relevant parts of the Company Health and Safety.
- Ensure Contractors who are employed are competent for the work required of them.
- Ensure the Company Health and Safety Policy is reviewed and updated in line with current legislation.
- Set a good personal example.

Also, to make provision for:

- Adequate welfare facilities which are maintained.
- Where appropriate, a qualified first aider or appointed persons.
- Appropriate first aid equipment and facilities.
- Notifying employees of the first aid arrangements and location.
- Suitable protective clothing and equipment to be available.

3.0 Supervisors

INDIVIDUAL RESPONSIBILITIES IN HEALTH, SAFETY AND WELFARE MATTERS

Main responsibilities are to:

- Read and understand and implement the Company Health and Policy and arrangements.
- To make yourself aware of legislation, codes of practice, guidance notes and safe working practices relevant to your workplace and take advice from the Safety Advisor where necessary.
- Ensure all individuals they are supervising on a day to day basis are working in line with the Company Health and Safety Policy, and safe working practices.
- Act immediately on any breach of health and safety rules or unsafe situation which comes to their attention and report such breaches.
- Encourage individuals to identify and report hazards.
- Ensure all personal protective equipment is worn as required and is properly maintained and stored.
- Discourage “horse play” and report those who fail to carry out safe working practices.
- Ensure all incidents and accidents are reported immediately in line with company reporting procedure.
- See that plant and equipment supplied is adequate for the job in hand and that sufficient information is provided with it to safely use that plant.
- Set a good personal example.

Also, to make provision for:

- Adequate welfare facilities which are maintained.
- Where appropriate, a qualified first aider or appointed persons.
- Appropriate first aid equipment and facilities.
- Notifying employees of the first aid arrangements and location.
- Suitable protective clothing and equipment to be available.

4.0 Employees & Self-employed.

INDIVIDUAL RESPONSIBILITIES IN HEALTH, SAFETY AND WELFARE MATTERS

Main responsibilities are to:

- Read and understand and work to the Company Health and Policy and arrangements.
- Cooperate with the company in all health, safety and welfare matters.
- Always work in accordance with the risk assessments and safe methods of work provided.
- Report to your immediate supervisor all incidents and accidents, which could result in personal injury or property damage.
- Take care of your own health and safety whilst working for the company and anyone affected by these activities.
- Report to supervisors all incidents which could result in personal injury or property damage
- Report any new medical conditions to your supervisor.
- Report personal industrial injuries or diseases to supervisors and ensure that entries are made in the Accident Book.
- Take care of Company property. Refrain from horseplay and abuse of welfare facilities.
- Never undertake hazardous operations or operate any items of plant and equipment unless trained and authorised to do so.
- Report any defect in equipment to immediate supervisors and ensure that it is in a safe and secure state when left unattended.
- Not improvise with any unsafe operations.
- Ensure all equipment, materials and personal protective equipment is maintained, stored and used correctly.
- Set a personal example

5.0 Appointed health & safety manager.

INDIVIDUAL RESPONSIBILITIES IN HEALTH, SAFETY AND WELFARE MATTERS

Main responsibilities are to:

- Read, understand and work to the Company Health and Policy and arrangements.
- Cooperate with the company in all health, safety and welfare matters.
- Carry out risk assessments and consider how risks could be reduced.
- Outline safe operational procedures which identify and account for all relevant hazards.
- Carry out regular site inspections to check policies and procedures are being properly implemented.
- Ensure working practices are safe and comply with legislation.
- Prepare health and safety strategies and develop internal policy.
- Lead in-house training with managers and employees about health and safety issues and risks.
- Keep records of inspection findings and produce reports that suggest improvements.
- Record incidents and accidents and produce statistics for managers.
- Keep up to date with new legislation and maintain a working knowledge of all Health and Safety Executive (HSE) legislation and any developments that affect the employer's industry.
- Produce management reports, newsletters and bulletins.
- Ensure equipment is installed safely.
- Manage and organise the safe disposal of hazardous substances, e.g. asbestos.
- Advise on a range of specialist areas, e.g. fire regulations, hazardous substances, noise, safeguarding machinery and occupational diseases.

External help and advice must be taken from several sources including the following:

- Trade associations.
- CITB
- Safety groups.
- Trade unions
- Consultants registered on the Occupational Safety and Health Consultants Register (OSHCR)
- Local councils.
- Health and safety training provider.
- Health and safety equipment suppliers.

Practical arrangements for Health &

1.0 Health and Safety Management & Risk Assessment

Kandal Joinery Ltd will manage health and safety throughout the company in line with the Health and Safety Execution guidance HSG 65 (Managing Health and Safety.)

Kandal Joinery Ltd will implement the key actions throughout the company in the structure detailed below:

Plan

Determining policy.

Planning for implementation.

Do

Profiling the health and safety risks.

Organising for health and safety.

Implementing a plan.

Check

Measuring performance.

Investigating accidents and incidents.

Act

Reviewing performance.

Learning lessons.

Kandal Joinery Ltd will effectively manage health and safety by the following principals:

- Good leadership and management
- Employing and maintaining a trained and skilled workforce
- Ensuring an environment where people are trusted and involved.

Risk Assessments

Risk assessments are in place to protect workers and the business. They focus upon the risks

that really matter and, in most cases, straight forward control measures will prevent and reduce hazards to an acceptable standard.

The main five steps to a risk assessment include:

- Identify significant hazards.
- Decide who they might harm and how
- Evaluate the risks and decide on precautions
- Record the finding and implement the precautions
- Review and update the above as required.

The risk assessment process will be determined by the following principals:

- Is the risk so great, or the outcome so unacceptable that it cannot be justified on any grounds?
- Is the risk so small, or can it be made so small, that no further precautions are necessary?

Between these two levels it needs to be reduced to a level as far reasonably practicable.

The hierarchy of control will also determine the process of thought in managing risk which is as follows:

- Eliminate
- Isolate
- Substitute
- Control
- Personal Protective Equipment (Last resort).

2.0 Young Persons

Young persons are more likely to have an accident than adults, this is generally considered to be because of their lack of maturity, lack of experience and under developed risk perception.

Kandal Joinery Ltd will assess and implement control measures accounting for the following issues which can affect the competence of a young person:

- Lack of experience and maturity or how to raise concerns.
- Physical maturity not being fully developed, and the potential lack of physical strength demanded for the task.
- Eagerness to impress or please the people they are working with.
- Experience of carrying out the work and lack of information, instruction, training and supervision.

A written risk assessment is required to be sent to the parents or guardians of the young person if they are under 18 years of age.

Kandal Joinery Ltd will implement the following control measures for young persons:

- A full induction.
- An assessment of the young person's capabilities.
- An assessment of the level of supervision required.
- Appoint/nominate a supervisor to monitor and assist the young person. The supervisor will have the relevant experience, maturity and qualifications for the task being undertaken.
- Assess the required amount of information, instruction, training and supervision required before the young person is considered safe to carry out the task with the normal levels of supervision.

3.0 Lone Working

The major risk for lone workers is if they have an accident or illness while carrying out their work. Any incident could lead to an employee being left needing help without any way of raising the alarm. A lone working risk assessment must be carried out for all employees that require it. The location, type of work, potential hazards and the controls measures will be

considered. The company will ensure any control measures are proportionate to the level of risk the employee is exposed to.

For employees who work alone, away from their normal base, we will consider developing a work program which could have proposed locations, approximate times and contact details.

Kandal Joinery Ltd will ensure the following measures are implemented:

- Kandal Joinery Ltd will make themselves aware of any medical condition that employees have which could be considered dangerous for a lone worker i.e. epilepsy, diabetes etc. Assessments if the person is medically fit to carry out the work will be required.
- Ensure lone workers in fixed locations are secure (lock themselves into their workplace).
- Ensure lone workers can safely and quickly evacuate the building in an emergency.
- Ensure lone workers have access to a first aid kit without outside assistance.
- Provide access to a telephone for external calls (this can often be abused; strict controls will be put in place to avoid unexpected telephone bills).
- Display telephone numbers for the persons to notify in the event of an incident or emergency.

Kandal Joinery Ltd will ensure that as far as is reasonable an incapacitated employee, who cannot reach a telephone, is not left undetected for an unreasonable length of time. This can be achieved by having regular pre-arranged contact with someone outside the office who can summon help if they become concerned about the safety of the lone worker.

Employees have a duty to take extra care when working alone. No lone employee will undertake any hazardous activities without consultation with Kandal Joinery Ltd . The more hazardous the activity the greater controls will need to be put into place (i.e. lifting heavy objects using equipment etc). Kandal Joinery Ltd will ensure employees fully understands the measures implemented.

4.0 Housekeeping and Tidiness

Most slips occur in wet or contaminated conditions. Simple control measures can prevent accidents such as cleaning spills quickly, placing warning signs for areas of concern.

Tripping hazards include:

- Uneven and sloping floor surfaces.
- Poor housekeeping.
- Poor lighting, particularly near steps.
- Trailing cables and leads from electrical equipment.
- Unsuitable footwear for the work required.

Kandal Joinery Ltd will ensure the following measures are implemented:

- Ensure a regular cleaning and tidying procedure is in place.
- Organise a planned maintenance regime, ensure good housekeeping and premises management. Especially in public areas.
- Ensure suitable warning signage for cleaning activities and potential slip trip and fall risks.
- Ensure lighting is well maintained and adequate for the premises.
- Provide adequate training to employees with the relevant information, instruction and supervision.

5.0 Welfare Facilities

Kandal Joinery Ltd will ensure employees are provided with suitable welfare facilities as a minimum this will include:

- A suitable number of toilets (up to 5 persons 1 toilet then an additional one for the next 20)
- A suitable number of hand basins, with soap and towels or a hand-dryer.
- Drinking water.
- A place to store clothing if special clothing is required to carry out the work.

- Somewhere to rest and eat meals away from the work area.
- Facilities to heat a meal (i.e. microwave).

Health issues can arise because of the working environment, to avoid problems the company will ensure there is:

- Good ventilation in the workplace – clean air can be drawn from outside or a ventilation system.
- A reasonable working temperature of about 16°C for normal work activities or 13°C for strenuous work (some laws may apply to certain activities which may need to be checked).
- Suitable lighting to illuminate the work being carried out.
- Adequate room to carry out the work and where required a suitable workstation and seating.
- A clean place to work.
- Suitable waste containers and arrangements to keep the workplace, traffic routes and floors clean and tidy.
- Properly maintained work equipment.
- Some windows that can be opened and cleaned safely.
- Safety glass/materials for transparent doors or walls.

If premises are shared with another business Kandal Joinery Ltd will agree to joint welfare arrangement and make a record of the designated responsibilities.

6.0 Contractors used for Premises management.

All organisations will require work to be carried out by contractors on their premises from time to time.

Jobs can range from small maintenance tasks to large construction works. Construction safety can be a complex matter and requires competent people to undertake this work.

Kandal Joinery Ltd will ensure contractors have the relevant skills, knowledge training and experience to carry out the work required. Ensure written evidence of training and a risk assessment for the works to be carried out these will be kept on record.

Kandal Joinery Ltd will employ a Gas Safe registered person to undertake any work on the gas supply and fittings and employ competent electricians (registered for e.g. with ECA, NECA, IEC or SELECT in Scotland) to undertake any electrical work.

Kandal Joinery Ltd will check that the contractor has suitable insurance cover to carry out the type of works required, a copy of insurance details must be obtained and sent to the insurance broker.

Kandal Joinery Ltd will provide information to the contractor to ensure their employees are not put at risk, this will include:

1. Location of any asbestos (making the asbestos register available).
2. Fire safety arrangements.
3. Access and egress requirements.
4. Welfare facilities.
5. Emergency arrangements.
6. Out of hours contact.

Kandal Joinery Ltd will monitor the working activities & the impact on staff/occupants of the premises whilst work is being completed. If required, we will revise the risk assessment and fire risk assessment.

7.0 Language and communication

This section covers procedures for individuals who first language is not English and the requirements to ensure the health and safety of these individuals.

Kandal Joinery Ltd will take in to account the following issues:

- Language and communication issues.
- Basic competence, such as literacy, numeracy, and physical attributes, general health and relevant work experience.

- Whether or not vocational qualifications are compatible with Great Britain.
- The ability to understand health and safety training and instructions given including signs and emergency procedures.
- Ability to understand and communicate effectively with supervisors.

Kandal Joinery Ltd will undertake specialist advice from their employment specialist for employing individuals whose first language is not English.

The following procedures will be implemented where applicable:

- Translated information can be used including DVDs.
- The use of buddy systems pairing more experienced workers with less experienced workers who speak the same language.
- Clear signage signs including hand signals and instructions for emergencies.
- Have access to and use of an interpreter if required.
- Training of supervisors to communicate clearly.
- Monitor the effectiveness of training or instruction given. Ensuring how well practices are followed in the working environment.
- Have flexible arrangements in place to allow attendance at courses in “workplace English”

Kandal Joinery Ltd will ensure all individuals whose first language is not English are given the relevant information, instruction, training and supervision to understand the Health and Safety Policy.

8.0 Drugs and Alcohol

The company has a legal obligation to ensure, so far as reasonably practicable, the Health, Safety and Welfare of its employees and others and to provide a safe place of work.

The company wishes to ensure that safe standards of performance and conduct amongst its employees are maintained, particularly having regard to the high-risk operations undertaken by many of the company’s employees in our working environment. Drug misuse undermines safe systems of work and almost always involves a breach of criminal law.

Employers are required by law (specifically the Health & Safety at Work Act 1974) to ensure so far as is reasonably practicable, the health, safety and welfare of all employees and others, whilst at work. In addition, the Management of Health and Safety at Work (Amendment) Regulations 2006 place specific requirements on both the employer and employee.

The inappropriate use of alcohol, drugs, solvents or other potentially harmful substances is inconsistent with the objectives listed above and may be harmful to individuals and other around them.

The purpose of this Policy is to ensure that all employees are aware of the standards required of them and to ensure consistent and fair treatment of issues which fail within the scope of this procedure.

Whilst drug and alcohol abuse cannot be tolerated, the company recognizes that it is appropriate in certain circumstances to treat drug and alcohol problems as a health issue. Where an employee openly informs the company that they have a drug or alcohol problem, the company will encourage or assist the employee in obtaining appropriate treatment.

For the interpretation of this policy, “substances abuse” can be defined as the problematic use of alcohol, drugs, solvents or other substances.

Alcohol

The Company alcohol limit is in line with the legal drink drive level (England and Wales). Where a client or contract specifies a lower level, this level will take precedence and failure to comply with be deemed as a breach of this policy.

The company’s Policy is to forbid the consumption of alcohol on the premises of the company or any client of the company except for special functions notified to and approved by the company’s directors.

Alcohol is not permitted at work. Any employee who is found in the possession or consuming alcohol on the premises of the company or its clients or is found to be intoxicated at work will face disciplinary action, likely to lead to summary dismissal on the grounds of gross misconduct under the company’s disciplinary procedure.

Drugs

The Company operates a zero tolerance drugs policy.

The possession, use or distribution of controlled drugs for non-medical purposes on the premises of the company or its clients is strictly forbidden and constitutes gross misconduct under the company’s disciplinary procedure.

Any employee who is taking prescribed medication should ensure their Line Manager is made aware and a medical declaration completed.

If your prescribed medication is shown to affect your ability to perform your work, you should

make Management aware.

All medicines should be retained as far as is practicable in original containers and clearly labelled.

Solvents

The possession, use or distribution of solvents on the premises of the company or its clients is strictly forbidden and constitutes gross misconduct under the company's disciplinary procedure.

Alcohol & Drug Tests

The Company reserves the right to require to randomly select safety critical employees to undergo alcohol or drug test. All employees may be required to be tested for alcohol or drugs in certain circumstances such as post incident, monitoring or unannounced. If an employee refuses to undergo a test this could constitute gross misconduct in accordance with the company's disciplinary procedure.

Searches

The company reserves the right to search employees or their property on the premises of the company or its clients, at any time if there are reasonable grounds to believe that the prohibition on alcohol or drugs is being, or has been, infringed.

Refusal to comply with these searches will be treated as gross misconduct and will entitle the company to take disciplinary action likely to lead to summary dismissal.

Responsibilities - Manager

Managers are responsible to ensure all employees are made fully aware of the Company's Drugs & Alcohol Policy and procedures. This will be covered at the induction stage of each contract/project.

Managers will ensure that employees undergo regular training to ensure they are made fully aware of their responsibilities to themselves and others and the correct procedures to follow.

Responsibilities - Employee

All employees must ensure that they always adhere to the Company Drugs & Alcohol Policy

All employees will undergo regular training to ensure they are made fully aware of their responsibilities to themselves and others and the correct procedures to follow.

Prospective Employees

All prospective employees may be asked, as a condition of any offer of employment, to undergo an alcohol or drug test which will seek to determine whether the prospective employee has taken a controlled drug or has an alcohol abuse problem.

Positive test results will mean the offer of employment will be withdrawn.

Refusal to give consent to such an examination or refusal to undergo the screening will result in the immediate withdrawal of any offer made.

Action Following Positive Test or Admission

If, having undergone an alcohol or drug test, it is confirmed that you have breached the company's alcohol and drug policy, then the company will invoke its disciplinary procedure which could result in the termination of your employment without notice.

The company reserves the right to suspend you (pending investigation or awaiting test results) with pay. This will allow the company to decide whether to deal with you under its disciplinary procedure, or to invite you to seek treatment and rehabilitation.

During the period of suspension (which will not normally last more than 7 days) you will receive your normal pay. For the avoidance of doubt, the company retains the right under its disciplinary procedure to suspend employees without pay pending investigations into any allegations of gross misconduct.

Suspicion

Any employee found with the smell of alcohol on their breath will be removed from the workplace immediately. If the employee disputes the decision, the Manager or Supervisor with the employee's representative as witness wherever practicable, will confirm the suspicion. An alcohol test will be arranged as soon as practicable. If the employee refuses the test they will be suspended from work and sent home immediately pending disciplinary action.

Accidents

The company reserves the right to carry out alcohol or drug tests on any employee involved in an accident. The Site Manager, Safety Officer or the company's Representative nurse/doctor will request an alcohol test. Positive results will result in immediate suspension pending disciplinary proceedings. If there is a suspicion of drug abuse, a medical condition or shock then medical assistance must be sought.

Following a serious accident, the Health & Safety Executive and possibly the Police may carry out a full investigation.

Confidentiality

All matters concerning alcohol and drugs shall be treated as confidential.

All employees who seek help will receive complete confidentiality of counselling and treatment. No disclosure of the employee's medical record will be given without his or her written permission. Details of alcohol or drug treatment will not be entered on the employee's personal file, although individual confidential files may be kept in the company's medical

records.

Rehabilitation

If you are offered and agree to undergo counselling and/or rehabilitation the company will determine in consultation with you and its medical advisor an appropriate period during which you will be required to undergo medical treatment.

During the period of rehabilitation, the company will determine whether and when you are, or are likely to be fit to return to work. If you are not judged fit to return to work, then unpaid leave of absence under the company's sick leave scheme will be taken.

The Company may consider the termination of employment or transfer to any suitable alternative employment, (should suitable alternative employment be available), depending upon fitness for work.

If at any time you disobey an instruction given to you by the company regarding rehabilitation or suffer a relapse during or following treatment, the company reserves the right to withdraw support and to proceed to deal with the matter under the terms of the company's disciplinary procedure.

On your return to work after having been declared fit for work by the company's medical advisor, should there be any recurrence of the original problem, or your performance has been impaired by the problem and you can no longer perform at the required level, you will be subject to disciplinary procedure.

9.0 Display screen equipment

The Display Screen Equipment Regulations (DSE) places a duty on a business to provide DSE workstations which are adequate. As part of these duties assessments of each DSE workstation will be carried out.

All regular users of DSE work stations will be advised to take regular breaks from keying and screen operations of approximately 5 minutes per 30 minutes and be instructed in correct posture and ergonomic adjustments of the work station (e.g. ensuring lighting, seating, desk, foot rest and DSE screen are set right for the user).

DSE Users - Eye Sight Tests

Employees who use/or have the potential to use DSE on a regular basis i.e. those who regularly use a DSE for periods of an hour or more per day (whether they wear lenses or spectacles) are entitled to regular eye-sight tests paid for by the employer, if there is reason to believe the use of the DSE is causing difficulties.

When attending an eyesight test an employee must ensure they discuss with the optician their job role and time spent using a DSE.

Where the optician recommends the fitting of corrective appliances (usually spectacles) for DSE use the business is obliged to meet the cost of basic spectacle frames and lenses. Note - there is no requirement to provide 'Fashion spectacles'.

Workstation Assessments

Kandal Joinery Ltd will carry out a written assessment of each DSE workstation being used in the business. A separate form will be completed for each regular user of the DSE workstation.

The assessment will be repeated if:

- Conditions around the workstation change. (Furniture, lighting etc.)
- The location of the workstation changes.
- The configuration of the DSE equipment changes.
- The regular user changes.

10.0 Fire

Fire prevention is important. The Company has a responsibility for ensuring the health, safety and welfare of all employees and others who may have access to the workplace as well as adjoining businesses or premises. The company will follow the Regulatory Reform (Fire Safety) Order 2005.

These general duties include safety in relation to fire hazards, both from the work processes and activities, as well as general fire safety in the workplace. The Kandal Joinery Ltd will undertake Fire Risk Assessments for their undertakings and implement the requirements of the assessments.

Associated hazards

- Flames and heat.
- Smoke and toxic fumes.
- Reduced oxygen.
- Collapse of buildings.

The Company will ensure that: -

- All employees receive comprehensive induction before commencing work, to ensure that they are fully aware of all the arrangements in place to facilitate a safe evacuation.
- A fire risk assessment is undertaken (and regularly reviewed), which outlines any special requirements.
- A register of employees is kept up-to-date and will be taken to the fire assembly point in the event of an evacuation.
- It takes account of people with disabilities when determining fire safety arrangements and evacuation procedures for buildings under its control.
- The requirements for employee training in fire safety are adhered to.
- A fire logbook is kept up-to-date and that it is available, on request, to the enforcement agencies.
- The fire alarm and all associated equipment is tested in line with current guidance and tests are recorded in the fire logbook.
- All fire-fighting equipment is tested on a regular basis as per the manufacturer's guidelines and records kept.
- A fire evacuation drill is carried out at least annually which will be recorded in the fire logbook.
- Any emergency lighting and emergency exit lights are tested according to current guidelines and tests recorded.
- All hazardous chemicals, gases and other hazardous materials are recorded, and an inventory kept for information/inspection by the enforcing authorities.
- A regular check is made to ensure escape routes and doors are not obstructed. Fire exit doors should be unlocked and available for use always when persons are in the building. Fire doors should be closed always and not wedged open.

Employee's responsibilities

Employees are required to:

- Practice and promote fire prevention.
- Raise the alarm on discovery of a fire.
- Report any concerns regarding fire safety to management, so that any shortfalls can be investigated, and remedial action taken.
- Receive basic training in the action to take in the event of fire.
- Follow instructions and training in relation to fire safety in the workplace.
- Co-operate with management arrangements for fire prevention in the workplace.

- Accept individual responsibility to take reasonable care for the health and safety of themselves and for any other person who may be affected by their acts or omissions.

The Company does not expect employees to fight fires, however, extinguishing action can be undertaken if it is safe to do so and you have been trained. On no account should a closed room be opened to fight a fire.

FIRE ACTION

Any person discovering a fire shall:

- Raise the alarm by activating the nearest alarm call point;
- Dial 999 ask for the fire brigade stay clam inform them of the situation.
- Give your name, number of occupants and address of the premises –
- If the fire is very small and the person is trained to do so, he/she may tackle the fire with the fire extinguishers available: The person must not put themselves or others at risk.

On hearing the alarm all persons must:

- Leave the building by the nearest available exit and go outside to the assembly point.
- Not re-enter the property, building to collect belongings.
- Not attempt to re-enter the building unless instructed to do so.

FIRE FIGHTING EQUIPMENT

The fire extinguishers are colour coded to identify the extinguishing media and the type of fire they should be used on:

REPORTING FIRE HAZARDS

Where Kandal Joinery Ltd employees note any areas of concern which may contribute to a fire starting or cause a delay or endanger evacuation procedures they shall immediately report such matters to Kandal Joinery Ltd.

FIRE ACTION – VEHICLES

Upon discovery of a fire on board a vehicle the driver shall:

- Stop the vehicle as quickly and safely as you can, where possible away from the main highway and any high-risk areas such as petrol stations, schools, hospitals or densely populated areas.
- Contact the emergency services immediately using a mobile phone, roadside emergency phone or public call box. When the operator answers, the driver shall ask for the fire brigade and give the telephone number they are calling from.

When connected, the driver shall state slowly and clearly:

a) “This is Kandal Joinery Ltd; I am at (location) and have a fire on my vehicle”

b) State the location of the vehicle.

c) Do not replace the receiver until this information has been correctly acknowledged.

d) Stand in a safe location clear of the vehicle and await the fire brigade.

e) Do not touch any areas or items of the vehicle that may have been burnt.

Fire Wardens - Duties

- Fire Wardens will ensure that fire evacuation instructions are prominently displayed detailing the action to be taken in case of fire, the method by which the alarm is raised and the evacuation routes to be used.
- Fire Wardens will carry out practice evacuations at regular intervals, making use of all emergency exits (see practice record in forms).
- In consultation with the local Fire Brigade's Fire Prevention Officer, Fire Wardens will ensure that sufficient fire-fighting appliances are provided and are serviced in accordance with requirements, this is normally carried out by a fire safety contractor.
- Fire Wardens are to ensure that any changes in the structure or layout of premises, which may interfere with an evacuation are brought to the notice of the local Fire Brigade and that evacuation notices are amended as necessary.
- Fire Wardens will ensure that a risk assessment is in place (see Sample Fire Risk Assessment in forms), to reflect the activities carried out on the premises.

Consultation with a Landlord

In larger buildings where the business is not the sole employer, managers will liaise with the landlord or their agents to ensure that they are aware of their responsibilities for overall co-ordination of fire precautions, and that adequate, published fire orders and evacuation plans exist and are exercised regularly.

Note: In this type of building, provision of fire extinguishers in the businesses operating area is the responsibility of the business, not the landlord.

Training

Kandal Joinery Ltd will train all staff in fire safety, this involves how to use fire extinguishers and how to evacuate the premises in case of an emergency. Ensure staff understand the training, this will be in the form of a fire evacuation test.

11.0 Health and Safety Audits / Inspections.

It is important to prove a history of good health and safety management. This can be achieved with Inspections and audits.

Kandal Joinery Ltd will conduct health and safety inspections and audits specific to work activities undertaken.

The inspection / audits will be completed in on a site-specific basis. The frequency will be determined on the level of risk and activity.

The inspections will specifically measure the actual standards being achieved in working activities against those set in by the company.

12.0 First aid

Health and Safety (First Aid) Regulations 1981, place a duty on employers to ensure they have adequate first aid provision in place where people are at work.

The provision will be in the form of certificated competent first aiders, holding either; First Aid at Work (FAW) certificate or Emergency First Aid at Work (EFAW) certificate (issued following completion of an approved training course). This enables a first aider to give emergency first aid to someone who is injured or becomes ill at work.

Where the company decides a first aider is not required in the workplace, a person will need to be appointed to take charged of the first aid arrangements. This role is known as 'Appointed Person', the role includes looking after first aid equipment/facilities and calling the emergency services when required. They can also provide emergency cover where a first aider is absent due to unforeseen circumstances.

The FAW, EFAW, AP for each workplace will be responsible for first aid equipment.

Deciding on First Aid Equipment and Facilities

To determine the level of first aid provision we will need, we will assess the risk at each workplace.

In all establishments, first-aid provision will be readily available to each employee while work is in progress, including breaks. The equipment and facilities to be provided will vary according to the circumstances from a small travelling first-aid kit to a first-aid room. All establishments will need at least one first-aid box. Each box will be placed in a clearly identified and readily accessible location. Every employee will have access to first-aid equipment and, where appropriate, facilities. In the case of lone workers, workers outside their normal place of work and employees in transit, a specific assessment will be carried out to ensure cover, this could be as simple as providing a travel first aid kit.

In shared establishments, where several employees work near, first-aid equipment will be sited at a point convenient to the majority of the workforce or where there is greatest risk of an injury occurring.

Soap and water and disposable drying materials will be provided for first-aid purposes. Where soap and water are not available, individually wrapped moist cleansing wipes, which are not impregnated with alcohol may be used. The use of antiseptics is not necessary for the first-aid treatment of wounds.

First-aid Boxes and Kits

First-aid boxes and travelling first-aid kits will contain a sufficient quantity of suitable first-aid materials and nothing else.

Contents of the boxes and kits will be replenished as soon as possible after use to ensure that there is always an adequate supply of all materials. Items will not be used after the expiry date shown on packets. It is therefore essential that first-aid equipment is checked frequently, to make sure there are sufficient quantities and all items are usable.

First-aid boxes, which are to form part of an establishment's permanent first-aid provision, will contain only those items which a first-aider has been trained to use.

To determine what is to be kept in the first aid kit is decided by the hazard employees are exposed to. As a minimum the following will be included:

- Leaflet giving general guidance on first aid (for example, HSE's leaflet basic advice on first aid at work).
- 20 individually wrapped sterile plasters (assorted sizes), appropriate to the type of work (hypoallergenic plasters can be provided, if necessary).
- 2 sterile eye pads.
- 4 individually wrapped triangular bandages, preferably sterile.
- 6 safety pins.
- 2 large sterile individually wrapped unmedicated wound dressings.
- 6 medium-sized individually wrapped unmedicated wound dressings/

- Disposable latex free gloves.

First aid kits must be bought from reputable suppliers & advice will be sought regarding the appropriate kit.

Where several employers are working in the same premises it is permissible for an agreement to be made whereby one of them provides all the necessary first aid equipment, facilities and personnel. Any agreement will be in writing and every employee informed of the arrangements that have been made.

13.0 Hazardous Substances

There are many materials and substances used in the workplace which are hazardous to health. The Control of Substances Hazardous to Health Regulations (COSHH) require us to control exposure to hazardous substances in the workplace

Kandal Joinery Ltd will not expose employees to hazardous substances and put their health at risk. The following the hierarchy of control measures will be followed:

1. Substances will be eliminated if a safer substance can be used effectively.
2. Consider changing the process to emit less of a substance if possible.
3. Enclose the process where it is practical.
4. Consider using extraction or damping to reduce exposure.
5. Limit exposure to other people potentially at risk from the operation.
6. Supply and ensure the use Personal Protective Equipment (last resort).

The main ways a substance can affect a person is:

Absorption

Through the skin and eyes and potentially through cuts and abrasions.

Ingestion

Potentially through swallowing a substance.

Inhalation

Potentially through breathing in a substance.

Kandal Joinery Ltd will formulate COSHH assessments for implementation into the work activities.

14.0 Accident Investigation and Reporting

Kandal Joinery Ltd will investigate all Reportable accidents including over 7-day injuries and major accidents. Kandal Joinery Ltd will also investigate any injuries or near miss where the results may have been of a serious nature.

Work must be stopped immediately following an accident. All relevant parties must be informed immediately, and this must include the Managing Director. The accident scene must not be altered in any way unless there is a serious risk of further injury. No work can continue until there is authorization by the Managing Director and Principal Contractor.

Kandal Joinery Ltd will keep a record of all accidents at work.

The reporting of Injuries Diseases and Dangerous Occurrence Regulations require employers to report certain serious accidents and injuries. There is also a requirement to report injuries which may not be notifiable but result in the injured party being off work more than seven days.

Any areas identified for improvement as part of the investigations will be implemented to reduce the risk of a similar accidents reoccurring.

All employees must report all accidents and near misses.

RIDDOR reportable incidents include:

- Over 7-day Injuries.
- Major Injuries.

- Fatalities.
- Dangerous Occurrences.
- Diseases (Work related).

15.0 Training

All employers have a duty to ensure that their employees have clear instructions, information and the right training to enable them to carry out their job safely.

The Management of Health & Safety at Work Regulations place an obligation to train all employees on health and safety matters:

On recruitment
On transfer to a new work situation
On exposure to new or increased risks

Training can be provided by the Kandal Joinery Ltd or an outside organisation.

Some training required will need to be carried out by an approved training organisation i.e. First Aid.

Health and safety training will take place during working hours and will be fully paid for.

Training on Recruitment

Training individuals to do their work competently is fundamental in ensuring they work safely.

During the recruitment process the Kandal Joinery Ltd will check what training potential employees already have. If they do not have the required training for the role & we intend to employ the person, the Kandal Joinery Ltd will train the prospective employee to the

required standard.

All new employees will be inducted on employment into the Health and Safety procedures. There are laws relating to the protection of young people (under 18 years old) at work, which require extra protection and supervision measures on and above what is required for an adult to ensure the safety of a young employee.

All new employees will complete a New Starter Health Assessment as part of their induction procedure. These reports will be kept securely to ensure confidentiality (as required by the Data Protection Act).

The company will keep up to date a training matrix which will cover all the training completed.

The Health and Safety Minimum Training chart will detail what training is required for operation functions within the business.

16.0 Company Vehicle and Mobile Phones

This covers the use of vehicles which are owned / leased or hired for both company and private use.

The procedure for employees or allocated drivers is as follows:

- All drivers must have an up to date license which cover the type of vehicle they will be driving. If for any reason this changes the employee must inform us immediately.
- All vehicles must be regularly inspected in line with the manufacturer's guidance and be kept in safe a safe road worthy condition. All services and maintenance including MOT certificates must be kept up to date.
- All drivers must drive in accordance with road traffic legislation.
- All defects must be reported, however minor to the immediate supervisor.

It is recommended in the Highway Code that a 15-minute break in every 2 hours of driving is good practice and the employer and employees will plan their journeys to account for this.

All drivers will be adequately insured. Employees using their own insurance must give the company evidence of valid insurance.

Mobile Phones

Using a mobile whilst driving can severely hinder the driver's ability to control the vehicle safely. All employees must always have complete control of the vehicle. It is an offence to drive while holding a mobile phone.

The use of mobile phones while operating any type of plant is strictly prohibited.

17.0 Protection of the Public

The company will work in cooperation and coordination with the client and Principal Contractor in all measures required to protect the public and other people affected by works undertaken.

It is essential that precautions are also taken to protect others who may be in the vicinity (including the public) from falling materials and tools. In all cases loose materials and tools will be stored safely.

When works are undertaken in areas where the public have access to the area being worked in will be segregated and warning signs displayed.

Work areas will be clean and tidy, and no materials will be stored which may influence other people. The work area will be kept secure during work activities and will be left secure at the end of every shift. The public and Principal Contractor will be segregated from work activities through demarcation of the working areas.

The control measures for works will need to consider interaction with the public/Contractors and these measures will include the following:

- Demarcating working areas.
- Storage of materials.

- No other trades are working in the same area.
- Protection of existing furniture. (dust sheets)
- The use of tools and equipment.

The control measures must make allowance for vulnerable groups (e.g. disabled and children).

Operatives must always be professional & courteous while in occupied houses and follow the principals below:

Avoid argumentative situations developing, be polite and objective, Speak calmly, slowly, firmly and quietly. Avoid all provocation, this can lead to violence. Make sure the person has suitable space. If there is a threat of violence the first response is to get away from the situation.

This is the most professional response.

Operatives must report any forms of violence immediately. This could prevent some else getting subjected to violence.

Personal safety is always more important than property.

The Principal Contractor will ensure that the company are not exposed to any violence or threats while on their site.

Kandal Joinery Ltd will report any incidents of this type to the Principal Contractor and they will address the report for which Kandal Joinery Ltd will work in cooperation.

Photographs of any person while in occupied houses is strictly forbidden.

Perimeter Fencing (Where applicable)

Kandal Joinery Ltd will assess all work activities and the perimeter fence requirements this will account for:

- Existing boundaries and adequacy of protection.
- The population and interaction with the public. (e.g. city centre verses open fields).
- The nature of hazards on site.

The type of fencing arrangements allowing for the location, traffic, population and social conditions including crime levels.

The range of protection will include: large timber or metal hoarding, 2 meter sectional close meshed fencing, barriers and warning signs.

Control measures with work activity Kandal Joinery Ltd will ensure protection of the public is assessed with all activities that may potentially have an impact on the public and visitors:

The following activities will be addressed with suitable control measures:

Kandal Joinery Ltd will ensure that all materials stored in public areas are adequately protected and placed safely in position.

Noise vibration and dust will be kept to a minimum and dust will be controlled with suppression using water suppression.

Kandal Joinery Ltd will ensure all plant and equipment used which interacts with the public is controlled and only undertaken by authorized operatives. Deliveries will be controlled and planned for and all plant activities will be supervised by trained banks men. Any works on public highways will be undertaken in line with chapter 8 and relevant street works with the local authorities.

18.0 Asbestos

Asbestos was widely used in buildings until its use was banned in 1999. As a result, a large amount of buildings contains asbestos.

The Control of Asbestos Regulations 2012 imposes a 'duty to manage asbestos' on owners, occupiers, managers or the person responsible for non-domestic premises. Kandal Joinery Ltdwill ensure asbestos management surveys are completed where applicable to the companies undertaking. (e.g. company owned premises).

The duty requires that:

- An inspection of the premises is made, and any asbestos or suspected asbestos material is identified, the condition it is in and how much there is.
- We will engage a specialist asbestos surveyor to provide a report on the premises, if you are unsure of the presence of asbestos. The report will be a one off and will give recommendations on how to manage the material, which if followed will enable us to show we are managing any identified asbestos.
- The results of the inspection will be recorded and kept up to date (this is known as the asbestos register and is usually contained within the report provided by the surveyor).
- The risk the materials pose is assessed.
- We will ensure a 'safe system of work' is put in place before any work is

undertaken in an area which might contain or disturb asbestos; We will make the information provided in the report available to anyone who may disturb the asbestos as part of their work i.e. workmen or your own activities.

Note: The HSE publish guidance on controlling asbestos at work & managing asbestos in premises, see information section for guidance.

Kandal Joinery Ltd will implement the following:

- Always assume there is asbestos present within the premises unless it is proved otherwise
- If the building was constructed before 2000 arrange for a 'management asbestos survey' to be carried out.
- Keep a log of all asbestos within the premises and monitor its condition to ensure its condition does not impact on people's health.
- Provide information to persons who may disturb the material during their work (including contractors carrying out maintenance works).
- If asbestos appears to be in a poor condition consult with a specialist and arrange to seal or remove the material using an approved contractor.

In addition to the above for contractors appointed who undertake work with asbestos, non-licensed or licensed the following checks will be made:

- Check their HSE License. (if applicable)
- Check if they have had any prohibitions or improvement notices placed on them by the HSE.
- Check the waste consignment note history (if applicable)
- Check their references provided.
- Ask for details, qualifications and training records of all the asbestos removal staff including the site supervisor.

For any work undertaken on refurbishment activities Kandal Joinery Ltd will ensure all operatives undertake asbestos awareness training to UKATA standards. Kandal Joinery Ltd COMPANY will cooperate with the Principal Contractor with all asbestos management procedures.

This Policy does not cover the removal asbestos materials.

19.0 Manual Handling

The term manual handling covers a wide variety of activities which requires an employee to use physical strength to carry out activities as part of their work. This may involve pushing, pulling, lifting, lowering, carrying etc. The risks associated with manual handling are extensive and can cause acute and chronic conditions some these include:

Muscular sprains, Back injuries, trapped nerves, Hernias, Cuts and bruises, Work related upper limb disorders.

The hazards associated with manual handling include:

- Lifting loads that are too heavy, poor posture during lifting operations, dropping loads, lifting loads with sharp edges,
- Mechanical lifting will be used in all situations as far as reasonably practicable to reduce the amount of manual handling in the work place,
- Where possible we will reduce or remove manual handling activities with mechanical aides such as forklifts, pallet trucks, trolleys etc.

The following guidance will be followed by trained operatives when undertaking manual handling operations:

- Stand reasonably close to the load with feet about hip width apart, one foot pointing in direction moving. DO NOT OVERREACH
- Squat down on bending knees. KEEP BACK AS STRAIGHT AS YOU CAN
- Place hands where they will not slip. GRAB FIRMLY

- Breathe in before lifting (Filling lungs helps to support the spine)
- Straighten up with legs, lift slowly / smoothly, don't twist the body of jerk the load
- Hold load firmly and close to the body
- Ensure view forward is not impeded
- Where two or more persons are involved in a lift, nominate one to give instructions. Each person to take equal share and work as a team
- If you are not happy lifting a load tell your supervisor

Kandal Joinery Ltd will carry out a manual handling assessment for activities which employees are required to carry out.

For Manual Handling activities Kandal Joinery Ltd will ensure the following are assessed and implemented:

- The individual's capability.
- Nature of the load.
- Environmental conditions.
- Work organisation.
- Manual handling aides.
- Training for manual handling is required for the task.

Kandal Joinery Ltd will implement the following:

- Eliminate manual handling with the use of mechanical devices.
- Provide suitable training for employees regarding the correct manual handling techniques.
- Conduct and record suitable manual handling assessments for all activities.

20.0 Work Equipment

The Provision and Use of Work Equipment Regulations place duties as an employer to provide work equipment that is safe.

Work Equipment must be:

- Suitable for its intended use.
- Well maintained.
- Inspected.
- Accompanied with relevant information and instructions.

It is important that work equipment is assessed for its suitability for the tasks required and the conditions it is used in.

Work equipment must be kept well maintained and in a safe condition. To ensure this, regular inspections will be required by a competent person. Visual inspections will be required before first use and recorded inspections will be required on a regular basis. Inspections will be relative to the type of equipment for example a forklift will need pre-use checks by the operator each day and a formal record of inspection made weekly as a minimum. In comparison, a computer will only need infrequent checks and a Portable Appliance Test (See electrical equipment section).

The two main safety factors to address are that:

The equipment being used is safe and has suitable guards, protection devices, markings and warning devices, CE Marks, system control devices (e.g. stop buttons).

The operatives using work equipment have received all the relevant information, instruction, training and supervision to use the equipment safely.

Kandal Joinery Ltd will ensure:

- The right equipment is provided. (CE marked) which is suitable for the work to be carried out.

- Equipment is well maintained and checked at regular intervals.
- All employees and self-employed are given the relevant information, instruction and supervision.
- The working area provided is safe and suitable for the work equipment to be used.
- A suitable maintenance and inspection regime is implemented for all work equipment.

21.0 Working at Height

The Work at Height Regulations place requirements on employers to ensure work at height is planned and carried out safely. Working at height applies to all situations where a person is subject to falling, even if this is below ground level.

The hierarchy of control measures for working at height are:

- Avoid working at height if possible.
- Use an existing safe place of work.
- Provide work equipment to prevent falls.
- Mitigate distance and consequences of a fall.
- Instruction training and supervision.

Kandal Joinery Ltd will ensure the following measures are implemented:

- Work will be planned and organised when working at height, considering the hierarchy of control measures.
- This will consider the environment and weather conditions where work at height is taking place.
- All employees and self-employed will be given the relevant information, instruction and supervision.
- The work areas must be safe and suitable for working at height.
- Equipment provided will be fit for purpose, well maintained and inspected.

Scaffold

The Principal Contractor will provide a scaffold and internal fall protection for all working operations that require it. The scaffold must be in line with the latest TG 20 standards and SG4 standards. The Principal Contractor will fully manage all the scaffold and internal fall

protection measures. Kandal Joinery Ltd operatives will fully cooperate with the Principal Contractors requirements for working on scaffold and internal fall protection. Any defects identified by the operatives must be reported to the Principal Contractor immediately and work must be stopped until the Principal Contractor has addressed the issues.
If the Kandal Joinery Ltd provides scaffold a full health and safety evaluation of the scaffold contractor will be undertaken to ensure a safe scaffold is provided. The scaffold contractor will inspect the scaffold to the correct regimes and intervals.

General

Chamber joist installation will be fitted to the manufacturer's designs and installation requirements this will be supplied by the Principal Contractor. All sacrificial joists and floor boards will be fitted to these standards. When cutting out staircase openings a system of work will be adopted to ensure there is no fall from height risks. The opening will be cut as far as practical from above and the floor will be removed from below to eliminate any internal falls in to the plot.

Temporary stairwell handrail protection and stud walls which are adjacent to the opening must be fitted with the staircases. No work on the floor above must be undertaken until they are fitted to the correct standards and fully surround the stairwell opening adequately. The principal Contractor will provide the posts and materials for this and the installation instructions will be supplied to Kandal Joinery Ltd .

In situations where there are significant variations in floor levels on adjoining plots and there is risk of falls between plots of more than 900mm Kandal Joinery Ltd will fit the chamber joists on highest plot first from the existing working platforms. Fall protection will be fitted first before the floor boards are fitted to ensure there are no falls into the adjoining plots. Ensure all temporary stairwell arrangements are fitted including sacrificial joists to the designers and manufacturers guidelines

Ladders

The use of step ladders and hop ups are a solution to working at height safely. Kandal Joinery Ltd will ensure that all equipment is used in line with the manufacturer's guidelines and used specifically for the purposes intended. Equipment must be CE marked to the correct standards. All employees must be given the relevant information, instruction, training and supervision to use the equipment safely.

Ladder use

Where the hierarchy of control measure has been assessed and ladders are the only option, the following measures will be put in place:

- Three points of contact must always be maintained when a ladder is in use.
- No over stretching.
- Ladders must be adequately secured at both the top and bottom.
- Provided information, instruction, training and supervision relevant to ladder use,
- Ensure the ladders are clean and not slippery
- Ladders must be at a 1 in 4 angle.
- Pre-use checks and recorded inspections will be carried out at regular intervals.
- Always ensure employees do not climb too high up a ladder without adequate rungs in front of them to grip.

Never

- Move ladders while standing on them.
- Slide down stiles.
- Stand them on objects (e.g. pallets).
- Extend them whilst on them.

Under no circumstance must employees manufacture their own equipment for working at height. This includes standing on items not designed for working at height (e.g. Chairs).

The Principal Contractor will ensure stairwells have adequate fall protection on stair well areas. This will be in place before work commences.

The use of extension ladders will be undertaken with the use of a ladder stabilizing kit, ladder securing systems and belt restraints will be used. Safe working practices will be employed including the following measures: ladders will be at a 1 in 4 angles, 3 points of contact will be employed by operatives, no over stretching will be undertaken, operatives will always have a minimum of 4 rungs above them, the ladders will be well maintained and fit for the intended use, the site conditions will be safe including good ground conditions, safe access and egress. Ladders will be adequately secure at the top and the bottom. Operatives must be clipped on to ladders when they have reached the point of access. Work must short duration (e.g. maximum 30 minutes) and low risk activities. If works fall outside this, then alternatives must be found (e.g. scaffold or MEWPs).

Mobile elevated Work Equipment (MEWPS)

Kandal Joinery Ltd will implement the following procedures for the use of MEWPS if they are used for their working activities:

Driving and Working Practices

All drivers and operatives of plant and equipment will be carefully selected, trained, supervised and monitored and will ensure they are given adequate, information, instruction, training and supervision. In most cases Kandal Joinery Ltd will hire in trained drivers with the hirer of the plant and on placing the order stipulate the driver must be competent in line with the plant to be operated.
Driver competence will be judged based on experience, recognized training and test of knowledge and ability.
The selection process will include the ability to undertake daily maintenance checks, validity of training, and familiarization of construction hazards and experience of the operative.

No one can drive while under the influence of alcohol and drugs including prescriptive drugs that may impair their ability.

Operatives will undertake all relevant plant and equipment checks and record these in the Site Safety Pack. Operators must make sure they know and fully understand the operations of the vehicle.

Speed limits on site must not be exceeded and established routes as agreed in the traffic management plans must be adhered to. Beacons are required on site plant.

Vehicles must be kept tidy and free from any items which may hinder the controls. The use of mobile phones during operations is strictly prohibited.

Operative must never reverse without checking behind the vehicle for pedestrians, vehicles or obstructions. Communication must be adhered to when using banksmen / signallers.

Passengers on plant are strictly forbidden and plant must never be over loaded or used above its capabilities.

Do not smoke during re fuelling operations and never adjust with the engines running or guards removed.

MEWPS are often a good solution for working at height. The company will ensure the following measures are implemented:

- All operatives will be trained and be given adequate information, instruction, training and supervision to operate MEWPS safely. Training records will be kept up to date and be entered in the company training matrix.
- Thorough examination certificates will be required and must be within 6 months.
- All MEWPS used will be in good working order.

Assessments will be made to ensure the correct selection of equipment for the tasks required. All proximity hazards will be accounted for with the use of MEWPS. Including:

- Ground conditions.
- Existing services (particularly electricity.)
- Interacting works.
- Traffic.
- Members of the public.
- All operatives will maintain and record their checks in the MEWPS check list.

Harnesses

Harnesses are critical pieces of safety equipment. Your life could depend on this if it is needed. The information shows how to inspect a harness and what to look for.
The company will ensure the following measures are implemented for the safe use of harnesses:

- Pre-inspected every time before they are used.
- Detailed inspections must be carried out every 3 months and this should be recorded.
- Anyone using a harness must have adequate training in how to use them.
- No knots must be present and to use them correctly in operation they should have a close fit to your body.
- Harnesses must not be written on, need to be in good condition and be looked after to be effective in operation.

For further information please consult HSE Guidance INDG367 Inspecting Fall Arrest Equipment made from Webbing or Rope.

22.0 Personal Protective Equipment

As a business a company has the responsibility to protect the safety and health of everyone in the workplace. Personal Protective Equipment (PPE) is equipment that will help protect the user against health or safety risks at work, when all other control measures have been considered.

PPE can include items such as head protection, gloves, eye protection, clothing, safety footwear, hearing protection. There is also specific PPE for certain activities which may fall outside the common requirements of a business. These could include head protection, respiratory protective equipment, high-visibility clothing.

PPE is the last form of control when dealing with workplace risks. This means that when a business considers the hazards and risks they will be exposing their employees to, PPE will be the last control measure, after other measures such as engineering controls, segregation, safe systems of work have been considered.

PPE will be provided for employees free of charge. Equipment will be chosen carefully.

Kandal Joinery Ltd will provide Users with training on the correct way to use PPE and know how to detect and report any faults.

When PPE is issued the company will record the items for company records.

Selection and Use

Kandal Joinery Ltd will ensure the following is assessed when selecting PPE:

- Who is exposed and to what?
- How long are they exposed for?
- How much are they exposed to?

Kandal Joinery Ltd when selecting PPE will ensure the following:

- The correct products which are CE marked in accordance with the Personal Protective Equipment Regulations from a reputable supplier, who will be able to assist you in the right selection of equipment.
- Ensure that PPE that suits the user – consider the size, fit and weight of the PPE, again the supplier can advise and assist you.

- If more than one item of PPE is being worn they will not affect the correct use of the other, e.g. wearing safety glasses may disturb the seal of a dust mask. This can cause air leaks which can cause the mask to be less effective and the glasses to steam up.
- Instruct and train people on how to use the equipment provided.
- As part of the training to employees and self-employed can discuss how PPE must be properly looked after and stored when not in use, e.g. in a dry, clean cupboard. If it is reusable it must be cleaned and kept in good condition.
- Exemptions will not be allowed from wearing PPE for those jobs that 'only take a few minutes'.
- Disciplinary actions will be taken by the company for failure to wear the correct PPE supplied.

Kandal Joinery Ltd will ensure the following:

- Identify the hazards in the business and provide control measures which avoid Personal Protective Equipment. If you cannot control risks sufficiently consider using PPE, select the right equipment to control the risk.
- Ensure Personal Protective Equipment is compatible with other equipment expected to be used.
- Train staff how to use, clean, store, replace equipment and to report defects.
- Provide Personal Protective Equipment free of charge, and record when and to who it is issued.
- Monitors its use.

Kandal Joinery Ltd will ensure any PPE procured is in line with the standards detailed below:

- Hard hat to EN 397
- Hi Visibility Jacket to EN 471
- Hi Visibility Trousers to EN471
- Steel toe capped boots with mid sole protection EN345
- Eye protection to EN 166 (unless deemed otherwise)
- Gloves (EN 388)
- FFP3 Dust masks will be used by face fitted personnel
- Air Flow respiratory units that do not require fit testing may be worn for personnel not face fitted.

23.0 Electricity

Electricity is dangerous and will severely injure or kill under the right conditions. Simple precautions can be taken to avoid injuries.

The company will ensure all electrical work is carried out by fully qualified electricians.

Electrical safety can be divided into two groups:

1. The electrical installation of the building. This is the responsibility of the owner or controller of the building subject to occupation agreement.
2. The electrical equipment used by self-employed and employees.

All electrical equipment will be safe, well maintained and suitable for the task required.

Isolation

Where required, all existing electrical circuits will be disconnected or isolated by the Principal Contractor. Your Company Name will comply with all lock off / isolation procedures.

Unscrewing of switches, ceiling roses and sockets is not allowed under any circumstances when the plot is connected and has live electricity.

Portable Electrical Equipment

Portable electrical equipment can be best described as any work equipment that can be moved whilst being connected or disconnected to an electrical power supply e.g. computers, hovers, kettles, hand drills etc, it will also include larger items which do not require movement very often such as fridges and vending machines. All equipment needs to be well maintained and suitable for the task it was designed to carry out.

Maintaining Electrical Equipment.

The type and frequency of inspections and checks (commonly known as portable appliance test or PAT test) on electrical equipment is determined by the following factors:

- The environment electrical equipment is used in.
- The type of electrical equipment used.

The testing regimes will be assessed in line with HSE guidance and advice from qualified electricians this can be from 3 months to 5 years subject to usage.

An assessment of all electrical equipment is required considering:

- Equipment/Environment.
- User checks.
- Formal Visual Checks Combined.
- Inspections and testing.

A portable appliance test does not need to be carried out by an electrician, however the person carrying out the test will need be trained to:

- How to correctly inspect and test equipment.
- How to correctly use the right equipment for the testing of equipment.
- How to interpret results of equipment.

Kandal Joinery Ltd will ensure the following is implemented:

- The installation of the electrical wiring to the building will be safe and tested in line with IEE Wiring Regulations.
- All portable electrical equipment will be identified.
- Arrangements will be made for suitable PAT testing or checking by a competent person/contractor.
- The results will be recorded.
- Employees and self-employed will be given the relevant information, instruction, training and supervision regarding the safe use of equipment.

24.0 Construction Design and Management

Kandal Joinery Ltd will fully comply with their requirements under the Construction Design and Management Regulations 2015 (CDM). Kandal Joinery Ltd understand it is important to coordinate and cooperate with the Principal Contractor within the CDM process. Kandal Joinery Ltd will implement the following requirements in line with the HSE guidance document below:

General introduction

The Construction (Design and Management) Regulations (CDM 2015) are the main set of regulations for managing the health, safety and welfare of construction projects.

CDM applies to all building and construction work and includes new build, demolition, refurbishment, extensions, conversions, repair and maintenance.

Kandal Joinery Ltd will ensure the following is implemented:

- Work is managed effectively.
- Co-operate with other duty holders.
- Consult with employees.
- Prepare the construction phase plan.
- Ensure welfare facilities are provided.
- Ensure a site induction is provided.
- Ensure the site is secure.
- Appoint contractors and workers.
- Provide the right supervision.

CDM procedures to ensure work is managed effectively

Address the client's requirements, any pre-construction information provided by the principal designer and relevant parts of the construction phase plan and any other requirements provided by the principal contractor when planning work, for example information about underground services.

Ensure those carrying out work have the right skills, knowledge, training, experience and supervision.

Ensure those carrying out work have the right plant, tools, equipment, materials and personal protective equipment.

Pass on relevant information and instructions to workers. This could be done by briefing workers and, for higher risk tasks, using a safety method statement which outlines the planned method, sequence and control measures.

Ensure that workers comply with the site rules if required, co-ordinate work with that of other contractors and the Principal contractor.

Agree with the principal contractor how information will be exchanged to allow both of us, and other contractors, to manage health and safety.

Ensure workers receive a site induction.

Allow workers sufficient time to prepare and carry out the work. Inform the principal contractor of any intention to sub-contract elements of our work.

Co-operate with other duty holders

Kandal Joinery Ltd has a key role to play in co-operating with the principal contractor and other contractors. Kandal Joinery Ltd, could affect the health and safety of their workers and others so, to ensure that the risks are properly managed and controlled, Kandal Joinery Ltd will co-operate with others.

All contractors (including utilities, specialist contractors, contractors nominated by the client and the self-employed) have a part to play in ensuring that the site is a safe place to work. The key to this is proper co-ordination of the work, underpinned by good communication and co-operation between all those involved.

Consult with Employees

Workplaces where workers are involved in helping to make decisions about health and safety are safer and healthier. Collaboration with workers helps to manage health and safety in a practical way by:

- Helping to spot workplace risks.
- Making sure health and safety controls are practical.
- Increasing the level of commitment to working in a safe and healthy way.

Kandal Joinery Ltd will consult with all our employees, in good time, on health and safety matters.

In workplaces where a trade union is recognised, this will be through union health and safety representatives. In non-unionised workplaces, Kandal Joinery Ltd will consult either directly or through other elected representatives.

Consultation will involve not only giving information to workers but also listening to them and taking account of what they say before making decisions affecting health and safety.

Issues to consult workers on will include:

- Risks arising from their work.
- Risks arising from others, work or the environment they are working in.
- Proposals to manage and/or control these risks.
- The best ways of providing information and training.

Construction Phase Plan

On a project with more than one contractor, developing the construction phase plan will be the responsibility of the Principal Contractor, the Principal Contractor will provide information relevant to work to operatives on site.

If Kandal Joinery Ltd are the only contractor on the project, then we will be responsible for drawing up a plan which describes how health and safety will be managed during the construction work.

The plan will be:

- Proportionate to the size and nature of the work, and the risks involved.
- Workable and realistic.
- Sufficiently developed to allow work to start on site.
- Regularly reviewed and added to as new trades start.

It must be developed as soon as practical before setting up the construction site and starting the work. It will address early issues such as mobilisation, welfare, demolition and ground works. The client also must ensure a construction phase plan is sufficiently drawn up before work starts.

The plan will not be cluttered with documents (such as generic risk assessments, records of how decisions were reached or detailed method statements) that get in the way of a clear understanding of what is needed to manage the construction phase.

The HSE has created a construction phase plan template for those working.

On small projects. It can be found in the ‘Busy builder’ section of the HSE construction website: www.hse.gov.uk/construction.

CITB has created a free ‘CDM Wizard’ smart phone app to help businesses working on small scale projects to produce construction phase plans. Details can be found at www.citb.co.uk/cdmregs.

Ensure welfare facilities are provided

When Kandal Joinery Ltd are working on a project where Kandal Joinery Ltd will be the only contractor Kandal Joinery Ltd will be responsible for ensuring welfare facilities are provided and that they are suitable and sufficient for the size and nature of the project. They will be available as soon as the work starts on site and remain until the end of the project.

On projects with more than one contractor welfare facilities will be the responsibility of the principal contractor.

Kandal Joinery Ltd will assess the existing facilities.

Welfare facilities include:

- Lit and ventilated toilets (suitable for men and women).
- Lit and ventilated washing facilities next to the toilets, including hot, cold or warm running water, soap or hand cleaner, towels or means of drying hands.
- Supply of drinking water and cups.
- Facilities for rest (tables and chairs).
- Where required, changing rooms and lockers.

The facilities must be regularly cleaned and cater for the expected number of workers on site.

Kandal Joinery Ltd will expect support from the client, who has a duty to ensure the arrangements are made for providing suitable welfare facilities.

Ensure a Site Induction is provided

When Kandal Joinery Ltd are working on a project where Kandal Joinery Ltd will be the only contractor then Kandal Joinery Ltd will ensure a suitable site induction is provided to every site worker.

The induction will be site specific and cover the health and safety risks associated with the site and the controls required. The detail provided in the induction will be relevant to the size and scope of the project, and the level of risk involved.

The following induction topics will be assessed and implemented:

- Senior management's commitment to health and safety.
- An outline of the project.
- Management of the site, for example who the site manager is.
- Site-specific health and safety risks, for example any requirement to work near overhead cables.
- Control measures on site, for example site rules, vehicle and pedestrian segregation, PPE, temporary electrics, and site restrictions such as delivery arrangements.
- Dealing with emergencies, including first aid arrangements.
- Accident and incident reporting arrangements.
- Training details, for example provision of toolbox talks and task briefings.
- Arrangements for consulting the workforce on health and safety.
- Individual workers' responsibility for health and safety.

Ensure the site is secure

When Kandal Joinery Ltd are working on a project where we will be the only contractor then we will take reasonable and proportionate steps to prevent unauthorised access to the site or work area and that our work will not put the public or others at risk.

For example, we will leave the site in a safe condition at the end of the day and ensure that any occupiers are not put at risk while your work is in progress. The occupier will need to know of, and co-operate with, our plans.

The site boundaries will be clearly marked out using suitable means, such as signage or fencing, depending on the risk.

On a project with more than one contractor, securing the site will be the responsibility of the principal contractor. Close co-operation between the client, principal contractor and other contractors when working in occupied or shared premises will help achieve this objective.

Appoint Contractors and workers

Kandal Joinery Ltd will ensure all workers on our site have the necessary skills, knowledge, training and experience for the work they are carrying out.

Additional information, instruction, training and supervision will be needed to support those who are still developing their experience to become self-sufficient in safe and healthy construction practices.

Employing workers

When Kandal Joinery Ltd employ or control people doing work, Kandal Joinery Ltd will ensure that:

They have the necessary skills, knowledge, training and experience to do the job safely and without putting their own or others' health and safety at risk. They are properly supervised and are given clear instructions they have the right tools, equipment, plant, materials and protective clothing. Plan for employees' health surveillance where required.

If a person working under Kandal Joinery Ltd control and direction is treated as self-employed for tax and national insurance purposes, they may nevertheless be Kandal Joinery Ltd employee for health and safety purposes. Whether they are employed or self-employed, Kandal Joinery Ltd need to act to protect all people under their control.

Appointing contractors

Kandal Joinery Ltd when appointing contractors, sub-contractors or trades will implement the following:

- Check the health and safety capabilities of the people we plan to use.
- Give them the health and safety information they need for the work.
- Talk about the work with them before they start.
- Make sure that they have provided everything agreed (for example safe scaffolds, plant and access to welfare facilities).
- Monitor their performance and remedy any shortcomings.

Kandal Joinery Ltd will make specific enquires about basic health and safety capabilities in several ways.

For smaller jobs, Kandal Joinery Ltd will look for straightforward evidence that potential contractors are capable of carrying out the work, for example by asking if they have done this type of work before, requiring references from previous construction work, checking qualifications or training records or by asking them how they plan to carry out the work safely without risk to the health and safety of themselves or others.
For more complicated or higher risk jobs, further enquiries will be needed.
For example, the Public Available Specification PAS 91 provides a set of health and safety questions that can be as part of the pre-qualification process for construction projects. The PAS is freely available (once a simple registration has been completed) from http://shop.bsigroup.com/forms/PASs/PAS-91-2013.

Only make enquiries for information that will address the anticipated risks and capability of the supplier – excessive or duplicated pre-qualification and other paperwork will be avoided because it can distract attention from the practical management of risks.

Provide the right supervision

Kandal Joinery Ltd will ensure that those managing and supervising the work have the right blend of skills, knowledge, training and experience and that there is an adequate number of supervisors.

Whilst the supervision provided will need to reflect the level of risk associated with the work, the supervisor on the ground will need to be familiar with the type of work planned.

Kandal Joinery Ltd will assess the degree of supervision required, taking account of the skills, knowledge, training, experience and likely behaviour of the workers.

What a Contractor will require from the Principal Contractor:

Kandal Joinery Ltd will require the following from the principal contractor:

- Details of unusual or significant risks and sequence constraints.
- Specific risk controls and arrangements relating to relevant parts of the construction phase plan
- Details of preparation and lead-in time.
- Appropriate site rules and a suitable site induction.
- Arrangements for reporting unsafe behaviours or conditions.
- The procedures to be followed in the event of serious and imminent danger.
- Details of the use of shared welfare facilities.
- Adequate safety management and planning for the project.

Kandal Joinery Ltd will require from workers the following:

- Compliance with risk controls and site rules.
- Constructive feedback on site practice.
- Evidence of training and experience relevant to the risks of the project.
- The ability to stop work and report anything which might endanger themselves or others.

The information a Contractor will provide to the Principal Contractor:

On projects with more than one contractor Kandal Joinery Ltd will provide the principal contractor with the following information:

- Evidence of skills, training and experience relevant to the risks that the project exposes workers to.
- Details of arrangements to ensure safe completion of our works.
- Requests to sub-contract elements of the work.
- Relevant information for the health and safety file.
- Evidence that will provide appropriate supervision which considers the level of skills, knowledge, training and experience as well as the likely behaviour of the workers.
- Details of any changes planned working method in case it has an impact on other plans.

Kandal Joinery Ltd will provide the following information to its workers:

- Information, instruction and training as necessary.
- Opportunities for them to have an input into how the work will be carried out.
- A suitable site induction that includes details of welfare facilities and site rules.
- Information about the risks to their health and safety and how these will be controlled.
- Clear instructions about what to do in the event of serious and imminent danger.
- Arrangements for reporting unsafe behaviours or conditions.

Throughout the project, Kandal Joinery Ltd will keep workers informed of any changes or risks that may affect their health and safety, for example by giving them daily task briefings.

Before works starts Kandal Joinery Ltd will implement the following:

Kandal Joinery Ltd will manage the risks to the safety or health of workers and others nearby who could be affected by our work. This will be undertaken in several ways.

- When Kandal Joinery Ltd is the only contractor on the project, we will check that the client is aware of their duties and whether they have any site rules or standards.
- Kandal Joinery Ltd will visit the site, check the access arrangements and consider the safest methods for their workers to carry out the work.
- Kandal Joinery Ltd will find out whether other work will take place at the same time as their work and agree how any interfaces with other contractors will be managed.
- Kandal Joinery Ltd will find out whether there is any asbestos or other hazardous material on the part of the site we will be working on. If there is, or if there has been previously, then, in addition to any control measures concerning known asbestos, take steps to prevent unexpected exposure by arranging for our workforce to have asbestos awareness training prior to starting any intrusive work.
- Kandal Joinery Ltd will assess how long it will take to organise their workers, and any plant and materials they will need, this is to estimate when the company will be ready to start.
- Kandal Joinery Ltd will check proposed workers' skills, knowledge, training and experience and arrange any retraining or refresher training where necessary.
- Kandal Joinery Ltd will assess the degree of information, instruction and supervision required, considering the training, experience, nature of the work and likely behaviour of their workers.
- Kandal Joinery Ltd will provide adequate supervision by those with appropriate training, experience and leadership qualities for the risks which the project is likely to involve.
- Kandal Joinery Ltd will check what welfare facilities are available, in case we need to organise for further facilities to be provided.
- Kandal Joinery Ltd will check whether any first aid provision is available to us and whether it will be sufficient for the work we are undertaking, the workers we are using and the location in which we are working. If not, we will make additional arrangements.
- Kandal Joinery Ltd will assess the implications if any of the workers have known health issues.

Working for domestic clients

Kandal Joinery Ltd will implement the following requirements based on the guidance below. The requirements are detailed in the CDM section of the Policy;

The role of principal designers, designers, principal contractors and contractors when working on a project for a domestic client is normally no different to our role when working for a commercial client. We have the same duties and will carry them out in the same way as we would for a commercial client. However, the effect of regulations is to transfer the client duties to other duty holders when working for domestic clients.

Guidance for domestic clients in relation to CDM 2015 can be found in the industry guidance for clients (CDM15/1). The following paragraphs set out what other duty holders need to do as a result.

Annex E shows the transfer of client duties from a domestic client to other duty holders involved.

Domestic projects involving only one contractor:

On these projects, the client duties are transferred to the contractor, who must carry out the client's duties as well as their own. In practice, this will involve contractors doing no more than they have done in the past to comply with health and safety legislation. Compliance with their own duties as a contractor will be taken as compliance with the relevant client duties to the extent necessary given the risks involved in the project.

Because of the contractor taking on the client duties, any designers involved in the project will

work with the contractor in their role as the ‘client’.

Domestic projects involving more than one contractor

Transfer of client duties to the principal contractor.

On these projects, the principal contractor will normally take on the client duties and they will need to comply with these duties as well as their own.

If the domestic client does not appoint a principal contractor, the role of principal contractor falls to the contractor in control of the construction phase of the project.

Because of a principal contractor taking on the client duties, the principal designer involved in the project will work with the principal contractor in their role as the ‘client’. If the domestic client does not appoint a principal designer, the role of the principal designer falls to the designer in control of the pre-construction phase of the project.

Transfer of client duties to the principal designer

Domestic clients can choose to have a written agreement with the principal designer to transfer the client duties to the principal designer. In this case, the principal designer must fulfil the duties of the client as well as their own and the principal contractor will work with the principal designer as the ‘client’.

The co-ordination and effort required will be proportionate to the scale of the project. For example, the health and safety file could include information on any equipment installed, such as manufacturer instructions. Where drawings or sketches exist, these will also be included.

For example, a client wishes to have a bathroom refurbished and asks a builder to do the work and plan the layout. The builder carries out the work but appoints a plumber and an electrician. As the builder is in overall control, they are the principal contractor as well as the principal designer. In this case, planning and co-ordination for the design could be through having conversations to understand the work required, such as the potential for using existing electrical and water supplies.

The health and safety file for this work may include the manufacturer’s instructions for a new shower and a sketch of the new bathroom layout.

25.0 Occupational Health

Dust Control

FFP3 face fit tested respirators will be worn when dust is generated during work activities. This will include cleaning operations. All operatives must use the correct make and model of respirator that they have been previously tested for. Operatives must be clean shaven to ensure the respirator gives adequate protection. Air Flow respiratory units that do not require fit testing may be worn for personnel not face fitted.

Skin Care

Kandal Joinery Ltd operatives will follow the guidance below:

Do you have, or have you had any of the following symptoms which may occur on any part of your skin exposed at work?

- Redness and swelling of the skin?
- Cracking and or blistering of the skin?
- Flaking or scaling of the skin?
- Did any of the above last for more than a week?
- Did any of the above occur more than once?
- Does your skin improve when you are away from work?

If any of the above symptoms occur, operatives should implement control measures. This includes wearing gloves that protect skin as well as using barrier/ hand creams before and after working.

Vibration and Noise

Vibration

All operatives will be given the correct information, instruction, training and supervision which will include the following guidance:

Knowing the symptoms of HAVS which are; tingling of the fingers, loss of feeling and strength and fingers turning white in colour. Avoiding gripping too tightly or forcing a tool. Always using the correct accessories for a tool. Taking regular breaks.

Keeping warm and exercise hands during breaks.

Use the correct posture and technique and let the tool do the work for you. Make account for weather conditions, cold and wet conditions inhibit blood circulation and increases the risks of vibration. Assessments will be made on the purchase of new equipment on HAVS to select the

best equipment with high efficiency and low vibration.

Equipment will be well maintained and kept in good working order.

Assessments will be made in the use of equipment that vibrates less and alternatives methods and equipment implemented where practical.

Noise

When working in areas that generate noise (If you work in areas where you need to shout to be heard then you require hearing protection) operatives will follow the guidance below:

- Always wear ear protectors if exposed to noise hazard.
- Do not use cotton wool for ear protection; it is not effective.
- Make sure that ear plugs are a good fit in each ear and are properly inserted.
- Regularly cleanse re-usable earplugs to the manufacturer's instructions
- Use disposable earplugs once only.
- Hands should be clean when handling all types of earplugs
- Earmuffs should be a good fit to the head all around the seal.
- Ensure that ear muffs are worn the correct way around.
- See that muff seals are always in a serviceable condition.
- Do not alter the pressure of earmuffs by bending the head band
- Radios can increase the general level of noise and can cause annoyance, if these are allowed on site consider others.
- For any equipment that produces noise levels above 80 Decibels, hearing protection must be worn at all time during use

Manual Handling

All operatives will practice good lifting techniques when handling materials and tools. The Principal Contractor will provide good access and egress to working area's so materials can be distributed effectively. Assessments will be undertaken by the Principal Contractor to reduce manual handling by design, accounting for best practice.

The following measures will be implemented by the Principal Contractor to reduce manual handling:

- Delivery of materials close to the working areas.
- The use of the Tele Handler to transport materials.
- Using Scaffold loading bays where practical, to load materials to different level.

The following guidance will be followed by operatives on site when undertaking manual handling operations:

- Stand reasonably close to the load with feet about hip width apart, one foot pointing in direction moving. DO NOT OVERREACH
- Squat down on bending knees. KEEP BACK AS STRAIGHT AS YOU CAN

- Place hands where they will not slip. GRAB FIRMLY
- Breathe in before lifting (Filling lungs helps to support the spine)
- Straighten up with legs, lift slowly / smoothly, don't twist the body.
- Hold load firmly and close to the body.
- Ensure view forward is not impeded.
- Where two or more persons are involved in a lift, nominate one to give instructions. Each person to take equal share and work as a team.
- If you are not happy lifting a load tell your supervisor.

Employees must report to their immediate supervisor any health problems identified from the guidance set out in this Policy. This will be treated in the strictest confidence. Kandal Joinery Ltd will make necessary arrangements with occupational health specialists and review the company health and safety control measures regarding their effectiveness.

26.0 Expectant Mothers

The Management of Health and Safety at Work Regulations 1999 and the Maternity (Compulsory Leave) Regulations 1994 apply to any of our employees who are pregnant, breast feeding or who have given birth.

On notification from an expectant mother the company will undertake a pregnancy risk assessment with the expectant mother. This risk assessment will be specific to the work undertaken and the expectant mother's pregnancy and her baby. The measures identified from this risk assessment will be implemented into the working practices. All of the working environment and working practices will be assessed.

When the employee tells her employer she's pregnant, the employer should assess the risks to the woman and her baby.

The risks assessed will include the following:

- Heavy lifting or carrying
- Standing or sitting for long periods without adequate breaks
- Exposure to toxic substances.
- Long working hours.

The company will take reasonable steps to remove these risks, e.g. by offering the employee different work or changing their hours.

This will be reviewed throughout the duration of the pregnancy and the expectant mother can consult with the company throughout this period.

References

- Health and safety at work act 1974
- Management of Health and Safety at Work Regulations 1999
- Construction Design and Management Regulations 2015
- CITB GE 700 and associated documentation
- Managing Health and Safety (HSG65)
- Provision and Use of Work Equipment Regulations 1998
- Noise at work regulations 1989
- Control of noise at work regulations 2005
- The lifting operations and lifting equipment regulations 1998 (LOLER)
- Electricity at Work Regulations 1989
- HSG 85 – Electricity at Work
- Health and safety (display screen equipment) regulations 1992
- The Regulatory Reform (Fire Safety) Order 2005
- Manual Handling Operations Regulations 1992, as amended in 2002
- Personal Protective Equipment Regulations 2002
- COSHH regulations 2002
- Work at height regulations 2005

Employee Receipt of Health and Safety Policy

The main purpose of this Health and Safety Policy is to ensure the health and safety of all individuals and the people affected by their undertaking.

These Health and Safety Policies represent the professionalism of the company and are designed to ensure good working practices throughout the company.

In Signing this policy, I agree to the following:

- I agree as named on this sheet that I have been provided with a copy of the Health and Safety Policy.
- I agree to work to the practices in the Policy and will record all the necessary documentation required from my role and responsibilities.
- I will cooperate with the company on the progression and improvement of the Policy.
- I fully understand all the requirements in the Policy and understand that failure to comply with its contents will result in disciplinary procedures by the company.
- I will report any accidents or dangerous occurrences immediately to my employer.
- I am competent in the work required of me and will request information, instruction, training and supervision when required.

Name (Please print) …….

Signature…….

Date…….

A record of this will be entered the company training matrix.