```
~/Desktop/VSC_4174 $ cd "/Users/serenadrouillard/Desktop/VSC_4174/" && javac Q1.java && java Q1
Please enter the string to be decrypted TRVJRI TZGYVIJ RIV HLZKV VRJP KF TIRTB Do you know the key? yes or no
no Please enter true or t for a correct decryption and false or f for an incorrect decryption after each decryption presented DECRYPTING . . .
     | Decrypted message: rpthpg rxewtgh pgt fjxit tphn id rgprz |
true/t or false/f?
     | Decrypted message: pnrfne pvcuref ner dhvgr rnfl gb penpx |
true/t or false/f?
      | Decrypted message: nlpdlc ntaspcd lcp bftep pldj ez nclnv |
true/t or false/f?
DECRYPTING . . .
      | Decrypted message: mkockb mszrobc kbo aesdo okci dy mbkmu |
DECRYPTING . . .
      | Decrypted message: ljnbja lryqnab jan zdrcn njbh cx lajlt |
DECRYPTING . . .
       | Decrypted message: kimaiz kqxpmza izm ycqbm miag bw kziks |
DECRYPTING . . .
      | Decrypted message: jhlzhy jpwolyz hyl xbpal lhzf av jyhjr |
       | Decrypted message: igkygx iovnkxy gxk waozk kgye zu ixgiq |
```

```
true/t or false/f?
DECRYPTING . . .
     | Decrypted message: hfjxfw hnumjwx fwj vznyj jfxd yt hwfhp |
true/t or false/f?
DECRYPTING . . .
     | Decrypted message: geiwev gmtlivw evi uymxi iewc xs gvego |
DECRYPTING . . .
     | Decrypted message: fdhvdu flskhuv duh txlwh hdvb wr fudfn |
true/t or false/f?
DECRYPTING . . .
     | Decrypted message: ecguct ekrjgtu ctg swkvg gcua vq etcem |
true/t or false/f?
DECRYPTING . . .
     | Decrypted message: dbftbs djqifst bsf rvjuf fbtz up dsbdl |
DECRYPTING . . .
     | Decrypted message: caesar ciphers are quite easy to crack |
true/t or false/f?
actions the service actions are serviced as the service actions are serviced actions.
~/Desktop/VSC_4174 $
```

3.

```
~/Desktop/VSC_4174 $ cd "/Users/serenadrouillard/Desktop/VSC_4174/" && Enter a string to encrypt: cryptography
Enter a keyword to use for the encryption: secret
Excrypted string: uvagxhyvcglr
~/Desktop/VSC_4174 $
```

4. The key could be just simply "a", because in each row there is only one instance of each letter, and the letters for the plaintext string determine the rows in the table to find the letters. So it could only be the first column that would produce the same letter as the letter in the plaintext string.

5.

```
~/Desktop/VSC_4174 $ cd "/Users/serenadrouillard/Desktop/VSC_4174/" && jav Please enter the String to encrypt, with % instead of spaces: WHY%IS%IT%50%WINDY? How many columns in the cipher matrix? 6 Send over the encrypted message, lets figure this key shit out. YTI%%N%ISD%SOY%HIW%N%%? [KEY: 2 3 4 5 1 0 ] ~/Desktop/VSC_4174 $ ■
```

key= 2,3,4,5,1,0

6.

```
~/Desktop/VSC_4174 $ cd "/Users/serenadrouillard/Desktop/VSC_4174/" && javac They, enter 1 for encrypting services or 2 for decrypting services.

2

~*****DeCrYpToNaToRrRrRr*******
Ok, give me the crazy looking cipher text, with % instead of spaces.
R%M%I%ED%IF%DTEI%!%RBNE%AOAGL%
Ok, now the key. How many numbers are in it? Just make this easy for me.

5
Ok cool, lets hear it then.
3 4 1 5 2
DARE%TO%DREAM%BIG%IN%LIFE!%%%%

K BYEEEE

~/Desktop/VSC_4174 $ ■
```

Message: Dare to dream big in life!

7.

```
~/Desktop/VSC_4174 $ cd "/Users/serenadrouillard/Desktop/VSC_4174/" && jaw Hey, we're gunna make a key matrix here, so what's the key phrase? NETWORK SECURITY Ok, now what's the message you want to encrypt? ALL GENERALIZATIONS ARE FALSE INCLUDING THIS ONE bh mh te nk bh dp hs dn tr is ng bh kt fr bx dm fr he fa ut et OK BYEE ~/Desktop/VSC_4174 $ ■
```

encrypted: bh mh te nk bh dp hs dn tr is ng bh kt fr bx dm fr he fa ut et

8. netwo secur

rkabc ityab dfghi dfghk Impqs Imnop uvxyz qvwxz

AL LG EN ER AL IZ AT IO NS AR EF AL SE IN CL UD IN GT HI SO NE

Encrypted: RN PD TM TS RP SR BY HP NS CC KM RN MR GP RP NL GP FY DA LP EC