Decant

If you can't decant, distil it.

JSFOO '16

cherry@zyx.in & santhosh.raju@gmail.com





- autobiographical events
- times, places, associated emotions
- Contextual who, what, when, where, why
- can be explicitly stated.















Let's say you were strolling down this street.




- What would you remember ?
 - Landmarks?
 - Events ? (ate jilebi, met my friend, knocked a bike down...)
 - People ? (was with friends ? Met the CEO of Hasgeek ?)
- What would you NOT remember ?
 - Date?
 - Names of all the shops ?
 - Number plates of all the cars?
 - Number of times you've been there?

- The high street of your modern mobile phone is CROWDED
- Cognitive load is higher:
 - Compressed timeline
 - Need to keep mental state
 - Multi-media, not just visuals –
 eg: reading headlines.
 - Interactive needs a response
 sometimes deferred.





COGNITIVE OVERLOAD! DATA TORRENT




As a programmer,


- How do you help reduce the cognitive load from crazy amounts of (often machine generated) data?
- **Notifications** are redundant now they are mostly ignored.
- But then that stream of data is never ending and sometimes a notification is personal and CRITICAL!
- How do you help a user to navigate through their episodic memory of this huge torrent of data?
- How do you devise the machine, that's partly the problem, to fix it?

We came up with

Decant #1



"DECANT" YOUR DATA INTO LABELS




- I remember this vague thing/picture/phrase
- I want to find/forward it NOW!
- Problem:
 - Every application is unique.
 - Applications won't talk to each other.
- Solutions:
 - Crowdsource! Decant is a guiderope to do this.

-Break the rules!

- The notification system is your **hack!**
- Case study: SMS
 - SMSs are structured in simple ways via fixed rules
 - Structured information is easier to navigate/narrow down to
- See: https://www.github.com/decant/decant

Decant #2




- Look further in your labelled pot of **Decant**
- Using the Filter, for eg: you can narrow down your search
- Example Validity of pizza offers
- Know which offer expires
 when without the need to keep
 a mental state on each of
 them.
- Never miss a Pizza Offer!! :-)

Anatomy of a Plugin

Holy Foo, it's in javascript!

```
function name() {
 // Name of the plugin.
}
function description() {
 // A brief description of what it does.
function filter(title) {
 // The condition to check to see if a
 // notification needs to be processed.
}
function extractor(message) {
 // Extract Useful information from the
 // Notification and pass it back.
function filterKeys() {
 // Keys that can be used for filtering the
 // extracted results.
}
function settings() {
 // Settings like whart sort of columns will be
 // displayed or not etc
```



What if you wanted to find that **shop** with the **shiny toy** you noticed **last year**, while you were eyeing that **hot guy/girl** eating **icecream**, just before your **face hit** the pavement?

Pic src: CC by 2.0 : https://flic.kr/p/6QbceF

Distil it

- What next "Road map"?
- Write your own plugins.
- UI improvements.
- "Framework"
- Start coding!



Questions?



Hackathon! https://github.com/decant/decant/issues/2