
pit (peer+git)





#### >\_ init

```
$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

$ pit init
Initalized new master drive:
e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67
```



## >\_ seed

\$ pit seed
Seeding repository:
e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67
press Ctrl+C to stop.



# >\_ clone

\$ pit clone e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67 project/ Downloading... done!

\$ git remote -v
origin /home/bob/project/.pit/repos/e5f263bd-ce67.git/ (fetch)
alice /home/bob/project/.pit/repos/e5f263bd-ce67.git/ (fetch)



```
$ echo "License: AGPLv3" >> README.md
$ git commit -am "Added peer friendly terms"
[master 9fbdcc1] Added peer friendly terms
1 file changed, 1 insertion(+)

$ pit init
Initializing writable drive..
Ask "alice <alice.zigowsky@email.tld>" to add:
538afe0cf24c7814da74d02a19a4467ae44216a3bc4b267aa7f5e1bf90736dab

$ pit seed
Seeding repository:
e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67
press Ctrl+C to stop.
```



### >\_ add

```
$ pit add 538afe0cf24c7814da74d02a19a4467ae44216a3bc4b267aa7f5e1bf90736dab
$ cat .git/AUTHORS
e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67
538afe0cf24c7814da74d02a19a4467ae44216a3bc4b267aa7f5e1bf90736dab
$ pit sync
Syncing... new commits discovered:
bob/master => 9fbdcc1
$ git remote -v
bob /home/bob/project/.pit/repos/538afe0c-6dab.git/ (fetch)
$ git merge bob/master
Updating 17d4188..9fbdcc1
Fast-forward
README.md | 1 +
1 file changed, 1 insertion(+)
$ pit seed
```



.git

```
git config --global --get user.name
git config --global --get user.email
```





```
{
   "key": "e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67",
   "name": "alice"
   "email": "alice.zigowsky@email.tld"
}
```



e5f263bdfb41a935d25fdce82f19a3e437f303f46d45a38183cc57ea7ab8ce67 538afe0cf24c7814da74d02a19a4467ae44216a3bc4b267aa7f5e1bf90736dab ef905acab13a863ecd51be10aa5f6d1514a0c6b34c02a3234a748f747aaa615b





```
master
feature/changed-all-stdout-to-stderr
---

# Changed Logging

To automate the cli using a bash script;

``bash
key=$(drives touch)
drives mirror .git/ $key

'``

I've changed all console.log() calls that output info, into console.error() calls instead.
```

### >\_ help

