


```
export function mountChartJs(canvas: HTMLCanvasElement) {  
  return new Chart(canvas, {  
    type: "line",  
    data: {  
      labels,  
      datasets: [{ data, borderColor: "#2563eb" }]  
    },  
    options: {  
      responsive: true,  
      maintainAspectRatio: false,  
      plugins: { legend: { display: false } },  
    },  
  });  
}
```



```
export function mountD3(host: HTMLElement) {
```

```
  const w = 600, h = 300, m = 32;
```

```
  const x = d3.scalePoint().domain(labels).range([m, w - m]);
```

```
  const y = d3
```

```
    .scaleLinear()
```

```
    .domain([0, Math.max(...data)]).range([h - m, m]);
```

```
  const line = d3.line<number>()
```

```
    .x((_, i) => x(labels[i]))!.y((d) => y(d));
```

```
  const svg = d3.select(host)
```

```
    .append("svg").attr("viewBox", `0 0 ${w} ${h}`);
```

```
  svg
```

```
    .append("path")
```

```
    .attr("fill", "none").attr("stroke", "#2563eb")
```

```
    .attr("stroke-width", 2).attr("d", line(data));
```

```
  svg
```

```
    .append("g").attr("transform", `translate(0, ${h - m})`)
```

```
    .call(d3.axisBottom(x));
```

```
  svg
```

```
    .append("g").attr("transform", `translate(${m}, 0)`)
```

```
    .call(d3.axisLeft(y));
```

```
}
```

KoolMore



PUSH



Coin
return



SHARPS




```
return new Chart(canvas, {
```



```
export function mountChilds(childVas:HTMLCanvasElement){
```

3

1

data: {}

responsible: true,

```
data_sets: [{data, border_color: "#2563eb"}]
```

options: {

Labels.

maintainAspectRatio: false,



`pubgins:: { legend:: { display: false } },`



CHOCOSINO TRAIL

WARONG WARSTARC

and what it costs us


```
export function mountD3(host: HTMLDivElement) {
```

```
const x = d3.scalePoint().domain(labels).range([m, w - m]);
```

```
domain([0,Math.max(...data)].range([h-m,m]);
```

`x(i,i)` $\Rightarrow$ `x(labels[i]!)` `y(d)` $\Rightarrow$ `y(d);`

const line = d3.select(line.number)()

const *xy* = 0d3

.append("path")

svd



scale linear()

```
const w = 600, h = 300, m = 32;
```

```
.attr('fil', 'none').attr('stroke', '#2563eb')
```

```
attr("stroke-width", 2).attr("d", line(data));
```

const svg = d3.select(host)

call(d3.axisBottom(x));

```
.append("svg").attr("viewBox", 0, 0, ${w}, ${h});
```



`.call(d3.axisLeft(y));`

```
    append("g").attr("transform", `translate(${n},0)`)
```

```
append("g").attr("transform",`translate(0,${h-m})`)
```