



```
<TextField
  id="email"
  name="email"
  label="Email address"
  type="email"
  variant="outlined"
  size="medium"
  color="primary"
  margin="normal"
  fullWidth
  required
  autoFocus
  autoComplete="email"
  helperText="We'll never share your email."
  error={!!errors.email}
  disabled={isSubmitting}
  InputProps={{
    startAdornment: <InputAdornment position="start">@</InputAdornment>,
  }}
  InputLabelProps={{ shrink: true }}
  FormHelperTextProps={{ sx: { ml: 0 } }}
  sx={{
    '& .MuiOutlinedInput-root': {
      borderRadius: 2,
      '&:hover .MuiOutlinedInput-notchedOutline': {
        { borderColor: 'primary.main' },
      },
      '&.Mui-focused .MuiOutlinedInput-notchedOutline': {
        { borderWidth: 2 },
      },
    },
    '& .MuiInputLabel-root': { fontWeight: 500 },
  }}
  slotProps={{ input: { 'aria-describedby': 'email-helper-text' } }}
/>
);
```




id = enaid





✂️ **Transfer in India**



awt for ows

Fun With
Indians

nevermind

autoComplete="email"





var i:int = 1; do { i++; } while (i < 10);

nama = 'enma'!


```
helpertext="We'll never share your email."
```

Input Props = {}

disabled = {issubmitting}



InputLabelProps={ { shrink: true } }



bonnieRadious: 2,

SX





```
startAddoment:<InputAddomentposition='start'>@</InputAddoment>
```



&:h0ver.Mu0ut7in0edInp0t-n0tch0ed0ut7ine':

From HelperTextProps $\equiv$ { {sx: ml: 0} }

&Main-focused.MainOutput-notchedOutputLine:



3

1

{borderColor:'primary.main',



```
&.MultiInputLabel-rot::fontWeight: 500},
```

errors = {!!!errors: main}

{borderWidth::2},

```
slotProps={ {input: {aria-describedby: 'helpertext'}} }
```




Design, it can be viewed when you design system diverges significantly from the

While Material is excellent for building steel structures that are closely tied to Material

defaults. We get it. We've all been there.



Michael Dukakis and Sam Sydnore



Introducing MJ11 Base: the alternative to Material 11

September 6, 2022