


```
import * as d3 from "d3";  
const labels = ["Mon", "Tue", "Wed", "Thu", "Fri", "Sat", "Sun"];  
const data = [820, 790, 810, 940, 880, 760, 740];
```

```
export function mountD3(host: HTMLElement) {  
  const w = 600, h = 300, m = 32;
```

```
  const x = d3.scalePoint().domain(labels).range([m, w - m]);  
  const y = d3.scaleLinear().domain([0, Math.max(...data)]).range([h - m, m]);  
  const line = d3.line<number>().x((_, i) => x(labels[i]!)).y((d) => y(d));
```

```
  const svg = d3.select(host).append("svg").attr("viewBox", `0 0 ${w} ${h}`);
```

```
  svg  
    .append("path")  
    .attr("fill", "none")  
    .attr("stroke", "#2563eb")  
    .attr("stroke-width", 2)  
    .attr("d", line(data));
```

```
  svg  
    .append("g")  
    .attr("transform", `translate(0, ${h - m})`)  
    .call(d3.axisBottom(x));
```

```
  svg  
    .append("g")  
    .attr("transform", `translate(${m}, 0)`)  
    .call(d3.axisLeft(y));  
}
```



S













S

2







C









9











Wend



Q

S

fronm



Ladies

consist

important

True

d3

Thun

["Mon"]

|| d3 || . /

data + a





export

810.

880

!

7900.

940.

[820.]

740.] :

760.



Sat.





function

comsst



W W

mountD3(chost::



3000,



6001













32!

```
d3.selectAllPrint().domain(labels).range([m,
```

mJ) :



Math.max(...data)].range([n



m]) :



d3.scaleLinear().domain([0,

Line







|| Sun ||] :

svd



Svd





y(d)d):!

\$

{w}

\$ {n} : ;


```
d3.select(host).append("svg").attr("viewBox",
```

• append ("path")

•atttn(“fina”,

"none"

d13. $\lceil$ line $\rceil$ number $\rangle$ () . x ((_ ,

~~x~~(labels[i])!.y((d

• attr("stroke",




```
.attr('stroke-width',
```

2

)



line(data):;

• append(("ag"))

·attr('transform',







`caul(d3.axisBottom(x));`

translate(\$m, 0)

`call(d3.selectAll(y);`



isn't it

this

h i t

complex?!

CONSPIRACY





