

Decision Provenance Standard™ v1.3 — Companion D: Diagrams

Status: Companion to the Decision Provenance Standard v1.3 (rev. 11). Explanatory, **non-normative**.

These figures are explanatory aids, not normative. The text of the Standard is the contract; every figure here *illustrates* a section of that text. What is shown in " / "illustrated by," never "as required by." Every state name, transition label, field name, enum value, signal name, and controlled-vocabulary term, including hyphens, and underscores.

Notation Key

The figure set uses one consistent visual language. Learn it once; it holds across all eight figures.

Notation	Meaning
Rounded rectangle	A state or a step
Double border	Terminal / irreversible state (e.g., Charter closed , record affirmed + sealed)
Solid arrow	A transition
Dashed arrow	A conditional / edge-case transition, or a one-way pointer
Accent (a single desaturated blue, plus heavier stroke)	The one load-bearing element of a figure — comprehension does not depend on color
Monospace text	A literal field name, enum value, or signal token (e.g., mode_declaration , disclosure)

Color is never the only signal. Every distinction is carried by shape, border style, stroke weight, or label, so the figures remain fully legible in grayscale.

List of Figures

Figure	Title
Figure 3-1	Charter Lifecycle State Machine
Figure 3-2	Mode Dispatch Grammar and the Embedded-Mode-2 Edge Case
Figure 4-1	Disclosure Block Flow
Figure 4-2	Mode-Drift Four-Layer Composed Mitigation
Figure 4-3	Emission-Cadence by Semantic Class
Figure 5-1	Decision-Record State Machine: Two Distinct State Families
Figure 6-1	Artifact-Set Relationship Map
Figure 7-1	The Three Conformance Levels: Cumulative Criteria

Figure 3-1 — Charter Lifecycle State Machine

```
stateDiagram-v2
    direction TB

    state "open" as open
    state "mode-declared" as mode_declared
```


```


state "fields-required" as fields_required
state "fields-completed" as fields_completed
state "closed" as closed
state "new Charter v2 (prior_charter_ref)" as newCharter

[*] → open : charter_id, charter_name,<br/>decision_class, accountable_owner,<br/>created_at
open → mode_declared : mode_declaration populated<br/>(mode-1 / mode-2 /<br/>mode-1-with-embedded-mode-2-summary)
mode_declared → fields_required : inside_decisions, outside_decisions,<br/>cadence, record_location,<br/>re_decision_triggers, escalation
fields_required → fields_completed : schedule_of_records,<br/>conformance_level_declared,<br/>conditional disclosure_metadata_pointer
fields_completed → closed : closed_at set<br/>(subsumption / dissolution / retirement)
closed → [*]
closed → newCharter : reactivation =<br/>NEW Charter (dashed)

```

Figure 3-1 — Charter Lifecycle





individual records interrupt.



Charter lifecycle state machine: a forward-only sequence open, mode-declared, fields-required, fields-completed, closed, with a dashed off-ramp from closed to a new Chart

Figure 3-1 — Charter Lifecycle State Machine. A forward-only state machine in which each transition is gated by a named set of Charter fields; `clo`


Full description. The Charter lifecycle is a forward-only state machine with five states: `open`, `mode-declared`, `fields-required`, `fields-completed`, and `closed`. Creation into `open` requires `charter_id`, `charter_name`, `decision_class`, `accountable_owner`, and `created_at`; `open` to `mode-declared` requires `mode-declared`; `mode-declared` to `fields-required` requires `inside_decisions`, `outside_decisions`, `cadence`, `record_location`, `re_decision_triggers` (at least one of `schedule_of_records`, `conformance_level_declared`, and a conditional `disclosure_metadata_pointer` when the mode is `mode-2` or `mode-1-with-dissolution`, or explicit retirement. The `closed` state is terminal; a closed Charter cannot return to a prior state. Reactivation creates a new Charter `Charter v2` node, not a back-edge into any prior state. The `review-required` interrupt is deliberately absent here: it is a record-level state, not a Charter-level state.

Illustrates §3.3.

Figure 3-2 — Mode Dispatch Grammar and the Embedded-Mode-2 Edge Case

```
flowchart TB
    subgraph altitudes["Two altitudes - 1:1 value alignment"]
        direction LR
        charterField["Charter altitude field:<br/><b>mode_declaration</b>"]
        recordField["Record altitude field:<br/><b>dispatch_mode</b>"]
        charterField -. "same enum value" .-> recordField
    end
    altitudes --> enumGate["Exhaustive enumeration -<br/>exactly three values.<br/>No fourth mode."]
    enumGate --> m1["<b>mode-1</b><br/>Mode 1 - Human-Led, AI-Enforced"]
    enumGate --> m2["<b>mode-2</b><br/>Mode 2 - AI-Led, Human-Reviewed"]
    enumGate --> m1e["<b>mode-1-with-embedded-mode-2-summary</b><br/>human-authored container,<br/>AI-authored embedded sub-outputs"]
    m2 -. "requires the disclosure block" .-> a50["Disclosure block flow<br/>(see Figure 4-1)"]
    m1e --> edgeInset
    subgraph edgeInset["Edge-case inset - authorship is content-level, not container-level"]
        direction TB
        container["mode-1 container<br/>(human-authored)"]
        embedded["embedded AI-generated span<br/>carries its OWN disclosure block:<br/><b>mode_1_edge_case_flag = true</b>"]
        container --> embedded
    end
    edgeInset --> enumGate
    enumGate -. "no runtime fourth mode" .-> fourth["A fourth mode is raised as an issue or<br/>pull request (GOVERNANCE.md),<br/>NEVER a runtime error"]
```

Figure 3-2 — Mode Dispatch Grammar and the E



(see Figure 4-1)

Mode dispatch grammar: two aligned altitude fields `mode_declaration` and `dispatch_mode` feeding an exhaustive three-value enumeration, with an inset showing content-le

Figure 3-2 — Mode Dispatch Grammar and the Embedded-Mode-2 Edge Case. Mode is declared at two altitudes that align one-to-one, drawn from :


Full description. Mode is declared at two altitudes that align one-to-one: the Charter field `mode_declaration` and the decision-record field `dispatch_mode-2` (Mode 2 — AI-Led, Human-Reviewed), and `mode-1-with-embedded-mode-2-summary` (Mode 1 with the embedded-Mode-2-summary edge case). A human-authored `mode-1` container holds an AI-authored embedded span; authorship is judged at the content level, not the container level, so that no fourth mode exists; a fourth mode is raised as an issue or pull request under GOVERNANCE.md, never through a runtime workaround. The three `dispatch_mode` are fields, and `mode-1 / mode-2 / mode-1-with-embedded-mode-2-summary` are enum values.

Illustrates §3.4, §4.4, §4.7.

Figure 4-1 — Disclosure Block Flow

```
flowchart TB
    subgraph block["Disclosure block — exactly FIVE required fields"]
        direction TB
        f1["declaring-authority"]
        f2["ai-system-identity"]
        f3["jurisdictional-applicability-tag<br/>{eu, us-federal, us-delaware, uk, israel, other:&lt;jurisdiction&gt;}"]
        f4["content-type-tag<br/>{decision-summary, recommendation, decision-aid,<br/>draft, classification, synthetic-media, other:&lt;type&gt;}"]
        f5["generation-timestamp"]
    end
    block --> anon["4-of-5 anonymization gate"]
    anon --> pass["FOUR fields pass through UNCHANGED:<br/>ai-system-identity, jurisdictional-applicability-tag,<br/>content-type-tag, generation-timestamp"]
    anon --> transform["ONLY declaring-authority may be replaced,<br/>by a placeholder such as:<br/><b>anonymized-deployer-class:product-organizational-unit</b>"]
    pass --> test["Conformance test: a required block lacking ANY of the five fields<br/>≥&gt; non-conformant at Level 2+"]
    transform --> test
```

Figure 4-1 — Disclosure Block



Disclosure block flow: five required fields feeding a four-of-five anonymization gate where four fields pass unchanged and only declaring-authority may be replaced by a placeholder

Figure 4-1 — Disclosure Block Flow. The disclosure block has exactly five required fields; under the 4-of-5 anonymization rule, four survive unchanged

Full description. The disclosure block has exactly five required fields: `declaring-authority`, `ai-system-identity`, `jurisdictional-applicability-tag`, `content-type-tag`, and `generation-timestamp`. The `jurisdictional-applicability-tag` takes a value from {eu, us-federal, us-delaware, uk, israel, other:<jurisdiction>}, recording where the content was created or where it circulates. The `content-type-tag` takes a value from {draft, classification, synthetic-media, other:<type>}. Under the four-of-five anonymization rule, four fields survive anonymization unchanged

`class:product-organization` . That placeholder contains the substring "product-organization" but is not framing text. A required block lacking any Mode 2 content and for AI-drafted content embedded in Mode 1, unless the Charter declares the exclusion (or was written before v1.1 and its output

Illustrates §4.6.2, §4.6.3.

Figure 4-2 — Mode-Drift Four-Layer Composed Mitigation


Figure 4-2 — Mode-Drift Four-Layer Composed Mitigation

Structural answer to silent Mode 1 to Mode 2 drift. Orthogonal composition: no two layers share

Layer	Actor (independence axis)	Detection moment (independence axis)
Layer 1 — statistical detection	independent classifier (disjoint corpus)	post-close population sampling
Layer 2 — in-flow audit hook	original declaring authority	record-close hard gate
Layer 3 — Mode-Confirmation Audit primitive	designated peer reviewer (named in the Charter; not the original author; not the Charter owner if the owner is the author)	review-required interrupt
Layer 4 — Named Human-Attestation Fallback (double border = binding)	named attestor	record-close binding

Two composition axes: actor-independence and detection-moment-independence (no two layers share)
Safety property: combined false-negative bounded by the product of layer rates; false-positive bounded

Phased Layer 1 rollout



The silent-drift failure mode is closed day-one (Layers 2/3/4 live day-one); Layer 1 adds population-le

Explanatory figure (non-normative). The text is the contract; this figure illustrates it.

Mode-drift mitigation as a four-row matrix of orthogonal layers by Layer, Actor, Detection moment, and Coverage, plus a phased Layer 1 rollout timeline strip.

Figure 4-2 — Mode-Drift Four-Layer Composed Mitigation. Four orthogonal mitigation layers — no two sharing an actor or a detection moment —

Full description. The Mode-Drift mitigation composes four orthogonal layers, no two sharing an actor or a detection moment. Layer 1, statistical detection, coverage is a 15% baseline, up to 100% on the first hundred records, and 30% on embedded-summary Charters, and it routes drift candidates above authority as a record-close hard gate, covering 100 percent of Mode-1 records through a four-question Substantive-Authorship Challenge (Q1–Q4); Y 3 and blocks `closed`. Layer 3, the Mode-Confirmation Audit primitive, is run by a designated peer reviewer (named in the Charter; not the original migrates, or demotes per §6.4 and is the only layer with authority to change Mode classification. Layer 4, the Named Human-Attestation Fallback, is `mode_classification_attestation` object. The two composition axes are actor-independence and detection-moment-independence; the combined Layer 1 rolls out in phases: detection-only in weeks 1–3 (corpus A + B), detection-only in weeks 4–6 (corpus C adversarial), and enforcement from week 7.

Illustrates §4.8.1.

Figure 4-3 — Emission-Cadence by Semantic Class





Figure 4-3 — Emission-Cadence




Level 2 signals (‘

Per-record signals fire
record state each one
closed, affirmed
or drafted onwa

Sample-level signals fire at AL
(15% rolling / first-100 / 30%
summary override
no_silent_mode_drift_in
no_passive_promotion_to_affir
redaction-attestation, altitu

Level 3 signals (‘

Fire at every state tra
+ scheduled reporte




Emission-cadence as a three-row temporal strip: Level 1 signals fire at Charter-state events, Level 2 signals split into per-record and audit-cadence firing, Level 3 signals fire c

Figure 4-3 — Emission-Cadence by Semantic Class. Signal emission frequency is matched to the rate at which each signal's truth can actually chan

Full description. Conformance signals fire on a cadence matched to how fast their truth can change. The six Level 1 signals fire at Charter `fields-i`. The twelve Level 2 signals split into per-record signals that fire at the record state each one reads (`record closed`, `affirmed`, or from `drafted onw` `no_passive_promotion_to_affirmed_in_sample`, redaction-attestation, and altitude-consent — that fire on an audit cadence of 15% rolling with first-scheduled reporter runs, being continuously auditable by definition. There are 24 signals in total: 6 Level 1, 12 Level 2, 6 Level 3.

Illustrates §4.8.2.

Figure 5-1 — Decision-Record State Machine: Two Distinct State Families




```

state "Family A – schema dispatch states (record_state field), section 6.2" as FamilyA {
    direction TB
    state "dispatched" as dispatched
    state "drafted" as drafted
    state "closed" as closedA
    state "review-required" as reviewRequired
    state "re-opened-with-mode-migration" as reopened
    [*] → dispatched
    dispatched → drafted
    drafted → closedA
    drafted → reviewRequired : interrupt
    reviewRequired → reopened : re-open
    reopened → drafted : migration loop
    closedA → [*]
}

state "Family B – record lifecycle states, section 5.1" as FamilyB {
    direction TB
    state "draft" as draftB
    state "reviewed" as reviewed
    state "affirmed" as affirmed
    [*] → draftB
    draftB → reviewed
    reviewed → affirmed
    affirmed → [*]
}

```

Figure 5-1 — Decision-Record State Machine: T




Decision-record state machine drawn as two visually separate lanes: Family A schema dispatch states dispatched, drafted, closed with a review-required interrupt and re-open

Figure 5-1 — Decision-Record State Machine: Two Distinct State Families. A decision record carries two deliberately distinct state families — schema dispatch states and record lifecycle states. A decision record carries two deliberately distinct state families that must not be conflated, drawn as two separate lanes. Family A is the schema dispatch states, rendered as a separate track: `dispatched`, then `drafted`, then `closed`. Family A is not a separate enum field — `dispatched`, `drafted`, and `closed` are simultaneously. The past-tense schema state `drafted` (Family A) is distinct from the lifecycle state `draft` (Family B); conflating them is a conformance error. *Illustrates §5.1, §6.2.*

Figure 6-1 — Artifact-Set Relationship Map

Figure 6-1 — Artifact-Set Relationship Map

One-picture orientation: how the standard's parts compose before the normative prose. Arrows in p



Explanatory figure (non-normative). The standard points one-way to the deploying organization's m

Artifact-set relationship map: a Charter governs a decision class, declares a Mode, commits a Schedule of Records, names `accountable_owner`, and declares `conformance_level_declared`; Conformance Signals grade Conformance Levels; a one-way dashed pointer leads to the deploying organization's methodology.

Figure 6-1 — Artifact-Set Relationship Map. A one-picture orientation showing how the standard's artifacts compose before the reader reaches the **Full description**. This orientation map shows how the standard's artifacts compose. A Charter governs a decision class, declares a Mode (Figure 3-2). The Schedule of Records enumerates five required record types: Decision record, Re-decision record, Escalation record, Charter-amendment record, and Disclosure-review record. A Decision Record is dispatched under a Charter, carries `dispatch_mode`, transits the record lifecycle (Figure 5-1), and conditionally attaches a Disclosure Block (Figure 4-1) on Mode 2 and Mode-1 edge-cases. Conformance Signals read off the Charter, record, lifecycle, and schedule, and determine the emission cadence (Figure 4-3). The standard points one-way, via a dashed neutral pointer, to the deploying organization's methodology; it does not

Figure 7-1 – The Three Conformance Levels: Cumulative Criteria

```
flowchart TB
  subgraph L3["Conformance Level 3 – Continuously Auditable (section 7.4.1) – subsumes Level 2"]
    l3a["1. Re-decision triggers fire and produce records on the declared cadence"]
    l3b["2. Escalation rule produces records when invoked"]
    l3c["3. Disclosure blocks reviewed within the review cadence (last_reviewed_at, or a disclosure-review record)"]
    l3d["4. Schedule of records is queryable and exportable on demand"]
  end
  subgraph L2["Conformance Level 2 – Mode-Disambiguated (section 7.3.1) – subsumes Level 1"]
    l2a["1. Every decision record carries its dispatch_mode field"]
    l2b["2. Every Mode 2 record within the §4.6 requirement carries a complete disclosure block (FIVE fields – see Figure 4-1)"]
    l2c["3. Every Mode 1 edge-case record whose embedded content is within the §4.6 requirement carries a per-record disclosure block ("]
    l2d["4. Schedule sample audit returns no silent drift (no_silent_mode_drift_in_sample)"]
  end
  subgraph L1["Conformance Level 1 – Charter-Conformant (section 7.2.1)"]
    l1a["1. Charter has reached the fields-completed lifecycle state"]
    l1b["2. mode_declaration populated with one of three values"]
    l1c["3. Schedule of records committed and non-empty"]
    l1d["4. record_location resolves to a durable surface"]
    l1e["5. accountable_owner names one human"]
    l1f["6. re_decision_triggers meets two-class minimum"]
    l1g["7. escalation_rule populated with a named, exact trigger"]
  end
  end
end
L3 → rule["Cumulative rule: a Charter that does not grade at Level 1 cannot grade at Level 2 or 3."]
rule → footer["self-declared; the Steward does not certify, grade, or audit."]
```

Figure 7-1 — The Three Conformance Lev

Conformance Level 3 — Continuously Auditable (section 7.3)

1. Re-decision triggers fire and produce records on the Charter's declared cadence

2. Escalation rule produces records when invoked

3. Disclosure blocks reviewed within the review cadence (last_reviewed_at, or a disclosure-review record)

Conformance Level 2 — Model

Three conformance levels drawn as nested bands: Level 1 Charter-Conformant with seven criteria innermost, Level 2 Mode-Disambiguated with four criteria, Level 3 Continuous

Figure 7-1 — The Three Conformance Levels: Cumulative Criteria. Three cumulative conformance levels drawn as nested bands; all are self-declared

Full description. The three conformance levels are cumulative, drawn as nested bands with Level 1 innermost. Level 1, Charter-Conformant (§7.2.1) is populated with one of the three enumerated values (`mode-1` , `mode-2` , `mode-1-with-embedded-mode-2-summary`); the schedule of records is committed; `re_decision_triggers` meets the two-class minimum; and `escalation_rule` is populated with a named, exact trigger. Level 2, Mode-Disambiguate, has a `dispatch_mode` field; every Mode 2 record within the §4.6 requirement carries a complete disclosure block of five fields (Figure 4-1); every Mode 1 embeds the point reading `mode_1_edge_case_flag` ; and the schedule-of-records sample audit returns no silent drift findings (`no_silent_mode_drift`). Level 3, Continuous, has `re_decision_triggers` fire and produce records on the declared cadence; the escalation rule produces records when invoked; disclosure blocks are reviewed with the `reviewed` field; and the schedule of records is queryable and exportable for counsel and auditor review on demand. A Charter that does not grade at Level 1 cannot grade at Level 2 or 3. All levels are self-declared.

Illustrates §7.2, §7.3, §7.4.

End of Companion D.

The records are input, not evidence. The Standard informs frameworks without satisfying them. Conformance is self-declared; no body certifies it. It is not legal advice and is not a product. Decision Provenance Standard™ v1.3 – Reading Edition (rev. 11). Open standard under CC-BY 4.0. Not a certified product. Founding Steward: Yohay Etsion; institutional Steward: Etsion

Conformance Level 1 — Charter-Conformant

1. Charter has reached the fields-completed lifecycle stage

2. `mode_declaration` populated with one of three values (`mode-1`, `mode-2`, `mode-1-with-embedded-mode-2-summary`)

3. Schedule of records committed and non-empty

4. Schedule of records is queryable and exportable for counsel and auditor on demand

4. record_location resolves to durable surface

5. accountable_owner named one human

6. re_decision_triggers meet two-class minimum

7. escalation_rule populated with a named, exact trigger

Cumulative rule: a Charter that does not grade

at Level 1 cannot grade a
Level 2 or 3.



self-declared; the Steward
does not certify, grade, or au

