



Free To Use & Open-Source

Invoicing, Quotes, Expenses, & Time-tracking, built with Laravel





5,658

Looking for hosted invoicing, payments, and time-tracking? Visit InvoiceNinja.com

```
<!DOCTYPE html>
<html lang="en">
<head>
             <title>Dashboard | Invoice Ninja</title>
        <meta name="description" content="Invoice Ninja is a free, open-source solut</pre>
access to the web. Your clients can print your invoices, download them as pdf files,
        <link href="https://app.invoiceninja.com/favicon-v2.png" rel="shortcut icon"</pre>
    <!-- Source: https://github.com/hillelcoren/invoice-ninja -->
    <!-- Version: 2.5.0.3 -->
    <meta charset="utf-8">
    <meta property="og:site_name" content="Invoice Ninja" />
    <meta property="og:url" content="https://app.invoiceninja.com" />
    <meta property="og:title" content="Invoice Ninja" />
    <meta property="og:image" content="https://app.invoiceninja.com/images/round_log</pre>
    <meta property="og:description" content="Simple, Intuitive Invoicing." />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="csrf-token" content="J8wHvHycPCz0XgzhcwGjutFYw6fqSlh6013hY8yw">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="msapplication-config" content="none"/>
    <link rel="canonical" href="https://app.invoiceninja.com/dashboard" />
    <script src="https://app.invoiceninja.com/built.js?no_cache=2.5.0.3" type="text/</pre>
    <script type="text/javascript">
        var NINJA = NINJA || {};
        NINJA.fontSize = 9;
        NINJA.isRegistered = true;
        window.onerror = function (errorMsg, url, lineNumber, column, error) {
   if (errorMsg.index0f('Script error.') > −1) {
             }
             try {
                  // Use StackTraceJS to parse the error context
                  if (error) {
                      var message = error.message ? error.message : error;
                      StackTrace.fromError(error).then(function(result) {
                          var qps = new StackTraceGPS();
                          gps.findFunctionName(result[0]).then(function(result) {
                               logError(errorMsg + ': ' + JSON.stringify(result));
                          });
                      });
                  } else {
                      logError(errorMsg);
             } catch(err) {}
             return false;
        }
         function logError(message) {
             $.ajax({
                 type: 'GET',
                 url: 'https://app.invoiceninja.com/log_error',
                  data: 'error='+encodeURIComponent(message)+'&url='+encodeURIComponen
             });
        }
         /* Set the defaults for DataTables initialisation */
        $.extend( true, $.fn.dataTable.defaults, {
    "bSortClasses": false,
    "sDom": "t<'row-fluid'<'span6'i><'span6'p>>l",
             "sPaginationType": "bootstrap",
             "bInfo": true,
             "oLanguage": {
                  'sEmptyTable': "No data available in table",
```





Installation Options







LEARN MORE



Guide for CentOS & Nginx

LEARN MORE





LEARN MORE

BUILT WITH: Read Full List











Knockout.

Documents + Support











Invoice Ninja.org

User Guide

API Docs

Zapier

Integromat

GitHub

Support Forum

GDPR