
cisco Live!
TURN
IT
UP

The bridge to possible

How to leverage Cisco IOx to host your application?

Microservices at the Networks Edge

Daniel Eckstein, TME / Solution Architect

DEVWKS-2934

cisco Live!

Agenda

- Introduction
- What is IOx?
- What is a DevNet Sandbox?
- Let’s prepare and install an application!
- Conclusion and Next Steps

Introduction

About our workshop

We will:

- Familiarize with Cisco IOx
- Get to know Cisco DevNet Sandboxes
- Prepare, install and operate your application to IOx

We will not:

- Use an automated control-plane or build-pipeline
- Optimize the application or the application image

Please…

- If you have questions, don’t hesitate to ask!

- If you don’t want to ask during the workshop, I will be around!

- If you want to exchange later: daecksteˆcisco.com

- Do not follow the guide blindly!

What is IOx?

Cisco IOx



{Buy}

Get Started Fast

Using Cisco Edge Intelligence for edge data processing is the fastest and easiest way to process and send data from the edge

{Or Build}

Your Own App

Using Cisco IOx compute infrastructure and development environment you can build your own Docker app that runs at the edge. You manage the lifecycle of your application and monitor its operation.

Cisco IOx - Summary

- Cisco IOx
  - is short for “Cisco IOS + Linux”
  - allows you to host custom applications
  - grants your application a share of the device-resources
  - provides access to subsystems and subtended devices
  - is being supported on many devices from the Cisco portfolio

- Applications
  - can be created in VM-style or Docker-style
  - can be managed via CLI, IoT OD or Local-Manager

See: https://www.cisco.com/c/en/us/products/cloud-systems-management/iox/index.html

What is a DevNet Sandbox?

Cisco DevNet

- DevNet supports Developers with various resources

- DevNet covers all areas of Cisco Business

Cisco DevNet - Sandbox



See: https://devnetsandbox.cisco.com

Let’s prepare and install your application!

About your application for today



Workflow to create your Docker application



package.yaml: https://developer.cisco.com/docs/iox/#!package-descriptor

Your application internals

```dockerfile
FROM alpine:latest AS build

RUN apk update && \
    apk add make g++ jpeg-dev blas-dev blas openblas openblas-dev python3 py3-pip libxml2-dev libxslt-dev gcc libxml2 python3-dev linux-headers musl-dev  && \
    apk add py3-matplotlib py3-wheel py3-numpy py3-scipy py3-pandas && \
    pip3 install pyshark seaborn && \
    mkdir -p /data/appdata
```

```dockerfile
FROM alpine:latest

RUN apk update && \
    apk add python3 wireshark-common tshark

COPY --from=build /usr/lib/python3.8/site-packages/ /usr/lib/python3.8/site-packages/
COPY --from=build /usr/lib/libxml2.so.2 /usr/lib/
COPY --from=build /usr/lib/libxslt.so.1 /usr/lib/
COPY --from=build /usr/lib/libexslt.so.0 /usr/lib/
COPY --from=build /usr/lib/libgcrypt.so.20 /usr/lib/
COPY --from=build /usr/lib/libgpg-error.so.0 /usr/lib/
COPY --from=build /usr/lib/libopenblas.so.3 /usr/lib/
COPY --from=build /usr/lib/libgfortran.so.5 /usr/lib/
COPY --from=build /usr/lib/libgcc_s.so.1 /usr/lib/
COPY --from=build /usr/lib/libfreetype.so.6 /usr/lib/
COPY --from=build /usr/lib/libstdc++.so.6 /usr/lib/
COPY --from=build /usr/lib/libpng16.so.16 /usr/lib/
COPY --from=build /usr/lib/libbrotlidec.so.1 /usr/lib/
COPY --from=build /usr/lib/libbrotlicommon.so.1 /usr/lib/
COPY --from=build /usr/lib/libjpeg.so.8 /usr/lib/
COPY --from=build /usr/lib/libopenjp2.so.7 /usr/lib/
COPY --from=build /usr/lib/libimagequant.so.0 /usr/lib/
COPY --from=build /usr/lib/libtiff.so.5 /usr/lib/
COPY --from=build /usr/lib/libxcb.so.1 /usr/lib/
COPY --from=build /usr/lib/libXau.so.6 /usr/lib/
COPY --from=build /usr/lib/libXdmcp.so.6 /usr/lib/
COPY --from=build /usr/lib/libbsd.so.0 /usr/lib/
COPY *.py *.sh *.html /data/appdata/
RUN addgroup root wireshark

EXPOSE 8080

CMD ["/bin/sh","/data/appdata/start.sh"]
```

- It is a regular Dockerfile
- Example available via github

What we heard so far …

- Cisco DevNet provides you resources for education, exploration and testing
- Cisco IOx provides you the capability to host your application on Cisco devices
- Applications can be provided as Docker images

Preparing and installing an application!

- The overall Setup
- Access your Sandbox
- Create your docker image
- Save your docker image
- Install your docker image to your IOx
- Access your running application

The overall Setup



1. Get Access
2. Create Docker image
4. Create IOx application
5. Deploy your image
6. Start your application

But before we start!

https://bit.ly/cl2022-iox



Access your Sandbox

https://bit.ly/cl2022-iox



Current Task:

Use Anyconnect to open a VPN connection to your sandbox.
Please use the **VPN credentials provided to you at your desk**.

Use a terminal to log in: **ssh -l developer 10.10.20.50**

Password: **C1sco12345**

https://bit.ly/cl2022-iox

Create your Docker Image



Current Task:

```
git clone https://github.com/deckstein/iox-traffic-application

cd iox-traffic-application

docker build . --tag ioxapp

docker image ls
```

https://bit.ly/cl2022-iox

Save your Docker Image



Current Task:

```
docker image save ioxapp -o ioxapp.tar
```

Create your IOx profile

https://bit.ly/cl2022-iox



Current Task:

ioxclient
Creating one time configuration.
Your / your organization's name : CLUS22
Your / your organization's URL :
Your IOx platform's IP address[127.0.0.1] : 10.10.20.51
Your IOx platform's port number[8443] :
Authorized user name[root] :
Password for root : cisco123
Local repository path on IOx platform[/software/downloads]:
URL Scheme (http/https) [https]:
API Prefix[/iox/api/v2/hosting/]:
Your IOx platform's SSH Port[2222]:
Your RSA key, for signing packages, in PEM format[]:
Your x.509 certificate in PEM format[]:
Activating Profile default
Saving current configuration

https://bit.ly/cl2022-iox

Create your IOx application package



Current Task:

```
ioxclient docker package ioxapp.tar package/
```

https://bit.ly/cl2022-iox

Deploy your IOx application package

We are here.

Devnet Sandbox



Current Task:

```
ioxclient --profile CLUS22 application install ioxapp package/package.tar
```

https://bit.ly/cl2022-iox

Activate your IOx application



Current Task:

```
ioxclient --profile CLUS22 application activate ioxapp --docker-opts "-p 8080:8080 --dns 10.17.248.11" --payload activation.json
```

cisco Live!

https://bit.ly/cl2022-iox

Start your application



Current Task:

ioxclient --profile CLUS22 application start ioxapp

https://bit.ly/cl2022-iox

Access your application

Point your browser to: http://10.10.20.51:8080/



Cisco Webex

Questions?

Use Cisco Webex to chat with the speaker after the session

How

1. Find this session in the Cisco Events Mobile App
2. Click “Join the Discussion”
3. Install Webex or go directly to the team space
4. Enter messages/questions in the team space



ciscolive.ciscoevents.com/ciscolivebot/INSERT SESSION ID

Continue your education

Demos in the Cisco Showcase

Walk-In Labs

Meet the Engineer 1:1 meetings

Related sessions

Complete your online Session Survey

- Please complete a minimum of 4 session surveys and the overall conference survey (starting Thursday) to help us with the future planning of Cisco Live
- All surveys can be taken in the Cisco Events Mobile App or by logging in to the Session Catalog on ciscolive.com/emear
- Cisco Live sessions will be available for viewing on demand after the event at ciscolive.com

cisco Live!

The bridge to possible

Thank you

cisco Live!


cisco Live!
TURN
IT
UP