
MVSY-100 series

SOLENOID VALVE






Caution

- Don't continuously energize for over 2 hours.
- The total energizing time of a day is not allowed to exceed the total non-energizing time even if it is intermittent energizing.

Specification

Model		4E1	4E2	4E2 C.P.R
Bore No.		M5		
Port size		M5×0.8		
No. of port		5		
No. of position		2		3
Medium		Air		
Operating perssure range		0.2~0.7 MPa		
Operating perssure (LP)		0.0~0.7 MPa		
Pilot pressure range (LP)		0.25~0.7 MPa		
Proof pressure		1 MPa		
Effective	Body ported	4.5 mm²		
orifice	Manifold	4.5 ו	mm²	4.5 / 5 / 4.5 mm ²
Reponse time		15 ms		
Ambient temperature		+5~+50°C		
Max. operating frequency		5 Hz		
Voltage		AC110V, 220V (50/60)Hz, DC24/12/6V		
Power consumption		AC=1.6/2.5VA, DC6=1.2W, DC12/24=0.55W		
Available voltage range		±10%		
Insulation class		B class		
Weight		30 g	44 g	59 g

Order example of valve




- *1. Plug with flying leads **JPC** type.
- *2. Plug with flying leads RMH type.

Order example of manifold

Order example of wire

* Use the same wire with MVDY.






MVSY-100 Dimensions



SOLENOID VALVE


MVSY-100-4E1 MVSY-100-4E2 315 R2 P R1 315 R2 P R1 5-M5×0.8 9.8 21.4 5-M5×0.8 21.4 8.6 2-ø2 thru 2-ø2 thru 11 99 (101.8) 70 (71.4) 26 26 20 20 16 9 2-M3×0.5×5 depth 2-M3×0.5×5 depth 9.5 9.5 9.5 9.5 11 MVSY-100-4E2C.P.R



108.5 (111.3)

59 (60.4)

Flow features



(): Dimension for LJ plug type.




MVSY-100 Manifold


SOLENOID VALVE



MVSY-100-5B*

5 port (for body ported type)








No. of stations	Р	L
2	30.5	48.5
3	41	59
4	51.5	69.5
5	62	80
6	72.5	90.5
7	83	101
8	93.5	111.5
9	104	122
10	114.5	132.5

MVSY-100M-5M*

5 port (for manifold type)








(): Dimension for LJ plug type.

LP

External pilot



No. of stations (N)	Р	L
2	39.5	47.5
3	52	60
4	64.5	72.5
5	77	85
6	89.5	97.5
7	102	110
8	114.5	122.5
9	127	135
10	139.5	147.5




MVSY-100 Mounting bracket







24


Order example of bracket






MVSY-100-1A







2-ø3.2

MVSY-100-2A

