


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.	1.296 s	1	0	1	0	7	5	1	1	

FAIL & SKIP SCENARIOS -- 3 --


#	Feature Name	Scenario Name
1	This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.	POST Method Test - create new user using POST method

TAG	Scenario			Feature					
Name	T	P	F	S	T	P	F	S	
@api-test2	1	0	1	0	1	0	1	0	
@post-method	1	0	1	0	1	0	1	0	

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using	1	0	1	0	1.296 s
	RESTAssured library.					




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This feature will test/verify basic	POST Method Test - create new user using POST method	7	5	1	1	1.279 s
	functionalities of REST API [GET, *						


^{*} The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.



POST Method Test - create new user using POST method



#	Step / Hook Details	Status	Duration
1	Given API server is up & running on "http://localhost:3000"	PASSED	1.191 s
2	When user access the endpoint "/users"	PASSED	0.025 s
3	Then user should get status as "200"	PASSED	0.002 s
4	And user should receive data with header content-type as "application/json"	PASSED	0.001 s
5	When user create and reads the payload " <payload>"</payload>	PASSED	0.004 s
6	And attach it to the request body and post	FAILED	0.007 s
	java.lang.lllegalArgumentException: body cannot be null at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.reflection.CachedConstructor.doConstructorInvoke(CachedConstructor.java:60) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrap.callConstructor(ConstructorSite.java:86) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)		
	at io.restassured.internal.common.assertion.AssertParameter.notNull(AssertParameter.groovy:26)		
	at io.restassured.internal.common.assertion.AssertParameter\$notNull.callStatic(Unknown Source)		
	at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallStatic(CallSiteArray.java:53)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:217)		
	at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callStatic(AbstractCallSite.java:240)		
	at io.restassured.internal.RequestSpecificationImpl.body(RequestSpecificationImpl.groovy:698)		
	at stepDefinitions.RESTAssuredTests.attach_it_to_the_request_body_and_post(RESTAssuredTests.java:104)		
	at ?.attach it to the request body and post(file:///C:/Users/1/eclipse-workspace/CucumberDemo/src/test/resources/features/		
	RESTAssuredTests.feature:29)		
	* Not displayable characters are replaced by '?'.		
7	Then user should get status as "201"	SKIPPED	0.001 s