# Cucumber Report

| Start : Feb 10, 6:03:49.092 pm | End : Feb 10, 6:03:50.501 pm | Duration : 1.409 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 1<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 13<br>FAILED - 1<br>SKIPPED - 4 |

1

2

18

Pass % — 0 %

Pass % — 50 %

Pass % — 72 %

| Feature | | Scenario | | | | Step | | | |
|---|---|---|---|---|---|---|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| *This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.* | *1.409 s* | *2* | *1* | *1* | *0* | *18* | *13* | *1* | *4* |

| # | Feature Name | Scenario Name |
|---|---|---|
| 1 | *This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.* | *GET Method Test - verify active users & stocks data available for further actions* |

| TAG | Scenario | | | | Feature | | | |
|---|---|---|---|---|---|---|---|---|
| **Name** | **T** | **P** | **F** | **S** | **T** | **P** | **F** | **S** |
| *@test1-api* | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| *@get-method* | 2 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | *This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.* | 2 | 1 | 1 | 0 | 1.409 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | *This feature will test/verify basic functionalities of REST API [GET, \** | *GET Method Test - verify active users & stocks data available for further actions* | 9 | 9 | 0 | 0 | 1.321 s |
| 2 | | *GET Method Test - verify active users & stocks data available for further actions* | 9 | 4 | 1 | 4 | 0.051 s |

*\* The feature name and/or scenario name has been cropped to fit in the available space.*

## This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssured library.

| FAILED | DURATION - 1.409 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 6:03:49.092 pm // 6:03:50.501 pm / | | Total - 2 <br> Pass - 1 <br> Fail - 1 <br> Skip - 0 | 2 | Total - 18 <br> Pass - 13 <br> Fail - 1 <br> Skip - 4 | 18 |

### GET Method Test - verify active users & stocks data available for further actions

| PASSED | DURATION - 1.321 s | | Steps | |
|---|---|---|---|---|
| / 6:03:49.101 pm // 6:03:50.422 pm / | | | Total - 9 <br> Pass - 9 <br> Fail - 0 <br> Skip - 0 | 9 |
| *This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssu* * | | | | |
| @test1-api @get-method | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given API server is up & running on "http://localhost:3000" | PASSED | 1.203 s |
| 2 | When user access the endpoint "/users" | PASSED | 0.022 s |
| 3 | Then user should get status as "200" | PASSED | 0.003 s |
| 4 | And user should receive data with header content-type as "application/json" | PASSED | 0.001 s |
| 5 | And user should get active user "Oneil Pinto" | PASSED | 0.039 s |
| 6 | When user access the endpoint "/stocks" | PASSED | 0.010 s |
| 7 | Then user should get status as "200" | PASSED | 0.001 s |
| 8 | And user should receive data with header content-type as "application/json" | PASSED | 0.001 s |
| 9 | Then user should get stock as "TCS" | PASSED | 0.005 s |

### GET Method Test - verify active users & stocks data available for further actions

| | | |
|---|---|---|
| *FAILED* | *DURATION - 0.051 s* | |
| */ 6:03:50.450 pm // 6:03:50.501 pm /* | | |
| *This feature will test/verify basic functionalities of REST API [GET, POST, PUT & DELETE] using RESTAssu \** | | |
| @test1-api @get-method | | |

Steps
Total - 9
Pass - 4
Fail - 1
Skip - 4



| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given API server is up & running on "http://localhost:3000" | PASSED | 0.011 s |
| 2 | When user access the endpoint "/users" | PASSED | 0.011 s |
| 3 | Then user should get status as "200" | PASSED | 0.001 s |
| 4 | And user should receive data with header content-type as "application/json" | PASSED | 0.001 s |
| 5 | And user should get active user "Amol Jadhavx" | FAILED | 0.005 s |
| | java.lang.AssertionError<br>    at org.junit.Assert.fail(Assert.java:87)<br>    at org.junit.Assert.assertTrue(Assert.java:42)<br>    at org.junit.Assert.assertTrue(Assert.java:53)<br>    at stepDefinitions.RESTAssuredTests.user_should_get_active_user(RESTAssuredTests.java:61)<br>    at ?.user should get active user "Amol Jadhavx"(file:///C:/Users/1/eclipse-workspace/CucumberDemo/src/test/resources/features/RESTAssuredTests.feature:12)<br>* Not displayable characters are replaced by '?'. | | |
| 6 | When user access the endpoint "/stocks" | SKIPPED | 0.004 s |
| 7 | Then user should get status as "200" | SKIPPED | 0.003 s |
| 8 | And user should receive data with header content-type as "application/json" | SKIPPED | 0.001 s |
| 9 | Then user should get stock as "HDFCX" | SKIPPED | 0.000 s |